

Index

- Acacia* spp., 154, 157, 161, 168–169, 171, 178
Acanthochromis polyacanthus, 363
Achaearaneae spp., 191, *See Parasteatoda* spp.
Acrocephalus sechellensis, 324, 329, 336
Acromyrmex spp., 28
 Aculeata, 84, 106
Aebutina spp., 191, 202, 205
 A. binotata, 190, 191, 194, 208
Aegithalos caudatus, 326, 330, 333, 338, 340
 Agamidae, 407
Agapostemon virescens, 59
Agelaia vicina, 101
Agelas spp., 234
 A. clathrodes, 234
Agelena spp., 191, 202, 204–205
 A. consociata, 204
 A. republicana, 204
 Agelenidae, 191
 alarm calls, 258, 292, 299
 alates, 125, 129
 Allee effect, 192, 209
 Allodapini, 56, 62, 64–65, 71
 allogrooming (termites), 131, 133
 alloparental care
 definition of, 3
Alopex lagopus semenovi, 289
Alouatta palliata, 253
 Alpheidae, 224–225, 228, 232, 236, 240, 243
 altriciality, 293, 302, 440
Amphiprion spp., 368
 A. clarkia, 368
 A. melanopus, 368
 A. percula, 360, 368
 ancestral monandry, 97, 104
 ancestral monogamy, 69, 297, 417
 ancestral monogyny, 25
 Andrenidae, 52
Anelosimus spp., 191, 196, 199–203, 205–207, 210
 A. arizona, 199
 A. dubiosus, 200, 212
 A. elegans, 210
 A. eximius, 192, 193, 196, 200–201, 206
 A. guaxamayos, 200
 A. jabaquara, 191, 192, 200, 205, 210
 A. lorenzo, 208
 A. oritoyacu, 208
 A. rupununi, 208
 A. studiosus, 202
Anoplotermes spp., 135
 Anseriformes, 330
 Anthocoridae, 163
 Anthophila, 50
Aotus azarae, 260
Aphelocoma spp.
 A. coerulescens, 324, 327, 330, 335
 A. wollweberi, 323, 327
 Aphididae, 155
 Apicotermitinae, 127, 132
 Apidae, 56
 Apiformes, 65
 Apini, 56–57, 63
Apis spp., 58–59, 64–65, 68, 72, 106, 428
 A. (Megapis) dorsata, 64
 A. (Micrapis) florea, 64
 A. cerana, 59, 64
 A. mellifera, 50, 64, 71–72, 106
 A. mellifera scutellata, 59
 Apodidae, 322
Apoica pallens, 102
 Apoidea, 50, 56, 64–65
 apomictic parthenogenesis, 165
 apterous line, 129
 Araneidae, 194
 Archipsocidae, 213
 Archotermopsidae, 126–128, 132, 134, 137
Arctostaphylos spp., 160
Arpactophilus mimi, 86–87
 Artiodactyla, 308
 Arvicolinae, 290
Astegopteryx spp.
 A. spinocephala, 165
 A. styracicola, 176
Ateles spp., 257
 A. belzebuth, 268

- Attini, 32, 135
Augochlorella striata, 72
 Augochlorini, 56
Auplopus semialatus, 86–87
- basking, 27, 327, 398, 402–403, 405
 Bathyergidae, 286, 290, 297, 303
Bellatorias spp., 391, 393
 B. frerei, 395, 399
 B. major, 395, 399
Belonogaster spp., 97, 104
 B. petiolata, 87, 95, 102
 between-group contest competition (BGC), 261
 bivoltinism, 63
 Bombini, 56–57, 106
Bombus spp., 64, 70
 B. hypnorum, 70
 Bopyridae, 238
 bourgeois males, 376
Brachygastra mellifica, 95
Brachyteles spp., 257
 B. hypoxanthus, 260
 brood farming out (fishes), 357
 brood parasitism, 62, 325, 337
 Bucerotidae, 329
Bucorvus leadbeateri, 335
 budding. *See* colony fission
Buteo galapagoensis, 325
- Callitrichinae, 260, 266
Calocitta formosa, 340
 Canidae, 286, 290, 295, 297
Canis lupus, 292
 cannibalism, 30, 37
 Caprimulgiformes, 330
Caracanthus spp., 360
Cardiocondyla spp., 29, 35
 C. elegans, 29
 C. obscurior, 35
 Caridea, 238
 Carnivora, 284–310
Castor canadensis, 296
 Castoridae, 290, 302
 Catarrhini, 255
Cavia porcellus, 290
 Caviomorpha, 286, 296–297
Cebus spp.
 C. capucinus, 260, 265, 268
 C. olivaceus, 268
 central place foraging, 26, 74, 129–130, 133, 429, 434, 442–444
 Cerataphidini, 168
Ceratina spp., 66
 C. australensis, 70
Cerceris australis, 86–87
 Cercopithecinae, 262, 267
Cercopithecus spp.
 C. mitis, 256
 C. solatus, 268
Ceryle rudis, 340
 Cetacea, 284
 Cetartiodactyla, 284
 Chamaemyiidae, 163
Chartergus chartarius, 100
Cheirogaleus medius, 260
 Chiroptera, 284–310
Chlorocebus spp., 262
 chorionated oocytes, 172
 Cichlidae, 355–378
 claustral founding, 24, 27
 cleptoparasitism, 59, 65, 87, 94
Climacteris spp., 340
 cloaca-pecking, 328
 clypeus, 98
Coelotes terrestris, 205
 Coliiformes, 327
 Collembola, 38, 87
 colony failure, 24, 94, 99–100, 201, 232
 colony fission, 24, 68, 72, 140–141, 190, 207
 colony-level selection, 61
Colophina clematis, 158
 communal breeding, overview of, 441
 communal nursing, 255, 289, 294
 communal roosting, 326–327
Connochaetes taurinus, 289
 conspicuous coloration, 407
 cooperation scores, 286
 cooperative courtship, 356
 cooperative polyandry, 362
 coordinated snapping, 237, 241
 Coraciiformes, 331
 Coraciimorphae, 321–322
 corbiculate apids, 56–57, 60, 65, 106
Corcorax melanorhamphos, 330, 335
 Cordylidae, 393, 395, 407, 415
 cornicle, 164
Corucia spp., 391
 C. zebra, 395, 400, 407
 Corvida, 269
Corvinella corvina, 324
Corvus spp.
 C. brachyrhynchus, 340
 C. corone, 339
 Crabronidae, 85
 Crinoidea, 225
Crocota crocata, 271, 289, 292, 298, 305–306, 309
Crotophaga spp., 324
 Crustacea, 224, 360, 368
 Cryptocercidae, 126, 137
Cryptocercus spp., 131, 136, 139, 142
 C. punctulatus, 139

- Cryptotermes* spp., 127, 133, 139–140
C. secundus, 133
Ctenodactylus gundi, 290
Ctenomys sociabilis, 290, 294–295, 303, 309
 cuticular hydrocarbons, 34, 66, 98, 103, 136, 206
Cyanoramphus sailsetti, 334
 cyclical oligogyny, 104
Cyclodomorphus spp., 391, 395
Cyclosa spp., 193–194
Cynomys spp., 286
C. gunnisoni, 290–291
C. ludovicianus, 290, 294
 Cyprinidae, 363
Cyrtophora spp., 193–194, 198, 200, 203–204
C. citricola, 203, 206–207, 209–210
- Dascyllus* spp., 370
D. aruanus, 362, 371–373
 death grip, 59
 Decapoda, 229
 delayed dispersal, 325, 340, 361, 370, 372, 377, 403, 405, 409–410, 413, 416
Delena spp., 190, 198, 204
D. cancerides, 191, 209, 213
 dependent founding, 24–25, 27, 30, 36
 detritivores, 124, 134–135
Diaea spp., 190, 191, 198–199, 204, 210, 214
D. socialis, 205
 diapause, 61, 67, 93, 101
Dictyna spp., 193, 197, 201
 Dictynidae, 191, 193, 205
 dilution effect, 198, 292, 357, 361, 404
 Diplodactylidae, 406
 Diprotodontia, 284, 307
 direct development, 230, 233, 235–236, 238, 242, 244
 divorce (planned separation), 404, 412
Dolichovespula spp., 90, 93, 95, 97, 105
D. arenaria, 99
D. maculata, 87, 99
D. sylvestris, 101
Drosophila spp., 35
 duetting, 333
 Dufour's gland, 66
Dunatothrips spp., 160
- early warning effects, 198
 Echinodermata, 225
Eclectus roratus, 328
 ecosystem engineering, 32, 296
Egernia group, 390–418
Egernia spp., 391, 393, 402
E. cunninghami, 391, 395, 399, 401, 405, 408–409, 411–413
E. kingii, 395, 399
E. mcphreei, 412
E. saxatilis, 391, 395, 398–399, 404–405, 411–413, 416
E. stokesii, 395, 398, 400–405, 408, 410–413, 415
E. striolata, 395, 398, 400, 405–406, 412
E. whitii, 391, 412
- egg adoption, 356
 egg cleaning, 356, 372–373
 egg fanning, 356, 372–373
Elaphrothrips tuberculatus, 175
 entomopathogens, 163–164
Epipona tatua, 100
 Epiponini, 85–87, 93, 96–97, 101–102, 106
Equus equus, 271
 Eresidae, 191
Eriophora spp.
E. bistriata. See *Parawixia* spp.
Eriosoma spp., 160
 Eriosomatinae, 155, 161, 166
Euglossa hyancinthina, 65
 Euglossini, 56, 65, 106
Eulamprus quoyii, 403
Eulemur spp., 262
E. rufifrons, 267
 Eumeninae, 85–86, 89–90, 108
 Euparagiinae, 85–86
 eusociality continuum concept, 431
 eusociality, definition of, 2
Eustenogaster spp., 86
 Eutheria, 284
Eutropis longicauda, 396
 eviction, 290, 340, 356, 370, 375
 extra-group mating, 323, 327, 336, 340
 extra-pair mating, 254, 324, 372, 405, 411, 413
- facial expressions, 265
 Falconidae, 322
 false feeding, 328
 family conflux (fishes), 357
 Felidae, 286, 295, 297
 fission-fusion dynamics, 257, 264, 289, 295, 307, 309, 355
Formica spp., 27
 fortress defense, 143, 161, 179, 225, 232, 244, 429, 434, 439, 443–444
 fortress nests, 60
Frankliniella spp., 159
Fukomys damarensis, 290
- galls, 162
 gambarelloides group, 224–225, 227–228, 231, 233–234, 236–237, 242–244
 Gaviiformes, 330
 Geomyidae, 286, 297
 Gerrhosauridae, 393, 407
Glis glis, 290
Gnypetoscincus spp.
G. queenslandiae, 395, 400
 Gobiidae, 237, 355, 358

- Gobiodon* spp., 360, 368
G. histrio, 368
Gorilla spp.
G. gorilla berengei, 257
G. gorilla gorilla, 267
granaries (birds), 325
grooming, 257, 264–265, 294
group recognition, 136, 237
Gymnorhina tibicen, 327
gynes, 63, 93
- habitat saturation hypothesis, 329
Halictidae, 52, 55–56, 64–65, 73
Halictinae, 65
Halictini, 56, 61, 64
Halictus spp., 63
H. rubicundus, 55, 72
Hamilton's Rule, definition of, 7
Hapalemur spp., 263
Haplorhini, 264–266, 269
Helogale parvula, 294, 302, 309
helpers, definition of, 5
helpers-at-the-nest, 324, 329, 337
hemimetabolism, 107, 125, 131, 155, 165, 166, 177, 440, 443
hemolymph, 88, 90, 96
hermaphroditism, 227, 233, 369, 374–375, 377
bidirectional, 375
protandrous, 233, 375
protogynous, 233, 369, 375
Herpestidae, 286, 290, 296–297, 342
Heterocephalus glaber, 290, 292, 294, 304, 306
heterochrony, 90, 107
Hodotermitidae, 126, 129, 137
holometabolism, 68, 107, 440, 443
homeothermy, 320
Hominae, 264, 266
Hoplodactylus spp., 406
Hormaphidinae, 155, 161, 166
house hunting (termites), 125
housecleaning, 164, 166
huddling, 259, 293, 327
Hyenidae, 286, 297
Hylobates spp., 257
H. lar, 253
Hylobatidae, 263
Hymeniacidon caerulea, 234, 241
Hyracoidea, 284
Hystricidae, 290
Hystricognathi, 300
Hystricomorpha, 300
- Icariella* spp., 102
Iguanidae, 407
inclusive fitness theory, summary of, 6
indeterminate growth, 238, 367, 377
individual recognition, 99, 253–254, 265, 298, 367, 392
infanticide, 259–260, 262, 290, 403, 414–416
innovations, behavioral, 265
insulin-like signaling pathway, 35
Intellagama lesueurii, 394
invasive species, 31, 38
irregular webs, 188, 190, 193–194, 200, 202, 204, 211
- Jacobsen's organ, 401
joint-nesting, 324
Julidochromis spp., 374
J. marlieri, 357, 373, 375
J. ornatus, 357, 373, 375
J. transcriptus, 375
- Kalotermitidae, 126, 128, 132, 134, 137
kin discrimination, 37, 227, 265, 294, 299, 333
kin recognition, 66, 98, 171, 271, 299, 367, 373, 392, 397, 408, 410–411, 416
mother–offspring recognition, 299, 410
kin selection theory. *See* inclusive fitness theory
Kladotherps spp., 156, 161, 176
K. habrus, 158, 163, 167
K. hamiltoni, 166, 176
K. intermedius, 158, 163, 166, 174
K. rodwayi, 168
K. waterhousei, 163
kleptoparasitism, 207
Koptotherps spp., 164, 168, 172
K-selection, 162, 408, 436
- Labridae, 355, 370
Lagomorpha, 284, 308
Lagothrix poeppigii, 267
Lamprologini, 365–366
Lamprotornis superbus, 332
Lasioglossum spp., 54, 63, 67, 71
L. (Dialictus) figueresi, 59
L. albipes, 55
L. balecium, 59
L. laevissimum, 72
L. malachurum, 70–71
L. umbripenne, 67
L. zephyrum, 70
Lasius niger, 29
learning, 66, 264, 269, 305, 403, 407
vocal, 333
leks, 95
Lemur catta, 268
Lemuriformes, 255
Lepidoptera, 97, 163
Lepilemur leucopus, 257
Leptothorax spp., 30, 36
Leucage spp., 193–194, 200, 203
levels of selection, 5

- levels of sociality, 51
 life history hypothesis, 368, 436
 life history traits, synthesis and overview, 436–440
Linepithema humile, 31
Liolaemus spp., 406, 415
Liopholis spp., 391, 393, 406
 L. inornata, 395, 399, 411–412
 L. kintorei, 395, 398–399, 411
 L. slateri, 412
 L. whittii, 395, 399, 402, 404, 411–413, 416
Liostenogaster spp.
 L. flavolineata, 399
 L. vechti, 104
Lissolepis spp., 391
 L. coventryi, 395, 400, 411
 load-lightening, 334, 369
 local resource competition hypothesis, 340
 local resource enhancement hypothesis, 340
 longevity, synthesis and overview, 429–439
Lontra canadensis, 304
Lophocheilus spp., 262
 Lorisiformes, 255
Loxodonta africana, 292, 305
Lycaon pictus, 286, 292, 302, 306, 309
- Macaca* spp., 262–263, 268
 M. fascicularis, 267
 M. fuscata, 253
 M. mulatta, 253, 268
 macropterous, 158
 Macroscelidae, 256
 Macroscelidea, 307
Macrotermes spp., 129, 133, 138
 M. bellicosus, 129
 Macrotermitinae, 129, 131–132, 139
Madracis spp., 234
 major histocompatibility complex, 265
 malaxation, 88, 94, 96–97
Malimbus ballmanni, 330
Mallos spp., 191, 193, 197, 201–202, 205
 M. gregalis, 212
 Maluridae, 331, 339
Malurus spp.
 M. splendens, 323, 327, 336, 340
 mandibulation, 88, 97
Mandrillus sphinx, 268
Manorina spp., 323, 327
 M. melanophrys, 328
 manual gestures, 265
Marmota spp., 286
 M. flaviventris, 289, 303, 305, 309
 Masarinae, 85–86, 97
 mass provisioning, 62, 87–88
Mastotermes spp., 141
 M. darwiniensis, 130
 Mastotermitidae, 126, 129–130, 137
 mate familiarity hypothesis, 403
 mate guarding, 29, 259
 maternal death hypothesis, 199
 mating system, definition of, 11
 matrophagy, 199
 maxillary laciniae, 155
 Megachilidae, 65
Megalopta spp., 66
 M. genalis, 55
Melanerpes formicivorus, 324–327, 335, 338, 340
Meles meles, 289, 291–292, 301
Melipona spp., 67
 Meliponini, 56–59, 63, 68, 70, 72, 107
 Melittidae, 64–65
Melophorus spp., 31
Meriones unguiculatus, 290
Merops spp.
 M. apiaster, 339
 M. bullockoides, 323
 M. ornatus, 339
Messor spp., 32
Metabus spp., 193–194, 203
Metapolybia aztecoides, 102, 105
 Metatheria, 284
Metepeira spp., 193–194, 198, 203
 M. incrassata, 194, 198
Mexitlia spp., 193
Microcavia australis, 290
Microcebus spp.
 M. murinus, 260, 265
 micropterous, 158
Microstigmus spp., 87
 M. comes, 86–87
 M. nigrophthalmus, 87
Microtus ochrogaster, 293, 295
 milk theft, 291
 Mischocyttarini, 86
Mischocyttarus spp., 96–97, 104
 M. drewseni, 86, 100–101
 M. mexicanus, 102
 mixed-species associations, 103, 160, 258
 mobbing, 254, 258, 325
 monogamy hypothesis (evolution of eusociality), 339, 429, 436, 442
 monogyny, definition of, 433
Montezumia cortesioides, 86, 89
Mungos mungo, 289, 301
 Murinae, 290
Mus musculus, 271
 mushroom bodies, 66
 Musophagidae, 322
 Mustelidae, 286, 297
Myotis bechsteinii, 303
Myrmecia pyriformis, 31
Myrmecocystus spp., 31
Myrmica spp., 214
Myrmoxenus spp., 214

- Nasua narica*, 289, 292
Nasutitermes spp.
 N. corniger, 141
 N. exitiosus, 138
 Nasutitermitinae, 129
 necrophagy, 57
Neolamprologus spp., 373
 N. multifasciatus, 364, 373–375
 N. obscurus, 357, 359, 364
 N. pulcher, 355–378
 N. savoryi, 373, 375
Neopetrosia spp., 237
 neotronics, 128
 ergatoid, 129
 nymphoid, 129
Nephrurus milii, 397
 nest adoption, 89, 103
 nest guarding, 59
 nest pedicel, 95
 nest petiole, 94
 nest takeovers, 356–357
 nestmate recognition, 98
 Neuroptera, 163
 niche construction, 366
 nitrogen fixation, 32
 no-entry signals, 40
Nomada spp., 59
 Nomadinae, 65
 nuptial flights, 24, 27–28, 30, 68, 133, 136, 140
Nycticeius humeralis, 290
 nymphal line, 129

 ocelli, 22
Octodon degus, 290, 295, 304, 309
 oligolectic, 57, 65
Oncothrips spp.
 O. habrus. See *Kladothrips habrus*
 O. tepperi. See *Kladothrips intermedius*
 oophagy, 104
 Ophiuroidea, 233
 Opisthocomidae, 331
 Opistognathus, 142
 orbicular webs, 188, 190, 192, 195, 201, 204,
 209–211
Osmia spp., 67
Otospermophilus spp., 286
Ouroborus cataphractus, 397, 401
 ovarioles, 22
 overwintering, 67, 69, 93, 99, 101, 172, 402, 414
 ovoviviparity, 172
 Oxyopidae, 191, 205

Pachycondyla inversa, 22
 paedogenesis, 208
Pan spp.
 P. paniscus, 267
 P. troglodytes, 267

Panthera leo, 286, 292, 301, 325, 333
Papio spp., 271
 P. anubis, 268
 P. cynocephalus, 260, 267–268
 P. hamadryas, 256
 P. ursinus, 260
Parachartergus colobopterus, 94–95, 99,
 102
Paragobiodon spp., 360, 362
 P. xanthosomus, 361, 365
Parapolybia spp., 97
 P. indica, 101
 P. varia, 87
 parasitic males, 376
 parasocial. See levels of sociality
Parasteatoda spp., 191, 202, 205
Parawixia spp., 193
 P. bistrriata, 192, 194, 196, 203, 210
 Paridae, 334
Parischnogaster spp., 104
 P. jacobsoni, 104
 P. nigricans serrei, 99
 Passeri, 321–322, 331–332, 334
 Pelecanimorphae, 330
Pelvicachromis pulcher, 357, 360, 374–375
 Pemphiginae. See Eriosomatinae
Pemphigus spp., 171, 174
 P. betae, 172
 P. obesinymphae, 171
 P. spyrothecae, 174
 Pemphredoninae, 86
Perisoreus spp., 326
 P. infaustus, 326, 338
 P. internigrans, 326
 Perissodactyla, 284
Peromyscus spp., 291
 P. leucopus, 302
 personality, 367
Phaner furcifer, 260
Pheidole spp., 27
 pheromones, 24, 27, 34, 95, 102, 105, 133, 136, 159,
 170–171, 205
Philetairus socius, 323, 326
Philoponella spp., 193–194, 198, 203–204
 P. arizonica, 200, 204
 P. oweni, 200, 204, 206–207
 P. prominens, 194
 P. prominens, 203
 P. republicana, 192, 200–201
 Phlaeothripidae, 156
 Phocidae, 295
 Phoenicopterimorphae, 330
Phoeniculus purpureus, 326, 332
 Pholcidae, 193
 phototaxis, 136
 phylogenetic signal, 236
Physeter microcephalus, 304

- physogastry, 139
Picoides borealis, 329, 335–336
 Platyrhini, 255, 262
Platysaurus broadleyi, 397
Platythyrea punctata, 23
 pleometrosis, 24, 141, 160, 430
 plural breeding, definition of, 9, 288, 433
Pogonomyrmex spp., 32
 P. badius, 32
 P. occidentalis, 29
 poikilothermy, 361
 policing, 26, 37, 39, 61
Polistes spp., 86, 93–98, 100–104, 107
 P. annularis, 100
 P. biglumis, 91, 96
 P. canadensis, 95, 101
 P. dominula, 98, 101, 103, 105
 P. exclamans, 101
 P. fuscatus, 95, 98, 103, 105
 P. instabilis, 101, 105
 P. metricus, 92
 P. olivaceous, 87, 100, 102
 P. stigma, 102
 Polistinae, 85–86, 90, 94, 97, 101, 104–106
 Polistini, 86
 pollination, 97, 296
Polybia spp., 103
 P. liliacea, 100
 P. occidentalis, 87, 105
 P. scutellaris, 100
Polybioides spp., 85, 93, 102
 P. tabidus, 87, 95, 102
 Polycaly, 127
 Polychaeta, 233
 polydomy, 24
 polyethism
 age-dependent, 105, 371
 polygyny, definition of, 433
 polylectic, 57
 polyphenism, 22, 31, 39–40, 124, 171
 polyploidy, 233
 polytocy, 300
 Pomacentridae, 356, 358
Pomatostomus ruficeps, 332
 Pompilidae, 84–85, 108
Ponerinae spp., 31
Pongo spp., 256, 266
 P. borneo, 267
Populus spp., 167
 precociality, 440
Premnas spp., 368
 P. biaculeatus, 368
 presocial. *See* levels of sociality
 prey size hypothesis, 196, 201–202, 212
 primary polygyny, 24
Pristomyrmex punctatus, 33
 Proboscidea, 284, 307
 Procellarimorphae, 330
Procolobus badius, 258
Procyon lotor, 302, 304
 Prognathus, 142
 progressive provisioning, 25, 62, 89, 96
 fully, 88
 truncated, 88
 pronotal horns, 163
Propithecus verreauxi, 260, 267
Prorhinotermes spp., 128–129
 protandry, 166, 177
 protogyny, 104, 166
Provespa spp., 59, 85, 93, 102, 104
 P. anomala, 87
Prunella spp.
 P. collaris, 333
 P. modularis, 327, 333
 Prunellidae, 327
Psaltriparus minimus, 326
 pseudergates, 128
Pseudoregma sundanica, 171
Psilorhinus morio, 324
Psythyrus spp., 106
 public information, 355
 queuing, 294, 360, 371, 374, 376
 rain intensity and predation rate hypotheses, 212
 Rallidae, 322
 resource dispersion hypothesis, 292
Reticulitermes spp., 127, 141
Rhodomys pumilio, 295
Rhinopithecus spp., 256
 Rhinotermitidae, 126, 129, 134, 137
Rhombomys opimus, 290, 295
 ricochet effect, 196
 Rodentia, 284–310
Ropalidia (Icaria) spp., 85, 93, 97
Ropalidia spp., 102, 104
 R. formosa, 91
 R. ignobilis, 87, 102
 R. marginata, 87, 96, 100–101, 105–106
 R. montana, 87
 R. revolutionalis, 101
 Ropalidiini, 87
r-selection, 436
Saimiri spp., 262
 Salticidae, 193
 satellite males, 362, 376
Sceliphron assimile, 100
 scent marking, 95, 265
 schools (fish), definition of, 355
 Scincidae, 393, 395, 399, 407
 Scincoidea, 393, 406, 413, 415
 Sciuridae, 286, 290, 295–297, 300, 303
 Sciuromorpha, 297, 300

- sclerotization, 143
 Scytodidae, 193, 204
 secondary polygyny, 24
 seed dispersal, 21, 31–32, 296
 selfing, 233
 semelparity, 139
 semi-claustral founding, 24–25
 semiochemicals, 171
Semnopithecus entellus, 256
 sentinels, 293, 325, 328
 seraglio situation, 28
 serial polygyny, 100
Sericornis frontalis, 339
 Serritermitidae, 126, 129, 137
 sex allocation, 37, 71–72, 97, 165, 307, 341
 sexual conflict, 393–394
 sexual cooperation, 393–394
 sexually-selected infanticide hypothesis, 270
 sexuparae, 165
 shoals (fish), definition of, 355
Sialia mexicana, 340
 sib mating, 23, 166, 169, 176, 177
 Sigmodontinae, 290
 singular breeding, definition of, 288, 433
 slave raiding, 25
 sleeping associations, 255, 257
 sneaker males, 394
 social brain hypothesis, 264–265, 269–270, 299, 332
 social chromosome, 443
 social intelligence theory, 264–265, 269, 332, 407
 social organization, definition of, 11
 social organization, overview of terms, 431
 social parasitism, 24
 social structure, definition of, 11
 social syndromes, 143, 430, 434–435, 441–443
 social syndromes, synthesis and overview, 427–429, 434–436
 sociality syndromes, 143
 sociality, definition of, 2
 sociogenomics, 444
Solenopsis invicta, 27, 31
 solitary founding, 24, 30
 Soricomorpha, 308
 species recognition, 136, 265
 sperm selection, 394
 spermatheca, 22, 39, 68
Spermophilus spp., 286
 S. parryii, 290
 Sphecidae, 65, 84–85, 108
 Spheciformes, 73
Sphecospongia vesparium, 241
Spilomena spp.
 S. subterranea, 87
Spilomena subterranea, 86–87
 Squamata, 390, 397, 401, 403, 406, 410, 414
Stegodyphus spp., 191–192, 196, 201–202, 204–206, 208, 212
 S. dunicola, 193, 198, 204, 207
 S. lineatus, 199–200, 206
 S. mimosarum, 196, 204
 Stenogastrinae, 85–86, 89, 94–103, 108
 Stolotermitidae, 126–128, 137
 Strepsirrhini, 255–256, 264–266, 269
 Strigiformes, 322, 330
Struthidea cinerea, 333
 Sturnidae, 329, 333
 stylets, 163
 Stylotermitidae, 126, 128, 137
Styrax spp., 167
 subsocial. *See* levels of sociality
 substrate brooders, 356, 365–366
 supercolonies, 38
 supernumerary, definition of, 430
 superorganisms, 5, 39, 428
Suricata suricatta, 269, 289–290, 293–294, 309
 swarm intelligence, 34
 symbolic communication, 58
Synalpheus spp., 244
 S. agelas, 234
 S. bousfieldi, 234, 236
 S. brooksi, 227–228, 230, 232–237, 239–241
 S. carpenteri, 236
 S. cayoneptunus, 230, 236
 S. chacei, 236, 240–241
 S. crosnieri, 226, 241
 S. dardeauai, 230, 239–240
 S. doriae, 227
 S. duffyi, 236, 241
 S. elizabethae, 230, 238–239
 S. flidigitus, 238, 240–241
 S. fossor, 226
 S. gambarelloides, 234
 S. hastilicrassus, 226
 S. idios, 230, 236
 S. irie, 234
 S. microneptunus, 234, 236, 241
 S. neptunus germanus, 227
 S. neptunus neptunus, 225
 S. occidentalis, 234
 S. paradoxus, 226
 S. paranepentunus, 236, 240
 S. pectiniger, 235
 S. rathbunae, 236, 238–241
 S. regalis, 225, 227, 230, 237–241
 S. yano, 239
 Syntermes spp., 133
 Syrphidae, 163
 tactical deception, 264
Tadarida brasiliensis, 290

- Tamalia* spp., 160
T. coweni, 160, 175
 tandem-run, 133
Tapinillus spp., 191, 202, 205, 210
Tarsier spectrum, 263
 Tarsiiformes, 255–256
 Teleostei, 367
 Terebrantia, 156, 175
 Termitidae, 126–127, 129, 134–135, 137, 139–141
Termitomyces spp., 131
 Tetragnatidae, 194
Tetragonsica angustula, 59
Thalassia testudinum, 234
Thaumatomyrmex spp., 30
 thelytokous parthenogenesis, 23, 31, 33, 36, 141
 Theridiidae, 191
Theridion spp., 191, 202, 205
T. nigroannulatum, 208
Theropithecus spp.
T. gelada, 256
 third-party knowledge, 265, 271, 393
 Thraupidae, 331
 Thysanoptera, 155
Tiliqua spp., 391, 398
S. rugosa, 391, 395–396, 398–399, 401, 403–404, 411–414
T. adelaidensis, 395, 399, 411–413
 tool use, 264, 269
 torpor, 327
 tospoviruses, 159
Trigona spp., 59
Trimeria howardi, 86, 89
 Trivers-Willard hypothesis, 307
 Trochilidae, 330
 trophallaxis, 54, 88–89
 proctodeal, 131
 Tropiduridae, 406
 Tubulifera, 156, 175
Turdoides spp., 342
Tursiops truncatus, 271
 Tyranni, 322, 331

Ulmus spp., 160
 Ulboridae, 194
Urocitellus beldingi, 293, 303
 Ursidae, 286, 297

Vespa spp., 90, 93, 95, 97
V. analis, 99
V. crabro, 87, 95, 98–99
V. germanica, 97
V. simillima, 101
V. squamosa, 97
V. tropica, 99, 101
V. vulgaris, 97, 101
 Vespertilionidae, 296
 Vespidae, 84–85, 97, 103, 106, 108
 Vespinae, 85, 87, 89, 94–95, 97, 99, 101–106
Vespula spp., 90, 93, 95–97
V. consobrina, 87
V. maculifrons, 99
V. vulgaris, 99
 vibrational signaling, 66, 99
 vigilance, 258, 292, 324–325, 401–402
 vitellogenin, 35, 67
 vocalizations, 255, 265, 298–299, 332, 392
 vomerolfaction, 401
Vulpes vulpes, 302

 Wallace's line, 332
Wasmannia auropunctata, 31
 within-group contest competition (WGC), 261
 within-group scramble competition (WGS), 261

Xantusia vigilis, 391, 393, 395–396, 398, 400, 402–403, 408–410, 412–414
 Xantusiidae, 393, 395, 407
Xenorhynchium nitidulum, 89
Xestospongia spp., 234
X. muta, 237
 XX/X0 sex determination, 165, 176
Xylocopa spp., 59
 Xylocopinae, 65
 Xylocopini, 54

Yuhina brunneiceps, 324

Zalophus wollebaeki, 292
 Zethinae, 85
Zethus miniatus, 86, 89
Zootermopsis spp., 133–134, 138–140