

Index

- adjoint
 - representation, 82
 - map, 35
- ancilla-assisted tomography, 54
- anyons, 113
- arrow of time, 142
- atomic
 - effect, 24
 - instrument, 46
 - point in a convex cone, 23
 - state, 24
 - transformation, 24, 43
- atomicity of composition, 130

- $\mathcal{B}_s(\mathcal{H})$, 14
- Banach spaces
 - of operators, 74
- base of convex cone, 146
- Bell measurement, 33, 41
- Bhatia dilation of effect, 83
- Bloch
 - ball, 18
 - sphere, 18

- Carathéodory's theorem, 173
- category theory, 5
 - strictly symmetric monoidal, 5
- causal chain, 142
- causality, 20, 135
 - axiom, 141
 - causal theories, 141
 - in philosophy, 6
 - no signaling from the future, 142
 - philosophy, 139
- CB norm, 123, 128
- central extension, 100
- channel, 119
 - correctable upon input, 66
 - correlation-erasing, 66
 - purification-preserving, 66
- Choi–Jamiolkowski
 - isomorphism, 41
 - operator, 41
- circuit, 112
- classical theory, 49

- closed circuits, 115, 125
 - event, 119
 - test, 119
- coarse-graining, 13, 22, 119
- cocycle, 100
- commuting POVM, 59
- complementary channel, 67
- complete OPT, 149
- complete positivity, 36
- completely bounded map, 128
- completely bounded norm, 123
- completely mixed state, 34, 54, 132
- completely positive map, 36
- composite system, 113
- compression
 - efficient, 134
 - ideal, 34, 134
 - lossless, 134
- conditional preparation, 145
- conditional state, 19, 38, 43
- conditioned test, 142
- conditioning-equivalent transformations, 149
- conic combinations, 117
- conservation of information, 170
- contractive operator, 44
- convex
 - OPT, 149
 - refinement, 23
 - refinement set, 23
- CP, 42
- CP map, 36
 - iff condition, 84

- dagger correspondence, 229
- decoding, 134
- deletion channel, 66
- density matrix, 16
- density operator, 16
- deterministic OPT, 148
- diamond norm, 123, 128
- directed acyclic graph, 4
- discrimination, 121
- dissipative evolution, 107
- double-covering, 102
- double-ket notation, 39
- dual set, 28

- effect, 13, 116
 Bhatia dilation, 83
 deterministic, 14
 identifying a pure state, 230
 local, 27
 partial ordering, 144
 separating, 25
- Eff(A), 13
- Einstein locality, 151
- embedding, 79
- encoding, 134
 efficient, 195
 ideal, 196
 ideal scheme for a face, 196
 lossless for a state, 134
 lossless upon input of ρ , 195
- encoding space, 66
- ensemble of states, 17
- entangled
 effect, 30
 state, 30
- entanglement, 157
 entropy of, 32
 from purification, 172
- entropy of entanglement, 32
- environment, 55, 61
- environment-correctable channel, 72
- equal upon input of the source $\{p_x \rho_x\}_{x \in X}$, 193
- equal upon input of ρ , 53, 194
- error correctable upon input of ρ , 201
- error correction, 66
- error-correcting code
 degenerate, 72
 non-degenerate, 72
- event, 111
 coarse-grained, 119
 deterministic, 112
 independent, 116
 probabilistic, 112
- everything not forbidden is allowed, 184
- extremal, 23
 effect, 24
 point in a convex set, 22
 ray in a convex cone, 22
 state, 24
 transformation, 24
- face
 identified by ρ , 194
 of a convex cone, 24
 of a convex set, 23, 33, 147
 orthogonal, 282
- faces
 perfectly discriminable, 219
- faithful state, 54
- Frobenius product, 40
- Golden rule for quantum extensions, 80
- group of reversible transformations, 173
- Heisenberg picture, 37
- holism, 157
 of transformations, 158
- ideal compression, 34, 133, 134
- identity test, 113
- independent
 events, 116
 systems, 115
- informational dimension, 246
- informationally complete
 observation test, 28
 POVM, 75
 preparation test, 30
 set of effects, 28
 test, 147
- instrument, 115
 atomic, 46
 measure-and-prepare, 46
 repeatable, 46
 von Neumann–Lüders, 46
- interaction, 114
- internal
 in a convex set, 23
 state, 34, 132
- invariant state, 174
- Iso**, 41
- isometric transformation, 42
- isometries, 79
- Jacobi identities, 100
- Jordan decomposition, 83
- Ker**, 19
- Klein group, 101
- Knill–Laflamme condition, 70
- Kraus form
 canonical, 42
 minimal, 42
 of a CP map, 42
- Lie
 algebra, 82
 product, 82
- Lin(\mathcal{H}), 14
- Lindblad equation, 78, 85
- Lin₊(\mathcal{H}), 14
- Liouville equation, 84

- local
 - discriminability, 136
 - discriminability axiom, 159
 - discriminability over pure states, 164
 - effect, 27
 - state, 27, 148
 - tomography, 136
- local tomography property, 163
- locality in Einstein sense, 151
- map
 - adjoint, 35
 - completely positive, 36
 - positive, 36
 - rank of, 42
 - sub-unital, 37
 - trace-non-increasing, 36
 - unital, 37
- marginal state, 20, 148
- Markov condition, 106
- master equation, 85
- maximal set of perfectly discriminable pure states in F , 247
- maximally entangled state, 33, 41
- measure-and-prepare instrument, 46
- measure-and-reprepare test, 143
- minimal purification, 199
- Moore–Penrose pseudoinverse, 104
- morphism, 79
- n-local
 - tomography, 164
 - discriminability, 164
- Naimark
 - canonical dilation, 59
 - dilation, 59
 - minimal dilation, 59
- no disturbance without information, 218
- no information upon input of ρ , 220
- no information without disturbance, 54, 177
- no signaling from the future, 142
- no-restriction hypothesis, 16
- non-disturbing test, 54
- observable, 18, 59, 75
 - von Neumann's, 19
- observation
 - event, 114
 - test, 12, 114
 - test, von Neumann's, 146
- one-parameter Abelian channel semigroup, 106
- one-parameter Abelian unitary group, 106
- operational distance
 - between effects, 122
 - between states, 120
 - between transformations, 122
- operational norm, 121
 - closure, 121
 - monotonicity, 122
- operational probabilistic theory, 4
- operational probabilistic theory (OPT), 111, 116
 - complete, 149
 - convex, 118, 149
 - deterministic, 116, 148
- operationally equivalent, 113
- OPT, 111
- orthogonal faces, 282
- orthogonal states, 225
- outcome, 12, 112
 - space, 112
- parallel composition, 114
- partial ordering, 15, 23
- perfect discriminability, 132
- perfectly discriminable faces, 219
- pointer, 61
- polarization identity, 15, 80
- positive map, 36
- positive operator, 14
- post-processing, 19
- post-selection, 21, 145, 151
- POVM, 18
 - commuting, 59
 - dilation, 59
 - extension, 59
 - infinite dimension, 74
- PPT criterion, 31
- predual, 74
- preparation, 12
 - event, 114
 - test, 12, 114
 - test, informationally complete, 30
- prior state, 17
- probabilistically-equivalent transformations, 150
- probability space, 112
- process tomography, 176
- Proj, 34
- projective unitary representation, 81
- property, 19
- Pur, 57
- pure
 - effect, 24
 - state, 24
- pure and reversible simulation, 170
- purification, 51, 136
 - axiom, 171
 - in philosophy, 7
 - of deterministic transformations, 182
 - of general tests, 183
- purifying system, 51
- purity of state
 - criterion, 81

- PVM, 19
 infinite dimension, 74
- QBism, 29
- quantum channel, 37, 38, 56
- quantum combs, 76
- quantum effect, 17
- quantum instrument, 46, 146
 infinite dimension, 75
- quantum non-locality, 156
- quantum operation, 35, 37, 38
- quantum roulette, 83
- quantum state, 16
 marginal, 20
- quantum tomography, 75
- qubit, 18
- quorum of observables, 28
- rank of a map, 42
- ray
 extremal, 22
 in a convex cone, 22
 through a point of a convex cone,
 22
- real quantum theory, 164
- reductionism
 of quantum theory, 159
- reference system, 51
- refinement, 22, 120
 convex, 23
- refinement set, 23, 120
 renormalized, 147
- renormalized refinement set, 147
- repeatable instrument, 46
- reversible
 computation, 170
 transformation, 44
- roulette, quantum, 83
- RefSet, 23
- RefSet₁, 23
- Schmidt
 form, 40
 number, 40
- Schrödinger
 cat paradox, 61
 equation, 84
 picture, 37
- self-dual theory, 81
- separable
 effect, 30
 Hilbert space, 74
 state, 30, 158
- separating, 25, 27
- separating set, 161
- sequential composition of tests, 113
- shift operator, 74
- shift-and-multiply
 basis, 41
 group, 81
- SIC POVM, 29
- simplex, 49
- simplicial theory, 49
- simulation of randomized algorithms,
 170
- singlet state, 31
- singular value decomposition, 40, 79
- singular values, 79
- size of a system, 117
- slice, 115, 116
- Span, 15
- Span₊, 27
- spectral measure, 75
- S_s(\mathcal{H}), 14
- state, 12, 115
 basic notion, 12
 completely mixed, 34, 54, 132
 conditional, 38
 deterministic, 14
 internal, 120, 132
 isomorphism with transformations, 182
 local, 27
 mixed, 120
 orthogonal, 225
 pure, 120
 separating, 25
 tomography of, 28
 vector, 25
- state identification, 229
- state tomography, 28
- steering, 175
 of ensembles, 52
 state, 52–54
- Stinespring theorem, 56
- stochastic vectors, 49
- St(A), 12
- St₁(A), 14
- sub-stochastic vectors, 49
- sub-unital map, 37
- superposition principle, 25
- Supp, 19
- swap operator, 32
- system, 12, 111
 composite, 14
 independent, 115
 input, 111
 multipartite, 14
 operationally equivalent, 112
 output, 111
 trivial, 112
- teleportation, 63, 178
 quantum, 63
- teleportation tensor, 64

- test, 12, 46, 111
 - coarse-grained, 119
 - identity, 113
 - informationally complete, 147
 - non-disturbing, 54
 - observation, 12
 - preparation, 12
- tomography
 - ancilla-assisted, 54
 - of effects, 30
 - of states, 28
 - of transformations, 45, 54
- trace-decreasing
 - map, 37
- trace-non-increasing map, 36, 37
- trace-norm, 122
- $\text{Transf}(A \rightarrow B)$, 12
- $\text{Transf}_1(A \rightarrow B)$, 14
- transformation, 12, 115
 - atomic, 120
 - equivalence, 115
 - reversible, 44, 119
- transposed map, 31
- transposition
 - map, 37
 - of operator, 31
 - partial, 31
- trivial system, 112, 113
- twirling channel, 173
- unital map, 37
- unitary transformation, 42
- universal processor, 209
- Vec**, 39
- von Neumann
 - cut, 181
 - observable, 19
 - observation test, 146
- von Neumann–Lüders' instrument, 46
- Werner state, 32
- Wigner's friend chain, 62
- Yang–Baxter identity, 113