

## Index

- abaxial, 155  
 absolute humidity, 46  
 absorptance, 42  
 ACASA model, 281  
 ACCESS model, 12, 373  
 activation energy, 54, 173  
 adaptive time step, 129  
 adaxial, 155  
 aerodynamic conductance, 92, 108  
   dual-source canopy, 266, 289  
   momentum, 84, 90–91, 365  
   multilayer canopy, 289–290, 296  
   roughness sublayer, 94, 100  
   scalar, 84, 90–91, 289  
   turbulent flux, 83, 103  
 albedo, 102  
   canopy, 248–249, 255  
   snow, 147, 255  
   soil, 243, 249, 255  
 allocation, 304  
   biogeochemical model, 309–312  
   ecosystem demography model, 359–360  
   LPJ, 354–356, 364  
 allometry  
   biomass, 37  
   crown area, 355, 360  
   gap model, 347–348  
   leaf area, 347  
   LPJ, 354–356  
   tree height, 347, 355, 359  
 amphistomatous, 156  
 anisohydric, 214  
 Arrhenius equation, 54, 56, 173, 312  
   peaked response, 173, 183  
 ATP, 167, 169–170  
 Avogadro's number, 42  
  
 backward difference approximation, 67, 123, 383, 385  
 BATS model, 8, 22, 192, 267, 276  
 Beer's law, 230–231, 262, 348  
 beta function, 27, 389  
 big-leaf. *See* canopy model  
 biogenic volatile organic compound, 367–368, 373  
 biogeochemical model, 4–6, 59, 301, 344–345  
   allocation, 304, 309–312  
   fire, 319–320  
   isotopes, 377  
   land use, 318  
   model structure, 302–309  
   nitrogen cycle, 315–317  
   phenology, 313–315  
   prognostic equation, 305, 307  
   soil organic matter, 304–305  
   traceability, 309, 316  
 biological nitrogen fixation, 315–317, 343  
 bisection, 87, 386  
 blackbody, 42  
 Blackman limiting response, 58  
 boundary layer conductance  
   canopy, 92, 100, 366  
   leaf, 155, 159–163, 186, 189  
 Bowen ratio, 100, 105  
 Brent's method, 87, 106, 187, 198, 386  
 Brooks–Corey, 118  
 bucket model, 110–111, 115  
 bulk density  
   snow, 71, 148  
   soil, 70, 116  
 bulk Richardson number, 87, 91  
 buoyancy, 46, 80, 85, 159, 162  
  
 CABLE model, 194, 199, 246, 298  
 CACHE model, 12, 373  
 CAFE model, 12, 373  
 CANOAK model, 10, 229, 241, 270, 281, 296  
 canopy  
   leaf trait profile, 268  
   leaf water potential profile, 221  
   scalar profile, 270, 272, 286–299  
   storage flux, 104–105, 292  
   temperature profile, 268, 274, 292–294  
   wind profile, 96, 268, 274, 282–286  
 canopy conductance, 100, 104, 106, 108, 113, 262, 264, 266–267, 366, 371  
 canopy model  
   big-leaf, 9, 112, 261–266, 276, 365, 376  
   chemistry, 11, 299, 372  
   dual-source, 266–268, 289  
   multilayer, 9, 27, 219, 275, 294, 372, 376  
   scalar profile, 270  
 capacitance, plant water, 217, 221, 225  
 CASA model, 6, 310  
 CASA-CNP model, 6, 302–306, 308–310, 312  
   phenology, 313  
   plant nitrogen, 315  
   turnover rate, 312  
 cavitation, 213, 219, 221, 224  
 central difference approximation, 67, 123, 125, 288, 383, 385  
 CENTURY model, 5, 327–328, 341, 343. *See also* DAYCENT model  
 chlorophyll, 33, 179, 181  
 chloroplast, 171, 175, 181, 187, 373–374  
 coarse woody debris, 304–306, 330, 335, 338  
 cohesion-tension theory, 213

- co-limitation, 57
  - electron transport, 170
  - photosynthesis, 171, 175, 178, 181, 185, 187, 197, 200, 266, 279
  - photosynthetic light response, 58
  - stomatal conductance, 201, 206
- Community Land Model (CLM), 22
  - allocation, 311
  - ammonia volatilization, 371
  - big-leaf canopy, 266
  - biogeochemical model, 308, 316–317
  - C<sub>4</sub> photosynthesis, 185
  - dry deposition, 366
  - dust emission, 368
  - ecosystem demography, 320, 358, 360, 362–363
  - land-use transitions, 318
  - leaf optical properties, 230
  - methane, 371
  - multilayer canopy, 270, 272, 274, 294
  - nitrification/denitrification, 370
  - plant hydrodynamics, 225
  - snow cover fraction, 148
  - soil albedo, 255
  - soil freezing/thawing, 77
  - soil organic matter, 318, 328, 339
  - stomatal conductance, 194, 199
  - subgrid tiling, 150
  - TOPMODEL, 145
  - two-stream approximation, 253
  - $V_{cmax}$ , 315
- complexity, 20–23
- conductance
  - aerodynamic. See aerodynamic conductance
  - boundary layer. See boundary layer conductance
  - canopy. See canopy conductance
  - diffusion, 44
  - heat transfer, 43
  - mesophyll, 175, 187, 211
  - parallel, 50
  - radiative, 158
  - series, 50
  - stomatal. See stomatal conductance
- conduction, 43, 104, 160
- conservation equation, 17–19
  - canopy water, 276
  - first law of thermodynamics, 40
  - momentum, 282
  - scalar, 286, 288, 290–292
  - soil moisture, 121
  - soil temperature, 65–66, 107
- constant flux layer. See surface layer
- convection, 43, 49, 155, 159, 164
  - forced, 159–160, 162–163
  - free, 159, 162–163
- counter-gradient flux, 281, 298
- Craig-Gordon model, 378
- Crank-Nicolson method, 67, 127, 385
- crown area, 356, 360–362
- CTEM model, 310, 313, 319
- CUPID model, 10, 270
- Dalton's law of partial pressure, 45
- Darcy's law, 121, 135, 138, 214
- DAYCENT model, 5, 332–339. See also CENTURY model
  - nitrification/denitrification, 370
  - tillage, 318
- daylength, 313
- deactivation energy, 173
- decomposition. See soil organic matter
- degree-day, 313, 348, 356–357
- demography, 7, 301, 344–345, 356–357, 361
- denitrification, 316, 369–370
- deposition velocity, 365
- diameter at breast height (DBH)
  - allometry, 37, 347, 355, 359–360
  - gap model, 347
  - LPJ, 355
  - Weibull distribution, 37
- diffusion. See Fick's law
- diffusivity, 44
  - CO<sub>2</sub>, 161, 186, 381
  - H<sub>2</sub>O, 161, 186, 381
  - hydraulic, 122
  - isotopic fractionation, 376, 378–379
  - momentum, 83–84, 89, 98, 160–161, 282, 286, 381
  - scalar, 83, 89, 287, 289
  - soil gas diffusion, 112
  - soil organic matter, 341
  - thermal, 44, 98, 160–161, 381
- Dirichlet boundary condition, 68, 125, 130
- dispersion matrix, 290, 295, 297
- displacement height, 84, 91–92, 96, 283–284, 298
- DNDC model, 370
- dry air
  - density, 46
  - molecular mass, 46
  - specific heat, 51
- dry deposition, 365–366, 372
  - multilayer model, 270, 366
- dust emission, 368
- dynamic global vegetation model, 7, 9, 345, 352, 357
- Earth system model, 2, 14
- ecohydrology model, 13
- ecosystem demography model, 345, 357–363
  - allocation, 359–360, 364
  - cohort, 359, 361
  - light competition, 361
  - patch, 358, 362
- ecosystem models
  - biogeochemical, 4–6
  - disciplinary views, 1, 3, 13–14
  - individual-based, 6–7
- eddy covariance, 83, 105, 261, 266
- electron transport, 169–172, 177–178, 180–181, 268
  - ATP production, 170
  - isoprene emission, 367
  - leaf nitrogen, 279
  - light saturation, 178

- RuBP regeneration, 169
- temperature acclimation, 183
- emissivity, 42
  - ground, 103, 257
  - leaf, 155, 256
- entropy, 173, 183
- equifinality, 22
- erectophile leaf angle distribution, 29
- error function, 79, 389
- Euler method, 307, 384, 387
- evaporation
  - canopy, 275–278
  - isotopic fractionation, 377–378
  - soil, 111, 294
  - soil conductance, 111–112
- evapotranspiration
  - flux equation, 15, 48
  - multilayer canopy, 288
  - Penman-Monteith equation, 113
  - Richards equation, 131
  - soil moisture stress, 19, 104, 110, 131, 147
  - soil organic matter turnover, 326, 330
  - surface layer equation, 82–83, 104
- FETCH model, 225
- Fick's law, 44, 48, 51, 83, 121, 155, 160
- finite difference equation
  - backward difference approximation, 67, 123, 383, 385
  - central difference approximation, 67, 123, 125, 288, 383, 385
  - diffusion, 384–385
  - for derivatives, 386
  - forward difference approximation, 19, 67, 383, 385
  - scalar profile, 288
  - soil moisture, 123
  - soil temperature, 66–68
- fire
  - chemical emission, 319, 369
  - gap model, 349
  - wildfire model, 319–320
- first law of thermodynamics, 40
- first-order linear differential equation, 59, 384, 387
  - biogeochemical model, 304, 315, 324, 335
  - leaf temperature, 158
  - leaf water potential, 218
- FORCAsT model, 12, 373
- force-restore method, 64
- FORET model, 7, 346
- forward difference approximation, 19, 67, 383, 385
- Fourier's law, 43, 65
- free drainage, 125
- friction velocity, 82, 84, 86, 94, 96
- FUN model, 317
- gap model, 6–7, 345–352
  - allometry, 347–348
  - boreal forest, 351
  - light competition, 348
  - litter cohort model, 329–332
  - mortality, 349
  - regeneration, 351
- geometric mean, 126
- Grashof number, 162
- gravitational potential, 120–121
- Green–Ampt equation, 134–135
- gross primary production, 57, 279, 302, 311, 316, 356, 376
  - canopy integration, 261, 263–264, 278
- groundwater, 12, 19, 110, 115, 122, 125
- harmonic mean, 68, 126
- heat capacity, 40, 65
  - air, 70
  - ice, 70
  - leaf, 153, 156
  - soil, 71, 75–76
  - water, 70
- humus, 322
  - litter cohort model, 329–330, 332
  - RothC model, 332
- hydraulic conductance
  - plant, 215–219, 221, 224
  - root-to-stem, 220
  - soil-to-root, 219, 223
- hydraulic conductivity, 120, 144, 214, 219
- hydraulic head, 120
- hydraulic redistribution, 131, 225
- hydraulic vulnerability curve, 224
- hydrologic cycle, 9, 14, 134
  - bucket model, 110–111
  - isotopic fractionation, 377, 379
- hydrologic model, 12–13
- hypostomatous, 156–157
- IBIS model, 9, 353
- ideal gas law, 44
- immobilization, 316, 322, 328, 336–338, 343
- infiltration, 115, 134–136
  - Richards equation, 130
- infiltration capacity, 134–139, 142
- intercellular CO<sub>2</sub>, 188
  - analytical solution, 187, 196
  - Ball-Berry model, 194, 200
  - C<sub>3</sub> plants, 175, 193, 200
  - C<sub>4</sub> plants, 185, 193
  - diffusive supply, 186–187, 189
  - isotopic fractionation, 374, 376
  - Leuning model, 194
  - Medlyn model, 194, 200, 205
  - numerical solution, 187, 197
  - Rubisco carboxylation/oxygenation, 168
  - water-use efficiency optimization, 205
- interception, 275–278
  - multilayer model, 270
  - Rutter model, 275–278
- International Biological Program (IBP), 5
- isohydric, 214
- isotopes
  - carbon, 374–377
  - water, 377–379

- JABOWA model, 7, 346–348  
 Jacobian matrix, 128, 389  
 $J_{max}$ , 170  
   acclimation, 183  
   leaf nitrogen, 180–181, 279  
   temperature response, 172–173  
   values, 174  
 JULES model, 332, 341, 358
- Kirchhoff's law, 42  
 K-theory, 280–281, 297  
   canopy scalar profile, 287  
   canopy wind profile, 282  
   localized near-field theory, 295, 298  
   multilayer model, 270, 281, 289, 294  
   surface layer, 83
- Lagrange multiplier, 61–63, 202  
 Lagrangian model, 281, 290, 295–299  
 Lagrangian time scale, 297–298  
 laminar flow, 159–161, 163, 291, 376, 379  
 land surface model  
   biogeochemistry, 9  
   biogeophysics, 8  
   climate coupling, 16  
   dynamic vegetation, 9  
   model components, 17  
 land use transition matrix, 318  
 lapse rate, 82  
 latent heat flux  
   flux equation, 49  
   Penman–Monteith equation, 112, 157  
 latent heat of fusion, 75  
 latent heat of vaporization, 49  
 leaf  
   absorptance, 170, 230, 246  
   biomass density, 32, 156  
   boundary layer conductance, 155, 159–163  
   characteristic dimension, 160, 163, 165, 201  
   drag coefficient, 91, 96, 282, 284, 286, 291  
   emissivity, 155, 256  
   energy balance, 153–158, 292  
   heat capacity, 153, 156, 158, 165, 292  
   Penman–Monteith equation, 157, 164  
   projected area, 25, 32, 156, 232, 235–236, 282  
   radiative conductance, 158  
   reflectance, 155, 165, 230, 241, 256  
   respiration, 168, 172–174, 183–184  
   scattering coefficient, 230, 246, 248, 250, 256  
   source flux, 290, 372  
   storage flux, 156  
   transmittance, 155, 230, 241, 256  
   transpiration conductance, 155  
 leaf area density, 26, 98  
   beta distribution, 27  
   canopy length scale, 96, 284, 286  
   displacement height, 284  
   leaf source flux, 291  
   momentum flux, 282, 284  
   multilayer model, 270  
   scalar profile, 291  
 leaf area index  
   absorbed radiation, 249  
   Beer's law, 232  
   belowground hydraulic conductance, 220  
   carbon allocation, 310  
   cumulative, 26  
   definition, 25  
   diffuse transmittance, 239  
   displacement height, 91, 96, 284  
   optimality theory, 60, 278  
   projected, 25  
   roughness length, 91, 284  
   sunlit, 232, 249  
 leaf azimuth angle, 29  
   direct beam extinction coefficient, 236  
   probability density function, 29  
 leaf inclination angle, 28–31  
   beta distribution, 30  
   canopy profile, 268  
   definition, 28  
   direct beam extinction coefficient, 236–238  
   ellipsoidal, 30, 237  
   erectophile, 29  
   horizontal, 30–31, 236  
   mean, 29  
   numerical approximation, 31, 236  
   plagiophile, 29  
   planophile, 29  
   probability density function, 29–30  
   Ross index, 31, 238, 251  
   spherical, 29–31, 237  
   two-stream approximation, 251  
   vertical, 30–31, 236  
 leaf mass per area, 32–33, 355, 363  
   leaf heat capacity, 153, 156, 165  
   leaf nitrogen, 33  
   sunlit/shaded leaves, 278  
 leaf nitrogen  
   canopy profile, 33–34, 265  
   chlorophyll, 33, 179, 182  
   electron transport, 279  
    $J_{max}$ , 180–181, 279  
   optimality theory, 33, 63, 265, 278–279  
   photosynthesis, 33, 317  
   respiration, 184  
   Rubisco, 33, 179–181, 279  
    $V_{cmax}$ , 181, 264, 279  
 leaf temperature  
   energy balance, 153–156  
   leaf size, 202  
   radiation, 152, 164  
   shaded leaf, 294  
   steady state, 157–158  
   stomata, 164  
   sunlit leaf, 292  
   transient, 158–159  
   wind, 152, 164

- leaf water potential, 213–215
  - diagnostic equation, 217
  - prognostic equation, 217
  - stomatal conductance, 191, 211, 219, 225
- Liebig's law, 57–58
- lignin, 325
  - litter cohort model, 330
  - soil organic matter turnover, 333, 335
  - structural litter, 304–305, 335
  - three pool model, 326
- LINKAGES model, 329–330, 346, 349
- litter quality, 325
- litterfall, 304, 312, 315, 336
- LM2 model, 110, 113
- LM3-PPA model, 358, 363
- localized near-field theory, 295–299
- longwave radiation, 41, 255–259
  - leaf, 155
- LPJ model, 8, 345, 354–357
  - allocation, 354–356, 364
  - bioclimatic rules, 357
  - establishment, 356
  - fire, 319
  - mortality, 356
  - respiration, 312, 327
- LPJ-GUESS model, 8, 354
  
- macropore, 132, 136
- MAESTRA model, 269
- mass concentration, 45
- mass mixing ratio, 47
- mesophyll conductance, 175, 187, 211
- metabolic litter, 304, 335
- methane, 371
- Michaelis–Menten equation, 53
  - as a rate modifier, 57
  - DNDC model, 370
  - methane oxidation, 372
  - microbial model, 342
  - photosynthetic light response, 53, 58
  - reverse equation, 342
  - Rubisco carboxylation, 53, 168
- microbial model, 342–343
- MIMICS model, 342–343
- mixing length
  - surface layer, 84, 89, 98
  - within canopy, 96, 282–283, 286, 289
- model structure, 17–19
- moist air
  - density, 46
  - molecular mass, 47
  - specific heat, 44, 49, 51
- molar density, 44
- mole fraction, 45
- momentum flux
  - surface layer, 82–83
  - within canopy, 282–284
- Monin–Obukhov similarity theory, 85–88, 91, 274
  - roughness sublayer modification, 93–95
- NADPH, 167
  - electron transport rate, 169
  - isoprene emission, 367
- net primary production, 302, 304, 306–309, 313, 317, 356, 360
- net radiation, 42
  - bulk surface, 103
  - isothermal, 157
  - leaf, 155
- Neumann boundary condition, 69, 125, 130
- Newton–Raphson iteration, 386, 389
  - bulk Richardson number, 87
  - leaf temperature, 157
  - Richards equation, 128, 130
  - surface temperature, 106
- nitrification, 316, 369–370
- nitrogen
  - atmospheric deposition, 315–317, 343
  - biogeochemical model, 315–317
  - biological nitrogen fixation, 315–317, 343
  - carbon allocation, 310–311
  - denitrification, 316, 369–370
  - immobilization, 316, 322, 328, 336–338, 343
  - leaching loss, 317
  - mineralization, 316, 322, 338
  - nitrification, 316, 369–370
  - plant productivity, 316–317
  - plant prognostic equation, 315
  - soil mineral, 316, 343
  - volatilization, 316, 370
- non-rectangular hyperbola, 58, 262
- nonstructural carbohydrate, 312
- Nusselt number, 160, 162
  - leaf, 97, 100, 291
- Obukhov length, 85, 106, 108
- O-CN model, 181, 316–317, 370
- optimality theory, 60–63
  - leaf area index, 60, 278
  - leaf nitrogen, 33, 63, 265, 279
  - plant canopies, 278–279
  - resource allocation, 311
  - stomata, 62, 194, 202–210
- ORCHIDEE model, 270, 292, 299, 315, 320
- ozone, 200, 270, 365, 372
  
- parameterization
  - definition, 19
- partial pressure, 45
- particle density, 116
- pedotransfer function, 118
- Penman–Monteith equation
  - canopy, 112–113, 262, 275
  - leaf, 157, 164
- perfect plasticity approximation, 360
- PGA, 167, 169, 185
- pH
  - methane, 372
  - nitrification/denitrification, 370

- pH (*cont.*)  
 soil organic matter turnover, 333, 335  
 volatilization, 370
- phenology, 304, 308–309, 313–315, 360
- phosphorus, 5–6, 316
- photon, 42, 170, 231
- photorespiration, 167, 169, 177, 185–186
- photosynthesis  
 biochemical demand, 186, 196, 204–205  
 C<sub>4</sub> plants, 185–186  
 CO<sub>2</sub> compensation point, 169, 194  
 CO<sub>2</sub> response, 167, 171, 176  
 Farquhar-von Caemmerer-Berry model, 167–172, 174–175, 196, 205  
 isotopic fractionation, 374–377  
 Kull–Kruijt model, 181–183  
 light compensation point, 171  
 light response, 53, 58, 167, 171, 178  
 model parameters, 175  
 temperature acclimation, 185
- photosynthetic photon flux density, 43
- photosynthetically active radiation, 42  
 BVOC emission, 367  
 canopy nitrogen profile, 33, 264–265  
 electron transport, 170  
 leaf absorptance, 172  
 light use efficiency model, 57  
 optimal leaf area index, 61, 278  
 photosynthesis, 53, 167, 177, 181  
 stomatal conductance, 190–191, 199
- photosystem II, 170
- Picard iteration, 127–129, 386
- pipe model, 355
- plagiophile leaf angle distribution, 29
- Planck's constant, 42
- Planck's law, 41
- planophile leaf angle distribution, 29
- plant area index, 27  
 canopy turbulence, 96  
 radiative transfer, 230
- plant functional type  
 DGVM, 8–9, 345, 353, 363  
 leaf respiration, 184  
 stomatal conductance, 195, 205  
 $V_{cmax}$ , 175, 179–180
- pore space, 116
- porosity, 116
- potential temperature, 82
- Prandtl number, 97–98, 160, 291, 366
- predictor–corrector method, 126
- probability density function, 389–390  
 beta distribution, 27, 30  
 ellipsoidal distribution, 30  
 exponential distribution, 137, 390  
 three-parameter gamma distribution, 144  
 three-parameter Weibull distribution, 37
- probability distributed rainfall–runoff model, 141
- prognostic equation, 17, 19
- psychrometric constant, 49
- $Q_{10}$ , 55, 173, 183, 312, 327
- quantum yield, 53, 57, 171, 177, 185  
 photosystem II, 170
- radiative conductance, 158
- radiative transfer  
 albedo, 248–249, 255  
 Beer's law, 230–231  
 clumping index, 234, 242, 250, 266  
 diffuse extinction coefficient, 239, 246, 250–251, 257  
 diffuse radiation, 240–241, 244, 247, 251, 253  
 diffuse transmittance, 239, 242  
 direct beam, 234, 241, 244, 247, 252  
 direct beam extinction coefficient, 232, 235–238, 242, 246, 251  
 direct beam transmittance, 232, 242  
 Goudriaan model, 246–250  
 incidence angle, 236  
 longwave radiation, 255–259  
 near-infrared waveband, 103, 230  
 Norman model, 241–245, 250  
 plane-parallel, 229  
 shaded leaf, 244, 247–249, 253, 259  
 sunlit leaf, 232, 234, 244, 247, 249, 254, 258  
 three-dimensional, 229  
 two-stream approximation, 250–255  
 visible waveband, 103, 230
- radiometric temperature, 267
- rate modifier, 55–58  
 co-limitation, 57  
 Liebig's law, 57  
 parabolic response, 57
- rectangular hyperbola, 58, 278
- reflectance, 42
- relative humidity, 47
- resistance network  
 parallel, 50  
 series, 50
- respiration  
 autotrophic, 302, 311, 317  
 growth, 302, 311, 356, 360  
 heterotrophic, 305–306, 335, 343  
 leaf. *See* leaf, respiration  
 maintenance, 302, 312, 356, 360
- retranslocation, 316–317
- Reynolds number, 160–161
- Richards equation, 121–123  
 evapotranspiration sink, 131  
 finite difference approximation, 123–126  
 head-based, 122–123, 126–127  
 mixed-form, 122–123, 128  
 modified Picard iteration, 128  
 moisture-based, 122, 129  
 Newton–Raphson iteration, 128  
 Picard iteration, 127–129  
 plant hydrodynamics, 225  
 predictor–corrector, 126  
 root uptake, 222  
 stochastic methods, 132

- root  
   radius, 35, 220, 222  
   resistivity, 220  
   tissue density, 35, 220, 223  
   vertical profile, 35  
 root finding methods, 385–386  
 root length density, 35, 222  
 root length index, 35, 220, 222  
 RothC model, 332, 335, 341, 343  
 roughness length  
   canopy structure, 91–92, 100, 283–284  
   momentum, 84, 96  
   scalar, 84, 92, 98, 366  
 roughness sublayer, 93–100, 272, 284–286, 290, 292  
 Rubisco, 167, 171–172, 176, 268  
   carboxylation rate, 168–169, 181  
   isotopic fractionation, 373–374, 376  
   kinetics parameters, 168, 174–175, 188  
   leaf nitrogen, 33, 179–181, 279  
   oxygenation rate, 168  
   Rubisco-limited photosynthesis rate, 171, 185  
   specificity factor, 169  
   stomatal conductance, 200, 206  
 RuBP, 167, 170, 180  
   C<sub>4</sub> photosynthesis, 185  
   regeneration, 169, 171, 181, 196, 200–201  
 Runge–Kutta, 158, 384  
 runoff, 136–145  
   exponential precipitation, 137  
   exponential soil moisture, 137–139  
   infiltration excess, 136, 138–139  
   saturation excess, 137–139, 145  
   TOPMODEL, 144–145  
   variable infiltration capacity, 139–143  
  
 sapwood area, 217, 219, 355, 359  
 saturation vapor pressure, 47  
 scalar  
   definition, 81  
 Schmidt number, 97–98, 161, 289, 291, 366  
 secant method, 87, 106, 187, 198, 386  
 second-order ordinary differential equation, 282, 288, 291  
 sensible heat flux  
   flux equation, 49, 51  
   leaf equation, 155  
   surface layer equation, 82–83, 103  
 shaded leaf, 263, 265  
   leaf nitrogen, 279  
 Sherwood number, 161–162  
 SiB model, 8  
   dual-source canopy, 267  
   photosynthesis, 171, 185, 263  
   soil conductance, 111  
   soil moisture stress, 147  
   stomatal conductance, 192, 194  
   two-stream approximation, 250  
   wetted canopy, 276  
 similarity function, 86–87  
   roughness sublayer, 93–94, 96, 98  
  
 snow  
   albedo, 147, 255  
   bulk density, 71, 148  
   fractional cover, 148  
   melt, 111, 113, 147  
   thermal conductivity, 71  
 soil heat flux, 64, 69, 106, 113, 294  
 soil moisture. *See also* Richards equation  
   carbon allocation, 310, 355  
   effective saturation, 117  
   fire occurrence, 319  
   gravimetric water content, 117  
   litterfall, 313  
   matric potential, 118–120  
   retention curve, 118–120, 122  
   soil organic matter turnover, 328, 335  
   tree growth, 349  
   volumetric water content, 117  
 soil organic matter, 322  
   CASA, 5  
   CASA-CNP, 305  
   CENTURY. *See* CENTURY model  
   continuous quality model, 332  
   DAYCENT. *See* DAYCENT model  
   heterotrophic respiration. *See* respiration, heterotrophic  
   litter cohort model, 332  
   microbial model, 342–343  
   prognostic equation, 304–305, 335, 339  
   RothC. *See* RothC model  
   soil texture, 336  
   tillage, 318, 336  
   turnover rate, 325–328, 330, 335  
   vertical profile, 37, 339  
 soil temperature  
   annual cycle, 64, 74  
   diurnal cycle, 64, 73  
   numerical solution, 66–70, 108  
   phase change, 75–78  
   soil organic matter turnover, 327, 335  
 soil wetness  
   BVOC emission, 367  
   carbon allocation, 310, 355  
   effective saturation, 117  
   evapotranspiration, 19, 104, 110, 131, 147  
   fire occurrence, 319  
   hydraulic conductivity, 118  
   litterfall, 313  
   nitrification/denitrification, 370  
   runoff, 138  
   soil evaporation, 111  
   soil moisture retention curve, 118  
   soil organic matter turnover, 328, 335  
   stomatal conductance, 210, 215  
   thermal conductivity, 70  
 soil–plant–atmosphere continuum, 213, 215, 218, 225  
 solar elevation angle, 235  
 SOSA model, 373  
 SPA model, 219–221, 225, 241, 268–269

- specific heat  
 biomass, 105, 156  
 dry air, 51  
 ice, 71  
 leaf, 153  
 moist air, 44, 49, 51  
 soil, 65  
 water, 71, 156  
 water vapor, 51  
 specific humidity, 47  
 specific leaf area. See leaf mass per area  
 specific moisture capacity, 122  
 specific root length, 35, 222  
 spherical leaf angle distribution, 29–31, 237  
 spin-up, 20  
 SPITFIRE model, 319  
 Stanton number  
 canopy, 92  
 leaf, 97, 100, 291  
 Stefan–Boltzmann law, 41  
 stemflow, 134, 275–277  
 stomatal conductance, 186, 189  
 Ball–Berry model, 193–194, 196–197, 199–201  
 CO<sub>2</sub>, 192, 199–201  
 constraint function, 190, 196, 198, 202, 204  
 dry deposition, 366  
 isotopic fractionation, 376, 379  
 Jarvis model, 191  
 leaf water potential, 191, 211, 219, 225  
 Leuning model, 194  
 light, 191, 199  
 Medlyn model, 194, 199–201, 205  
 minimum conductance, 194–195  
 numerical solution, 195–198, 206  
 optimality theory, 62  
 ozone, 200  
 soil moisture stress, 211  
 temperature, 191, 199  
 transpiration, 155, 164–165  
 vapor pressure deficit, 191, 194, 200, 209  
 water-use efficiency optimization, 194, 202–210, 219  
 structural litter, 304, 335  
 subgrid tiling, 149  
 sunlit leaf, 263, 265  
 leaf nitrogen, 279  
 surface energy balance, 101, 106  
 annual cycle, 101  
 diurnal cycle, 101, 108, 260, 272  
 surface layer, 80  
 roughness sublayer, 93–100  
 scalar profile, 84, 86–87, 94, 97  
 wind profile, 84, 86, 94, 96  
 Taylor series, 383  
 leaf temperature, 157  
 Richards equation, 128–129  
 saturation vapor pressure, 112  
 surface energy budget, 107  
 TEM model, 6, 328  
 temperature  
 canopy air, 267, See also canopy, temperature profile  
 leaf. See leaf temperature  
 potential, 82  
 radiometric, 267  
 soil. See soil temperature  
 surface, 105–106  
 virtual, 46  
 thermal conductivity, 43, 65  
 air, 43, 70  
 ice, 70–71  
 snow, 71  
 soil, 43, 70–71  
 water, 43, 70  
 throughfall, 134, 275–277  
 tillage, 318, 336  
 TOPMODEL, 12, 144–145  
 tortuosity, 111  
 transmittance, 42  
 transpiration  
 dual-source canopy, 267  
 flux equation, 155, 204  
 isotopic fractionation, 379  
 leaf temperature, 164  
 leaf water potential, 213, 215, 217–218, 221, 225  
 multilayer canopy, 292  
 nocturnal, 195  
 optimal leaf size, 63  
 Penman–Monteith equation, 157, 164  
 water-use efficiency, 203, 206  
 tridiagonal equation  
 diffusion, 385  
 methane, 372  
 numerical solution, 387–388  
 radiative transfer, 243, 256  
 scalar profiles, 288, 294  
 soil moisture, 126–127  
 soil temperature, 67–68, 108, 113  
 TRIFFID model, 353  
 triose phosphate utilization (TPU), 170–171, 174  
 turbulence closure, 83, 270, 280–281, 289, 294  
 turbulent flow, 159–161, 163, 292  
 turnover  
 litterfall, 304, 312, 315  
 soil organic matter, 304, 325–328  
 two-stream approximation, 250–255  
 multilayer canopy, 254  
 vadose zone, 115  
 van Genuchten, 118, 120  
 vapor pressure deficit, 47  
 canopy profile, 268  
 imposed transpiration rate, 165  
 intercellular CO<sub>2</sub>, 194, 205  
 isotopic fractionation, 376  
 light-use efficiency model, 57  
 photosynthesis, 167  
 plant hydraulics, 214, 218  
 stomatal conductance, 190–191, 194, 200, 204–205, 208–209



- $V_{cmax}$   
acclimation, 183  
leaf nitrogen, 179–181, 279  
phenology, 315  
Rubisco carboxylation rate, 168  
stomatal conductance, 206  
sunlit/shaded leaf, 265  
temperature response, 172–173  
values, 174, 266  
VIC model, 12, 143  
virtual temperature, 46  
viscosity. See diffusivity, momentum  
volatilization, 316, 370  
von Karman constant, 84  
water table, 115, 125, 137, 144–145  
water-use efficiency. See also stomatal  
conductance  
isotopic fractionation, 376  
leaf size, 63  
Weibull function, 37, 224  
wood density, 355, 359  
Xinjiang model, 142–143  
xylem water potential, 215, 221, 224  
Yolo light clay, 130  
zenith angle, 235