

INDEX

- absorbance, 25
- absorption, 15
 - dipole moment, 57
- allowed transition, 5
- amino acid sequencing
 - by tandem mass spectrometry, 167
- amphiphilic molecule, 188
- amplified luminescent proximity
 - homogeneous assay (ALPHA screen), 63–4
- amplitude contrast, 117
- analytical ultracentrifugation, 151
- angular resolution, 115
- angular velocity, 148
- anisotropy, 57
- ANS (1-anilino-8-naphthalene sulfonate), 46
- anti-Stokes line, 78–9, 84
- aperture, 115, 128
- association constant, 184
- atmospheric pressure
 - chemical ionisation (APCI), 161
 - photo-ionisation (APPI), 161
- atomic fluorescence, 12, 125
- atomic force microscopy (AFM), 194
- atomic orbitals, 10
- atomic spectroscopy
 - absorption, 10
 - emission, 10
 - fluorescence, 13
- ATP (adenosine triphosphate)
 - concentration determination by bioluminescence, 63
- attenuance, 25
- attenuated total reflection (ATR), 87
 - Fourier transform infrared spectroscopy with attenuated total reflection (FTIR-ATR), 87
- Auger electrons, 116

- b* ions, 167
- back-scattered electrons, 116, 121
- band spectra, 5
- bandwidth, 28
 - colorimeter, 31
 - spectrophotometer, 29
- bathochromic effect, 26
- BigDyes™, 52
- binding constant, 184
- bioluminescence, 54, 62
 - resonance energy transfer, 54
- biomass concentration
 - determination, 25
- biotin, 187
- Bohr
 - atom model, 11
 - magneton, 96
- Bradford assay, 34
- Bragg's law, 128
- Bremsstrahlung, 116, 129
- Brewster angle microscope, 191
- Brownian motion, 76
- buoyant
 - density, 155
 - force, 149

- caffeine, 28
- calibration curve, 31
- calorimetry, 169
 - differential scanning (DSC), 176
 - isothermal titration (ITC), 170
- carotenoids, 18
- centrifugal force, 148
- chelator, 47
- chemical ionisation (CI), 158
- chemical shift, 105
- chemiluminescence, 62
- chiral compounds, 66
- chromophore, 15
 - protein, 17
- circular dichroism (CD), 68
 - spectrometer, 71
 - time-resolved CD spectroscopy, 73
- circularly polarised light, 66
- coenzyme, 18
- coherent light, 8, 138
- colloidal gold, 124
- colorimeter, 31
- continuous wave method, 103
- contrast
 - in electron microscopy, 116

- contrast (cont.)
 in small-angle scattering, 142
 in transmission electron microscopy, 119
- corona discharge, 161
- critical angle, 182
- cryo-electron microscopy, 126
- cryo-probe technology, 112
- crystal field theory, 23
- crystallographic information file (CIF), 136
- cyan fluorescent protein, 61
- d-d* electronic transition, 22, 70
- de Broglie hypothesis, 116, 129
- Debye–Scherrer
 camera, 135
 rings, 133–4, 141
- derivative spectroscopy, 33
- deshielding (NMR), 106, 109
- diamagnetism, 95
- dielectric constant, 27
- difference spectroscopy, 32
- differential scanning
 calorimetry (DSC), 176
 fluorimetry (DSF), 59
- diffraction
 electrons, 127
 fibre, 134
 grating, 29
 pattern, 132
 powder, 134
 single crystal, 132
 single molecule, 137
 X-rays, 130
- diffusion coefficient, 76, 153
- diode array detector, 30
- dipole moment, 4
 absorption, 58
 peptide bond, 4
 transition, 5, 50
- direct analysis in real time (DART), 161
- direct methods, 131
- dissipation factor, 186
- dissociation constant, 184
- distortionless enhancement by polarisation
 transfer (DEPT), 109
- DSS (2,2-dimethyl-2-silapentane-5-sulfonate),
 105
- dynode, 165
- elastic scattering
 electrons, 118
 light, 75
- electric energy, 163
- electromagnetic radiation, 1
 infrared region, 78
 interaction with matter, 3
 properties, 1
- electron crystallography, 127
- electron density, 133
 map, 130
- electron double resonance (ELDOR),
 98
- electron energy loss spectroscopy (EELS),
 119, 126
- electron impact ionisation (EI), 157
- electron multiplier, 166
- electron nuclear double resonance (ENDOR),
 97
- electron paramagnetic resonance
 (EPR, ESR), 97
- electron tomography, 123
- electrospray ionisation (ESI), 160
- element identification, 12, 14, 127
- elliptically polarised light, 67
- ellipticity, 69
 mean residue, 70
 molar, 69
- emission spectrum, 43
- energy diagram
 diatomic molecule, 4
- enthalpy, 169
- entropy, 175
- evanescent field, 182,
- excitation spectrum, 42
- extrinsic fluorescence, 43, 45
- FAD (flavin adenine dinucleotide)
 UV/Vis absorption, 18
- Faraday cup, 165
- fast atom bombardment (FAB), 158
- femtosecond laser, 141
- ferromagnetism, 95
- fingerprint region, 82
- fluorescence, 37
 cross-correlation spectroscopy, 59
 decay, 49
 empirical rules, 45
 lifetime, 40, 43, 48
 polarisation, 56
 quenching processes, 47
 recovery after photobleaching, 55
 resonance energy transfer, 54
 steady-state measurement, 48
 time-resolved measurement, 49

- fluorophore, 39
- FMN (flavin mononucleotide)
 - bioluminescence assay, 64
- forbidden transition, 5
- force spectroscopy, 199–200
- form factor, 75, 142
- Förster radius, 51
- Fourier transform
 - infrared spectroscopy (FTIR), 86
 - ion cyclotron resonance (FT-ICR, FT-MS), 164
- Fourier transformation, 103, 128, 133, 165
- Fourier-Bessel transformation, 134
- Franck–Condon principle, 39
- free energy, 169, 175
- free induction decay, 72, 103, 109, 164
- friction
 - coefficient, 149
 - frictional force, 149
 - Stokes' law, 149
- Gibbs' energy, 169, 175
- grating, 28
- gravitational field, 148
- green fluorescent protein, 54
- gross selection rules, 82
- Guinier camera, 135
- Guoy balance, 96
- haemoglobin, 18
- hard ionisation, 157
- harmonic oscillator, 80
- Hasteloy, 170
- heat capacity, 169
- heteronuclear single quantum correlation (HSQC), 109
- high-angle annular dark-field scanning transmission electron microscopy (HAADF-STEM), 126
- high-performance liquid chromatography (HPLC), 166
- high-pressure freezing, 126
- hit validation, 113
- HOMO-LUMO gap energy, 16, 21
- Hooke's law, 80, 198
- Hund's rule, 10
- hyaluronan, 187
- hydrodynamic radius, 76
- hydrogen–deuterium (H/D) exchange, 107
- hyperchromic effect, 27
- hyperfine splitting, 97, 106
- hypochromic effect, 27
 - DNA, 21
- hypsochromic effect, 26, 46
- inductively coupled plasma (ICP), 12
- inelastic scattering
 - electrons, 118
 - light, 77
- infrared light
 - CD spectroscopy, 70
 - fluorescence resonance energy transfer (FRET), 52
 - region, 1
 - surface plasmon resonance, 183
- infrared spectroscopy, 78
 - absorption regions, 83
- inner filter effect, 42
- interaction volume, 120
- interference, 128
- interferogram, 86
- internal conversion (IC), 38
- internal energy, 168
- intersystem crossing (ISC), 41
- intrinsic fluorescence, 44
 - quenching, 45
- ionisation energy, 157
- ionised atomic plasma, 141
- isotherm, 189
- isothermal titration calorimetry, 170
- isotropic scattering, 79
- J*-coupling, 106
- Jablonski diagram, 38
- kinetic
 - energy, 163
 - force, 161
- Klett meter, 25
- klystron, 98
- Lambert–Beer law, 25
- Langmuir–Blodgett method, 187
- Larmor frequency, 102
- lateral surface pressure, 189
- Lennard–Jones potential, 4, 37
- ligand field theory, 22
- light, 1
 - circularly polarised, 66
 - coherent, 8, 138
 - interaction with matter, 3

- light (cont.)
 - linearly polarised, 56, 66
 - plane polarised, 56, 66
- light scattering
 - dynamic, 76
 - elastic, 75
 - inelastic, 77
 - multi-angle, 76
 - quasi-elastic, 76
 - small-angle, 142
 - static, 75
- light source
 - infrared, 86
 - Raman spectroscopy, 85
 - UV/Vis, 28
 - X-rays, 129
- linear combination of atomic orbitals (LCAO), 5
- linearly polarised light, 56, 66
- liquid chromatography, 166
- longitudinal relaxation time, 102
- Lorentz force, 161
- Lowry assay, 34
- luciferase, 54, 62
- luminescence, 62
- luminescent oxygen channelling
 - immunoassay (LOCI), 64
- luminol, 62

- magic angle spinning, 110
- magnetic moment, 96
- magnetic resonance imaging (MRI), 111, 114
- magnetic susceptibility, 95
- magnetism, 95
- mass-to-charge ratio, 161
- matrix-assisted laser desorption/ionisation (MALDI), 159
- mean residue ellipticity, 72
- melting temperature, 59
- metalloproteins, 99
- Michelson interferometer, 86
- microperoxidase, 63
- Miller indices, 129
- molar absorption coefficient, 25
 - increment, 36
- molecular mass determination
 - by centrifugation, 153
 - by electrospray mass spectrometry (ESI-MS), 166
 - by multi-angle light scattering (MALS), 76
- molecular orbitals, 8
- molecular replacement, 130
- molecular transitions, 3
- momentum transfer, 143
- monochromator
 - fluorescence, 41
 - UV/Vis, 28
- Morse potential, 81
- MS fingerprinting, 167
- multi-angle light scattering (MALS), 76
- multi-wavelength anomalous diffraction (MAD), 130
- multiple isomorphous replacement (MIR), 130
- multiplicity
 - in nuclear magnetic resonance (NMR), 106
 - spin, 7
- mutarotation, 65

- NADH (nicotinamide adenine dinucleotide)
 - bioluminescence assay, 64
 - UV/Vis absorption, 18
- nano-electrospray ionisation (NanoESI), 160
- nanoparticle tracking analysis, 77
- nephelometer, 25
- Newton's second law of motion, 161
- nicotinamide adenine dinucleotide phosphate (NADPH)
 - bioluminescence assay, 64
- nitrobenzoxadiazole, 55
- non-radiative transition, 38
- nuclear magnetic resonance (NMR)
 - spectroscopy, 101
- nuclear magnetic spin, 102
- nuclear Overhauser effect, 108, 113
- nucleons, 95
- number of
 - neutrons (*N*), 95, 101
 - nucleons (*Z*), 95, 101
 - protons (*P*), 95, 101

- off-rate constant, 184
- off-resonance saturation, 113
- on-rate constant, 184
- on-resonance saturation, 113
- opsin, 19
- optical density, 25
- optical rotatory dispersion (ORD), 67
- optically active isomers, 65
- order parameter, 100
- orientation effect, 27
- osmium tetroxide, 119

- oxygen
 - chemiluminescence, 63
 - singlet state, 64
 - triplet state, 64
- p-polarisation, 192
- pair distance distribution function, 143
- paramagnetism, 95
- partial specific volume, 149
- Pauli
 - principle, 10, 95
 - repulsion, 4
- phase
 - contrast, 117
 - problem, 130
- phospholipid, 188
- phosphorescence, 41, 119
- photo-ionisation, 159
- photon correlation spectroscopy, 76
- photosensitiser, 64
- phthalocyanine, 64
- piezoelectric effect, 185
- plane-polarised light, 56, 66
- plasmon wave, 182
- polarimetry, 67
- polarisation, 57
 - circular, 66
 - elliptical, 67
 - linear, 56, 66
 - p-, 192
 - plane, 57, 66
 - s-, 192
- polyenes, 22
- porphyrin, 18
- prism, 28
- probe
 - in electron microscopy, 120
- protein
 - aggregates, 32
 - concentration determination, 34
 - conformational changes, 33
 - intrinsic fluorophores, 44
 - number of aromatic amino acids, 33
 - quantification, 31
 - quantification of aromatic amino acids, 33
 - UV/Vis spectrum, 31
- Protein Data Bank (PDB), 136
- protein identification
 - by mass spectrometry, 168
- proton decoupling, 109
- pulse sequence, 105
- quadrupole
 - analyser, 162
 - ion trap analyser, 162
- quantum yield, 40
- quartz crystal microbalance (QCM), 184
- quasi-elastic scattering
 - light, 76
- R-factor, 131
- radius of gyration, 144
- Raman
 - effect, 84
 - spectroscopy, 78, 84
 - spectrum, 78, 85
- Rayleigh
 - criterion, 115
 - interference optics, 152
 - ratio, 75
 - scattering, 32, 75, 79, 142
- reciprocal space, 132
- red fluorescent protein, 61
- RedOx reactions
 - bioluminescence, 64
- reduced mass, 80
- reflectron, 165
- refraction, 28
- refractive index, 152, 181, 192
- relative centrifugal field, 148
- relaxation, 102
- resolution, 115
 - in electron microscopy, 116
- resolving power, 115
- resonance condition, 3
- retinal, 19
- rota-vibrational spectroscopy, 78
 - selection rules, 79
- rotating anode generator, 129
- rotation correlation
 - coefficient, 43
 - time, 58
- s-polarisation, 192
- saturation transfer difference (STD) NMR, 113
- Sauerbrey equation, 185
- scalar coupling, 106
- scanning electron microscopy (SEM), 120
- scanning probe microscopy (SPM), 194
- scanning transmission electron microscopy (STEM), 121
- scanning tunnelling microscopy, 194
- scattering effects, 25
- scattering length density, 143

- Schlieren optics, 152
 secondary electrons, 116, 121
 secondary structure, 73
 sedimentation
 behaviour, 151
 coefficient, 150
 density gradient, 155
 equilibrium, 154
 isopycnic, 155
 velocity, 153
 separation tube analyser, 165
 serial block-face scanning electron
 microscopy (SBEM), 123
 serial femtosecond crystallography (SFX),
 138, 140
 shielding (NMR), 105, 109
 single wavelength anomalous diffraction
 (SAD), 131
 slam freezing, 126
 small-angle scattering, 142
 Snell–Descartes' law, 192
 soft ionisation, 157
 solvent perturbation, 33
 solvent polarity, 27
 Soret band, 18
 space group, 133
 spectrofluorimeter, 41
 spectrophotometric techniques
 assays, 34
 energy range, 1
 spectroscopic splitting factor, 96
 spin
 multiplicity, 5
 singlet state, 7, 64
 total, 5
 triplet state, 7, 64
 spin density, 114
 spin label, 100
 spin–lattice
 interactions, 97
 relaxation, 102
 spin–spin
 coupling, 106, 109
 relaxation, 103
 starch, 82
 static magnetic analyser, 165
 Stern–Volmer equation, 47
 Stokes, 149
 line, 77, 79, 84
 radius, 76
 shift, 39
 Stokes–Einstein relationship, 76
 Stokes' law, 149
 streptavidin, 187
 structure factor, 131
 surface-assisted laser desorption/ionization
 (SALDI), 161
 surface plasmon resonance (SPR), 181
 surface pressure, 189
 surface tension, 188
 surfactant, 187
 Svedberg unit, 150
 SYBR Green, 47
 synchrotron, 129
 fourth-generation, 137
 SYPRO Orange, 46, 59
 tandem mass spectrometry analysis
 (MS/MS), 164
 thermal denaturation
 circular dichroism (CD) spectroscopy,
 74
 differential scanning calorimetry (DSC),
 177
 fluorescence, 59
 thiophene, 64
 time-correlated single-photon counting,
 49
 time-of-flight (TOF) analyser, 163
 TMS (tetramethyl silane), 105
 tomography, 123
 total internal reflection, 182
 transition
 allowed transition, 5
 d-d electronic transition, 22, 70
 dipole moment, 5, 50, 57
 electronic transition, 15
 forbidden transition, 5
 peptide bond electronic transition, 17
 transmission electron microscopy (TEM),
 117
 transmittance, 25
 transverse magnetisation, 104
 transverse relaxation time, 103
 ultracentrifugation, 151
 ultrahigh-performance liquid
 chromatography (UPLC), 166
 ultramicrotome, 123
 ultraviolet (UV)
 far-UV, 70
 near-UV, 70

- vacuum UV, 69, 71
 - wavelength and energy range, 1
- UV/Vis spectrophotometer, 28
- van der Waals attraction, 4
- van't Hoff enthalpy, 178
- vibration, 78
- virial coefficient, 75
- viscosity, 58
- vitamin A, 19
- WaterLOGSY, 113
- wavenumber
 - definition, 2
 - infrared (IR) spectroscopy, 83
 - Raman spectroscopy, 85
- Wilhelmy plate, 189
- X-ray
 - diffraction, 130
 - free electron laser, 138
- X-ray fluorescence microscopy, 14
- y ions, 167
- yellow fluorescent protein, 55, 61