

## Index

- 3GPP, 107
- 3GPP2, 107
- AAA, 41
- ABS, 12
- AC, 87, 121, 126
- ACC, 32, 47, 49, 50, 60
- Access category, 87, 121
- Access technologies, 106
- ACO, 167
- Ad-hoc communication, 69
- Ad-hoc routing, 80, 138
  - Ad-hoc on-demand distance vector, 142
  - Delay-bounded routing, 150
  - Dynamic MANET on demand, 144
  - Dynamic source routing, 141
  - Mobility pattern, 149
  - Proactive, 139
  - Protocols, 82
  - Reactive, 140
  - Taxonomy, 83
  - VANET, 145
- ADAC, 41
- Adaptive beaconing, 90, 174
- Adaptive cruise control, 32, 49, 60
- Adaptive traffic beacon, 44, 90, 175
- Adaptive traffic lights, 51
- Adaptive transmission power, 92
- ADAS, 32
- ADQR, 151
- AHS, 238
- AIFS, 121, 124, 193
- ALDL, 12
- AODV, 83, 141–145, 150
- AP, 42, 54, 65, 70, 86, 120–123, 151, 206, 214, 222–225
- API, 22, 235, 263
- Application layer broadcast, *see* Beaconing
- Applications, 39
  - Content downloading, 53
  - Entertainment, 53
  - Intersection collision warning system, 46
  - Multimedia streaming, 53
  - Multiplayer games, 55
  - Non-safety, 56
  - Platooning, 48
  - Requirements, 56
  - Safety, 60
  - Traffic information system, 39
  - Traffic-light information and control, 50
- AQOR, 150, 151
- ARIB, 5
- ASTM, 123
- ATB, 44, 45, 90, 91, 104, 137, 174–186, 195, 292
- AVB, 35
- AVNu Alliance, 35
- Beaconing, 85, 88, 167
  - Adaptive, 90, 174
  - Adaptive traffic beacon, 90, 175
  - Adaptive transmission power, 92
  - ATB, 175
  - Broadcast storm problem, 102
  - CAM, 172
  - Cooperative awareness message, 172
  - DCC, *see* Decentralized congestion control
  - Dynamic beaconing, 93, 191
  - DynB, 191
  - Fairness, 184
  - Fixed interval, *see* Beaconing, static
  - Infrastructure support, 94
  - SOTIS, 44, 167
  - Static, 167
- BGP, 166
- Bit stuffing, 16
- Bloom filter, 203
- BMBF, 42, 240
- BMVBS, 240
- BMW, 240
- BPSK, 72, 119, 234
- Broadcast storm problem, 102
- Broadcast suppression, 102
- Broadcasting, 85
- BroadR-Reach, 35
- BSC, 110
- BSM, 89, 95, 128, 242
- BSS, 86, 87, 121–124

- BTP, 129
- BTS, 111
- Bus guardian, 13
- Bus systems, 15
  - CAN, 15
  - Diagnostic, 19, 24, 36
  - Ethernet, 32
  - FlexRay, 27
  - LIN, 21
  - MOST, 24
  - Requirements, 13
- BYOD, 32
  
- CA, 305, 308–310, 312, 313, 315, 322, 323
- CACC, 32, 48, 60, 238, 262
- CAM
  - Message format, 173
  - Protocol, 172
- CAM, 10, 89, 95, 99, 118, 129, 136, 137, 167, 172–175, 185, 200, 207, 219, 232, 296, 297, 302, 313, 320
- CAN (bus protocol), 15–22, 24, 29, 31, 36, 37
- CAN (distributed hash table), 13, 226
- CAS, 30
- Cause codes, *see* DENM
- CCA, 120, 124, 186
- CCH, 87, 88, 122, 125, 126, 173, 187, 193, 235, 277, 278
- CCK, 119
- CDF, 289, 290
- CDMA, 109, 112, 113
- CDMA2000, 107
- CDMAone, 107
- Cellular networks, 76, 107
  - CDMA2000, 107
  - CDMAone, 107
  - Generations, 107
  - GSM, 110
  - LTE, 113
  - Mobile WiMAX, 107
  - UMB, 107
  - UMTS, 112
- CEPT, 6, 110
- Certificate revocation, 315
- Certificates, 308, 311
- CME, 127
- CO<sub>2</sub> emission, 65
- CoCar, 42, 79, 80, 116, 118
- CoCarX, 118
- Cognitive radio, 130
- COM, 261
- Comfort applications, 58
- Communication principles, 68
- Congestion control, 92, 185
- Content downloading, 53
- Converge, 118
  
- Cooperative adaptive cruise control, 32, 48, 60, 238
- Cooperative awareness message, 172
- CPU, 274, 307
- CRC, 19, 29, 30
- CRL, 310, 315, 316, 324
- Cruise control
  - ACC, 32, 49, 60
  - CACC, 32, 48, 60, 238
- CSD, 111
- CSMA, 17, 85, 88
- CSMA/BA, 17, 19
- CSMA/CA, 120
- CSMA/CD, 33, 34
- CTS, 120, 147, 186
- CW, 87, 126
- CWS, 47
  
- D-FPAV, 92
- D2B, 24
- DAB, 41, 72, 74–76
- DCC, 92, 104, 137, 173, 174, 185–193, 198
- DCF, 87, 120
- DCH, 113
- Decentralized congestion control, 92, 185
- Decentralized environmental notification message, 200
- Dedicated short-range communication, 85
- Delay-bounded routing, 150
- Delay-tolerant networks, 217
- DENM, 10, 129, 136, 137, 200, 207, 232
  - Message format, 200
  - Protocol, 200
- DES, 256, 259, 262
- DHT, 46, 98, 137, 152, 155, 157, 158, 166, 167, 219, 226, 227
- Disruption-tolerant networks, 217
- Distributed vehicular broadcast, 219
- DLL, 261
- DoIP, 36
- Driver behavior, 285
- DSA, 130
- DSC, 186, 188
- DSDV, 83, 139, 140, 143
- DSR, 83, 141–144
- DSRC, 2–4, 69, 119, 123, 125, 133–135, 232
- DSRC/WAVE, 9
- DSSS, 119
- DTN, 10, 43, 54, 95, 136, 137, 184, 197, 218, 219, 221–223
- DV-CAST, 95, 96, 104, 184, 197, 219–222
- DVD, 12, 25
- DYMO, 82–84, 141, 144–147, 149
- Dynamic beaconing, 93, 191
- Dynamic MANET on demand, 144
- Dynamic source routing, 141
- DynB, 93, 104, 174, 191–196

- ECC, 2, 6, 87, 122, 125, 128, 132  
 eCDF, 116, 194, 210  
 ECU, 8, 12, 13, 17–21, 24–31, 36, 37  
 EDCA, 87, 121, 126, 186  
 EDGE, 79, 112  
 eMBMS, 80, 115, 118, 316  
 EMI, 24  
 Emissions, 250, 298  
 Entertainment applications, 53  
 ESP, 12  
 Ethernet, 32  
 ETSI  
   ITS, 128  
   ITS-G5, 128  
 ETSI, 6, 86, 89, 92, 128, 136, 137, 172, 175, 186,  
   191, 197, 219, 243, 245, 312  
 Event code, 73  
 Exchanging pseudonyms, 323
- Face routing, 154  
 FACH, 113  
 Fading, 274  
 FairAD, 184, 185  
 FairDD, 185  
 Fairness, *see* Beaconing, fairness  
 False, 120, 186  
 FCC, 2, 5, 87, 122, 123, 125, 129, 130, 132  
 FCD, 39, 41, 57, 74  
 FDD, 107, 111, 112, 114  
 FDMA, 4, 76, 108, 109, 111, 114  
 FHWA, 123  
 Field operational tests, 229–231, 240  
 FlexRay, 27  
 Flooding, 102  
 FM radio, 72  
 FOT, 2, 49, 79, 118, 124, 208, 229–232, 240–243,  
   311  
 FPGA, 232  
 Free-space model, 275
- Geocasting, 196  
   GeoAnycast, 199  
   GeoBroadcast, 198  
   GeoNetworking, 197  
   GeoUnicast, 198  
   Topology-assisted geo-opportunistic routing, 201  
   Topology-assisted geographic routing, 202  
 Geographic hash tables, 155  
 Geographic routing, 96, 153  
   Geo-assisted forwarding, 99  
   Geocasting, 196  
   Geographic hash tables, 155  
   Greedy perimeter stateless routing, 153  
   Greedy routing, 97, 162  
   Virtual coordinate-based routing, 157  
   Virtual coordinates, 98  
 GeoNetworking, 197
- GGSN, 112, 116  
 GHT, 155–157, 163–166, 198  
 GLOSA, 57, 58, 67, 206, 211  
 GPRS, 79, 111, 112  
 GPS, 39, 88, 95, 97, 104, 126, 153, 157, 168, 170,  
   232, 236, 245, 246, 278, 306, 323  
 GPSR, 97, 153–156, 158, 163, 197, 198, 202, 205  
 Greedy perimeter stateless routing, 153  
 GRWLI, 98, 157, 158  
 GSM, 79, 106, 107, 110–112, 114, 115  
 GUI, 258, 260
- Heterogeneous networks, 100, 118  
 HLA, 264  
 HMI, 241  
 HSCSD, 111  
 HSDPA, 79, 112  
 HSPA, 79, 115  
 HSUPA, 79, 112
- IBSS, 122  
 ICWS, 46–48, 61, 64, 65, 251, 294, 298  
 IDE, 257, 258, 261  
 IEEE, 5, 86, 107  
 IEEE 1609, 86, 125  
 IEEE 802.11p, 86, 122  
 IETF, 81, 138, 141, 309  
 IFS, 120–122  
 ILOC, 76  
 In-vehicle communication, 12  
 In-vehicle ethernet, 32  
 Information dissemination, 136  
 Infrastructure support, 205  
 Infrastructure-based communication, 70  
 Inter-vehicle communication, 38  
   Ad hoc, 69  
   Beaconing, 85  
   Communication principles, 68  
   Concepts, 71  
   Fundamental limits, 100  
   Hybrid approaches, 70  
   Infrastructure-based, 70  
   Scalability, 104  
 Intersection collision warning system, 46  
 Intra-vehicle communication, 12  
 IoT, 68  
 IP, 25, 77, 96, 114, 129, 137, 147, 258, 263  
 ISM bands, 119, 129  
 ISO, 6, 128  
 ITS, 1–5, 122–125, 172, 173, 200, 206, 208, 212,  
   232, 233, 238, 241, 242, 289, 306  
 ITSA, 122  
 ITU, 6  
 ITU-R, 283, 284  
 ITU-T, 6, 308  
 IVHS, 1, 4

- LAN, 32, 119, 257  
 Large-scale FOT, 240  
 LDM, 129  
 LER, 84, 150  
 LIDAR, 32  
 LIN, 13, 21–24, 36  
 LLC, 34  
 Location code, 73  
 Location privacy, 318  
 LOS, 230, 236, 237  
 LTE, 79, 80, 106, 107, 110, 113–115, 118, 262, 316  
 LTE broadcast, 115  
  
 MAC, 34, 44, 69, 87, 91, 120, 122–124, 126, 128, 169, 171–174, 176, 180, 187, 188, 232–234, 253, 255  
 MANET, 3, 41–43, 54, 68, 80–85, 96, 97, 136, 139, 141, 143, 145, 149–152, 166, 196, 197, 243, 244, 317  
 Manhattan grid, 268  
 MBMS, 80, 113, 116, 316  
 MBSFN, 115  
 MCD, 209, 210  
 METIS, 115  
 Metrics, 62  
 MFD, 15  
 MIC, 5  
 MIMO, 114, 115, 119  
 mmW, 115, 119  
 MNO, 51, 80, 101, 102, 113, 116, 130, 316  
 Mobile ad-hoc network, 80  
 Mobile WiMAX, 107  
 Mobility modeling, 244  
 MobTorrent, 222  
 MOST, 13, 24–27, 36  
 MSC, 110, 111  
 MTU, 44, 180  
 Multi-channel, 125  
 Multi-hop, 69, 80, 85, 89, 103, 129, 206  
 Multi-radio, 125  
 Multicast, 63, 113  
 Multimedia streaming, 53  
 Multiplayer games, 55  
 MVNO, 80  
  
 Network simulation, 256  
 NHTSA, 3, 213, 242, 243  
 NLOS, 230, 236  
 NRZ, 16, 29  
  
 OAD, 208–210  
 OBU, 50, 58, 67, 75, 180, 189, 213, 231, 242, 303, 307  
 OCB, 87, 124  
  
 O/D, 271  
 OEM, 24, 27, 242  
 OFDM, 4, 87, 108, 109, 119, 123, 124, 131, 132, 193, 234  
 OFDMA, 108, 109, 114  
 OLSR, 83  
 OPEN, 34  
 Open vs. closed systems, 307  
 Opportunistic, 201  
  
 P2P, 98  
 PAPR, 109, 114  
 Parked vehicles, 66, 211  
 PATH, 238, 239  
 Path loss, 274  
 PCF, 122  
 PDR, 205  
 Peer-to-peer networks, 217  
 PeerTIS, 46, 80, 101, 137, 225–228  
 Penetration rate, 271  
 Performance  
   Capacity, 291  
   CO<sub>2</sub> emission, 65, 298  
   Collisions, 291  
     Packets, 64  
     Vehicles, 64  
   Data rate, 62  
   Delay, 64, 291  
   Dissemination range, 63  
   Evaluation, 229  
   Measurement equipment, 232  
   Measurements, 229  
   Metrics, 62, 290  
   Penetration rate, 271  
   Reliability, 64, 292  
   Throughput, 291  
   Travel time, 65, 298  
   Vehicle collision probability, 294  
 PHY, 36, 69, 87, 187, 233, 234  
 PKI, 305, 310, 312  
 Platooning, 48, 238  
 PoE, 35  
 POF, 24, 26  
 Privacy, 302, 317  
   Exchanging pseudonyms, 323  
   Location privacy, 318  
   Pseudonyms, 321  
   Temporary pseudonyms, 321  
   Tracking, 319  
 PRNG, 255, 258  
 Proactive routing, 139  
 Programming, 252  
 Pseudonyms, 321  
 PSID, 126, 127  
 PSSME, 127  
 Public-key infrastructure, 309

- QAM, 114, 119, 234  
 QoS, 35–37, 64, 87, 114, 119, 121, 143, 145, 150, 151  
 QPSK, 119, 234
- RACH, 113  
 RAN, 107, 114, 116  
 RB, 114  
 RDS, 72–74  
 Reactive routing, 140  
 RERR, 142, 144  
 RF, 131  
 RFC, 309  
 RIP, 139  
 RMSE, 171  
 RNC, 77, 112, 113  
 Road side unit, 43, 45, 70, 90, 94, 137, 211  
   Parked vehicles, 211  
   Virtual, 211  
 Roadside unit, 65, 206  
   D-RSU, 209  
   Minimum cost distribution, 209  
   Obstacle-aware distribution, 208  
   Placement, 207  
 ROI, 95, 219–221, 269  
 RREP, 142–144  
 RREQ, 141–144  
 RSS, 104, 124, 235–237, 278, 281, 282  
 RSU, 3, 8, 38, 42, 43, 45, 54, 65–68, 70, 82, 90, 94, 95, 101, 136, 137, 146, 147, 151, 176, 178–181, 198, 206–212, 214–217, 241, 303, 304, 312, 315, 316  
 RTPGE, 35  
 RTS, 120, 147, 186
- SAE, 6, 86, 89, 128  
 Safety applications, 60  
 SAM, 129  
 SARTRE, 49, 239  
 Scalability, 104  
 SC-FDMA, 114  
 SCH, 87, 88, 125, 126  
 Schedule table, 23  
 SDR, 130, 232, 234  
 Security, 302  
   Algorithms, 304  
   Certificate management, 310  
   Certificate revocation, 310, 315  
   Certificates, 308, 311  
   Objectives, 303  
   Open vs. closed systems, 307  
   Position verification, 316  
   Public-key infrastructure, 309  
   Security primitives, 303  
   Security relationships, 307  
   Security vs. privacy, 311  
   Vehicular networks, 311  
   X.509 certificates, 308  
 Self-organized traffic information system, 167  
 Sensor data fusion, 32  
 SFN, 109  
 SGSN, 112  
 Shadowing, 279  
 SIFS, 120, 122  
 Simulation techniques, 243  
   Bidirectionally coupled simulation, 246  
   Channel models, 274  
   CO<sub>2</sub> emission, 250, 298  
   Comparability and reproducibility, 252  
   Driver behavior, 285  
   Human driver behavior, 247  
   Level of detail, 270  
   Metrics, 290  
   Modeling vehicle mobility, 244  
   Network simulation, 256  
   Radio signal shadowing and fading, 249  
   Road traffic simulation, 259  
   Scenarios, 265, 273  
   Shadowing by buildings and vehicles, 279  
   Simulation tools, 255  
   Travel time, 250, 298  
   Vehicle collision probability, 294  
 Simulation tools, 255  
   iTetris, 263  
   JiST/SWANS, 258  
   ns-3, 256  
   OMNeT++, 258  
   SUMO, 260  
   Veins, 262  
   Vissim, 260  
   VSimRTI, 263  
 Situation awareness, 60  
 Small-scale testing, 234  
 SNR, 90, 131, 176, 177  
 SODAD, 169, 170  
 SOTIS, 44, 45, 88, 94, 137, 167–172, 174, 175, 179, 241  
 Source routing, 141  
 SPAT, 128  
 Spectral efficiency, 108  
 SRP, 35, 36  
 SSU, 66, 95, 176, 179, 207, 208, 211, 212, 214  
 Standardization, 5  
 Store–carry–forward, 217  
 SUMO, 254, 260, 262–264, 271–274, 296, 299
- TAC, 186, 188  
 TCP, 21, 25, 129, 146–149  
 TD-CDMA, 112  
 TDC, 186, 188  
 TDD, 108, 112, 114  
 TDMA, 18, 25, 27, 28, 108, 109, 111, 114

- Temporary pseudonyms, 321  
 TIC, 40–43, 57, 65, 75, 146, 147, 167, 179, 206  
 TIS, 39, 40, 42–45, 53, 57, 58, 63, 72, 73, 75, 80,  
 88, 101, 116, 118, 137, 146–149, 167, 175,  
 179, 184, 200, 219, 225, 227, 241, 246, 251,  
 265, 285, 287, 288, 294, 307, 316  
 TMC, 11, 42, 57, 72–76, 302  
 TO-GO, 99, 137, 197, 201, 202, 204, 205  
 TOPO, 129  
 TPC, 187  
 TPC, 92, 93, 186, 188  
 TPEG, 72–76, 116, 201  
 TPM, 305, 307  
 TraCI, 246, 247, 260, 274  
 Traffic information system, 39, 57  
   Centralized, 40  
   Distributed, 43  
   PeerTIS, 45  
   Self-organized, 44  
   SOTIS, 44, 167  
 Traffic lights, 67  
 Traffic signs, 67  
 Traffic-light information and control, 50  
 Transmit power control, 187  
 Transmit rate control, 186  
 Travel time, 250, 298  
 Travolution, 50  
 TRC, 92, 93, 186, 188, 191–196  
 TSF, 124  
 TSN, 35–37  
 TTCAN, 18  
 TTL, 144, 147–149, 199, 214  
 TVWS, 131–135  
 Two-ray interference model, 276  
 TXOP, 121, 193  
  
 U-NII bands, 119  
 UART, 22  
 UDP, 129, 146, 148, 149  
 UDS, 19  
 UE, 77  
 UMB, 107  
 UMTS, 42, 77, 79, 106, 107, 110, 112–116, 316  
 US DOT, 3, 122, 123, 212, 213, 240–242  
 USRP, 234  
 UTC, 126  
 UV-CAST, 96  
  
 V2I, 4, 45, 65, 87, 312  
 V2V, 4, 42, 45, 55, 65, 66, 71, 79, 87, 90, 206, 241,  
 242, 312, 316  
 V2X, 4, 240, 241  
 VANET, 3, 42, 43, 55, 80–86, 91, 96, 100, 103, 105,  
 136, 141, 145–147, 150, 151, 184, 197, 202,  
 218, 235, 243–247, 253, 311, 319  
 VCP, 98, 99, 157–160, 162–167  
 Vehicular ad-hoc network, 42, 80, 81  
 Veins, 146, 182, 210, 247, 252, 258, 262, 274, 288,  
 296, 299  
 Virtual coordinate-based routing, 157  
 Virtual coordinates, 98  
 Virtual cord protocol, 159  
   Inter-domain routing, 166  
 Virtual ring routing, 158  
 Virtual traffic lights, 51  
 VLAN, 34  
 VoIP, 79, 114  
 VRR, 98, 158, 163–166  
 VSimRTI, 262–264  
 VTL, 52, 61  
  
 W-CDMA, 112  
 Warning messages, 61  
 WAVE, 86, 87, 124–129, 132, 212, 213, 232, 233,  
 238, 242, 306  
 White space, 129  
 Wi-Fi Alliance, 119  
 WiFi, 37, 42, 45, 54, 65, 68, 86, 106, 119, 170, 222,  
 232  
 WiMAX, 107  
 Wired And, 16  
 Wireless in-vehicle networks, 37  
 WLAN, 4, 119–125, 128, 132  
 WME, 126  
 WRAN, 132  
 WSA, 88, 126, 127  
 WSM, 88, 127, 129, 235, 278  
 WSM-S, 127  
 WSMP, 127  
 WSN, 84, 207, 208  
 WSU, 232, 235, 278  
 WUP, 30  
  
 X.509 certificates, 308  
 XML, 42, 76