

Index

- adoption of queens, 39
 aggression, 62, 116, 123–124, 127, 159, 167,
 243, 251, 267, 273
 alarm, 109–110
 alate, xiv, 131, 231, 240
 altitude, 18, 37, 83–92
 Aphidoidea. *See* aphids
 aphids, 147–156, 160, 167, 177–181, 182,
 266, 275, 280, 294
 effect on trees, 156–158
 mutualism with, 147–156, 292
 on roots, 153, 157, 167
 Araneae. *See* spiders
 aspect, 91, 92, 278
 attack, 123, 125, 132, 136, 147, 180, 186–194,
 224, 233. *See also* aggression
 autumnal moth, 157, 158, 181–182
- bacteria, 184–185, 198, 212–213, 215–216,
 276
 bear, 183, 231, 232
 biocontrol, 181–182, 224
 biological control. *See* biocontrol
 birds, 136–137, 182–183, 231
 boar, 183
 booklice, 147, 149
 brood care, 33
 budding, 39, 41–42, 43, 94, 95, 97
 bumblebees, 116, 273
- C to N ratios, 184
Camponotus, 94, 108, 128, 129, 131, 132, 133,
 224, 232
 floridanus, 224, 232
 herculeanus, 128, 129–131, 133
 nufifemur, 108
 canopy cover, 83, 92–93
 Carabidae, 124, 136, 137, 139, 152, 186
 census, 244
 Chauvin trap, 243, 248, 249
- chemical defence, 109, 179, 193
 chemical stimuli, 163, 291
Choristoneura. *See* spruce budworm
 Chrysomellidae. *See* leaf beetle
 citizen science, 253, 297
 clear-fell, 128, 132–133, 265–270, 280
 climate change, 273–275
Coccinella, 180
 Coccoidea, 152, 153
 Collembola. *See* springtail
 Colorado beetle, 182
 communication, 107, 290–291
 compound eyes, 161
 conservation, 68–69, 234, 271, 276–278, 281,
 295
 control of pests. *See* biocontrol
Coptoformica, 7, 114, 133. *See also* *Formica*
exsecta
Crematogaster modiglianii, 108
 cricket, 187
 cryptic species, 69
 cuticular hydrocarbons, 107, 108, 110–118,
 267, 291
- daily activity, 167
 dealation, 43
 deer, 183
 defence, 123, 168. *See also* chemical defence
 against wood ants, 193
 by plants, 180
 defoliation, 157, 182
Dendrobaena. *See* earthworms
 diet, 145, 146, 208
 digital elevation model, 253, 254
 diploid males, 71–73
 Diptera. *See* flies, hoverfly
 discovery–dominance trade-off, 127
 dispersal, 39, 40, 41–44, 57, 61–63, 65, 94,
 275, 296
 division of labour, 33. *See also* specialisation

Cambridge University Press

978-1-107-04833-1 - Wood Ant Ecology and Conservation

Edited by Jenni A. Stockan and Elva J. H. Robinson

Index

[More information](#)

Index · 301

- Dolichoderus taschenbergi*, 224
 dominance hierarchies, 125–129
 Dufour's gland, 44, 109–110
- earthworms, 149, 184, 212
 ecosystem engineers, 264
 ecosystem health, 238
 eggs, 38, 58, 72, 117, 275
 production of, 38, 45
 elevation. *See* altitude
 enchytraeid, 184
 encounter species, 127, 129–131
 endosymbiont, 65
Epirrita autumnata. *See* autumnal moth
 eusociality, 33
 exocrine glands, 108–110
 exposure, 45, 268
- fat content, 38, 42, 43, 109, 265, 266, 274
 featherwing beetles, 188, 193
 fire, 227–231, 234, 275, 281
 flicker. *See* woodpecker
 flies, 125, 149, 191
 flooding, 97, 276
 food web, 102, 184–185, 216
 foragers, 149, 158–161, 163, 164, 166, 167, 242, 291–293
- foraging
 efficiency, 165
 trails, 159–160, 163–166, 168, 293
- forest composition, 83, 84, 89
 forest cover. *See* canopy cover
 forestry, 95, 96, 182, 270
 formic acid, 109, 195
- Formica*
 aggerans. *See Formica obscuripes*
 aquilonia, 2–4, 5, 11, 19, 39, 53, 59, 60, 64, 65–68, 70–72, 73, 84–90, 92, 128, 129, 131, 134, 150–151, 187
 argentea, 115
 calviceps, 5, 16, 24
 ciliata, 5, 15, 16, 24
 coloradensis, 5, 14, 25, 189, 226
 comata, 5, 15, 17, 25
 criniventris, 5, 15, 26
 dakotensis, 12, 85–89, 187, 190, 222, 229, 230
 difficilis, 230
 dusmeti, 5, 10, 19
 exsecta, 41, 115, 128
 ferocula, 5, 16–18, 26
 fossiceps, 5, 13, 14, 27, 150, 229
 frontalis, 3, 5, 10, 18, 23, 64, 65–66
 fusca, 116, 117, 118, 124, 128, 129
 integra, 5, 14, 18, 27, 151–152, 223–224, 226, 230, 232
 integroides, 5, 16, 28, 150, 152, 226
 knighti, 222
 laeviceps, 5, 13, 28, 152
 lemanii, 128, 132
 lugubris, 3–4, 5, 12, 20, 39, 55, 59, 63, 64, 65, 66, 67, 69, 70, 71, 72, 73, 84–90, 91, 92–93, 108, 128, 150–152, 165, 187–192
 lugubris-A2, 67, 69, 70
 microgyna group, 5, 12, 222–223, 230
 mucescens, 5, 15, 29
 obscuripes, 5, 13, 14, 29, 53, 84, 87, 88, 89, 132, 150–152, 187, 192, 222, 223–224, 227
 obscuriventris, 5, 13, 30, 90, 150–152, 190–191
 opaca, 5, 11, 18
 oreas, 5, 12, 30, 89, 150–152
 paralugubris, 3, 4, 5, 12, 20, 53, 59, 60, 62, 64, 65, 66, 67, 68, 69, 70, 91, 92, 93, 150, 151, 224
 planipilis, 5, 14, 31, 88, 192
 polyctena, 2–4, 5, 10, 21, 60, 64, 65, 66, 67, 68, 73, 84–90, 91, 93, 128, 150–152, 187–192
 pratensis, 3–4, 5, 11, 18, 21, 64, 65, 66, 67, 73, 85–90, 91, 93, 128, 150–152, 187–192
 prociliata, 5, 16–18, 31
 propinqua, 5, 16, 32, 150, 226
 querquetulana, 230
 ravida, 5, 14, 15, 32
 reflexa, 12, 222
 nufa, 2–3, 4, 5, 11, 18, 55, 59, 64, 65–66, 67, 68, 73, 84–90, 91, 92, 128, 150–152, 187–192
 nufibarbis, 40
 sanguinea, 129, 131, 132
 sinensis, 5, 10, 22
 subnitens, 5, 14, 33, 192
 talbotae, 222
 truncorum, 3, 4, 5, 10, 18, 22, 53, 59, 60, 63, 66, 67, 72, 73, 85–89, 91, 93, 128, 129, 131, 188–191, 223
 uralensis, 3–4, 5, 9, 23, 53, 64, 65–66, 85, 91, 187
 xerophila, 124, 132
 yessensis, 5, 10, 22, 53, 97, 150, 152

302 · Index

- Formicoxenus*, 191, 192, 194–195, 277
 fragmentation, 53, 64, 70, 72, 95, 196,
 270–272, 274
 fungus, 154, 184, 195, 197, 198, 212, 216,
 276
- gas chromatography, 107–108
 genetic differentiation, 54, 57, 61, 69
 genetic diversity, 58–59, 65, 69–71
 genetic drift, 61
 genetic relatedness. *See* relatedness
 genotyping, 58, 59
 grooming, 154, 198
 guards, 159
 gyne behaviour, 43
 gynes, 39–40, 42–46, 72, 267, 268. *See also*
 queens
- habitat, 11, 18, 84–90, 91, 93, 128, 129, 134,
 225, 226, 227
 loss, 271
 haplodiploidy, 33
 harvestmen, 136, 147, 183
 heavy metals, 272–273
 Heteroptera, 149
 hibernation. *See* overwintering
 Homoptera, 149. *See* aphid
 honeydew, 110, 145, 146, 147, 149, 154–160,
 167, 179, 208, 212, 215
 hornet, 112, 152, 183
 hoverfly, 186, 194–196
 humidity
 effect on foraging, 167
 within nest, 268
 hunting, 183, 193
 hybridisation, 2–4, 54, 66–68, 115,
 295
Hylobius abietis. *See* pine weevil
- immune response, 197, 267, 272
 inbreeding, 54, 56–58, 59, 60, 72, 73,
 271
 intranidal mating, 60
 introgression, 54
 invasive species, 63
 inventory, 251
Iridomyrmex, 139
 Isopoda. *See* woodlice
- jumping plant lice. *See* Psylloidea
- keystone species, 1, 280
- ladybird. *See* *Coccinella*
- Lasius*
flavus, 128, 129
fuliginosus, 128
niger, 128, 129, 131, 132
- leaf beetle, 179, 186, 188, 192
 learning, 161, 163
 legal protection, 1, 221, 277
 Lepidoptera, 147, 149, 157, 158, 179,
 181–182, 191
Leptothorax, 125, 128
acervorum, 128, 129, 133
muscorum, 128
- life cycle, 37, 38
 lifespan of queens, 97, 268
 lipid. *See* fat content
 Lithobiomorpha, 149
 loss of habitat. *See* habitat loss
 Lumbricidae. *See* earthworms
Lymantria monacha. *See* nun moth
- males, 38, 44–46, 58–61, 64–65, 72, 73
 mark–recapture, 242. *See also* census
 mass spectrometry, 107–108
 mating, 38, 39, 42–46, 57–61
 mating flight. *See* nuptial flight
 mealybug. *See* Coccoidea
 Membracoidea, 152, 153
 microbial community, 82, 211. *See also*
 bacteria
 microclimate, 208, 210–212, 265, 268, 270,
 280
 migration, 62. *See also* dispersal
 mites, 186, 187, 193, 195, 197
 mixed colonies, 4, 69
 monandry, 59, 61
 monodomy, 42, 43, 53, 271
 monogyny, 39, 41, 43, 61–62, 94, 95, 271
 morphological specialisation, 159
 motor learning, 163
 M-type. *See* monodomy
 multicoloniality, 53
 mutualistic, 181
 myrmechochory. *See* seed dispersal
 myrmecophage, 193
 myrmecophiles, 185–196, 280–294
Myrmica, 113, 125, 133
laevinodis, 128
lobicornis, 128
ruginodis, 99, 133
sabuleti, 128
scabrinodis, 128

Cambridge University Press

978-1-107-04833-1 - Wood Ant Ecology and Conservation

Edited by Jenni A. Stockan and Elva J. H. Robinson

Index

[More information](#)

- schencki*, 128
sulcinodis, 128, 133
- navigation, 161–163, 166–167, 292–293
Neodiprion sertifer, 182. *See also* sawflies
- nest
 abandonment, 96, 97, 99
 associates, 196
 construction, 81, 194, 208
 dormancy. *See* overwintering
 founding, 41–42
 longevity, 185
 nest associates, 185
 nitrogen, 184–185, 209, 213, 216
 nun moth, 157
 nuptial flight, xiv, 38, 44–45
 nutrient cycling, 210, 215
 nutrients, 147, 208–216
- ocelli, 161, 162, 292
- Opiliones. *See* harvestmen
- Orthoptera. *See* cricket
- ovary degeneration, 158
- overwintering, 37, 82, 97, 183, 267, 274–275
- parasite, 118, 179, 185, 196–197
 parasitoid, 197
 pathogen, 196–198, 276
 pest outbreak, xiii, 147, 158, 181–182, 224
 pesticides, 273
 pheromone
 alarm, 108–109
 sex, 44, 108, 291
 trail, 108–110, 163, 292
- philopatry, 43
- phosphorus, 184, 209, 213–215
- Phylloxeroidea, 152, 153
- phylogeography, 66
- pine weevil, 157, 182
- pitfall traps, 240, 242
- plantation woodland, 95
- poison gland, 109
- pollution, 272–274
- polyandry, 45, 46, 58, 59
- polycaly. *See* polydomy
- polydomy, 42, 43, 53, 63, 115, 136, 165, 166, 168, 267, 270
- Polyergus*, 40
- polygyny, 39, 40, 41, 42, 43, 53–54, 57, 59, 60, 61, 62, 65, 72, 94, 95, 115, 131, 268, 289–290, 291, 295
- population density, 183
- prairie, 87, 225, 227–230
- predation
 by wood ants, 127, 129, 136, 156, 180, 184
 on wood ants, 131, 183, 186–193, 231
- predictive habitat model, 198, 241, 252, 253
- priority effects, 127, 131, 132, 232
- Proformica longiseta*, 58
- pseudoscorpion, 196
- Psocoptera. *See* booklice
- Psylloidea, 152, 153
- Ptiliidae. *See* featherwing beetles
- queens, 33, 37–46, 53, 57–61, 97, 222, 266, 268, 275, 280. *See also* gyness
- quiescence. *See* overwintering
- radiation. *See* speciation
- radio-tagging, 242, 248, 249
- random drift. *See* genetic drift
- Raptiformica*, 7, 8, 40. *See also* *Formica sanguinea*
- relatedness, 57–58, 59–61, 63, 71
 of nestmates, 54, 55, 57, 60–61
 of queens, 53, 58, 60
- relocation, 95–99. *See also* translocation
- remote sensing, 252
- reproductive skew, 53, 58, 289
- resin, 81, 198, 212
- resource partitioning, 124
- roue beetles, 186, 188–189, 193
- route fidelity, 160, 162
- sawfly, 179, 182, 224, 232
- scale insect. *See* Coccoidea
- scarab beetles, 183, 190, 193
- Scarabidae. *See* scarab beetles
- scavenging, 145–147, 183, 292
- scouts, 159
- seasonal responses
 in aggression, 251
 in foraging, 167
 in life-cycle, 37
 in nest building, 97
- seed dispersal, 181
- selective logging, 270, 280
- Serviformica*, 9, 40–41, 58, 114. *See also* *Formica fusca*
- sex ratio, 59, 65, 242
- site fidelity. *See* route fidelity
- slave-making, 40, 109

Cambridge University Press

978-1-107-04833-1 - Wood Ant Ecology and Conservation

Edited by Jenni A. Stockan and Elva J. H. Robinson

Index

[More information](#)

304 · Index

- slope, 82, 92
- social parasitism. *See* temporary social parasitism
- social vaccination, 198
- soil food web, 184–185, 216
- soil microfauna, 184–185
- soil pH, 213
- specialisation, 33, 158–159, 292
- speciation, 2, 53–54, 66, 68, 233, 295
- spiders, 136, 149, 183, 187
- split sex ratio, 59, 65, 72
- springtail, 149, 184, 191, 194, 195
- spruce budworm, 182, 224
- Staphylinidae. *See* rove beetles
- steppe, 11, 18, 88, 225, 234
- submissive species, 125–129
- succession, 92, 97, 127, 128, 131–136
- summit disease, 197
- supercoloniality. *See* unicoloniality
- taiga, 135
- task persistence, 159
- taxonomy, 4, 54, 69, 106, 221–223
- temperature responses, 166
- temporal polyethism, 158
- temporary social parasitism, 39–41, 43, 93, 275, 289
- territoriality, 53, 125, 128, 164, 167–168, 211, 293, 295
- Tetramorium caespitum*, 128, 136
- thermoregulation, 1, 37, 81–83, 97, 210–212
- tit, 137–138, 183
- trail
- efficiency, 166
 - foraging. *See* foraging trails
 - networks, 163–165, 293
 - pheromone. *See* pheromone trail
 - trunk, 163
- translocation, 224, 233, 243, 277–280
- treecreeper, 137, 183
- treehoppers. *See* Membracoidea
- trophallaxis, 149, 193, 198, 292
- trophic effects, 177
- trophobiosis. *See* aphid mutualism
- undescribed species, 5, 69, 297
- unicoloniality, 46, 53, 61, 63, 68, 74, 94
- Ursus*. *See* bear
- venom gland. *See* poison gland
- vertebrates, 148, 182–183, 231, 232
- Vespa*. *See* hornet
- vision, 161, 292
- Wahlund effect, 57
- wasp, 183, 192, 197
- wildfire. *See* fire
- Wölbachia*, 65
- woodlice, 192–196
- woodpecker, 183, 231
- worker policing, 289
- worker reproduction, 33, 46