

Index

- Abductor digiti minimi, ix, 399, 462f22.1
 Acting together. *See* joint action
 Action
 Object directed actions, 315
 Robotic actions, 21, 234, 317, 328, 339–40, 347, 350
 Action expertise
 Laboratory-induced expertise, 556
 Action goals, 352
 Action map, xxi, 38–39, 44, 47–49, 52–53
 Action observation, viii, ix, x, xxiii, xxvii, 17, 24, 26–29, 35, 60, 77, 80, 84, 93, 93f5.1, 98, 152–54, 167, 171, 175f9.1, 175–76, 178–79, 181, 183–84, 188–91, 226, 230, 273, 277, 292, 319–20, 327–28, 330, 332–33, 335f16.1, 342, 344–45, 347, 349, 352, 354, 371, 375, 379, 384, 386, 394, 398, 403, 405–07, 411, 413, 415, 417–18, 461, 463, 467, 470–71, 474–78, 480–81, 483, 485, 491, 495, 497–98, 501, 530, 533–35, 537–39, 546, 547f26.1, 547–49, 560–61, 566–68, 573, 575, 581–85, 622, 645, 650, 652
 Action observation network, viii, 93, 93f5.1, 178, 188, 273, 327, 332, 347, 418, 474–75, 477, 533–34, 560–61, 566–67, 575–76, 579, 582, 586
 Action Observation System, 410
 Action occlusion, 571
 Action Planning System, 410
 Action repertoire, 299, 308. *See* Motor repertoire
 Action representation, ix, 176, 330, 351, 407, 416, 462f22.1, 464, 466–67, 543–45, 548
 Action selection
 Affordance competition hypothesis, 188
 Action simulation, 232, 292, 296, 298, 300, 308, 354–56, 369, 410, 566, 574, 592
 Anticipatory simulation, 586
 Action style, 298, 300–01, 308
 Action synchronization, 223
 Action synchronization in musical performance, 268
 Action synchronization in the real world, 261
 Clapping, 262
 Spontaneous synchronization, 262
 Synchronization between mother-infant, 266
 Synchronized group behaviour, 240
 Voice synchronization, 256
 Action synchrony
 Behavioural synchrony, 254, 256–59, 261, 266–67, 269–71, 276
 Action understanding, 152, 159–60, 176, 322–23, 325, 327, 341, 371, 389, 402, 415, 464, 498, 534, 557, 561, 651
 ADM. *See* abductor digiti minimi
 Aesthetic judgement, 635, 647f30.2
 Aesthetics, 558, 622, 627–28, 633, 638, 641, 650–52
 Aesthetics
 Aesthetic evaluation, xxix, 641, 650
 Aesthetic experience, xxix, 333, 627–30, 634, 640, 642–44, 646, 648–49
 Affect, xxv, 17, 19, 22, 83, 87, 91, 95, 114, 158, 173–74, 181, 183, 186, 205, 212, 222, 233, 272, 274, 291, 309, 320, 391, 411, 417, 423, 435, 440, 442, 445–46, 449–50, 485, 506, 512, 534, 577, 583, 622, 625, 648
 Facial affect, 449
 Vocal affect, 449
 Affective states, 423
 Affiliation, x, xxviii, 142, 148, 173, 186, 188, 190, 274, 499, 503, 513–15, 516f24.2, 521, 605–06, 608, 622
 Affordances, ix, xiii, xxv, 119, 137, 221, 231, 233, 315–16, 319, 324–28, 330, 351, 355–57, 358f17.1, 366–70, 391, 405, 407, 414, 592
 Social affordances, 324
 aFMC. *See* Anterior fronto-medial cortex

656 *Index*

- After-effects, 586
 Agency, ix, xii, xxii, xxv, 20, 77, 122, 134,
 151–52, 155, 157–58, 160–61, 164, 167,
 169–70, 278, 283, 291, 303, 348, 350–51,
 357, 361, 362f17.2, 362–72, 374, 501,
 616
 Optimal integration of internal and external
 cues, 364
 Agency attribution, xxii, 151–52, 155, 164,
 170, 283
 Alexithymia, vii, xxvii, 77, 439–41, 443–58,
 480, 495–97
 Alfred Binet, 87
 Altruism, 33, 153, 432, 440, 453, 480,
 606, 625
 Ambiguity, 620, 638t30.1, 640, 642, 646–47,
 649, 651
 Amygdala, viii, 27, 33, 66, 70, 92,
 93f5.1, 93–94, 325, 424, 429,
 451–52, 488
 Anarchic hand syndrome, 363
 Ang. *See* Angular gyrus
 Angry expressions, 429–30
 Angular gyrus, 94, 105, 368
 Anorexia nervosa, 445, 453–54, 457
 Anterior cingulate cortex, 26, 28–29, 33,
 66–69, 73–75, 440–42
 Anterior fronto-medial cortex, 185
 Anterior insula, x, 28, 73, 440, 443, 453, 458,
 612f29.2, 617
 Anterior intraparietal sulcus, 328, 354,
 392
 Anterior medial prefrontal cortex, xxii
 Anticipatory simulation, 568, 582
 Anxiety, 57, 420, 431, 437, 453
 Aristotle, 628, 649
 Arousal, 75, 124, 461, 463, 470, 642, 644,
 646–48
 Asperger syndrome, 454, 487, 499
 Associative sequence learning, ix, xxvii,
 460n., 465–67, 468f22.2, 473
 Asl, xxvii, 154, 176, 186
 Attachment style, 16, 19
 Attention
 Attention and music, 286
 Attention and synchrony, 256
 Attention signalling, 215
 Attentional shift, 195–96, 211
 Auditory attention, 288
 Control of attention, 205
 Covert attention, 196, 252
 Integrative attending, 286–88
 Joint attention, 25, 207, 212, 214, 219,
 237, 250
 Non-volitional attention, 197, 215
 Overt attention, xii, 52, 153, 195–97, 213,
 215, 252, 292, 308, 375, 637
 Social attention, vi, xxiii, 195–96, 199, 201,
 203, 205–07, 211–15, 240, 251
 Visual attention, xxiii, 195, 213, 237, 240,
 242
 Auditory scene analysis, 286, 309
 Autism, ix, x, xxvii, 77, 100, 122, 133, 149,
 163, 166–67, 169–70, 190, 214, 222, 229,
 231, 234, 253, 346–48, 375–76, 384–85,
 385f18.3, 389–90, 413, 439, 441, 443,
 451–56, 458–59, 474, 492, 493f23.5,
 493f23.5, 493–502, 616–17, 619, 622,
 625
 Autism Diagnostic Observation Schedule,
 486, 492
 Autism spectrum conditions, x, xxvii, 163–64,
 452, 480–81, 483f23.2, 491f23.4,
 483–92, 494–95
 Autism spectrum disorders, 166, 190, 229,
 249, 346, 384, 390, 440, 442–43, 453–55,
 458–59, 474, 496–98, 500, 502
 High-functioning, 163–64, 222, 455–56,
 496, 619
 Autokinetic effect, 241, 509
 Automatic imitation
 Robotic hands, 336
 Autonomic nervous system, 67
 Autonomic Nervous System
 Fight or flight, 67
 Basal ganglia, x, 610, 610f29.1, 614, 619, 621,
 623–24
 Bayesian predictive framework, 323
 Bayesian predictive models, 323
 Behavioral synchronization. *See* action
 synchronization
 Behavioural synchrony. *See* action
 synchronization
 Beta (15–30 Hz) oscillations, 333
 Binary integer optimisation, 597
 Binge Eating Disorder, 445, 452
 Biological motion, x, 272, 348, 353, 367, 392,
 483f23.2, 483–91, 496–500, 546, 551,
 560–61, 583, 643, 652
 Bluffing. *See* deception
 Body dissatisfaction, 450
 Body ownership, xxv, 357, 359–61,
 366
 Body-transfer illusions, 360
 Bonobos, 118, 134–35
 Bottom-up processes, viii, 22, 23f2.1
 Brodmann Area 44, 339, 343–45
 Broken mirror hypothesis, 485, 495
 Bulimia nervosa, 445, 456

- Canonical motor neurons, 400
 Capuchin monkeys, 115–18, 124, 127, 129,
 132, 134–35, 505
 Caudate nucleus, 608
 Central monitoring hypothesis, ix, 361,
 362f17.2, 362–63
 Cerebellum, x, 58, 292, 384, 402, 488,
 492, 495, 498, 501, 535–36, 550, 610,
 610f29.1, 620, 625
 Chameleon effect, 173, 420
 Chimpanzees, 51, 114–16, 118–20, 123, 125,
 128–30, 132–36, 138, 148–50, 505, 521,
 523
 Closed-group method. *See* open diffusion
 designs
 Cognitive control, 9, 11, 19, 33, 35, 157, 449
 Cognitive interdependence, 89, 105
 Cognitive mechanisms, xxiii, 145, 159, 216,
 228, 230
 Cognitive readiness, 594, 602
 Common coding theory, 11, 20, 234, 254,
 264–65, 352, 542, 562
 Communication
 Communication of intentions, 631, 633,
 640, 647
 Dance as communication, 629
 Grician notions of successful
 communication, xi, 243, 628, 630–31,
 638t30.1
 Musical communication, 607
 Nonverbal communication, 216–17, 221,
 281, 283, 301, 309, 440
 Verbal communication, xxiv, 218, 283,
 440, 607
 Comparator model, ix, 361, 362f17.2, 371
 Competition, ix, xxvi, 99, 226, 231, 378, 381,
 383f18.2, 383–84, 389, 415, 602
 Complementary actions, ix, xxvi, 280, 301,
 394, 397, 398f19.1, 400, 401f19.2,
 401–02, 405, 408, 412, 417, 464
 Complementary affordances, 408
 Complementary response, 397, 404,
 407
 Functional shift, ix, 403f19.3, 405–06, 408
 Temporal coupling, 411
 Time-course of complementary actions, ix,
 403f19.3, 406
 Conformity, 130, 135, 145, 147–48, 241, 509,
 520, 599, 639
 Congenital insensitivity to pain, 74, 79
 Constant velocity profile, x, 263, 334, 336,
 338–40, 484, 489f23.3, 489–90
 Contagion, 420, 433, 435
 Content biases, 507
 Convergent thinking, 174
 Cooperation, ix, xxvi, 112, 128, 141, 148, 200,
 208, 212–13, 219, 226, 230–31, 233–34,
 239, 247, 253, 266, 268–69, 275, 278–79,
 369, 378, 381, 383f18.2, 383–84, 389–90,
 402, 414–17, 435–36, 456, 590, 605–07,
 609, 617–19, 625, 630, 638, 641
 Alliances, 112, 123
 Coordination, 216, 230
 Coordination smoothing, 284
 Interpersonal coordination, viii, xxiv,
 217–18, 224f11.1, 226, 234–35, 239,
 252, 258, 273, 276–82, 284–85, 297–98,
 300–02, 309
 Copying behaviour, xxviii, 503
 Corticospinal excitability, xxvi, 30, 190, 414,
 443, 533, 573
 Counter-mirror training, ix, 159, 162, 327,
 462f22.1, 464, 466, 471, 475
 Covert motor simulation, 534
 Covert simulation, 308, 534, 566
 Culture, xxvii, 18, 27, 128–29, 131, 133–41,
 146, 148, 150, 249, 253, 274, 330, 348,
 354, 415, 503–07, 511–13, 515, 517–23,
 589, 599, 620, 624
 Cultural development, 24
 Cultural evolution, vii, 147, 503, 506–09,
 511, 515, 517, 519–22
 Cultural history, 505
 Cultural knowledge, 504–06, 517
 Cultural norms, xxii, 135
 Cultural products, 138, 216, 503–04, 506,
 508, 512
 Cultural transmission, vi, xii, xxii,
 130, 136–42, 144–47, 506–08, 513,
 519–24
 Cumulative culture, 523
 Cumulative properties, 504
 Dance
 Aesthetic appreciation of dance, 627, 630,
 636–37, 640–41, 644, 646–50, 652
 Aesthetic judgement of dance, 630, 636–37,
 644, 646, 648, 651
 Capoeira, 546
 Choreographer, 629–33, 646, 650
 Choreographic structure, 627, 652
 Classical ballet, 546, 548–49, 551, 635–36
 Communication in dance, 627
 Contemporary dance, 552
 Dance and message-passing, 627, 629–31,
 633, 638, 649
 Dance as battle preparation, 604
 Dance as preparation for battle, 606
 Dance performance, x, 630f30.1, 628–31,
 633, 637, 642, 644, 649

658 *Index*

- Dance (*cont.*)
 Dance therapy, 631
 Dance video games, 553, 558
 Dimensional model of aesthetic experience of dance, 630
 Expertise among dancers, 542
 Gender-specific movements, 549
 Hip-hop, 631
 Indian Kathak, 631
 Modern dance, 639
 Movement novelty, 644
 Movement virtuosity, 644
 Robotic dancing, 319
 Stage presence, 638f30.1, 641
 Synchrony and dance, 261, 468
 Data envelopment analysis, 597, 599
 Deception, 99, 392, 576, 578, 581, 583, 586
 Dictator Game, 33
 Diffusion learning, vii, xxviii, 503–04, 507, 509, 512–13, 518–19, 523
 Direct matching hypothesis, 396, 399, 402, 404, 534, 542
 Disgust, 68, 125–26, 423, 431, 444, 507
 Dolphins, 515, 519, 521
 Domain general, 111, 332, 334, 342–43, 345–46
 Domain specific, 111, 165, 285, 572–73, 586
 Dominance, 112, 123, 125, 212, 237, 253, 624
 Dominant conspecific, 116
 Higher-ranking males, 125
 Powerful individuals, 181
 Dorsal stream, 329, 501, 581
 Dorsolateral prefrontal cortex
 DLPFC, 30, 288
 Dyadic design, 523
 Dynamic causal modeling
 DCM, 29, 37
 Dynamical systems approach, 592
 Eating disorders, xxvii, 439, 452–54, 457, 496
 Echolalia, 163, 485
 Echopraxia, 163, 485
 Ecological psychology, 276, 278, 414, 569, 586
 EDs. *See* eating disorders
 EEG. *See* electroencephalography
 EEG oscillations, 607
 Eigenvector centrality, 516
 Electrical stimulation, viii, 43, 45f3.3, 45–46, 48, 54–56, 64
 Electroencephalography, 64, 102, 178, 288, 384, 430, 470
 EEG, 64–65, 70, 73, 83, 88, 91, 99, 104, 178, 183, 225, 232, 288, 349, 384, 390, 430, 474, 477, 500, 607
 Electromyography, 67, 91, 176, 290, 403, 578, 587
 EMG, ix, 176, 385f18.3, 385–86, 403, 411
 Embodied cognition, 86, 89, 93–94
 Embodiment, x, 284, 302, 541–42, 554f26.2, 559, 580
 Emotion, xix, xxvii, 31–33, 66, 68, 71, 75, 85, 89, 103, 165–66, 197, 208, 215, 274, 419–22, 424, 426–27, 431–32, 439–40, 442, 445–48, 450–53, 456, 460, 473, 489, 495–96, 498, 514, 584, 614, 616–19, 629, 634
 Emotion contagion, 442
 Facial emotions, 440
 Emotion recognition, 426, 439–41, 443, 445–49, 451, 454–55, 489, 622–23
 Emotional convergence, xxvi, 419–27, 432
 Emotional regulation, 450
 Emotion-to-action system, 430
 Empathy, viii, ix, xxi, xxvii, 31–36, 71–72, 74, 76–77, 79–84, 92, 93f5.1, 154, 159, 190, 290, 298, 299f14.2, 389, 415, 420, 423, 432, 435, 437, 439–40, 442–44, 447–49, 451–58, 480, 495, 534, 560, 606–07, 609, 614, 616–21, 623–25
 Synchrony and empathy, 258
 Endorphins, 609
 Enfacement illusion, 360. *See* Body ownership illusions
 Entitativity, 267, 271, 275
 Entorhinal cortex, 26
 Entrainment, 257, 261, 263, 271–72, 276, 278, 624, 632
 Epidemiology, 423
 Epigenetics, xxi, 99, 104
 Chromatin modification, 100
 DNA methylation, 91, 100, 104
 Epigenomics, 99, 103
 Gene expression, 100
 Transcriptomics, 99
 Episodic memory, 26
 Error correction, xxviii
 Error observation, 531
 Estimates of perceived distance, 356
 Event-related potential, 65, 104, 634, 645, 652
 Evoked potentials
 Nociceptive evoked brain potentials, 70
 Evolutionary modelling, 506
 Expertise, vii, x, xxvii, xxviii, 101, 178, 223, 296, 300, 308, 353–54, 368, 392, 466–67, 477, 479, 512, 541–43, 546, 547f26.1, 547f26.1, 547–48, 550–52, 554f26.2, 554–56, 558–59, 561, 566, 568, 572, 575,

- 578, 583, 585–86, 600, 602, 631, 636–37, 643, 647, 650
- Expertise in dance, 472
- Expertise in sports, 472
- Laboratory-induced expertise, 552
- Motor expertise, vii, x, xxviii, 541, 543, 547f26.1, 565, 568, 570, 574–76, 578, 580, 586, 627, 649
- Visual expertise, 550–51, 556, 565, 572–73, 578, 581, 642, 644
- Exteroceptive network, 63–64
- Extraperonal space, 21, 25, 35
- Extrastriate body area, viii, 93f5.1, 575
 EBA, viii, 93f5.1, 575
- Eye tracking, viii, 201–02, 202f10.3, 206–11
- Face
- Face perception, viii, 32, 46, 52, 83, 92, 93f5.1, 104, 110, 153, 172–74, 179–80, 184, 196–99, 201, 203, 206–07, 212–15, 232, 237–38, 270, 279, 324, 360, 371–72, 436, 442, 455, 458, 499, 584, 592, 623, 625
- Faces
- Emotional faces, 440
- Inverted faces, 197
- Facial expressions, 425
- Familiarity
- Motor familiarity, 475, 549–50, 560, 575, 583, 636–37, 642–44, 650
- Visual familiarity, x, 547f26.1, 549–51, 575–76, 586, 636, 643
- FDI. *See* first dorsal interosseous
- Fear expressions, 423, 436
- Fearful faces, 189, 430
- Feedback loop, 255, 513, 637
- Feedback-related negativity, ix, 288, 289f14.1
- Feed-forward models. *See* predictive coding
- Fibromyalgia, 75, 78
- First dorsal interosseous, ix, 29, 399, 462f22.1
- Fixation, 197, 215
- Flash lag effect, 595
 FLE, 595
- Flexibility, xxx, 112, 205, 282, 413, 417, 543, 557, 576
- Floating peanut task, 113t6.1, 119
- Flow, 303
- fMRI
- Causal interpretation, 96
- Hemodynamic response, 94
- Foraging, 112, 123, 125, 128–31, 135, 515–17, 519, 521–22
- Forward models, 186, 218, 223, 265, 276, 294–95, 361, 414
- Francis Galton, 87, 103
- Frequency-based copying, 507
- FRN. *See* feedback-related negativity
- Frontal eye field, 43, 53, 55, 57
- Fronto-parietal network, 93
- Frontotemporal atrophy, 616
- Functional connectivity, 429
- Functional localization, 94
- Functional magnetic resonance imaging, 180, 287, 575
- BOLD signal, ix, 83, 319–21, 345, 398f19.1, 556, 575
- fMRI, x, 28–30, 56, 62–64, 68–69, 72–75, 77–79, 81–84, 88–89, 91–92, 94, 97–98, 102, 104, 156, 163, 167, 169, 176, 178, 182, 185, 188, 206–07, 213, 225, 230, 233, 249, 287, 291, 304, 314, 320, 325, 327–29, 331, 333, 336, 339–40, 344–45, 347, 349–50, 354, 367, 371, 382, 384, 400, 402, 415–18, 429–30, 454, 457–58, 461, 463, 470–72, 474–75, 477–79, 487–88, 497, 499, 535, 538, 546, 553, 554f26.2, 556, 575, 581, 619–20, 622, 625, 650
- Fusiform body area, 634
- Fusiform gyrus, 92, 94, 430, 487–88
- Gaze
- Eye gaze, vi, xix, xxiii, 92, 165, 195, 198–99, 201, 203–15, 230, 237–38, 240, 242–45, 247, 249, 252–53, 323, 325–27, 330–31, 353, 408, 420, 430, 437, 505, 534
- Gaze coordination, 242–43
- Gaze coupling. *See* gaze coordination
- Gaze direction, 242
- Gaze following, 215, 242
- Gaze selection, 215
- Social gaze, 258
- Gene expression, xxi, 92, 99–100, 102. *See* epigenetics
- Generalizability problem, 96
- Goal-directed actions, 292, 308, 353, 395
- Gorillas, 118, 134
- Grasping, 28, 39, 314, 316, 339–40, 399
- Grasp-to-eat, 379–80, 382
- Grasp-to-place, 379–80, 382
- Hand shaping, 377, 388, 399
- Hand transport, 377
- Maximum grip aperture, 399
- Whole-hand grasp, ix, 317, 325, 396fBox 19.2, 396–97, 399, 401f19.2, 403f19.3
- Grip force, x, 527–28, 528f25.2
- Group cohesion, 266, 603, 609
- Hippocampus, 26
- Holistic processing, 215

660 *Index*

- Homo erectus*, 171
 Homophily, 514–15, 519, 524
 Homunculus, viii, xxi, 38–40, 40f3.1, 49
 Human-robot interaction, xii, 229, 263, 388, 482f23.1
 Hyperalgesia, 72, 80
 Hyper-following, 228, 265
 Hyperscanning, 98, 104
 Hypothalamus, 43, 54, 66
- Ideomotor principle. *See* ideomotor theory
 Ideomotor theory, 154–55, 160, 176, 466
 Imagery
 Motor imagery, 296, 566–67
 Imitation, v, viii, ix, xxii, xxiii, xxvii, 26–33, 35–36, 109–12, 114–31, 133–41, 146–55, 156f8.1, 156–59, 161–64, 166–71, 174–85, 187–91, 233, 256, 264, 266, 315, 319, 324, 326–27, 329–30, 332, 334, 335f16.1, 335–38, 342–44, 346, 348–49, 352, 369, 389–90, 392, 397, 398f19.1, 404–05, 407, 410, 415–18, 438, 462, 470, 472–85, 490–91, 494–502, 507, 519, 523–24, 534, 538–39, 583, 585, 607, 616, 620, 623–25. *See* imitate
 Automatic imitation, ix, xxiii, 28, 33, 151, 163, 185, 325, 335f16.1, 335–38, 342–44, 397, 463, 481–82
 Cognitive Imitation, 113
 Control of imitation, xxii, 158, 163–65, 185
 Counter-imitate, 30
 Familiar imitation, 111–12, 117, 120, 127
 Imitation and positive social attitude, 484
 Imitation and synchrony, 256
 Imitation control, 28–30, 33, 185
 Imitation learning, 109–11, 118, 127
 Imitative control, 157, 161
 Motor imitation, xxii, 114–18, 120–21, 123, 127
 Neonatal imitation, 470
 Novel imitation, 109, 111–12, 120–21, 123
 True imitation, 111, 118
 Vocal Imitation, 113
 Imitative compatibility, 479
 Inferior frontal gyrus, ix, 28, 74, 81, 83, 291, 321, 332, 350, 382, 400, 428f20.1, 477, 499, 575, 617
 IFG, ix, 317, 320, 341, 349, 382, 383f18.2, 383–84, 398f19.1, 400, 402
 Inferior parietal lobe. *See* inferior parietal lobule
 Inferior parietal lobule, x, 212, 291, 363, 367, 384, 400, 538, 553, 554f26.2, 554–55, 616, 625
 IPL, ix, x, 24–25, 320–21, 398f19.1, 400, 402, 487, 554f26.2
 In-group, Out-group, 16, 20, 222, 233
 Insula, viii, 54, 65, 74, 77, 93f5.1, 443, 452, 458, 497, 617
 Insular cortex
 Ic, 66
 Intent to compete, 378
 Intent to cooperate, 378, 380, 383
 Intention, xx, xxii, xxv, xxvi, 21, 24, 26–27, 31, 33–34, 89, 92, 98, 103–04, 149, 153, 155, 157, 159, 165, 197, 208, 210, 215, 217, 223, 232, 234, 246, 253, 272, 280, 282, 284, 292, 301, 309, 328, 341–42, 351–52, 375–77, 379, 381–82, 384, 386–88, 390, 392, 397, 405, 407, 412–13, 416, 534, 545, 565, 580, 586, 606–07, 616–17, 619, 622, 624, 626–27, 629, 631, 633–35, 637, 638t30.1, 640–41, 646, 649
 Discrimination of intention, 380
 Intention cues, 382
 Intention understanding, 387
 Prior-intention, 376, 381–82, 385–86
 Intention reading, 375–76, 387
 Intention understanding, 35, 104, 190, 342, 375, 379, 387, 389, 476, 497, 614, 651
 Intentions
 Shared intentions, 216–17, 219, 245, 607
 Interference, viii, ix, xx, 5–6, 8–9, 10f1.2, 10–13, 15, 152, 156–57, 168, 184, 263, 273, 275, 277–78, 298, 299f14.2, 334, 335f16.1, 335–38, 345–48, 350, 484, 497–99, 501, 538, 567, 579
 Interference effects, ix, x, 481–82, 482f23.1, 483f23.2, 483f23.2, 483–85, 490, 492, 494–95
 Internal anticipatory models. *See* internal models
 Internal states, 64, 92, 215, 448–49
 Interoceptive awareness, 448, 455
 Interoceptive network, 64
 Interoceptive sensitivity, 360, 372
 Interoceptive states, 447, 451
 Interpersonal synchronization. *See* interpersonal coordination
 Interpersonal synchrony, xxiv, 269, 277, 607–08, 622, 635
 Intraparietal lobule, 24
 Inverse model. *See* predictive coding
 Ischemic stroke, 413
- Joint action, vi, ix, xii, xxiii, xxiv, 16, 19–21, 216–23, 225–35, 238, 245–47, 253, 264–65, 276–77, 279–85, 289, 292,

- 294, 297, 301–03, 324, 356–57, 365, 368, 370–71, 398f19.1, 400, 402, 408, 410–11, 416–18
 Asymmetrical joint action, 227
 Joint action in the real world, 255
 Joint lifting, 356, 369
 Music performance, 227, 280–81
 Musical performance, 225
 Joint affordance maps, ix, xxv, 358f17.1
 Joint perception, xxiv, 236–39, 243, 245–49
- Kinematics, x, xxv, xxvi, 89, 98, 226, 292, 317–18, 321–22, 328, 334, 337–39, 341, 375–82, 384, 387–88, 390–93, 407, 413, 417, 484, 490, 492, 493f23.5, 493–95, 497, 565, 570–72, 575, 577, 579, 581–82, 627, 634–35, 641–42, 649, 652
- Lateral intraparietal area
 LIP, 24
 Laughter, 51–52, 57, 420, 637
 Layer 5 of cortex, 43
 Learning
 Observational learning, 587
 Like-me hypothesis
 Different from me hypothesis, 159
 Limbic system, x, 440, 449, 498, 612f29.2, 617, 620
 Lipsmacking, 120
 Load force, x, 527–28, 528f25.2, 530
 Local enhancement. *See* stimulus enhancement
 Loneliness
 Gene expression profile of loneliness, 100
 Lonely people. *See* loneliness
 Lotze's Theory of Local Signs, 355
- Macaque, 11, 24, 36, 49–50, 53–54, 57, 60, 121, 130, 176, 313, 317, 322, 330, 332, 355, 369, 381, 460, 473, 477, 533, 542, 614
 Magnetoencephalography, 80, 91, 333, 339, 384, 418
 Margin of safety, 51–53
 Marmosets, 116–18, 126, 128, 135
 Medial frontal cortex, 18, 26, 35, 165, 616
 Medial prefrontal cortex
 mPFC, ix, 28–30, 73–74, 165, 383f18.2
 Medial temporal lobe, 26, 28, 461
 Medication resistant epilepsy, 26
 Mental simulation, 352, 355
 Mental state attribution, xxv, 160–61, 169, 191, 222, 236, 478, 624
 Mentalizing, viii, xxii, 92, 93f5.1, 104, 151–52, 155, 157, 159–64, 167, 189, 207, 213, 370, 372, 384, 388, 585, 620. *See* Theory of Mind
- Mere-exposure effect, 636
 Merged self, xx, 27. *See* Self-Other Processing
 Metalizing, 413, 443
 MGP. *See* maximum grip aperture
 Microgenetic method, 513
 Microstimulation, xxi, 43–44, 49, 53–55, 57–58
 Middle temporal gyrus, 92, 487
 Middle temporal visual area, 43, 500
 Mimicry, vi, xii, xxii, xxiii, 24, 141, 148, 153, 164, 166–92, 239, 256, 273, 283, 326, 331, 394, 420, 423, 425–26, 431, 433, 436, 481, 498–500, 514, 519, 521
 Affordance competition hypothesis, 187
 Behavioural mimicry, 172–73, 175, 181, 425
 Body mimicry, 256
 Chameleon effect, 35, 128, 147, 153, 166, 188, 251, 347, 433, 497, 519, 620
 Confederate, viii, 18, 32, 173–74, 178–80, 183–84, 202f10.3, 202–03, 231, 268–69, 333, 566
 Effector matching, 182–83, 191
 Face touching, 172
 Foot shaking, 172–73, 333
 Internal forward models, 186
 Mechanistic underpinnings of mimicry, 186
 Mimesis, 171
 Regulation, 19, 72–74, 100, 102, 104–05, 185–86, 214, 291, 423, 450, 452–54, 458, 590, 623
 Reward, x, 24, 27, 36, 51, 54, 114–16, 118, 123, 125–26, 137–38, 141–42, 182, 186, 207, 214, 268, 448, 505, 508, 510f24.1, 514, 516, 599, 608–09, 624
 Schema driven, 186
 Sensorimotor prediction, 185–86
 Task equivalence with automatic imitation, 182, 184
- Minimal social context, 238–39, 244–46, 248–49
 Minimum jerk, x, 489f23.3
 Minimum-jerk velocity profile, 488
 Mirror activation, 176, 336, 340
 Mirror mechanisms, vi, 177, 185, 332–34, 337–38, 341–43, 345–46, 413, 478, 582
 Mirror neurons, ix, x, xiii, xxvii, xxix, 11, 22, 24–29, 32, 35–36, 60, 78–81, 83, 93–94, 131, 152, 166–68, 170, 176, 188, 190–91, 232, 264–65, 275–76, 314, 317, 320–23, 325–29, 332, 341, 347, 349, 354, 370, 375, 381–82, 384, 386, 389–90, 392, 395, 400, 414–16, 460n, 460–61, 468f22.2, 464–71, 473–77, 479, 484, 497–500, 502, 533, 538,

662 *Index*

- 542, 545–46, 557, 583, 586, 607–09, 612f29.2, 614–19, 621–23, 625
- Mirror simulation/action-perception network
 Mirror network, 92
- Mirror system, vi, viii, xx, xxiii, xxiv, xxv, xxvi, 80, 160, 163, 176–78, 184–85, 188, 313–14, 321, 326, 330, 346, 371, 382, 390, 400, 412, 475, 497, 546, 550, 553, 559, 590
- Biological tuning, 333
- Broadly congruent mirror neurons, 400
- Mirroring, xxiii, xxv, 11, 19, 25–27, 29–33, 36, 78–79, 168, 177, 183–84, 248, 256, 275, 313, 325–27, 333, 343, 345, 388, 413, 417, 427, 473, 478, 499
- MNS, ix, 22–23, 25–31, 33, 314, 318f15.1, 318f15.1, 316–26, 483–85, 490, 495
- Social responding account, xxv, 324
- Strictly congruent mirror neurons, 400
- Monkeys
 Vervet monkeys, 119, 125
- Moral judgments, 443
- Moral reasoning, 444–45, 447, 458
- Moral violations, 444
- Morality, 88, 103, 444–45, 447, 452–53
- Motion coherence threshold, 489
- Motion energy analysis, 259, 266
- Motor chauvinism, xxv, 313
- Motor control, 154–55, 160, 235, 275, 279, 296, 308, 314, 323, 326, 391, 492, 494, 560, 567, 581, 610, 621
- Forward model, 160
- Motor cortex excitability, 181
- Motor-evoked potentials, 290
- MEPs, viii, ix, 30, 152–53, 158, 176–78, 181, 183, 290, 396fBox 19.2, 399, 401f19.2, 401f19.2, 403f19.3, 403–05, 461, 462f22.1, 462f22.1, 462f22.1, 471–72, 479, 533, 540, 574
- Motor expertise, 571–72, 578
- Motor facilitation, xiii, 325, 399, 416, 475, 573–74, 578, 619
- Motor learning, vii, xxviii, 116, 121, 353, 525–26, 530–40, 543, 566, 583, 625
- Observational motor learning, 525, 530–32, 534–37
- Motor memory, 539, 567–68, 585
- Motor planning, 123, 152, 410
- Motor priming, 152, 154, 349
- Motor repertoire, 23, 116, 218, 366, 410, 543–46, 558, 636
- Motor representation, ix, xxii, 24, 54, 56, 151–53, 155–57, 162, 177, 318f15.1, 382, 394, 396, 407, 430, 462–64, 466–67, 469, 480, 485, 490, 494, 534, 544, 557, 573, 578, 615, 636
- Motor resonance, viii, ix, x, xxvi, 28, 30, 35, 101, 177, 181, 183–84, 187, 230, 295, 329, 352–54, 366–67, 394–95, 403f19.3, 408, 411, 413, 417–18, 474, 549–50, 579f27.3, 582, 649
- Motor schema, 544
- Motor simulation, 223, 225, 411
- Motor system, x, xxv, 21, 31, 43, 48, 152, 185, 223, 280, 285, 290, 298–99, 302, 315, 326, 343, 346, 352, 354, 361, 363, 373, 392, 395, 404, 407–08, 413, 429, 477, 483, 528, 528f25.2, 531, 533–37, 540, 561, 567, 573–74, 582, 585, 634, 650
- Mouth opening, 118–20, 386
- Movement aesthetics, 627, 644
- Movement synchrony, 254–56, 263. *See* action synchrony
- Multi-level modeling, 98, 257
- Multimodal neuron, 46
- Multisensory, xxv, 201, 270, 277, 279, 354, 360, 366, 372, 412, 545, 550
- Multisensory integration, xxv, 270, 360, 366
- Multivariate pattern analyses, 61, 63
- Multivariate time series analyses, 257
- Music
 Ancillary movements, 282, 302, 309
- Beat, xiii, 611–12, 620–21, 625
- Beat-deafness, 612
- Emotion and music, 616–17
- Ensemble cohesion, 284, 287, 302
- Evolution of music, 604
- Expressive intentions in music performance, 281
- Instrumental movements, 282, 310
- Interaction during music performance, 280
- Music expertise, 542
- Music performance, xxiv, 280, 285, 304, 306, 609
- Musical scores, 283, 310
- Musical structure, 281
- Pitch, ix, 113t6.1, 280–82, 286–88, 289f14.1, 289f14.1, 292, 297, 301, 309–10
- Synchrony and music, 603
- Tempo, 228, 280, 284, 286, 291, 298, 300–01, 303, 309–10, 624
- N400, 645, 649, 652
- Narcissistic, 34
- Naturalistic observation, 203, 508
- Negativity bias, 247
- Neural connectivity, 449
- Neural network, 61–63, 76, 81, 92, 94, 442, 448, 456, 597, 602
- Neural oscillations, 625

- Neurodevelopmental disorder, 440, 449
 Nociceptive reflex, 67
 Non-verbal behaviour
 Facial expressions, viii, xxvi, 26, 31, 33, 53, 62, 69f4.2, 68–70, 73–74, 78, 84, 89, 93, 120, 126, 153, 167, 171–72, 340, 352, 423, 425–26, 434–35, 437, 440–41, 453–57, 500
 Postures, 31, 46, 48, 89, 93, 153, 171–72, 338, 399, 425, 434, 478, 584, 627, 633–35, 637, 640, 644, 649–50
 Non-human movements, 343
 Non-human primates, v, xxii, 26, 94, 109, 198, 415, 505, 546, 557
 Non-verbal behaviour
 Gestures, 48–49, 93, 113t6.1, 113t6.1, 121, 127–28, 131, 136, 138, 142–43, 153, 165, 172, 226, 229, 232, 281–82, 284, 309, 315, 329, 370, 384, 394, 404–05, 408, 415, 430, 466, 477, 496, 645
 Object motor system, 314, 318–24
 Observation
 Naturalistic observation, 215
 Observational learning, vii, xxvii, xxviii, 111–12, 124, 128, 134–35, 148, 188, 296, 517, 520, 523, 531, 537, 560, 565, 567–68
 Oddball paradigm, 645
 Open-diffusion designs, 508, 511
 Optogenetic stimulation, 48–49
 Orangutans, 114, 118, 131, 505
 Orbitofrontal cortex, viii, 27, 74, 93f5.1, 182, 186, 192, 575
 Oscillatory system, 239
 Out-of-body experiences, 360, 368
 P300, ix, 288, 289f14.1, 645–46, 652
 Pain, viii, xxi, 17, 31, 35, 37, 59, 61, 62f4.1, 62–63, 65–68, 69f4.2, 69–85, 97, 166, 361, 422, 435, 440, 443, 447, 453–58, 560, 609, 620
 Pain matrix, 66, 75, 97
 Panic disorder, 447
 Parahippocampal gyrus, 26
 Parietal cortex, 30, 36, 48, 57–58, 78, 104, 313–14, 317, 324, 354, 395, 461, 471, 475, 497, 546
 Parietal Lobe, 109
 Parkinson's disease, 611, 621, 623, 625
 Pars opercularis, ix, 28, 398f19.1
 Paul Broca, 87
 Perception
 Visual perception, xxiv, 241, 279, 328, 346, 436, 505, 635, 649
 Perception and action, 11, 19–20, 31, 60, 151, 154, 190, 223, 264, 274, 277, 307, 346, 369, 373, 404, 412, 416, 476, 542, 561–62, 566, 568–69, 583, 585
 Perception of music, xii, 354, 649
 Perceptuomotor coupling, 629, 637
 Periaqueductal grey matter
 PAG, 66
 Peripersonal space, 25, 54, 58, 356–57, 366, 373, 404, 414. *See* personal space
 Personal space, 21, 51–53, 55–57
 Perspective taking, ix, 17, 73, 151–52, 155, 157, 159, 162, 248, 299f14.2, 534
 Pertinence criteria, 591
 Pianists, 225, 227, 282, 288, 290, 297–98, 300–01, 310, 355, 474, 476, 615, 619, 622
 Point-light display, 486, 491
 PLD, 381, 486–88
 Polysensory zone, 45, 55
 Population code, 41
 Positive affect, 207, 266, 303, 620
 Post-traumatic stress disorder, 447
 Postcentral gyrus, 487
 Posterior cingulate cortex
 pCC, 66
 Posterior insular cortex, 64, 78, 575
 pIC, 64–66, 75
 Posterior superior temporal sulcus
 pSTS, ix, x, 428f20.1, 488, 547f26.1
 Precentral gyrus, x, 39, 54–55, 402, 547f26.1
 Precision grip, ix, 83, 332, 382, 399, 403f19.3, 463–64, 469, 538
 Precuneus, 73, 291
 Prediction
 Action prediction, xxviii, 218, 222–23, 323, 408, 534, 568, 575, 579, 584–85
 Motor prediction, 218, 222–23, 225, 227, 230, 526–27, 529–31, 535
 Perceptual prediction, 581
 Predicting sensory consequences, 352, 525
 Prediction error, 323, 364, 387, 526, 529–30, 536, 653
 Prediction in sport, 569
 Temporal prediction, 219, 297
 Predictive coding, 387, 574
 Internal models, 165, 280, 285, 291–92, 294–99, 302–03, 327, 539, 568
 Predictive internal models. *See* predictive coding
 Prefrontal cortex, viii, ix, 28, 73, 93f5.1, 93–94, 157, 182, 185, 189, 207, 324, 326, 331, 342, 354, 383f18.2, 383–84, 407, 452–53
 aMPFC, xxii, 157, 159, 164
 Prehensile actions, xiii, 399

664 *Index*

- Premotor area F5, 25, 557
 Premotor cortex, x, 18, 26, 36, 47, 53–55, 80, 167, 176, 313–14, 317, 320, 322, 324–25, 328–30, 339, 341, 346–47, 350, 355, 360, 363, 368, 381, 389, 395, 416, 429–30, 460, 462, 476–77, 533, 535–36, 538, 546, 547f26.1, 547–48, 550, 553, 554f26.2, 554–55, 560, 574–75, 579, 610f29.1, 614, 616, 621
 Dorsal premotor cortex, 555
 PMv, ix, x, 317–18, 320–21, 428f20.1, 554f26.2
 Premotor F5 area, 24
 Ventral and dorsal premotor cortices, 332
 Ventral premotor neurons, 23, 382
 Primary motor cortex, xxi, 29, 47, 54–56, 58, 80, 152, 158, 290, 298, 301, 325, 332, 339, 347, 363, 403, 460–61, 471, 476, 533–34, 536–37, 540, 567, 574, 583–84
 Motor cortex, v, viii, xxi, 38–39, 40f3.1, 42f3.2, 42f3.2, 40–45, 45f3.3, 47–49, 52–55, 57–58, 60, 64, 70, 83, 158, 176–77, 189, 384, 415, 461, 476, 478, 533–35, 565, 567, 573, 583, 615, 621
 Motor cortex excitability, 158, 418
 Primary somatosensory cortex, 63–64, 66–67, 70–72, 74–75, 77
 Primate Cognition Test Battery, 114
 Priming, xxv, 17, 153–54, 164, 319, 325, 330, 337, 345, 348, 394, 411, 414, 416, 476, 479, 498
 Primitive emotional contagion model, 419–21, 425–27, 431
 Principle of multiple determinism, 90
 Principle of non-additive determinism, 90
 Principle of reciprocal determinism, 91
 Processing fluency, 627, 634, 642–44, 646–49, 653
 Progressive temporal occlusion, 379
 Proprioception, 360, 366, 447
 Prosimians, 48
 Prosocial behaviour, 33, 154, 172, 174, 188, 268–69, 271, 422, 432, 603, 608, 617–18, 626
 Psychopathy, 72, 444, 452
 Psycho-physiological interaction, 430
 Psychosocial stress, 90
 Puzzle box, x, 117–18, 137, 510f24.1
 Racial bias, 27, 75
 Rapport, 142, 148, 153, 168, 172, 181–82, 186–87, 190, 239, 252, 266–67, 270–72, 275–76, 279, 432, 480, 499, 521
 RCA. *See* Referential coding account
 Reaction time, viii, 8, 153, 162, 175f9.1, 238–39, 337, 587
 Receptive field, ix, 46, 358f17.1
 Referential coding account, viii, 12–13, 15f1.3, 18, 231
 Repetition suppression, 104, 314, 317, 321, 331
 Representation
 Co-representation, xx, 3, 5, 8, 13, 20–21, 230, 233–35, 290, 298
 Event co-representation, 5
 Representations
 Motor representations, ix, xxii, 27, 151–52, 154, 176–77, 186, 290, 298, 322, 403, 411, 417, 428f20.1, 461, 463, 465, 467, 485, 494, 534, 578, 580, 584, 615, 636, 644
 Shared representations, i, vi, vii, xiii, xx, xxi, xxii, xxiv, xxvii, xxviii, xxix, 3–4, 11, 59–61, 63–64, 68, 70–74, 76–77, 79, 81, 86, 89, 92, 98, 151–55, 158–60, 164–65, 169, 191, 233, 238, 245, 248, 250, 280, 285, 302–03, 419, 421, 451, 460–61, 463–64, 466–67, 469, 474, 478, 480, 495, 541–43, 565, 588–90, 594–97, 599, 603, 608, 617
 Control of shared representations, 151
 Response conflict, 12, 21, 235
 Reward-processing, 27
 Rhythm, x, 65, 70, 80, 83–84, 191, 252–63, 265, 267–69, 271–82, 287, 301, 310, 543, 604, 607, 610f29.1, 610–12, 614, 619–24, 628
 Mu rhythm, 65
 Right inferior frontal cortex, 184
 rIFC, 184
 Right temporoparietal junction, xxii, 169–70, 191, 478
 Rituals, 136, 142–43, 218, 255, 266, 270, 473
 Robot action, 21, 229, 232, 234, 263, 275, 338–39, 341–42, 344, 349, 388, 413, 415, 559
 Robotic action, 482, 484, 528
 Rostral cingulate cortex, 64
 Rubber hand illusion, 360. *See* body ownership illusions
 Rule-based inference, 354
 Saccadic eye movement, 43
 Sadness, 68, 71, 431
 Schizophrenia, xxvii, 19, 222, 232, 369–70, 439, 447, 450, 453–54, 480, 496
 Second-person neuroscience, 324
 Secondary somatosensory cortex, 63–67, 71–73
 Self and other, ix, xxv, 61, 72, 75, 81, 84, 285, 357, 358f17.1, 448
 Self-construal, 16–17, 173–74, 191
 Independent self-construal, 173
 Interdependent self-construal, 173

- Self-other control, xxii, 158, 185
 Self-other distinction, 151–52, 155, 158–60, 164, 285, 351, 357, 361, 609
 Self-other integration, 16–17, 19, 232, 288–89, 291, 303
 Self-other processing, ix, xxv, 13, 17, 24, 27, 34–35, 61, 74, 79, 159, 161, 163, 222, 268, 280, 285, 289f14.1, 289–90, 294–95, 302, 351, 355, 357, 361, 366, 541–42, 604, 608, 614
 Self-other Processing
 Self-other overlap, 13, 16–18, 271
 Self-other segregation, 287, 291, 303
 Self-presentation, 211, 214
 Semantic differential method, 642
 Semantics, 627, 644–45
 Sense of agency. *See* agency
 Sensorimotor adaptation, 525
 Fingertip force adaptation, 526–27
 Force field adaptation, 526, 528–29
 Visuomotor adaptation, 526–27, 539, 584
 Sensorimotor experience, 191, 326, 344, 346, 349, 465–67, 469–73, 478–79, 542, 561, 651
 Sensory attenuation, 362, 374
 Sensory feedback, 154–55, 265, 294, 362, 527, 530, 567, 608–09, 618
 Actual sensory feedback, x, 160, 528, 528f25.2
 Predicted sensory feedback, 528
 Sequence learning, 176, 188, 346, 497, 525
 Serial rules, 121
 Shared experience, 4, 618
 Shared mechanisms, 60
 Shared mental models
 SMMs, xxviii, xxix, 588–90, 594–95, 598
 Shared somatosensory representations
 Somatosensory representations, 59–61, 63, 65, 74
 Shiner fish, 240
 Silent bared teeth display, 50
 Silos
 Research domains as, 177
 Simon effect, viii, xx, 3, 6, 7f1.1, 7–9, 13, 15f1.3, 15–21, 221, 231
 Simon task
 Joint Simon task, viii, xx, 3–4, 6, 7f1.1, 7f1.1, 7–8, 10f1.2, 12–13, 15, 15f1.3, 19, 221
 Simulation, viii, ix, 31, 36, 79, 92–93, 93f5.1, 102–03, 159, 166–68, 223, 224f11.1, 227, 294–96, 298, 299f14.2, 299–301, 327, 353, 369–70, 373, 389, 408, 410, 412, 414–15, 418, 475–76, 478, 484, 522, 546, 549, 560, 566, 571, 574, 578, 583, 585, 592, 621, 650
 Mental simulation, xxv, 167, 328, 353, 363, 561, 571, 590
 Smile, 50–51, 56, 103, 249, 324, 437
 Snowball, 260, 612
 Social associative memory, 412
 Social behaviour, i, xix, xxi, 240, 313, 422, 429
 Social bonding, xxiv, 274, 603, 606, 609, 617
 Social brain, i, v, xxi, 61, 86, 88–89, 92, 94, 98–99, 101, 103–04
 Social cognition, vi, viii, xxi, xxvii, 18, 22, 25, 31, 35, 92, 93f5.1, 98, 130–31, 151–52, 159–61, 163–69, 188, 230–31, 237, 249, 253, 274, 278, 299, 314, 326, 328–29, 351, 354, 389, 422, 449, 470, 477–78, 521, 534, 538, 605, 607, 614, 617, 628, 651
 Social cohesion hypothesis, 605
 Social hierarchy, 90, 506
 Social interaction, vii, xxix, 4, 20, 35, 53, 74, 103, 128, 147, 153, 161, 163, 166–67, 170, 178–80, 183–84, 188, 191, 201–03, 205–06, 238, 243–44, 251, 254–55, 257, 271, 274–75, 278–79, 302, 330–31, 347, 375–76, 394–95, 400, 404, 414, 421, 433, 440, 473, 480, 497–98, 519, 603, 606, 614, 619–20
 Social interactions, v, viii, xxiv, 22, 23f2.1, 25, 27, 30, 32–35, 59, 63, 76, 80, 98, 104, 141, 144, 171–72, 179, 182, 185–86, 213, 233, 247, 249, 254, 256, 272–73, 402, 405, 410, 412–13, 425, 433, 445, 603, 609, 617, 628
 Social learning, x, xxii, 24, 26, 110, 117, 119, 123–25, 128, 130–32, 135–37, 139–41, 145–47, 149, 503–08, 511–13, 516f24.2, 515–24
 Social learning mechanisms, 519, 524
 Social learning strategy, 506, 524
 Social network analyses, x, 503, 513, 515–16, 516f24.2, 518
 Social neuroscience, xxi, 67, 86–89, 92, 97, 99, 103, 177, 453, 542, 603
 Social norms, 27, 142–43, 204–06, 208–09, 241
 Social presence effects, 215
 Social rejection, 78, 93, 97, 102
 Cyberball paradigm, 97
 Socially excluded. *See* social rejection
 Socio-cultural activity, 629
 Socioeconomic status
 SES, 33
 Somatoparaphrenia, 359
 Somatosensory cortex, 64, 70, 73, 78, 80–83, 533, 536
 Somatotopy, 38–39
 Spatial cognition, 94, 505
 Spatial occlusion procedure, 381

666 *Index*

- Sport
 Action prediction in sport, 590
 Basketball, x, 101, 223, 225, 230, 353, 367, 474, 541, 570f27.1, 570–71, 573, 575, 582, 590, 592, 596, 602, 649
 Boxing, 569
 Cricket, 344, 585, 596–97, 600, 602
 Decision-making in sport, 588
 Expert athletes, xxviii, 569–70, 572, 575, 579
 Expert observers, 572
 Judo, 596, 600
 Observational learning in sport, 565
 Prediction in sport, 568
 Professional athletes, 566
 Referees, xxix, 588, 595–96, 600–02
 Rock climbing, 353
 Rugby, 569–70, 576, 582–83, 590, 595, 597, 601
 Shared mental models in sport, 588
 Soccer, x, 411, 569–70, 573, 577f27.2, 579f27.3, 576–80, 583–85, 590, 594–95, 602
 Support personnel, 598
 Synchrony and sport, 468
 Table tennis, 592
 Team culture, 588, 599
 Team games, 590
 Training approaches, 568
 Training effects, 573
 Volleyball, 569, 571–73, 584–85, 590
 Squirrel monkeys, 56, 516, 519
 Stimulus-response associations, 319, 402
 Stroke rehabilitation, 537–38, 559
 Stroop task
 Stroop effect, 157, 174
 Substance abuse, 447–48
 Superior colliculus, 43, 57
 Superior parietal lobe, 548, 550
 SPL, x, 547f26.1
 Superior temporal sulcus, viii, 92, 93f5.1, 198, 212, 320, 407, 430, 546, 548, 616, 634
 Supplementary eye field, 47
 Supplementary motor area, x, 26, 28, 47, 55, 191, 291, 314, 461, 492, 495, 533, 610, 610f29.1, 619
 SMA, x, 610, 610f29.1
 Supramarginal gyrus, ix, 383f18.2
 SMG, 316–17
 Swamp sparrow, 461, 464
 Synaesthesia
 Mirror synaesthesia, 72
 Synchrony
 Coincidental synchrony, 608
 Psychological synchrony, 604
 Sensorimotor synchrony, 604
 Synchrony and dancing, 619
 Syntactic complexity, 639, 649
 Syntax, 644, 646
 Task representation, xx, 3, 5–6, 9, 13, 222
 TEC. *See* theory of event coding
 Temporal binding, xii, 365–66, 374
 As an implicit measure of agency, 366
 Temporal occlusion paradigm, x, 379, 389, 570f27.1, 570–71, 573, 577, 587
 Temporoparietal junction, viii, 33, 73–74, 93f5.1, 185, 384
 TPJ, viii, ix, 93f5.1, 157–59, 162–65, 167, 383f18.2, 383–84
 Thalamus, 64, 66
 The self and the other. *See* self-other processing
 Theory of event coding, 9, 11, 19
 Theory of mind, xxii, xxix, 19, 111, 132, 157–58, 163–64, 167–69, 232, 248–49, 334, 389, 415, 452, 456, 476, 485, 614, 616, 618–19, 621
 Sally-Anne paradigm, 161
 Tom, 159, 161–65
 Threat, 46, 50, 67, 429–30
 Three-spine sticklebacks, 517
 Tongue protrusion, 120, 131, 477
 Tool, ix, 17, 19, 65, 77, 88, 109, 112, 113t6.1, 113–16, 120, 127–29, 132, 134–35, 137, 140, 149, 168, 176, 208, 211, 315, 317, 319, 329, 356–57, 358f17.1, 369, 382, 392, 507, 515, 521, 557, 598, 631
 Top-down modulation, 164, 568
 Top-down processes, viii, 22, 23f2.1
 Transcranial direct current stimulation, 72, 76, 158, 162, 184
 tDCS, 157–58, 184
 Transcranial magnetic stimulation
 TMS, viii, ix, 29–30, 70, 76, 91, 152–53, 157–58, 166, 175f9.1, 176–78, 181, 184, 290, 298, 299f14.2, 325, 342–43, 367, 396fBox 19.2, 401f19.2, 403f19.3, 403–06, 409f19.4, 411, 429, 461, 470, 479, 484, 533–35, 537, 540, 561, 567, 573–74, 578–79, 587
 Trap tube task, 113t6.1, 115
 Trial-and-error learning, 111–12
 Trust, 52, 154, 174, 271, 275, 480, 522, 597, 599, 622
 Unimodal experience, xiii, 467
 V5, 499, 533, 536, 643
 Valence, 244, 247, 440, 642, 644, 646–48

Index

667

- Ventral and dorsal striatum, 27
- Ventral intraparietal
 - VIP, 25, 53
- Ventral intraparietal area, 53
- Ventrolateral prefrontal cortex, 488
- Visual feedback, viii, 158, 224f11.1, 362, 368, 526
- Visuomotor control, 317
- Vocal learning hypothesis, 612–13
- Working memory, xxvi, 111, 126, 211, 411–12, 611
- Yoga, 631