

Index

- \mathcal{H}_∞ norm, 587
- \mathcal{S} -procedure, 320, 398, 414, 418
- ℓ_0 norm, 29
- ℓ_1 norm, 29, 245, 307, 310
 - ball, 299
 - regression, 309
 - regularization, 332, 470, 576
 - relaxation, 320–322, 515
- ℓ_2 norm, 29, 160
 - regression, 164
 - regularization, 185
- ℓ_∞ norm, 29, 306, 309
 - regression, 309
- ℓ_p norm, 29, 248
 - ball, 29
- active constraints, 250, 264, 271, 279
- affine policies, 554, 615
- Agmon–Motzkin–Shoenberg method, 496
- aircraft design, 609
- algebraic multiplicity, 70
- alternate subgradient method, 477
- antenna
 - array design, 600
 - diagram, 601
- anti-gradient, 433
- arithmetic mean, 31, 243
- Armijo condition, 435
- asymptotic stability, 580
- auto-regressive models, 165, 422
- backtracking line search, 435
- backward substitution, 207
- bag-of-words, 23
- barrier method, 453
- best linear unbiased estimator, 166
- binary classification, 511
- binomial coefficient, 307
- bipartite matching, 325
- bisection method, 403, 498
- block sparsity, 354
- Boolean optimization, 323, 397
- box uncertainty, *see* interval uncertainty
- budget constraint, 263
- cardinality, 29, 320, 321
- cart on rail, 568
- CAT scan, 155
- Cauchy–Schwartz inequality, 33, 321
- Cayley–Hamilton theorem, 93
- centering step, 455
- central path, 455
- chain rule, 49, 91, 245
- chance-constrained LP, 356
- characteristic polynomial, 70
- Chebyshev
 - approximation, 355
 - center, 411
 - design, 597
- Chebyshev–Cantelli inequality, 548
- Cholesky factorization, 114, 172
- compact SVD, 126
- complementary slackness, 279
- complex magnitude constraints, 347
- compressed sensing, 332
- condition number, 129, 173, 176, 186, 580
 - minimization, 401
- conditional
 - gradient method, 497
 - independence, 530
- congruence transformation, 113, 389
- constraint qualification, 275
- control ellipsoid, 180
- convergence rate, 438, 440, 471
- convex
 - cone, 226
 - envelope, 320
 - function, 230
 - problem, 249
 - set, 225
- convex function, 230
 - composition rules, 241
 - first-order conditions, 235
 - Hessian, 236
 - pointwise maximum, 239
 - restriction to a line, 238
 - second-order conditions, 236
 - sum, 233
 - variable transformation, 234
- convex problem, 12, 249
 - change of variables, 259
 - constraint transformations, 258
 - constraints, 249
 - equivalent, 257
 - existence of solution, 253
 - feasible set, 249
 - objective, 249
 - objective transformations, 257
 - optimal set, 250
 - optimal solution, 250
 - optimality conditions, 268
 - slack variables, 260
 - uniqueness of solution, 255
 - with linear objective, 261
- convex program, *see* convex problem
- coordinate descent methods, 484
- covariance, 99, 111, 122, 167, 540
- cross validation, 509

628 INDEX

- decentralized optimization, 487
 decision rule, 513
 decomposition methods, 489
 demand uncertainty, 615
 descent
 direction, 269, 432, 476
 methods, 432
 determinant, 66
 digital
 circuit design, 606
 filter, 591
 discrete uncertainty, 372
 discrete-time systems, 569
 discretization, 366, 570, 594
 distance to line segment, 341
 domain, 44, 230
 dominant eigenvalue, 200, 203
 drug production problem, 304, 369
 dual
 decomposition, 489
 norm, 239
 of a QP, 316
 of an LP, 276
 of an SDP, 395
 of an SOCP, 353
 problem, 274
 duality, 272
 gap, 275
 strong, 275
 weak, 275
 dyad, 78
 effective domain, *see* domain
 efficient frontier, 541
 eigenvalues, 69, 199
 of symmetric matrices, 294
 shift, 88
 sum of top, 423
 variational characterization, 107, 109, 394
 eigenvectors, 69
 ellipsoid, 115, 300, 315
 containing a polytope, 412
 flat, 301
 inscribed in polytope, 410
 intersection, 415
 Löwner–John, 411
 length of semi-axes, 300
 maximum volume, 410
 method, 479
 separation, 364
 shape matrix, 300
 unbounded, 300
 union, 414
 volume, 300
 ellipsoidal uncertainty, 374
 entropy function, 234
 epigraphic form, 261
 equality constraints, 5, 249, 262, 449
 elimination, 296, 449
 feasible update, 450
 estimation ellipsoid, 180
 Euclidean
 distance matrix, 408
 norm, *see* ℓ_2 norm
 projection, 37, 40
 explained variance, 139
 facility location, 360
 Farkas lemma, 229
 fast proximal gradient method, 471
 feasible set, 249
 financial index tracking, 313, 556
 Finsler’s lemma, 390
 FIR filter, 591
 first-order methods, 432
 Fisher discrimination, 517
 FISTA, 471
 force/torque generation, 153, 181
 forward substitution, 207
 Fourier transform, 592
 Frobenius norm, 60, 84
 minimization, 401
 function, 44
 affine, 45
 closed, 233
 coercive, 254
 concave, 230
 convex, 230
 domain, 44, 230
 epigraph, 45, 232
 extended-valued, 231
 indicator, 232, 459
 linear, 45
 Lipschitz, 231, 427
 lower semicontinuous, 233
 proper, 232
 quadratic, 101
 quasiconvex, 233
 strictly convex, 230
 strongly convex, 230
 fundamental theorem of linear algebra, 63
 gate, 606
 Gauss–Seidel method, 485
 Gaussian
 distribution, 122, 529
 elimination, 208
 geometric mean, 243
 geometric program, 266, 335, 339
 geometric-arithmetic mean inequality, 243
 global optimum, 8, 252
 GP, *see* geometric program
 GPS positioning, 361
 gradient, 48
 chain rule, 49
 geometric interpretation, 50
 Lipschitz continuous, 427
 method, 435
 Gram matrix, 101, 132
 Gram–Schmidt procedure, 211
 Gramian, 573
 graphical models, 499, 529
 Hölder inequality, 33, 54
 Huber function
 reverse, 537, 565
 Hadamard
 inequality, 121
 product, 374
 half-space, 48
 Hessian, 62, 100, 427
 of log-sum-exp function, 100
 of quadratic function, 100
 hull
 affine, 225
 conic, 225
 convex, 225
 linear, 224
 hyperbolic constraints, 349
 hyperplane, 40, 46
 image compression, 136, 334
 inactive constraints, 250, 264
 incidence matrix, 58, 326
 initial feasible point, 457
 inner product, 30
 interior-point method, 455

- intersection
 - of convex sets, 226
 - of ellipsoids, 415, 416
 - of half-spaces, 227
- interval uncertainty, 372, 616
- inventory control, 614
- inverted pendulum, 582
- Jacobi method, 217, 218, 484
- Jacobian matrix, 61
- Jensen's inequality, 242
- Karush–Kuhn–Tucker conditions, 280, 498
- Kelly's betting, 561
- kernel methods, 521
- KKT conditions, *see* Karush–Kuhn–Tucker conditions
- Lagrange
 - dual function, 273
 - multipliers, 273
- Laplace
 - determinant expansion, 67
 - transform, 583
- LASSO, 332, 342, 470, 521
- least squares, 10, 133, 160, 295
 - ℓ_2 -regularized, 185
 - constrained, 312
 - interpretations, 164
 - linear constrained, 183
 - recursive, 168, 190
 - sensitivity of regularization, 186
 - set of solutions, 163
 - weighted, 184
- leave-one-out method, 509
- line
 - fitting, 165
 - projection onto, 40
 - search, 434
- linear
 - function, 45, 293
 - inequalities, 296
 - map, 61
 - models, 507
 - time-invariant systems, 568
- linear equations, 157
 - diagonal, 206
 - factorization methods, 170
 - LS approximate solution, 160
 - minimum-norm solution, 162, 280
 - overdetermined, 159
 - sensitivity of solutions, 173
 - set of solutions, 159
 - square, 160, 206
 - triangular, 206
 - underdetermined, 160
- linear matrix inequalities, 383
 - conic form, 386
 - robustness, 391
- linear program, 11, 266, 302
 - closed-form solution, 342
 - duality, 310
 - in standard conic form, 302
 - in standard inequality form, 302
 - relaxations, 323
- linearly separable data, 513
- Lipschitz constant, 428
- LMI, *see* linear matrix inequalities
- local optimum, 8, 252
- log-determinant function, 238
- log-sum-exp function, 49, 100, 237, 340
- logistic regression, 516
- loss function, 508, 519
- low-rank approximation, 11, 133, 526
- LP, *see* linear program
- LS, *see* least squares
- Lyapunov
 - inequality, 384
 - stability, 580
- matrix, 55
 - Toeplitz, 575
 - block product, 59
 - block-diagonal, 79
 - block-triangular, 80
 - completion problem, 405
 - diagonal, 61, 76
 - diagonalizable, 72
 - diagonalization, 83
 - dyadic, 78
 - eigenspace, 70
 - exponential, 91
 - functions, 87
 - gain, 109
 - identity, 57
 - inertia, 113
 - inverse, 68
 - inversion lemma, 80
- left inverse, 68, 130
- non-negative, 94
- norms, 84, 128
- orthogonal, 77
- polynomials, 87
- positive semidefinite, 110, 383
- product, 56, 58
- pseudoinverse, 68, 129, 163
- right inverse, 68, 131
- similar, 69
- singular, 67
- sparse, 75
- square, 75
- square-root, 114
- stochastic, 94
- symmetric, 75
- triangular, 76
- Vandermonde, 154
- matrix games, 328
 - LP solution, 330
- max-cut problem, 316
- max-min inequality, 282
- maximum margin classifier, 514
- mean-variance tradeoff, 540
- median risk, 559
- minimax
 - principle, 108
 - theorem, 283
- minimum surface area, 365
- minimum-cost flow problem, 327
- minimum-energy control, 572
- minimum-fuel control, 573
- model predictive control, 578
- monomials, 336, 338
- Moore–Penrose pseudoinverse, 129
- multi-period investment, 562
- multi-stage optimization, 613
- Nash equilibria, 328
- Netflix problem, 405
- network flows, 326
- Newton
 - decrement, 445
 - method, 444
- non-negative matrix factorization, 526
- norm, 28
 - balls, 29, 34
 - sums and maxima, 353
- normal

630 INDEX

- cumulative distribution, 358
- equations, 161
- error function, 358
- nuclear norm, 129, 407, 420
- nullspace, 62, 127
- operator norms, 85
- optimality conditions, 268
 - for inequality-constrained problems, 270
 - for linear equality constrained problems, 269
 - for non-differentiable problems, 272
 - for unconstrained problems, 269
- optimality gap, 431
- optimization problem, 5, 249
 - attained, 6, 250
 - constraints, 249
 - decision variable, 5
 - feasibility, 7
 - feasible set, 6, 249
 - maximization form, 6
 - objective, 5, 249
 - optimal set, 7, 251
 - standard form, 5, 249
 - tractable, 8
- orthogonal
 - complement, 36
 - projectors, 131
- overfitting, 509
- PageRank, 73, 203
- Parseval's identity, 587
- partial minimization, 240
- payoff matrix, 328
- PCA, *see* principal component analysis
- penalty function, 520
- Perron–Frobenius, 94, 344
- phase I method, 457
- piece-wise constant fitting, 322
- Poincaré inequality, 108
- polyhedra, 227, 297
- polyhedral function, 306
 - minimization, 308
- polynomial
 - interpolation, 154
 - models, 508
 - non-negative, 422
- polytope, 297
 - convex inequalities at vertices, 298
 - vertex, 298
- portfolio optimization, 359
 - Markowitz model for, 540
 - multi-period, 549
 - robust, 546
 - single period, 539
- posynomials, 267, 336
 - convex representation of, 338
- power iteration method, 199, 486
 - for SVD, 204
- power law, 46, 154, 259
- primal
 - decomposition, 491
 - problem, 273
 - variables, 278
- principal component analysis, 137, 524
 - robust, 420
 - sparse, 487, 524
- probability
 - constraints, 357
 - simplex, 242, 299
- projected subgradient method, 473
- projection, 458, 465
 - onto a half-space, 465
 - onto a line, 40
 - onto a subspace, 39, 133
 - onto a vector span, 101
 - onto an affine set, 39
 - onto a hyperplane, 40
 - onto the ℓ_1 ball, 467
 - onto the Euclidean ball, 467
 - onto the positive orthant, 465
 - onto the positive semidefinite cone, 469
 - onto the simplex, 466
 - theorem, 39
- proximal
 - gradient method, 458
 - map, 458, 465, 470
- PSD cone, 115
- QCQP, *see* quadratic-constrained quadratic program
- QR factorization, 82, 170, 171, 211
- quadratic
 - form, 102
 - function, 293
 - inequalities, 299
 - minimization with linear equality constraints, 296
 - program, 11, 266, 311
 - programming duality, 316
 - unconstrained minimization, 294
- quadratic-constrained quadratic program, 314
 - dual, 317
- quadratic-over-linear problems, 355
- quasi-Newton methods, 448
- range, 62, 127
- rank, 62, 127
- rank-one perturbation, 80, 110
- rate of return, *see* return
- Rayleigh
 - iterations, 202
 - quotient, 107
- reachability, 573
- regularization, 509, 576
- return, 31, 78, 99, 139, 313, 359, 539
- robust
 - least squares, 375
 - LP, 368
 - optimization, 368, 615
 - PCA, 528
- saddle point, 283, 329
- sample
 - average, 99
 - covariance, 99, 111, 530
- sampling interval, 570
- scalar product, 30
- scenario method, 376, 547, 620
- Schur complement, 117, 240, 389
- SDP, *see* semidefinite program
- secant condition, 448
- second-order cone, 227, 347
 - program, 267
 - rotated, 348
- second-order methods, 445
- sector bounds, 542
- self-concordance, 446, 456
- semidefinite program, 267, 381, 393
 - relaxations, 396
- sensitivity of optimal value, 281
- separable problem, 466, 488
- separating hyperplane, 229
- set

- affine, 27
- boundary, 224, 233
- bounded, 224
- closed, 224
- closure, 224
- compact, 224
- constraints, 6
- convex, 225
- dimension of, 226
- interior, 224, 233
- open, 224
- relative interior, 226
- strictly convex, 226
- Sharpe ratio, 543
- shift-invert power method, 202
- shortest path, 326
- shrinkage operator, 468
- singular value decomposition, 82, 123, 170
- Slater's conditions, 275
- SOC, *see* second-order cone
- soft threshold, 335, 468
- span, 25
- sparsity, 320, 511
- spectral
 - decomposition, 83
 - mapping theorem, 90
 - norm, 86
 - norm minimization, 399
 - radius, 87, 116
 - theorem, 103, 106
- square-root LASSO, 284, 379
- square-to-linear function, 237
- state targeting, 571
- state-feedback design, 581
- state-space representation, 569
- stationary point, 437
- steepest descent, 433
- stepsize, 433, 475
- storage tank, 336, 340
- strong convexity, 429, 440
- subdifferential, 244
- subgradients, 243
 - of primal value function, 285
 - of the dual function, 286
- sublevel set, 45, 232
- subspaces, 25
 - basis, 26
 - dimension, 26
 - direct sum, 25
 - orthogonal decomposition, 36
 - projection onto, 37
 - successive projections, 496
- sum of largest components, 307
- superstability, 588
- supervised learning, 505, 519
- supply chain management, 613
- support vector machines, 511
- supporting hyperplane, 228
- SVD, *see* singular value decomposition
- SVM, *see* support vector machines
- Taylor series, 49, 102, 236
- text analysis, 23, 32, 525, 527, 533
- Tikhonov regularization, 186, 187
- total
 - least squares, 190
- unimodularity, 324
 - variation, 366
- trace, 60, 85
- training error, 508
- trajectory tracking, 574
- transaction cost, 543, 564
- transpose, 22, 56
- trilateration, 152, 182, 403
- trust-region problem, 379
- uncertainty, 368
- unit ball mapping, 177
 - direct image, 177
 - inverse image, 179
- unsupervised learning, 524
- value at risk, 359, 545
- VaR, *see* value at risk
- variable-metric descent methods, 442
- vectors, 21
 - angle between, 32
 - linearly independent, 25
 - orthogonal, 32, 35
 - orthonormal, 36
 - space, 24
 - sum, 24
 - zero, 24
- volatility, 99
- wavelet, 334
- Weierstrass theorem, 253
- Young's inequality, 243