

Index

- 4f configuration, 251–3, 337
- Abbe's sine condition, **93–4**
- aberration correction
 – with DOE, 332
 objective –, 230–1
- aberrations, **33**
 – due to objective, 95
 – when focusing near interfaces, 100
- astigmatism, 33
 chromatic –, 33
 coma, 33
 comatic –, 33
 field distortion, 33
 focus deterioration due to –, 103, 241
 Petzval field curvature, 33
 spherical –, 33
 trap based on spherical –, 444–5
- Abraham momentum, *see* Abraham–Minkowski dilemma
- Abraham–Minkowski dilemma, **25**, 26, 110
- absorption spectroscopy, *see* spectroscopic optical tweezers
- ac Stark shift, 503
- ACF, *see* autocorrelation function
- achromatic objective, *see* objective
- acoustic tweezers, 9–10
- acousto-optic deflector, 252, 340–1, 350, 363
- actin, 371, 379–82, 387, 389–92
- actin cortex, 355
- adaptive-additive algorithm, *see* holographic optical tweezers
- addition formulas, *see* multipole, addition theorem
- addition theorem, *see* multipole, addition theorem
- adenosine triphosphate, 380, 390
- aerosol, 439, 441–6
- AFM, *see* atomic force microscopy
- aggregates of spheres, *see* transition matrix, aggregates of spheres
- angle of incidence, 20
- angular Mathieu functions, 90
- angular momentum, **111–15**, 158–60
 – operator, *see* ladder operators
 conservation of –, 107, 109
 orbital –, 6, 37, 114–15, 149–51, 332–4, 416, 512
 spin –, 6, 37, 114–15, 143–6, 378, 416
 sum of –, *see* Clebsch–Gordan coefficients
- angular spectrum representation, **79–83**, 93, 97, 124
 – of a focused field, 95–6
 – of a focused field near an interface, 101
- anomalous diffusion, 455, 458
- AOD, *see* acousto-optic deflector
- aplanatic lens, 31, 93
- apochromatic objective, *see* objective
- apodisation, 95
- Asakura–Oosawa theory, 428
- associated Laguerre polynomials, 87
- associated Legendre equation, 117
- associated Legendre functions, 117
- astigmatism, *see* aberrations
- asymmetry parameter, **126**, **142**, 532
 – for a Mie particle, 136
 transverse –, 126, 142
- atom cooling
 1D Doppler cooling, 498
 1D Raman cooling, 498
 1D VSCPT cooling, 498
 2D Doppler cooling, 498
 3D Doppler cooling, 498
 Bose–Einstein condensation, 498
 Doppler cooling, 499–504, 513
 evaporative cooling, 507, 513
 magnetic trapping, 507
 spin-polarised BEC, 498
 sub-Doppler cooling, 498
- atom optics, 505
- atom trapping, 504–6
 strong-field seekers, 505
 weak-field seekers, 505
- atomic force microscopy, 8–9, 296, 297
- atomic momentum diffusion, 501
- atoms, **498–518**
- ATP, *see* adenosine triphosphate
- autocorrelation function, 203–4, 300–7
 – analysis, *see* calibration, autocorrelation function
 intensity – of a speckle, 457, 458
 velocity –, 205, 206
- average
 block –, 285
 ensemble –, 193, 277
 time –, 193, 277

- Avogadro number, 191
 axicon, 76, 90, 319
- bacterial pili, 388–9
 bacterial spores, 405
 bacterium, 3, 193, 240, 358, 388–9, 392–3, 395, 405, 417, 476
 Bauer's expansion, 123, 162
 beam, 76, **83–92**
 Airy –, 104
 Bessel –, 90, 91, 443–6
 cylindrical vector –, **92**, 93, 104
 azimuthally polarised –, 85, 92, 93, 96–9, 103
 hybrid polarised –, 93
 radially polarised –, 85, 92, 93, 96, 98, 99, 103
 discrete –, 89, 91, 340
 doughnut –, 36
 Gaussian –, **83–5**
 – quality, 244
 Gouy phase shift, 85
 phase correction, 84
 Rayleigh range, 84
 wavefront radius, 84
 width, 84
 Helmholtz–Gauss –, 89
 Hermite–Gaussian –, **85–7**, 334
 Ince–Gaussian –, 104
 Laguerre–Gaussian –, **87–9**, 115, 149–51, 319, 333, 444, 445, 505
 Mathieu –, 90, 91
 non-diffracting –, **89–92**, 334
 transverse electric (TE) –, 85
 transverse electromagnetic (TEM) –, 85
 transverse magnetic (TM) –, 85
 Weber –, 90, 91
 beam parameter product, 244
 BEC, *see* Bose–Einstein condensate
 Beer's law, 239
 Beth's experiment, 2
 birefringent particle, 377, 378, 392, 416
 blazed diffraction grating, *see* diffraction grating
 Bohr magneton, 505
 Bose gas, 508
 Bose–Einstein condensate, 498, 508–13
 Bose–Hubbard model, 517
 boson, 508
 bound charges, 46
 bound electrons, 68, 69, 470
 boundary conditions, **49**
 – for a Mie sphere, 133
 – for a cluster, 174
 – for a metal sphere sustaining longitudinal fields, 170
 – for finite-difference time-domain algorithm, 182
 – for particles with inclusions, 176
 bovine serum albumin, 404, 478, 479
- Brewster's angle, 23, **23**
 Brown, Robert, 189
 Brownian diffusion, *see* Brownian motion
 Brownian dynamics simulations, **199–205**
 – for non-spherical particles, 212–16
 – in a diffusion gradient, 209
 – of optically trapped particle, 202–5
 – of white noise, 200–2
 Brownian motion, 6, **188**
 – in a diffusion gradient, 207–11, 452–5
 – in a random potential, 351–3, 455–9
 – in a viscoelastic medium, 211–12
 – of optically trapped particle, 202–5
 – simulation, *see* Brownian dynamics simulations
 free diffusion, 195–6
 inertial regime, 205–7
 mathematical models of –, 191
 Fokker–Planck equation, *see* Fokker–Planck equation
 Langevin equation, *see* Langevin equation
 the physical picture of –, 189–90
 Brownian ratchets, 459
 BSA, *see* bovine serum albumin
- calibration, **273–93**
 Allan variance, 293
 autocorrelation function, 255, **280**, 281, 282
 crosstalk analysis, **280–3**
 drag force method, **291–3**, 473
 equipartition method, **276–8**, 378, 473, 502
 mean squared displacement function, 255, **278–9**
 potential analysis, **274–5**
 power spectrum analysis, 255, **283–90**, 473
 capture velocity, 501
 Carnot, Sadi, 466
 CARS, *see* coherent anti-Stokes Raman spectroscopy
 cavity enhanced Raman scattering, 434, 439
 CCD, *see* charge-coupled device
 CCF, *see* cross-correlation function
 CDM, *see* coupled dipole method
 cell (biological), 39, 240, 312, 349–50, 354–5, 358, **385–93**, 395, 398, 401, 404, 405, 409, 410, 412–14, 434, 438
 cell membrane, 355, 389–91, 405, 438
 cellular adhesion, 386–9
 CERS, *see* cavity enhanced Raman scattering
 CFL condition, *see* Courant–Friedrichs–Lewy (CFL) condition
 charge-coupled device, 261
 Chinese hamster ovary cell, 240, 410
 Chu, Steven, 3
 circular unit vectors, 115
 cladding, 357
 Clausius–Mossotti relation, **47–50**, 52, 54, 58
 Clebsch–Gordan coefficients, 157, 163, **168–9**, 503

- cluster of spheres, *see* transition matrix, cluster of spheres
- CMOS, *see* complementary metal oxide semiconductor
- Cohen-Tannoudji, Claude, 3
- coherent anti-Stokes Raman scattering, 399
- coherent anti-Stokes Raman spectroscopy, 401, *see also* spectroscopic optical tweezers
- colloid, **422–30**, 449
- coma, *see* aberrations
- comet, 1, 2
- complementary metal oxide semiconductor, 261, 365
- complete unified device architecture, 335
- contour length, *see* worm-like chain model
- corkscrew cooling, 503, *see also* sub-Doppler cooling
- counter-propagating optical tweezers, 29–31, 73, 312, 315, 342, 353–6, 372, 412, 417, 444, 445, 472, 499–504, 530, 531
- coupled dipole method, *see* discrete dipole approximation
- Courant–Friedrichs–Lewy (CFL) condition, 182
- coverslip, 227
- critical angle, 23, **23**, 104, 357, 358
- cross product of a scalar and a vector, 46
- cross-section, **54–6**
- in quantum mechanics, 510
 - absorption –, 55, **56**, 69, 126
 - differential scattering –, 125
 - extinction –, 54, 55, **56**, 69, 126
 - and optical theorem, 56–8
 - for a Mie particle, 136
 - in optical force, 60, 63
 - radiation pressure –, 142, 499, 531
 - scattering –, 54, **56**, 125
 - for a Mie particle, 136
- crosstalk analysis, *see* calibration, crosstalk analysis
- crystal, colloidal, 455
- CUDA, *see* complete unified device architecture
- curl of the curl, 46
- cytoskeleton, 386–7, 389–92
- DAQ hardware, *see* data acquisition hardware
- dark spectrum, 290–1
- data acquisition hardware, **273**
- analogue input range, 273
 - bandwidth, 273
 - input channels, 273
 - resolution, 273
 - sample rate, 273
 - single-ended vs. differential inputs, 273
- DDA, *see* discrete dipole approximation
- de Broglie wavelength, 486, 509
- density
- melamin resin –, 237
 - poly(methyl methacrylate) –, 237
 - polystyrene –, 237
 - silica –, 237
- depletion forces, *see* depletion interactions
- depletion interactions, 426–30
- Derjaguin–Landau–Verwey–Overbeek theory, 425–6
- detuning, 499–503, 505, 506, 531, 533
- blue –, 501, 516, 518, 524, 527
 - red –, 501, 516, 524, 526, 531
- diaphragm, 227, 228, 234
- condenser –, 232
 - field stop –, 234
- DIC, *see* differential interference contrast
- dichroic mirror, 249
- Dicke narrowing, 514
- diffraction grating, 76, 323, 325, 326, 333, 335–7
- diffractive optical element, 6, **319–23**, *see also* holographic optical tweezers
- diffusion, 6
- diffusion coefficient, 193, 195, 197, 274, 449
- diffusion constant, *see* diffusion coefficient
- diffusion equation, 191
- diffusion gradient, *see* Brownian motion in a diffusion gradient
- diffusion tensor, **212–13**
- digital camera, **261–2**
- interlaced vs. progressive scan, 261
 - sensor, 261
 - charge-coupled device, *see* charge-coupled device
 - complementary metal oxide semiconductor, *see* complementary metal oxide semiconductor
 - area of interest, 262
 - binning, 262
 - deinterlacing, 262
 - field of view, 262
 - gain, 262
 - gamma, 262
 - subsampling, 262
- digital video microscopy, **256–61**, 449
- comparison of – and interferometry, 268
 - correction of artefacts when particles are close, 426
 - dilation filter, 256
 - erosion filter, 256
 - feature point detection, 257
 - holographic –, 261
 - thresholding, 256
- dipole
- approximation, *see* optical trapping regime, Rayleigh –
 - moment, 43, 67, 399
 - induced –, 45
 - nanoantenna, 476
 - traps for cold atoms, 506–7
 - induced –, 42, 50–2
 - oscillating –, 42, 50–2
 - optical force on –, 58–65, 97–8, 106, 504–6

- dipole (*cont.*)
 size parameter, *see* size parameter
 static –, 43–5
 torque on –, 43
 dipole trap, 504–6, 513–14
 discrete dipole approximation, **179–80**
 dispersion, 33, 246
 – relation, 77
 divergence of vector cross product, 46
 DLVO theory, *see* Derjaguin–Landau–
 Verwey–Overbeek theory
 DNA, **371–9**, 382, 403
 – Young’s modulus, 373
 – force–extension curve, 373
 – stretching, 372–4
 – thermal fluctuations, 374–6
 – torsion, 376–9
 – torsional modulus, 378
 DOE, *see* diffractive optical element
 Doppler cooling limit, 502
 below the –, 531–4
 Doppler effect, 499, 501
 dot product of a scalar and a vector, 46
 drift, 193, 207, 209
 – current, 197, 198
 – force, 309
 – velocity, 197, 309, 457
 spurious –, *see* spurious drift
 droplet, 433–4, 438, 439, 442–4
 liquid crystal –, 417
 Drude–Sommerfeld model, 67, 69
 DVM, *see* digital video microscopy
 dyadic
 – product, 108, 423
 unit –, 108
- EBCM, *see* extended boundary condition method
 elastic scattering, *see* Rayleigh scattering
 electromagnetic wave, 20, 77–8
 plane –, *see* plane wave
 electrostatic interactions, 425–6
 energy density, electromagnetic, 55
 entanglement, 524
 entropic elasticity, *see* worm-like chain model
 entropy production, 463
 equipartition theorem, 197
 ergodic system, 193, 277
 evanescent focus, *see* focal field
 evanescent tweezers, 356–8
 evaporative cooling, 508, 513
 extended boundary condition method,
 155
 extended optical potentials, **350–3**, 514–18
 periodic –, 350–1
 quasi-periodic –, 350–1
 random –, 351–3, 455–9
- extracellular ligands, 386
 extracellular matrix, 386
- Fano lineshape, *see* Fano resonance
 Fano resonance, 531–4
 Faxén formula, 208, 289
 FDTD, *see* finite-difference time-domain algorithm
 feedback cooling, 529–31
 fibroblast, 386–7
 field distortion, *see* aberrations
 field programmable gate array, 365
 filter, **248–9**
 cut-off wavelength, 249
 dichroic mirror, *see* dichroic mirror
 neutral density –, 248–9
 wavelength-selective –, 249
 bandpass –, 249
 edge –, 249
 longpass –, 249
 notch –, 249
 shortpass –, 249
 finite difference simulations, 199
 finite-difference time-domain algorithm, **180–3**,
 472
 FJC, *see* freely jointed chain model
 flexural persistence length, *see* worm-like chain
 model
 fluctuation–dissipation theorem, 199, 462
 – for a non-spherical particle, 213
 – in a diffusion gradient, 208
 – in a viscoelastic medium, 211
 fluorescence tweezers, *see* spectroscopic optical
 tweezers
 fluorite objective, *see* objective
 focal field, 244
 – amplitudes (for T-matrix), 160–2
 – of a Gaussian beam (approximated), 61
 electromagnetic calculation, **92–7**
 – near interfaces, 100–2
 – near interfaces (aberrations), 102
 – near interfaces (evanescent waves),
 102–4
 focusing
 – in the ray optics regime, 31, 32
 – near an interface, 100–2
 filling factor, 34–5
 numerical aperture, 34–5
 Fokker–Planck equation, **197**
 force
 – measurement, *see* force measurement
 binding –, *see* optical binding
 optical –, *see* optical force
 force measurement, *see also* photonic force
 microscope
 direct –, 312–16
 drift method, 309–11, *see also* spurious force

- equilibrium distribution method, 308, *see also*
 Maxwell–Boltzmann distribution
 non-conservative effects, 311
 FPGA, *see* field programmable gate array
 fractal plasmonics, 477
 fractional optical vortices, 342
 free diffusion, 201, 449, *see also* free diffusion
 equation
 – of a non-spherical particle, 213–15
 inertial regime, 205
 free diffusion equation, 191, 195–6, 201
 – of a non-spherical particle, 213–15
 free electrons, 67, 69, 470
 freely jointed chain model, 374
 Fresnel diffraction integral, **321**
 Fresnel lens, 323, 325, 326, 337
 Fresnel plane, 336, 338
 Fresnel's coefficients
 – for electric fields, **101**
 – for intensity, **21–3**
 friction coefficient, 193, 194, 197, 274
 – for a non-spherical particle, 213
 – for a spherical particle, *see* Stokes' law
 fundamental theorem of vector calculus, *see*
 Helmholtz decomposition
 galvo-mirror, 252, 340–1, 363
 gauge
 – transformation, 112
 Coulomb –, 111–13
 Lorentz –, 112
 transverse –, *see* Coulomb gauge
 Gaunt integrals, 163
 generalised Lorenz–Mie theories, 155
 generalised phase contrast, 341–2
 geometrical optics, 19, *see also* optical trapping
 regime, ray optics –
 Gerchberg–Saxton algorithm, *see* holographic optical
 tweezers
 giant unilamellar vesicle, 433, 435
 GLMT, *see* generalised Lorenz–Mie theories
 Gouy phase shift, 84, 85, 264, 266
 GPC, *see* generalised phase contrast
 GPE, *see* Gross–Pitaevskii equation
 GPU, *see* graphical processing unit computing
 GPU computing, 335
 gradient of vector dot product, 46
 graphene, 398, 400, 402, 488–9, 492, 531
 graphical processing unit computing, *see* GPU
 computing
 Gross–Pitaevskii equation, 509
 GUV, *see* giant unilamellar vesicle
 half-wave plate, 249–50
 haptic tweezers, 362–5
 Hatano and Sasa equality, 467
 heat engine (microscopic), 465–7
 Helmholtz decomposition, 111
 Helmholtz equation, 77
 homogeneous –, 77
 scalar –, 92, 116
 solution of –, 123
 vector –, 92, 123
 solution of –, 126
 Helmholtz free energy, 428, 430
 Hermite polynomials, 85
 hologram, *see* holographic optical tweezers, hologram
 generation
 holographic optical tweezers, **6, 319–43**
 – performance
 algorithm comparison, 328
 average intensity, 327
 efficiency, 327
 standard deviation, 327
 uniformity, 327
 applications, 349–51, 397, 411, 415–17, 434, 435,
 443, 455, 514
 basic working principle, 320–3
 diffraction grating, *see* diffraction grating
 Fresnel lens, *see* Fresnel lens
 hologram generation, 324–35
 adaptive–additive algorithm, 331–2
 Bessel beams, 334
 continuous optical potentials, 334–5
 direct search algorithms, 332
 Gerchberg–Saxton algorithm, 329, 331
 Hermite–Gaussian beams, 334
 Laguerre–Gaussian beams, 332–4
 Monte Carlo algorithms, 332
 non-diffracting beams, 334
 random mask encoding, 327–8
 random superposition of gratings and lenses,
 329
 simulated annealing, 332
 single trap, 325
 superposition of gratings and lenses, 328–9
 weighted Gerchberg–Saxton algorithm, 330
 set-up, 335–8
 spatial light modulator, *see* spatial light modulator
 holographic video microscopy, *see* digital video
 microscopy
 Hooke's law, 4, 297, 311, *see also* trap stiffness
 HOT, *see* holographic optical tweezers
 hot spot, 361, 471, 476, 534
 HWP, *see* half-wave plate
 hydrodynamic equations of superfluids, 512
 hydrodynamic forces, *see* hydrodynamic interactions
 hydrodynamic interactions, 207–11, 355, 375, 423–5,
 452–5
 – to the power spectral density, 288–90
 hydrodynamic memory effect, 288
 hyper-polarisability tensor, 399, *see also* polarisability

- hyper-Raman scattering, 399
 hyper-Rayleigh scattering, 399
- illumination scheme, 232–6
 bright-field microscopy, 232–4
 dark-field illumination, 235–6
 differential interference contrast, 235, 236
 Köhler illumination, 233–4
 Kretschmann geometry, *see* Kretschmann geometry
 phase contrast, 234–5
- immersion oil, 227
 – properties, 229
- Ince polynomials, 104
- inelastic scattering, *see* Raman scattering
- information-to-energy conversion, 465
- integrated device, 354, 358, 409–17, 492
- integrin, 386–7
- intensity law of geometrical optics, 94, 95
- intensity, electromagnetic wave, 77
- interferometry, **262–73**
 comparison of digital video microscopy and –, 268
 crosstalk, *see* calibration, crosstalk analysis
 position sensing detector, *see* position sensing detector
 quadrant photodetector, *see* quadrant photodetector
- intrinsic elasticity, *see* worm-like chain model
- Jabłoński diagram, 396
- Jarzynski equality, 464–5
- Köhler, August, 234
- Kepler, Johannes, 1, 2
- Kramers rates, 449–51
- Kramers–Kronig relations, 212
- Kretschmann configuration, *see* Kretschmann geometry
- Kretschmann geometry, 359, 470, 474, 475
- lab on a chip, 409–17
- ladder operators, 120
 quantum –, 527
- Landé gyromagnetic factor, 505
- Landauer bound, 468
- Landauer principle, 467
- Langevin equation, 191, **194–5**
 – for optically trapped particle, 202
 – in a diffusion gradient, 207–11
 – in a potential, 194
 – in a rotational force field, 301
 – in a viscoelastic medium, 211
 hydrodynamic interaction between two particles, 423
 inertial regime, 205–7
 overdamped –, 195
- laser, **244–6**
 – beam quality, 244
 – classification scheme, **245**
 – frequency stability, 246
 – noise, 246
 – pointing stability, 245
 – power stability, 246
 – safety, **244**
- laser cooling
 – of atoms, **498–504**
 – of levitated particles, **528–34**
 Doppler –, 498–502, 531–4
 feedback –, 529–31
 sub-Doppler –, 502–4, 531–4
- LCoS, *see* liquid crystal on silicon
- leapfrog algorithm, 190
- lens, **246–8**
 – anti-reflection coating, 247
 – material, 246
 – shape, 246–8
 – surface quality, 247
- light shift, *see* ac Stark shift
- light spectrum, 290–1
- like-charge attraction, 426
- linear polarisability tensor, *see* polarisability
- linear Raman effect, *see* Raman scattering
- liposome, 435
- liquid crystal, 339, 410, 417
- liquid crystal on silicon, 339
- localised surface plasmons, 470, 471
- Lorentz force, 59, 65, 107
- Lorentz–Lorenz relation, 179, *see also* Clausius–Mossotti relation
- Loschmidt’s paradox, 463
- low-Reynolds-number regime, 6, 193, **193**, 195, 197, 215, 288, 392
- LSP, *see* localised surface plasmons
- magnetic induction (formula), 77
- magnetic trap, 507–8
- magnetic tweezers, 9
- magnetisation, 48
- magneto-optical trap, 505–6
- maximum permissible exposure, 245
- Maxwell fluid, *see* viscoelastic medium
- Maxwell stress tensor, 106, **107–11**
- Maxwell’s demon, 465
- Maxwell’s equations, **47**
 boundary conditions, 49
 differential form of –, 47
 integral form of –, 47
- Maxwell–Boltzmann distribution, 197–8, **198**, 209, 274, 452–5, 529
- mean squared displacement, 193, 203
 – analysis, *see* calibration, mean squared displacement function
 – in a speckle optical field, 458

- of particle with inertia, 206
 - of trapped particle, 204, 205
 - melamin resin, 237
 - metal sphere, *see* transition matrix, metal sphere
 - MF, *see* melamin resin
 - micromachine, 409, 415–17
 - microrobot, *see* micromachine
 - Mie coefficients, **134**
 - Wiscombe formula, 134
 - Mie resonances, **136–7**, 151, 531
 - Mie scattering, 7, 116, **132–7**
 - boundary conditions, 133
 - extension of – to particles sustaining longitudinal fields, 170–2
 - extension of – to radially symmetric particles, 172–3
 - Mie theory, *see* Mie scattering
 - Mie, Gustav, 132
 - Minkowski momentum, *see* Abraham–Minkowski dilemma
 - mirror, **248**
 - dichroic –, *see* dichroic mirror
 - molecular dynamics simulations, 190
 - molecule, 3–4, **371–82**
 - momentum of a photon, 2–3, 24–5, *see also* Abraham–Minkowski dilemma
 - for direct force measurement, 312–14
 - angular –, 131
 - laser cooling, 499–504
 - momentum relaxation time, 205
 - monochromatic plane wave, *see* plane wave
 - MOT, *see* magneto-optical trap
 - motor protein, 371, 379–82
 - Mott insulator, 517
 - Mott transition, 517
 - MPE, *see* maximum permissible exposure
 - MSD, *see* mean squared displacement
 - multimode fibre, 456
 - multipole
 - addition theorem, *see* multipole, translation theorem
 - rotation theorem, 165–8
 - translation theorem, 162–5
 - multipole expansion, **126–31**
 - for fields regular at the origin, 129
 - for fields satisfying the radiation condition at infinity, 129–30
 - of a plane wave, 130–1
 - myosin, 371, 379–82, 390

 - NA, *see* objective, numerical aperture
 - nanofibre, 490, 492
 - nanotube, 396–8, 401–2, 417, 488–9, 492
 - nanowire, 216–17, 316, 349, 358, 397–8, 404, 471–3, 480, 485–6, 488, 490–2
 - Navier–Stokes equations in the low-Reynolds-number regime, 288

 - NESS, *see* non-equilibrium steady state
 - neuron, 385, 389–92
 - directed growth, 385, 389–92
 - Nichols and Hull’s experiments, 2
 - niosome, 435
 - nocodazole, 390
 - Nomarski prism, 236
 - Nomarski, Georges, 236
 - non-equilibrium steady state, 467
 - normal dispersion, 33
 - numerical aperture, *see* objective, numerical aperture
 - Nyquist frequency, 284

 - OAM, *see* orbital angular momentum
 - objective, **226–32**
 - abbreviations, 228
 - aberration correction, *see* aberration correction, objective
 - immersion medium, 227
 - magnification, 230
 - parfocal distance, 231
 - screw threads, 232
 - transmission coefficient, 95
 - transmission efficiency, 230
 - tube length, 232
 - working distance, 227
 - achromatic –, 226, 230
 - apochromatic –, 226, 231
 - filling factor, 34–7
 - fluorite –, 226, 230–1
 - numerical aperture, **35**, 76, 227
 - phase contrast –, 228, 235
 - total internal reflection –, 100, 102, 103, 227, 356
- OD, *see* optical density
- optical binding, 42, **70–3**, 354–6, 358–9, 444, 445, 472, 474, 479, 489
- optical bottle, 441, 445
- optical chromatography, 410, 446
- optical conveyor, 417
- optical density, 249
- optical elevator, 342
- optical fibre trap, 353–6, 412–14, 416
- optical force
 - (electromagnetic theory), **109**, **137–9**
 - from plane wave, 139–43
 - in optical tweezers, 146–9
 - transfer of orbital angular momentum, 149–51
 - calculated with T-matrix, 156–8
 - calculated with dipole–dipole approximation, 180
 - calculated with finite-difference time domain, 180–1
 - exerted by a focused beam on a sphere (ray optics), 32
 - exerted by a ray at an interface, 26

- optical force (*cont.*)
- exerted by a ray on a mirror, 24
 - exerted by a ray on a sphere, 27
 - exerted on a dipole, 60
 - on a dipole, 58–65
 - on a dipole near focus, 97–8
 - conservative –, 29, 61, 63
 - gradient –, 2, 26–9
 - gradient – (ray optics), 27
 - gradient – exerted on a dipole, 61–3
 - non-conservative –, 29, 63, 64, 311
 - regime comparison, 106
 - scattering –, 2, 26–9
 - scattering – (ray optics), 27
 - scattering – exerted on a dipole, 63–4
 - spin-curl – exerted on a dipole, 64, 65
- optical force lithography, 490–2
- optical lattices, *see* extended optical potentials
- optical lift effect, 39
- optical molasses, 499–504, 514–18, 532
- optical potentials, *see* extended optical potentials
- optical pumping, 502
- optical sorting, 410–12, 417, *see also* optical chromatography
- optical stretcher, 354–5, 412, 413
- optical theorem, 56–8, 58, 126
- optical torque, 6
- (electromagnetic theory), **109, 137–9**
 - by a ray on a convex particle, 38
 - calculated with T-matrix, 158–60
 - calculated with dipole–dipole approximation, 180
 - calculated with finite-difference time domain, 180–1
- optical torque wrench, 371, 378–9
- optical trapping regime, **6–8**
- comparison, 106
 - intermediate –, 7, 106
 - ray optics –, 7, **19–41**, 106
 - Rayleigh –, 7, **42–74**, 106
- optical tweezers, invention of, 3
- optoelectronic tweezers, 9
- optofluidic device, 354, 358, 409–17, 492
- optomechanics, 524–34
- with levitated particles, 528–34
 - cavity
 - optical amplification, 524
 - optical cooling, 524
 - cavity –, **524–8**
 - resolved sideband regime of –, 527
 - weak retardation regime of –, 526
- orbital angular momentum, *see* angular momentum
- organelle, 395, 405
- Oseen tensor, 423
- overdamped regime, *see* low-Reynolds-number regime
- parametric resonance, 443
- paraxial approximation, **83**
- paraxial beam, 83–92
- focusing of –, 81
 - electromagnetic theory, 92–7
 - ray optics theory, 31, 32
- particle sustaining longitudinal fields, *see* transition matrix, metal sphere
- partition function, 198
- PBS, *see* polarising beam splitter
- PCA, *see* principal component analysis transform
- Perrin, Jean, 188
- persistence length, *see* worm-like chain model
- Petzval field curvature, *see* aberrations
- PFM, *see* photonic force microscopy
- phase singularity, 87
- phasor, 50, **51**, 55, 77, 110, 114
- Phillips, William D., 3
- photocurrent, 271
- photodamage, 230, 239–40, 346, 349, 397
- photodetector, **271–3**
- bandwidth, 272
 - dark current, 272
 - junction capacitance, 272
 - material, 272
 - mode of operation (photoconductive or photovoltaic), 272
 - noise equivalent power, 272
 - quantum efficiency, 272
 - responsivity, 271
- photoluminescence tweezers, *see* spectroscopic optical tweezers
- photon, 24
- photonic force microscopy, 3, **296–300**
- photonic jet, 405
- photonic torque microscopy, **300–7**
- measurement of non-conservative radiation forces, 311
- photopolymerisation, 490
- plane of incidence, 21
- plane wave, 20, 77, 79
- evanescent –, 79
 - expansion in multipoles of a –, *see* multipole expansion
 - magnetic induction of a –, 77
 - propagating –, 79
- plasma frequency, 67, 68, 170
- plasmon, 67
- plasmonic aperture, 477–9
- plasmonic optical tweezers, **359–61**, 412, 414, 474–7
- plasmonic particle, 8, **67–70**, 170–2, 470, **471–4**, **485–6**, 492, 531, 532, 534
- heating, 403, 473, 474, 480, 485–6, 492
- plasmonic resonance, 397, 402–3, 470–4
- plasmonics, **470–80**
- PMMA, *see* poly(methyl methacrylate)

- point matching, 183
 polarisability, **45**, 136, 399
 – of a plasmonic nanoparticle, 69
 – of a small dielectric sphere, *see*
 Clausius–Mossotti relation
 radiative correction to the –, *see* radiative
 correction
 atomic –, 65–7
 nonlinear –, 45
 polarisation, 21, 45, 48
p- –, 21
s- –, 21
 circular –, 78, 115
 elliptical –, 78
 linear –, 77
 polarisation charges, 46, 48
 polarisation control, **249–50**
 half-wave plate, *see* half-wave plate
 polarising beam splitter, *see* polarising beam splitter
 quarter-wave plate, *see* quarter-wave plate
 polarising beam splitter, 250
 poly(methyl methacrylate), 237
 polymerosome, 435
 polystyrene, 237
 position sensing detector, 263, **266**, 271
 – for direct force measurement, 312–16
 crosstalk, *see* calibration, crosstalk analysis
 transverse forward position detection, 265
 power spectral density, *see* calibration, power
 spectrum analysis
 power spectrum, *see* calibration, power spectrum
 analysis
 Poynting vector, 20, **55**, 60, 63
 Poynting's theorem, 55, **55**, **110**
 Poynting, John Henri, 2
 principal component analysis transform, 281, 307
 prism, 19, 235, 236, 250, 359, 413, 474
 probability density distribution, 191
 equilibrium –, *see* Maxwell–Boltzmann distribution
 product rule for the gradient, 46
 PS, *see* polystyrene
 PSD, *see* position sensing detector *or* power spectral
 density
 pupil function, 95
 QPD, *see* quadrant photodetector
 quadrant photodetector, 263, **266**, 271
 crosstalk, *see* calibration, crosstalk analysis
 longitudinal forward position detection, 267
 longitudinal forward scattering, 267
 transverse backward position detection, 270
 transverse backward scattering, 270
 transverse forward position detection, 265
 transverse forward scattering, 265
 quadrupole trap, 507
 quantised vortices, 512
 quantum coherence, 524
 quantum dot, 184, 487, 531, 533–4
 quantum efficiency, 272
 quantum interference, 531
 quantum superposition of motional states, 524
 quantum well, 487
 quantum wire, 487
 quarter-wave plate, 250
 quasicrystal, colloidal, 455–6
 QWP, *see* quarter-wave plate
 Rabi frequency, 499, 503
 radially symmetric particle, *see* transition matrix,
 radially symmetric sphere
 radiation condition at infinity, 121
 radiative correction, 52–4
 radiative reaction, 54
 Raman cooling, 498, 504
 Raman scattering, 397, 398
 Raman tweezers, *see* spectroscopic optical tweezers
 random mask encoding, *see* holographic optical
 tweezers
 random number, 192, 193, 200, 202, 214, 284,
 285
 random walk, 188, 191, **192–4**
 – in momentum space, 502
 biased –, 193
 ray, 19, 20
 – reflection, 19, 21
 – transmission, 19, 21
 Rayleigh scattering, 397, 401
 Rayleigh spectroscopy, *see* spectroscopic optical
 tweezers
 RBC, *see* red blood cell
 recoil limit, 504
 red blood cell, 354–5, 358, 395, 401
 reflection coefficient, 22, 23
 refractive index, 20, 25
 air –, 8
 immersion oil –, 229
 lens material –, 246
 melamin resin –, 237
 poly(methyl methacrylate) –, 237
 polystyrene –, 237
 silica –, 237
 water –, 8
 regime, optical trapping, *see* optical trapping regime
 residual colour, 230
 Reynolds number, 6, 193, **193**, 195, 197, 215, 392
 RMS standard, 225
 rotor of vector cross product, 46
 SAM, *see* spin angular momentum
 sample preparation, **236–9**
 saturation intensity of the atomic transition, 499
 scalar potential, 111, 112

- scanning tunnelling microscopy, 8, 297
 scattering amplitude, 57, 82, 116, 135, 510
 normalised –, 125, 126
 scattering in quantum mechanics, 510
 scattering problem, 106, 110, 116, **123–6**, 154
 scratch-dig, 247
 SDE, *see* stochastic differential equation
 SDS, *see* sodium dodecyl sulphate
 self-diffusion time, 449
 self-field interaction, 54
 self-induced back action, 345, 361–2, 477–9
 semi-apochromat objective, *see* objective
 SERS, *see* surface enhanced Raman spectroscopy
 set-up construction
 digital video microscope –, **256–61**, *see also* digital
 video microscopy
 digital camera, *see* digital camera
 holographic optical tweezers, **335–8**, *see also*
 holographic optical tweezers
 spatial light modulator, *see* spatial light
 modulator
 inverted microscope –, **222–6**
 illumination scheme, *see* illumination scheme
 objective, *see* objective
 optical components
 filter, *see* filter
 lens, *see* lens
 mirror, *see* mirror
 polarisation control, *see* polarisation control
 photonic force microscope –, **262–71**, *see also*
 photonic force microscopy *and* interferometry
 data acquisition hardware, *see* data acquisition
 hardware
 photodetector, *see* photodetector
 sample preparation, *see* sample preparation
 spectroscopic optical tweezers, **346–7**, *see also*
 spectroscopic optical tweezers
 stability, 222
 noise tests, 290
 standard optical tweezers –, **239–44**
 laser, *see* laser
 operation, 250–1
 steerable –, 251–3
 SIBA, *see* self-induced back action
 silica, 237
 size parameter, 8, 98, 134, 135, 142
 skin depth, 68
 SLM, *see* spatial light modulator
 Snell's law, **21**, 100, 101
 sodium dodecyl sulphate, 239
 SOT, *see* spectroscopic optical tweezers
 spatial light modulator, 338–40
 – damage threshold, 340
 – phase resolution, 339
 – pixel filling factor, 339
 – pixel number, 339
 – pixel size, 339
 – polarisation sensitivity, 339
 – wavelength range, 339
 comparison with acousto-optic deflector and
 galvo-mirror, 340–1
 speckle optical tweezers, 351–3, 411–12, 446, 455–9
 spectroscopic optical tweezers, 346–50, 395–405,
 409, 412, 433, 435
 absorption spectroscopy, 396–8
 basic set-up designs, 346–7
 coherent anti-Stokes Raman spectroscopy, 402
 fluorescence tweezers, **347–9**, 397, 409, 434, 438
 photoluminescence tweezers, 348, **349, 396–8**
 Raman tweezers, 348, **349–50**, 395, **398–402**, 409,
 435
 Rayleigh spectroscopy, 402–4
 surface-enhanced Raman spectroscopy, 402–4
 sphere with inclusions, *see* transition matrix, sphere
 with inclusions
 spherical Bessel equation, 121
 spherical Bessel functions, 121, 122
 spherical Bessel functions of the first kind, *see*
 spherical Bessel functions
 spherical Bessel functions of the second kind, *see*
 spherical Neumann functions
 spherical Hankel functions, 121, 122
 spherical harmonics, 117–20
 – rotation, 165
 – translation, 162
 addition theorem, 119
 spherical Neumann functions, 121, 122
 spin angular momentum, *see* angular momentum
 spinor Bose gas, 513
 SPP, *see* surface plasmon polariton
 spurious drift, 207, 209–11, 309–11, 452–5
 spurious force, 309–11
 stationary phase method, 82
 statistical physics, 448–59
 Stirling cycle (microscopic), 467
 STM, *see* scanning tunnelling microscopy
 stochastic activation, 459
 stochastic differential equation, 195
 numerical solution of –, 199, *see also* finite
 difference simulations
 stochastic integral, 209
 anti-Itô –, 209
 isothermal –, 209
 Itô –, 209
 Stratonovich –, 209
 stochastic resonance, 451–3
 stochastic resonant dampening, 459
 Stokes flow, 423
 Stokes' law, 194, 198
 sub-Doppler cooling, 502–4, 514, 531–4
 subdiffusion, *see* anomalous diffusion
 superdiffusion, *see* anomalous diffusion

- superfluidity, 512
 surface enhanced Raman spectroscopy, *see*
 spectroscopic optical tweezers
 surface plasmon, 170, 470, **474–7**
 surface plasmon polariton, *see* surface plasmon
 surface plasmon polaritons, 470
 Sisyphus cooling, *see* sub-Doppler cooling
 Szilard engine, 468
- T-matrix, *see* transition matrix
 Talbot effect, 104
 tapered fibre, 357
 telecentric imaging system, 93
 thalassaemia, 395
 thermal energy, 6, 189, 372, 390, 465, 505
 thermodynamics, 462–8
 first law of –, 462
 second law of –, 462
 violations of the second law of –, 462–4
 Thomas–Fermi limit, 510
 time-averaged orbiting potential trap, 507
 TIRM, *see* total internal reflection microscopy
 TOP trap, *see* time-averaged orbiting potential trap
 torque
 optical –, *see* optical torque
 total internal reflection, 23, 100, 102, 103, 356, 414
 total internal reflection microscopy, 296, **298**
 tractor beam, 417
 transition matrix, 116, 131–2, **155–79**
 addition theorem, *see* multipole, addition theorem
 aggregates of spheres, 174–6
 cluster of spheres, 174–9
 convergence, 178–9
 metal sphere, 170–2
 particle sustaining longitudinal fields, *see* transition
 matrix, metal sphere
 radially symmetric sphere, 172–3
 rotation theorem, *see* multipole, rotation theorem
 sphere with inclusions, 176–8
 transmission coefficient, 22, 23
 trap stiffness, 4, 32
 – calibration, *see* calibration
 autocorrelation function as a function of –, 204
 experimentally measured –, 255
 mean squared displacement as a function of –, 204
 numerically calculated –, 106
 relevance of non-conservative optical forces on –,
 311
 trapping efficiency, 27, 34, 36
 Triton-X, 239
- vaterite particle, 392, 416
 vector identities, 46
 vector potential, 111, 112
 electric field in terms of –, 114
 vector spherical harmonics, 126–8
 – rotation, 165
 – translation, 163
 velocity-selective coherent population trapping, 504
 vesicle, 433, 435–8, 486
 vesicle fusion, 438
 vesicle membrane, 433, 435–8
 virus, 3, 395, 405
 viscoelastic medium, 211–12
 VSCPT, *see* velocity-selective coherent population
 trapping
- wave equation, 77
 whispering gallery mode, *see* Mie resonance
 white noise, **195**
 simulation of –, 200–2
 Wigner rotation matrices, 165, **166**
 windmill effect, 6, 39, 139, 416
 WLC model, *see* worm-like chain model
 Wollaston prism, 236
 worm-like chain model, 372–4
 contour length, 372
 entropic elasticity, 372
 flexural persistence length, 372
 intrinsic elasticity, 372
- yeast cell, 401
 Yee cell, 181, 182
 Yee lattice, 181
 Yukawa model, 449
- Zernike polynomials, 332
 Zernike, Frits, 234