Cambridge University Press & Assessment 978-1-107-05116-4 — Optical Tweezers Philip H. Jones , Onofrio M. Maragò , Giovanni Volpe Index More Information

Index

4f configuration, 251-3, 337 Abbe's sine condition, 93-4 aberration correction with DOE, 332 objective -, 230-1 aberrations, 33 - due to objective, 95 - when focusing near interfaces, 100 astigmatism, 33 chromatic -, 33 coma, 33 comatic -, 33 field distortion, 33 focus deterioration due to -, 103, 241 Petzval field curvature, 33 spherical -, 33 trap based on spherical -, 444-5 Abraham momentum, see Abraham-Minkowski dilemma Abraham-Minkowski dilemma, 25, 26, 110 absorption spectroscopy, see spectroscopic optical tweezers ac Stark shift, 503 ACF, see autocorrelation function achromatic objective, see objective acoustic tweezers, 9-10 acousto-optic deflector, 252, 340-1, 350, 363 actin, 371, 379-82, 387, 389-92 actin cortex, 355 adaptive-additive algorithm, see holographic optical tweezers addition formulas, see multipole, addition theorem addition theorem, see multipole, addition theorem adenosine triphosphate, 380, 390 aerosol, 439, 441-6 AFM, see atomic force microscopy aggregates of spheres, see transition matrix, aggregates of spheres angle of incidence, 20 angular Mathieu functions, 90 angular momentum, 111-15, 158-60 - operator, see ladder operators conservation of -, 107, 109 orbital -, 6, 37, 114-15, 149-51, 332-4, 416, 512

spin -, 6, 37, 114-15, 143-6, 378, 416 sum of -, see Clebsch-Gordan coefficients angular spectrum representation, 79-83, 93, 97, 124 - of a focused field, 95-6 of a focused field near an interface, 101 anomalous diffusion, 455, 458 AOD, see acousto-optic deflector aplanatic lens, 31, 93 apochromatic objective, see objective apodisation, 95 Asakura-Oosawa theory, 428 associated Laguerre polynomials, 87 associated Legendre equation, 117 associated Legendre functions, 117 astigmatism, see aberrations asymmetry parameter, 126, 142, 532 - for a Mie particle, 136 transverse -, 126, 142 atom cooling 1D Doppler cooling, 498 1D Raman cooling, 498 1D VSCPT cooling, 498 2D Doppler cooling, 498 3D Doppler cooling, 498 Bose-Einstein condensation, 498 Doppler cooling, 499-504, 513 evaporative cooling, 507, 513 magnetic trapping, 507 spin-polarised BEC, 498 sub-Doppler cooling, 498 atom optics, 505 atom trapping, 504-6 strong-field seekers, 505 weak-field seekers, 505 atomic force microscopy, 8-9, 296, 297 atomic momentum diffusion, 501 atoms, 498-518 ATP, see adenosine triphosphate autocorrelation function, 203-4, 300-7 analysis, see calibration, autocorrelation function intensity - of a speckle, 457, 458 velocity -, 205, 206 average block -, 285 ensemble -, 193, 277 time -, 193, 277

Cambridge University Press & Assessment 978-1-107-05116-4 — Optical Tweezers Philip H. Jones , Onofrio M. Maragò , Giovanni Volpe Index More Information

538

Index

Avogadro number, 191 axicon, 76, 90, 319 bacterial pili, 388-9 bacterial spores, 405 bacterium, 3, 193, 240, 358, 388-9, 392-3, 395, 405, 417, 476 Bauer's expansion, 123, 162 beam, 76, 83-92 Airy -, 104 Bessel -, 90, 91, 443-6 cylindrical vector -, 92, 93, 104 azimuthally polarised -, 85, 92, 93, 96-9, 103 hybrid polarised -, 93 radially polarised -, 85, 92, 93, 96, 98, 99, 103 discrete -, 89, 91, 340 doughnut -, 36 Gaussian -, 83-5 – quality, 244 Gouy phase shift, 85 phase correction, 84 Rayleigh range, 84 wavefront radius, 84 width, 84 Helmholtz-Gauss -, 89 Hermite-Gaussian -, 85-7, 334 Ince-Gaussian -, 104 Laguerre-Gaussian -, 87-9, 115, 149-51, 319, 333, 444, 445, 505 Mathieu -, 90, 91 non-diffracting -, 89-92, 334 transverse electric (TE) -, 85 transverse electromagnetic (TEM) -, 85 transverse magnetic (TM) -, 85 Weber -, 90, 91 beam parameter product, 244 BEC, see Bose-Einstein condensate Beer's law, 239 Beth's experiment, 2 birefringent particle, 377, 378, 392, 416 blazed diffraction grating, see diffraction grating Bohr magneton, 505 Bose gas, 508 Bose-Einstein condensate, 498, 508-13 Bose-Hubbard model, 517 boson, 508 bound charges, 46 bound electrons, 68, 69, 470 boundary conditions, 49 - for a Mie sphere, 133 - for a cluster, 174 - for a metal sphere sustaining longitudinal fields, 170 - for finite-difference time-domain algorithm, 182 - for particles with inclusions, 176 bovine serum albumin, 404, 478, 479

Brewster's angle, 23, 23 Brown, Robert, 189 Brownian diffusion, see Brownian motion Brownian dynamics simulations, 199-205 - for non-spherical particles, 212-16 - in a diffusion gradient, 209 - of optically trapped particle, 202-5 of white noise, 200-2 Brownian motion, 6, 188 - in a diffusion gradient, 207-11, 452-5 - in a random potential, 351-3, 455-9 - in a viscoelastic medium, 211-12 - of optically trapped particle, 202-5 - simulation, see Brownian dynamics simulations free diffusion, 195-6 inertial regime, 205-7 mathematical models of -, 191 Fokker-Planck equation, see Fokker-Planck equation Langevin equation, see Langevin equation the physical picture of -, 189-90 Brownian ratchets, 459 BSA, see bovine serum albumin calibration, 273-93 Allan variance, 293 autocorrelation function, 255, 280, 281, 282 crosstalk analysis, 280-3 drag force method, 291-3, 473 equipartition method, 276-8, 378, 473, 502 mean squared displacement function, 255, 278 - 9potential analysis, 274-5 power spectrum analysis, 255, 283-90, 473 capture velocity, 501 Carnot, Sadi, 466 CARS, see coherent anti-Stokes Raman spectroscopy cavity enhanced Raman scattering, 434, 439 CCD, see charge-coupled device CCF, see cross-correlation function CDM, see coupled dipole method cell (biological), 39, 240, 312, 349-50, 354-5, 358, **385–93**, 395, 398, 401, 404, 405, 409, 410, 412-14 434 438 cell membrane, 355, 389-91, 405, 438 cellular adhesion, 386-9 CERS, see cavity enhanced Raman scattering CFL condition, see Courant-Friedrichs-Lewy (CFL) condition charge-coupled device, 261 Chinese hamster ovary cell, 240, 410 Chu, Steven, 3 circular unit vectors, 115 cladding, 357 Clausius-Mossotti relation, 47-50, 52, 54, 58 Clebsch-Gordan coefficients, 157, 163, 168-9, 503

Cambridge University Press & Assessment 978-1-107-05116-4 — Optical Tweezers Philip H. Jones , Onofrio M. Maragò , Giovanni Volpe Index More Information

539

Index

cluster of spheres, see transition matrix, cluster of spheres CMOS, see complementary metal oxide semiconductor Cohen-Tannoudji, Claude, 3 coherent anti-Stokes Raman scattering, 399 coherent anti-Stokes Raman spectroscopy, 401, see also spectroscopic optical tweezers colloid, 422-30, 449 coma, see aberrations comet, 1, 2 complementary metal oxide semiconductor, 261, 365 complete unified device architecture, 335 contour length, see worm-like chain model corkscrew cooling, 503, see also sub-Doppler cooling counter-propagating optical tweezers, 29-31, 73, 312, 315, 342, 353-6, 372, 412, 417, 444, 445, 472, 499-504, 530, 531 coupled dipole method, see discrete dipole approximation Courant-Friedrichs-Lewy (CFL) condition, 182 coverslip, 227 critical angle, 23, 23, 104, 357, 358 cross product of a scalar and a vector, 46 cross-section, 54-6 - in quantum mechanics, 510 absorption -, 55, 56, 69, 126 differential scattering -, 125 extinction -, 54, 55, 56, 69, 126 - and optical theorem, 56-8 - for a Mie particle, 136 - in optical force, 60, 63 radiation pressure -, 142, 499, 531 scattering -, 54, 56, 125 - for a Mie particle, 136 crosstalk analysis, see calibration, crosstalk analysis crystal, colloidal, 455 CUDA, see complete unified device architecture curl of the curl, 46 cytoskeleton, 386-7, 389-92 DAQ hardware, see data acquisition hardware dark spectrum, 290-1 data acquisition hardware, 273 - analogue input range, 273 - bandwidth, 273 - input channels, 273 - resolution, 273 - sample rate, 273 single-ended vs. differential inputs, 273 DDA, see discrete dipole approximation de Broglie wavelength, 486, 509 density melamin resin -. 237 poly(methyl methacrylate) -, 237

polystyrene -, 237 silica -, 237 depletion forces, see depletion interactions depletion interactions, 426-30 Derjaguin-Landau-Verwey-Overbeek theory, 425-6 detuning, 499-503, 505, 506, 531, 533 blue -, 501, 516, 518, 524, 527 red -, 501, 516, 524, 526, 531 diaphragm, 227, 228, 234 condenser -, 232 field stop -, 234 DIC, see differential interference contrast dichroic mirror 249 Dicke narrowing, 514 diffraction grating, 76, 323, 325, 326, 333, 335-7 diffractive optical element, 6, 319-23, see also holographic optical tweezers diffusion, 6 diffusion coefficient, 193, 195, 197, 274, 449 diffusion constant, see diffusion coefficient diffusion equation, 191 diffusion gradient, see Brownian motion in a diffusion gradient diffusion tensor, 212-13 digital camera, 261-2 - interlaced vs. progressive scan, 261 - sensor, 261 charge-coupled device, see charge-coupled device complementary metal oxide semiconductor, see complementary metal oxide semiconductor area of interest, 262 binning, 262 deinterlacing, 262 field of view, 262 gain, 262 gamma, 262 subsampling, 262 digital video microscopy, 256-61, 449 comparison of - and interferometry, 268 correction of artefacts when particles are close, 426 dilation filter, 256 erosion filter, 256 feature point detection, 257 holographic -, 261 thresholding, 256 dipole - approximation, see optical trapping regime, Rayleigh - moment, 43, 67, 399 induced -, 45 - nanoantenna, 476 - traps for cold atoms, 506-7 induced -, 42, 50-2 oscillating -, 42, 50-2 optical force on -, 58-65, 97-8, 106, 504-6

Cambridge University Press & Assessment 978-1-107-05116-4 — Optical Tweezers Philip H. Jones , Onofrio M. Maragò , Giovanni Volpe Index More Information

540

Index

dipole (cont.) size parameter, see size parameter static -, 43-5 torque on -, 43 dipole trap, 504-6, 513-14 discrete dipole approximation, 179-80 dispersion, 33, 246 - relation, 77 divergence of vector cross product, 46 DLVO theory, see Derjaguin-Landau-Verwey-Overbeek theory DNA, 371-9, 382, 403 - Young's modulus, 373 - force-extension curve, 373 - stretching, 372-4 - thermal fluctuations, 374-6 - torsion, 376-9 - torsional modulus, 378 DOE, see diffractive optical element Doppler cooling limit, 502 below the -, 531-4 Doppler effect, 499, 501 dot product of a scalar and a vector, 46 drift, 193, 207, 209 - current, 197, 198 - force, 309 - velocity, 197, 309, 457 spurious -, see spurious drift droplet, 433-4, 438, 439, 442-4 liquid crystal -, 417 Drude-Sommerfeld model, 67, 69 DVM, see digital video microscopy dyadic - product, 108, 423 unit -, 108 EBCM, see extended boundary condition method elastic scattering, see Rayleigh scattering electromagnetic wave, 20, 77-8 plane -, see plane wave electrostatic interactions, 425-6 energy density, electromagnetic, 55 entanglement, 524

entropic elasticity, *see* worm-like chain model entropy production, 463 equipartition theorem, 197 ergodic system, 193, 277 evanescent focus, *see* focal field evanescent tweezers, 356–8 evaporative cooling, 508, 513 extended boundary condition method, 155 extended optical potentials, **350–3**, 514–18 periodic –, 350–1 quasi-periodic –, 350–1

quasi-periodic –, 350–1 random –, 351–3, 455–9 extracellular ligands, 386 extracellular matrix, 386

Fano lineshape, see Fano resonance Fano resonance, 531-4 Faxén formula, 208, 289 FDTD, see finite-difference time-domain algorithm feedback cooling, 529-31 fibroblast, 386-7 field distortion, see aberrations field programmable gate array, 365 filter, 248-9 cut-off wavelength, 249 dichroic mirror, see dichroic mirror neutral density -, 248-9 wavelength-selective -, 249 bandpass -, 249 edge –, 249 longpass -, 249 notch -, 249 shortpass -, 249 finite difference simulations, 199 finite-difference time-domain algorithm, 180-3, 472 FJC, see freely jointed chain model flexural persistence length, see worm-like chain model fluctuation-dissipation theorem, 199, 462 - for a non-spherical particle, 213 - in a diffusion gradient, 208 - in a viscoelastic medium, 211 fluorescence tweezers, see spectroscopic optical tweezers fluorite objective, see objective focal field, 244 - amplitudes (for T-matrix), 160-2 - of a Gaussian beam (approximated), 61 electromagnetic calculation, 92-7 - near interfaces, 100-2 - near interfaces (aberrations), 102 - near interfaces (evanescent waves), 102 - 4focusing - in the ray optics regime, 31, 32 - near an interface, 100-2 filling factor, 34-5 numerical aperture, 34-5 Fokker-Planck equation, 197 force - measurement, see force measurement binding -, see optical binding optical -, see optical force force measurement, see also photonic force microscope direct -. 312-16 drift method, 309-11, see also spurious force

Cambridge University Press & Assessment 978-1-107-05116-4 — Optical Tweezers Philip H. Jones , Onofrio M. Maragò , Giovanni Volpe Index More Information

541

Index

equilibrium distribution method, 308, see also Maxwell-Boltzmann distribution non-conservative effects, 311 FPGA, see field programmable gate array fractal plasmonics, 477 fractional optical vortices, 342 free diffusion, 201, 449, see also free diffusion equation - of a non-spherical particle, 213-15 inertial regime, 205 free diffusion equation, 191, 195-6, 201 - of a non-spherical particle, 213-15 free electrons, 67, 69, 470 freely jointed chain model, 374 Fresnel diffraction integral, 321 Fresnel lens, 323, 325, 326, 337 Fresnel plane, 336, 338 Fresnel's coefficients - for electric fields, 101 - for intensity, 21-3 friction coefficient, 193, 194, 197, 274 - for a non-spherical particle, 213 - for a spherical particle, see Stokes' law fundamental theorem of vector calculus, see Helmholtz decomposition galvo-mirror, 252, 340-1, 363 gauge - transformation, 112 Coulomb -, 111-13 Lorentz -, 112 transverse -, see Coulomb gauge Gaunt integrals, 163 generalised Lorenz-Mie theories, 155 generalised phase contrast, 341-2 geometrical optics, 19, see also optical trapping regime, ray optics -Gerchberg-Saxton algorithm, see holographic optical tweezers giant unilamellar vesicle, 433, 435 GLMT, see generalised Lorenz-Mie theories Gouy phase shift, 84, 85, 264, 266 GPC, see generalised phase contrast GPE, see Gross-Pitaevskii equation GPU, see graphical processing unit computing GPU computing, 335 gradient of vector dot product, 46 graphene, 398, 400, 402, 488-9, 492, 531 graphical processing unit computing, see GPU computing Gross-Pitaevskii equation, 509 GUV, see giant unilamellar vesicle half-wave plate, 249-50

haptic tweezers, 362–5 Hatano and Sasa equality, 467 heat engine (microscopic), 465-7 Helmholtz decomposition, 111 Helmholtz equation, 77 homgeneous -, 77 scalar -, 92, 116 solution of -, 123 vector -, 92, 123 solution of -, 126 Helmholtz free energy, 428, 430 Hermite polynomials, 85 hologram, see holographic optical tweezers, hologram generation holographic optical tweezers, 6, 319-43 - performance algorithm comparison, 328 average intensity, 327 efficiency, 327 standard deviation, 327 uniformity, 327 applications, 349-51, 397, 411, 415-17, 434, 435, 443, 455, 514 basic working principle, 320-3 diffraction grating, see diffraction grating Fresnel lens, see Fresnel lens hologram generation, 324-35 adaptive-additive algorithm, 331-2 Bessel beams, 334 continuous optical potentials, 334-5 direct search algorithms, 332 Gerchberg-Saxton algorithm, 329, 331 Hermite-Gaussian beams, 334 Laguerre-Gaussian beams, 332-4 Monte Carlo algorithms, 332 non-diffracting beams, 334 random mask encoding, 327-8 random superposition of gratings and lenses, 329 simulated annealing, 332 single trap, 325 superposition of gratings and lenses, 328-9 weighted Gerchberg-Saxton algorithm, 330 set-up, 335-8 spatial light modulator, see spatial light modulator holographic video microscopy, see digital video microscopy Hooke's law, 4, 297, 311, see also trap stiffness HOT, see holographic optical tweezers hot spot, 361, 471, 476, 534 HWP, see half-wave plate hydrodynamic equations of superfluids, 512 hydrodynamic forces, see hydrodynamic interactions hydrodynamic interactions, 207-11, 355, 375, 423-5, 452-5 - to the power spectral density, 288-90 hydrodynamic memory effect, 288 hyper-polarisability tensor, 399, see also polarisability

Cambridge University Press & Assessment 978-1-107-05116-4 — Optical Tweezers Philip H. Jones , Onofrio M. Maragò , Giovanni Volpe Index More Information

542

Index

hyper-Raman scattering, 399 hyper-Rayleigh scattering, 399 illumination scheme, 232-6 bright-field microscopy, 232-4 dark-field illumination, 235-6 differential interference contrast, 235, 236 Köhler illumination, 233-4 Kretschmann geometry, see Kretschmann geometry phase contrast, 234-5 immersion oil, 227 - properties, 229 Ince polynomials, 104 inelastic scattering, see Raman scattering information-to-energy conversion, 465 integrated device, 354, 358, 409-17, 492 integrin, 386-7 intensity law of geometrical optics, 94, 95 intensity, electromagnetic wave, 77 interferometry, 262-73 comparison of digital video microscopy and -, 268 crosstalk, see calibration, crosstalk analysis position sensing detector, see position sensing detector quadrant photodetector, see quadrant photodetector intrinsic elasticity, see worm-like chain model Jabłoński diagram, 396 Jarzynski equality, 464-5 Köhler, August, 234 Kepler, Johannes, 1, 2 Kramers rates, 449-51 Kramers-Kronig relations, 212 Kretschmann configuration, see Kretschmann geometry Kretschmann geometry, 359, 470, 474, 475 lab on a chip, 409-17 ladder operators, 120 quantum -, 527 Landé gyromagnetic factor, 505 Landauer bound 468 Landauer principle, 467 Langevin equation, 191, 194-5 - for optically trapped particle, 202 - in a diffusion gradient, 207-11 - in a potential, 194 - in a rotational force field, 301 - in a viscoelastic medium, 211 hydrodynamic interaction between two particles, 423 inertial regime, 205-7 overdamped -, 195 laser, 244-6

- beam quality, 244 - classification scheme, 245 - frequency stability, 246 noise, 246 - pointing stability, 245 - power stability, 246 - safety, 244 laser cooling - of atoms, **498–504** - of levitated particles, 528-34 Doppler -, 498-502, 531-4 feedback -, 529-31 sub-Doppler -, 502-4, 531-4 LCoS, see liquid crystal on silicon leapfrog algorithm, 190 lens, 246-8 - anti-reflection coating, 247 - material, 246 - shape, 246-8 surface quality, 247 light shift, see ac Stark shift light spectrum, 290-1 like-charge attraction, 426 linear polarisability tensor, see polarisability linear Raman effect, see Raman scattering liposome, 435 liquid crystal, 339, 410, 417 liquid crystal on silicon, 339 localised surface plasmons, 470, 471 Lorentz force, 59, 65, 107 Lorentz-Lorenz relation, 179, see also Clausius-Mossotti relation Loschmidt's paradox, 463 low-Reynolds-number regime, 6, 193, 193, 195, 197, 215, 288, 392 LSP, see localised surface plasmons magnetic induction (formula), 77 magnetic trap, 507-8 magnetic tweezers, 9 magnetisation, 48 magneto-optical trap, 505-6 maximum permissible exposure, 245 Maxwell fluid see viscoelastic medium Maxwell stress tensor, 106, 107-11 Maxwell's demon, 465 Maxwell's equations, 47 boundary conditions, 49 differential form of -, 47 integral form of -, 47 Maxwell-Boltzmann distribution, 197-8, 198, 209, 274, 452-5, 529 mean squared displacement, 193, 203 - analysis, see calibration, mean squared displacement function - in a speckle optical field, 458

Cambridge University Press & Assessment 978-1-107-05116-4 — Optical Tweezers Philip H. Jones , Onofrio M. Maragò , Giovanni Volpe Index More Information

543

Index

- of particle with inertia, 206 - of trapped particle, 204, 205 melamin resin, 237 metal sphere, see transition matrix, metal sphere MF, see melamin resin micromachine, 409, 415-17 microrobot, see micromachine Mie coefficients, 134 Wiscombe formula, 134 Mie resonances, 136-7, 151, 531 Mie scattering, 7, 116, 132-7 boundary conditions, 133 extension of - to particles sustaining longitudinal fields, 170-2 extension of - to radially symmetric particles, 172 - 3Mie theory, see Mie scattering Mie, Gustav, 132 Minkowski momentum, see Abraham-Minkowski dilemma mirror, 248 dichroic -, see dichroic mirror molecular dynamics simulations, 190 molecule, 3-4, 371-82 momentum of a photon, 2-3, 24-5, see also Abraham-Minkowski dilemma - for direct force measurement, 312-14 angular -, 131 laser cooling, 499-504 momentum relaxation time, 205 monochromatic plane wave, see plane wave MOT, see magneto-optical trap motor protein, 371, 379-82 Mott insulator, 517 Mott transition, 517 MPE, see maximum permissible exposure MSD, see mean squared displacement multimode fibre, 456 multipole addition theorem, see multipole, translation theorem rotation theorem, 165-8 translation theorem, 162-5 multipole expansion, 126-31 - for fields regular at the origin, 129 - for fields satisfying the radiation condition at infinity, 129-30 - of a plane wave, 130-1 myosin, 371, 379-82, 390 NA, see objective, numerical aperture nanofibre, 490, 492 nanotube, 396-8, 401-2, 417, 488-9, 492 nanowire, 216-17, 316, 349, 358, 397-8, 404, 471-3, 480, 485-6, 488, 490-2

Navier–Stokes equations in the low-Reynolds-number regime, 288

NESS, see non-equilibrium steady state neuron, 385, 389-92 - directed growth, 385, 389-92 Nichols and Hull's experiments, 2 niosome, 435 nocodazole, 390 Nomarski prism, 236 Nomarski, Georges, 236 non-equilibrium steady state, 467 normal dispersion, 33 numerical aperture, see objective, numerical aperture Nyquist frequency, 284 OAM, see orbital angular momentum objective, 226-32 - abbreviations, 228 - aberration correction, see aberration correction, objective - immersion medium, 227 - magnification, 230 - parfocal distance, 231 - screw threads, 232 - transmission coefficient, 95 - transmission efficiency, 230 - tube length, 232 - working distance, 227 achromatic -, 226, 230 apochromatic -, 226, 231 filling factor, 34-7 fluorite -, 226, 230-1 numerical aperture, 35, 76, 227 phase contrast -, 228, 235 total internal reflection -, 100, 102, 103, 227, 356 OD, see optical density optical binding, 42, 70-3, 354-6, 358-9, 444, 445, 472, 474, 479, 489 optical bottle, 441, 445 optical chromatography, 410, 446 optical conveyor, 417 optical density, 249 optical elevator, 342 optical fibre trap, 353-6, 412-14, 416 optical force - (electromagnetic theory), 109, 137-9 - from plane wave, 139-43 - in optical tweezers, 146-9 transfer of orbital angular momentum, 149-51 - calculated with T-matrix, 156-8 - calculated with dipole-dipole approximation, 180 - calculated with finite-difference time domain, 180 - 1- exerted by a focused beam on a sphere (ray optics), 32

Cambridge University Press & Assessment 978-1-107-05116-4 — Optical Tweezers Philip H. Jones , Onofrio M. Maragò , Giovanni Volpe Index More Information

544

Index

optical force (cont.) - exerted by a ray on a mirror, 24 - exerted by a ray on a sphere, 27 - exerted on a dipole, 60 - on a dipole, 58-65 - on a dipole near focus, 97-8 conservative -, 29, 61, 63 gradient -, 2, 26-9 gradient - (ray optics), 27 gradient - exerted on a dipole, 61-3 non-conservative -, 29, 63, 64, 311 regime comparison, 106 scattering -, 2, 26-9 scattering - (ray optics), 27 scattering - exerted on a dipole, 63-4 spin-curl - exerted on a dipole, 64, 65 optical force lithography, 490-2 optical lattices, see extended optical potentials optical lift effect, 39 optical molasses, 499-504, 514-18, 532 optical potentials, see extended optical potentials optical pumping, 502 optical sorting, 410-12, 417, see also optical chromatography optical stretcher, 354-5, 412, 413 optical theorem, 56-8, 58, 126 optical torque, 6 - (electromagnetic theory), 109, 137-9 - by a ray on a convex particle, 38 - calculated with T-matrix, 158-60 - calculated with dipole-dipole approximation, 180 calculated with finite-difference time domain, 180 - 1optical torque wrench, 371, 378-9 optical trapping regime, 6-8 - comparison, 106 intermediate -, 7, 106 ray optics -, 7, 19-41, 106 Rayleigh -, 7, 42-74, 106 optical tweezers, invention of, 3 optoelectronic tweezers, 9 optofluidic device, 354, 358, 409-17, 492 optomechanics, 524-34 - with levitated particles, 528-34 cavity optical amplification, 524 optical cooling, 524 cavity -, 524-8 resolved sideband regime of -, 527 weak retardation regime of -, 526 orbital angular momentum, see angular momentum organelle, 395, 405 Oseen tensor, 423 overdamped regime, see low-Reynolds-number regime

parametric resonance, 443 paraxial approximation, 83 paraxial beam, 83-92 focusing of -, 81 electromagnetic theory, 92-7 ray optics theory, 31, 32 particle sustaining longitudinal fields, see transition matrix, metal sphere partition function, 198 PBS, see polarising beam splitter PCA, see principal component analysis transform Perrin, Jean, 188 persistence length, see worm-like chain model Petzval field curvature, see aberrations PFM, see photonic force microscopy phase singularity, 87 phasor, 50, 51, 55, 77, 110, 114 Phillips, William D., 3 photocurrent, 271 photodamage, 230, 239-40, 346, 349, 397 photodetector, 271-3 - bandwidth, 272 - dark current, 272 - junction capacitance, 272 - material, 272 - mode of operation (photoconductive or photovoltaic), 272 - noise equivalent power, 272 - quantum efficiency, 272 - responsivity, 271 photoluminescence tweezers, see spectroscopic optical tweezers photon, 24 photonic force microscopy, 3, 296-300 photonic jet, 405 photonic torque microscopy, 300-7 measurement of non-conservative radiation forces, 311 photopolymerisation, 490 plane of incidence, 21 plane wave, 20, 77, 79 evanescent -, 79 expansion in multipoles of a -, see multipole expansion magnetic induction of a -, 77 propagating -, 79 plasma frequency, 67, 68, 170 plasmon, 67 plasmonic aperture, 477-9 plasmonic optical tweezers, 359-61, 412, 414, 474-7 plasmonic particle, 8, 67-70, 170-2, 470, 471-4, 485-6, 492, 531, 532, 534 heating, 403, 473, 474, 480, 485-6, 492 plasmonic resonance, 397, 402-3, 470-4 plasmonics, 470-80 PMMA, see poly(methyl methacrylate)

Cambridge University Press & Assessment 978-1-107-05116-4 — Optical Tweezers Philip H. Jones , Onofrio M. Maragò , Giovanni Volpe Index More Information

545

Index

point matching, 183 polarisability, 45, 136, 399 - of a plasmonic nanoparticle, 69 - of a small dielectric sphere, see Clausius-Mossotti relation radiative correction to the -, see radiative correction atomic -, 65-7 nonlinear -, 45 polarisation, 21, 45, 48 p--, 21 s--, 21 circular -, 78, 115 elliptical -, 78 linear -, 77 polarisation charges, 46, 48 polarisation control, 249-50 half-wave plate, see half-wave plate polarising beam splitter, see polarising beam splitter quarter-wave plate, see quarter-wave plate polarising beam splitter, 250 poly(methyl methacrylate), 237 polymerosome, 435 polystyrene, 237 position sensing detector, 263, 266, 271 - for direct force measurement, 312-16 crosstalk, see calibration, crosstalk analysis transverse forward position detection, 265 power spectral density, see calibration, power spectrum analysis power spectrum, see calibration, power spectrum analysis Poynting vector, 20, 55, 60, 63 Poynting's theorem, 55, 55, 110 Poynting, John Henri, 2 principal component analysis transform, 281, 307 prism, 19, 235, 236, 250, 359, 413, 474 probability density distribution, 191 equilibrium -, see Maxwell-Boltzmann distribution product rule for the gradient, 46 PS, see polystyrene PSD, see position sensing detector or power spectral density pupil function, 95 QPD, see quadrant photodetector quadrant photodetector, 263, 266, 271 crosstalk, see calibration, crosstalk analysis longitudinal forward position detection, 267 longitudinal forward scattering, 267 transverse backward position detection, 270 transverse backward scattering, 270 transverse forward position detection, 265

quantum coherence, 524 quantum dot, 184, 487, 531, 533-4 quantum efficiency, 272 quantum interference, 531 quantum superposition of motional states, 524 quantum well, 487 quantum wire, 487 quarter-wave plate, 250 quasicrystal, colloidal, 455-6 QWP, see quarter-wave plate Rabi frequency, 499, 503 radially symmetric particle, see transition matrix, radially symmetric sphere radiation condition at infinity, 121 radiative correction, 52-4 radiative reaction, 54 Raman cooling, 498, 504 Raman scattering, 397, 398 Raman tweezers, see spectroscopic optical tweezers random mask encoding, see holographic optical tweezers random number, 192, 193, 200, 202, 214, 284, 285 random walk, 188, 191, 192-4 - in momentum space, 502 biased -, 193 ray, 19, 20 - reflection, 19, 21 - transmission, 19, 21 Rayleigh scattering, 397, 401 Rayleight spectroscopy, see spectroscopic optical tweezers RBC, see red blood cell recoil limit, 504 red blood cell, 354-5, 358, 395, 401 reflection coefficient, 22, 23 refractive index. 20, 25 air –, 8 immersion oil -, 229 lens material -, 246 melamin resin -, 237 poly(methyl methacrylate) -, 237 polystyrene -, 237 silica -, 237 water -, 8 regime, optical trapping, see optical trapping regime residual colour, 230 Reynolds number, 6, 193, 193, 195, 197, 215, 392 RMS standard, 225 rotor of vector cross product, 46 SAM, see spin angular momentum

sample preparation, **236–9** saturation intensity of the atomic transition, 499 scalar potential, 111, 112

transverse forward scattering, 265

quadrupole trap, 507

quantised vortices, 512

Cambridge University Press & Assessment 978-1-107-05116-4 — Optical Tweezers Philip H. Jones , Onofrio M. Maragò , Giovanni Volpe Index More Information

546

Index

scanning tunnelling microscopy, 8, 297 scattering amplitude, 57, 82, 116, 135, 510 normalised -, 125, 126 scattering in quantum mechanics, 510 scattering problem, 106, 110, 116, 123-6, 154 scratch-dig, 247 SDE, see stochastic differential equation SDS, see sodium dodecyl sulphate self-diffusion time, 449 self-field interaction, 54 self-induced back action, 345, 361-2, 477-9 semi-apochromat objective, see objective SERS, see surface enhanced Raman spectroscopy set-up construction digital video microscope -, 256-61, see also digital video microscopy digital camera, see digital camera holographic optical tweezers, 335-8, see also holographic optical tweezers spatial light modulator, see spatial light modulator inverted microscope -, 222-6 illumination scheme, see illumination scheme objective, see objective optical components filter, see filter lens, see lens mirror, see mirror polarisation control, see polarisation control photonic force microscope -, 262-71, see also photonic force microscopy and interferometry data acquisition hardware, see data acquisition hardware photodetector, see photodetector sample preparation, see sample preparation spectroscopic optical tweezers, 346-7, see also spectroscopic optical tweezers stability, 222 noise tests, 290 standard optical tweezers -, 239-44 laser, see laser operation, 250-1 steerable -, 251-3 SIBA, see self-induced back action silica, 237 size parameter, 8, 98, 134, 135, 142 skin depth, 68 SLM, see spatial light modulator Snell's law, 21, 100, 101 sodium dodecyl sulphate, 239 SOT, see spectroscopic optical tweezers spatial light modulator, 338-40 - damage threshold, 340 phase resolution, 339 - pixel filling factor, 339 - pixel number, 339

- pixel size, 339 - polarisation sensitivity, 339 - wavelength range, 339 comparison with acousto-optic deflector and galvo-mirror, 340-1 speckle optical tweezers, 351-3, 411-12, 446, 455-9 spectroscopic optical tweezers, 346-50, 395-405, 409, 412, 433, 435 absorption spectroscopy, 396-8 basic set-up designs, 346-7 coherent anti-Stokes Raman spectroscopy, 402 fluorescence tweezers, 347-9, 397, 409, 434, 438 photoluminescence tweezers, 348, 349, 396-8 Raman tweezers, 348, 349-50, 395, 398-402, 409, 435 Rayleigh spectroscopy, 402-4 surface-enhanced Raman spectroscopy, 402-4 sphere with inclusions, see transition matrix, sphere with inclusions spherical Bessel equation, 121 spherical Bessel functions, 121, 122 spherical Bessel functions of the first kind, see spherical Bessel functions spherical Bessel functions of the second kind, see spherical Neumann functions spherical Hankel functions, 121, 122 spherical harmonics, 117-20 - rotation, 165 - translation, 162 addition theorem, 119 spherical Neumann functions, 121, 122 spin angular momentum, see angular momentum spinor Bose gas, 513 SPP, see surface plasmon polariton spurious drift, 207, 209-11, 309-11, 452-5 spurious force, 309-11 stationary phase method, 82 statistical physics, 448-59 Stirling cycle (microscopic), 467 STM, see scanning tunnelling microscopy stochastic activation, 459 stochastic differential equation, 195 numerical solution of -, 199, see also finite difference simulations stochastic integral, 209 anti-Itô -, 209 isothermal -, 209 Itô -. 209 Stratonovich -, 209 stochastic resonance, 451-3 stochastic resonant dampining, 459 Stokes flow, 423 Stokes' law, 194, 198 sub-Doppler cooling, 502-4, 514, 531-4 subdiffusion, see anomalous diffusion superdiffusion, see anomalous diffusion

Cambridge University Press & Assessment 978-1-107-05116-4 — Optical Tweezers Philip H. Jones , Onofrio M. Maragò , Giovanni Volpe Index More Information

547

Index

superfluidity, 512 surface enhanced Raman spectroscopy, see spectroscopic optical tweezers surface plasmon, 170, 470, 474-7 surface plasmon polariton, see surface plasmon surface plasmon polaritons, 470 Sysyphus cooling, see sub-Doppler cooling Szilard engine, 468 T-matrix, see transition matrix Talbot effect, 104 tapered fibre, 357 telecentric imaging system, 93 thalassaemia, 395 thermal energy, 6, 189, 372, 390, 465, 505 thermodynamics, 462-8 first law of -, 462 second law of -, 462 violations of the second law of -, 462-4 Thomas-Fermi limit, 510 time-averaged orbiting potential trap, 507 TIRM, see total internal reflection microscopy TOP trap, see time-averaged orbiting potential trap torque optical -, see optical torque total internal reflection, 23, 100, 102, 103, 356, 414 total internal reflection microscopy, 296, 298 tractor beam, 417 transition matrix, 116, 131-2, 155-79 addition theorem, see multipole, addition theorem aggregates of spheres, 174-6 cluster of spheres, 174-9 convergence, 178-9 metal sphere, 170-2 particle sustaining longitudinal fields, see transition matrix, metal sphere radially symmetric sphere, 172-3 rotation theorem, see multipole, rotation theorem sphere with inclusions, 176-8 transmission coefficient, 22, 23 trap stiffness, 4, 32 - calibration, see calibration autocorrelation function as a function of -, 204 experimentally measured -, 255

mean squared displacement as a function of -, 204 numerically calculated -, 106 relevance of non-conservative optical forces on -, 311 trapping efficiency, 27, 34, 36 Triton-X, 239 vaterite particle, 392, 416 vector identities, 46 vector potential, 111, 112 electric field in terms of -, 114 vector spherical harmonics, 126-8 - rotation. 165 - translation, 163 velocity-selective coherent population trapping, 504 vesicle, 433, 435-8, 486 vesicle fusion. 438 vesicle membrane, 433, 435-8 virus, 3, 395, 405 viscoelastic medium, 211-12 VSCPT, see velocity-selective coherent population trapping wave equation, 77 whispering gallery mode, see Mie resonance white noise, 195 simulation of -, 200-2 Wigner rotation matrices, 165, 166 windmill effect, 6, 39, 139, 416 WLC model, see worm-like chain model Wollaston prism, 236 worm-like chain model, 372-4 contour length, 372 entropic elasticity, 372 flexural persistence length, 372 intrinsic elasticity, 372 yeast cell, 401 Yee cell, 181, 182

Zernike polynomials, 332 Zernike, Frits, 234

Yee lattice, 181

Yukawa model, 449