

Cambridge University Press

978-1-107-05231-4 - Mahale Chimpanzees: 50 Years of Research

Edited by Michio Nakamura, Kazuhiko Hosaka, Noriko Itoh and Koichiro Zamma

Index

[More information](#)

## INDEX OF CHIMPANZEES' NAMES

- Abi, 60–1, 427, 438, 512, 513, 514, 515  
 Acadia, 514, 515, 526  
 Adija, 426  
 Ai, 62, 335, 361, 365, 578  
 Aji, 56, 218, 221, 344, 365, 380, 426, 428, 548  
 Ako, 60–1, 83, 426, 526, 548, 578  
 Alofu, 53, 54, 62, 279, 286, 335, 392, 393, 394, 415, 416, 438, 441–2, 492, 512, 513, 515  
 Amina, 612, 614  
 Amisa, 613  
 Aqua, 515  
 Argo, 335  
 Athena, 513, 546, 548  
  
 Bakali, 50, 54, 214, 327, 333, 334, 335, 336, 337, 389, 393, 440, 487  
 Bembe, 53, 56, 61, 393, 428  
 Betty, 374, 612–13, 619  
 Blondy, 424  
 Bonobo, 57–8, 243, 302, 335, 366, 368, 376, 442, 514, 515, 547  
 Brutus, 52, 424, 427  
 Bunde, 61  
  
 Cadmus, 63, 219, 220, 304, 442, 548, 574  
 Caesar, 65, 304  
 Calliope, 63, 328, 330, 406, 415, 416, 417, 503  
 Carmen, 368, 513  
 Carter, 63, 335  
 Charles, 426, 427, 428, 513, 515  
 Chausiku, 58–9, 123, 342, 361, 374, 405, 422, 424, 426, 568  
 Chelsea, 426, 427, 428, 431  
 Chopin, 59, 221, 334, 335, 426, 443, 549  
 Christina, 64, 361, 367, 424, 425, 512  
 Christmas, 64, 219, 424, 513, 549  
 Cissy, 65  
 Cynthia, 65, 405, 406  
  
 Dar, 58, 328, 426  
 Darwin, 52, 58, 219, 426, 428, 429, 551, 574  
 Dodoma, 57  
 Dogura, 57, 286, 361, 393, 515, 613, 614  
  
 Eagnes, 328  
 Effie, 219, 414, 415  
 Enju, 504  
  
 Fahari, 53, 426  
 Fanana, 53, 56, 59, 102, 103, 219, 243, 391, 392, 393, 394, 412, 414, 415, 441–2, 474–5, 492, 513, 514, 515, 576, 632  
 Fancy, 426  
 Fanta, 374, 426  
 Fatuma, 53, 62, 122, 215, 219, 328, 332, 344, 346, 405, 411, 424, 512, 513  
 Figaro, 62, 424  
 Flavia, 425  
 Fususi, 426  
  
 Ganmo, 328  
 Garbo, 60, 374  
 Gwakakumo, 424, 427, 428, 613, 617  
 Gwamwami, 59, 60, 367, 374  
 Gwekulo, 56, 59, 62, 65, 328, 332, 337, 361, 405–6, 415, 423–4, 425–7, 428–9, 430, 438–9, 512, 526, 547  
 Gwepala, 55, 328, 426  
  
 Hanby, 332, 426, 428  
 Happy, 327, 328, 332, 361, 426  
 Hawazi, 426  
 Hiro, 426  
 Hit, 426  
 Humbe, 374  
  
 Ichiro, 64  
 Ikocha, 57, 63–4, 328, 332, 512  
  
 Imani, 63, 219, 546, 548, 550, 551  
 Imelda, 61, 426  
 Iris, 64  
 Isisu, 63  
 Ivana, 63, 548, 577  
 Iwan, 63  
  
 Jidda, 427, 429  
 Jilba, 55–6, 215, 375, 377–9, 380, 381, 394, 463, 536, 613  
 Juno, 374, 405, 406, 427  
  
 Kagimimi, 52, 334, 428  
 Kaguba, 125  
 Kajabala, 48, 72, 123, 125  
 Kajugi, 51, 125, 393, 414  
 Kalindimya, 327, 330, 334  
 Kalunde, 51, 52, 53, 54, 55, 57, 59, 60, 214, 215, 217, 279, 284, 286, 327, 330, 332, 333, 334, 335, 336, 337, 389, 392, 393, 394, 412, 413, 415, 426, 428, 440, 441–2, 443, 486, 536, 577, 634, 687  
 Kamemanfu, 48, 49, 123, 124, 125, 330, 393, 422, 488–9, 591  
 Kasagula, 125  
 Kasanga, 123, 125  
 Kasonta, 48, 49, 122, 123, 125, 391, 393, 414, 440, 488–9, 588, 591  
 Kasulamemba, 361  
 Katabi, 59, 123, 422, 424  
 Katyentye, 61  
 Kenji, 426  
 Kidole, 122  
 Kimaro, 426, 428,  
  
 Labule, 428  
 Limongo, 49–50, 123, 129, 130  
 Linda, 64, 429  
 Linta, 334, 335, 424, 438, 551  
 Liz, 220, 513, 547  
 Lubulungu, 51, 122, 428, 440

- Lukaja, 426  
 Lukanda, 374  
 Lulemyo, 123, 129  
 Lunkukuma, 428  
 Lusia, 427, 428  
 Lynso, 89
- Maggie, 50, 65, 243, 335, 425, 426, 427, 431, 574, 577  
 Masisa, 123, 124, 125  
 Masudi, 49, 50–1, 53, 55, 57, 102, 123, 129, 216, 221, 334, 335, 365, 393, 425, 426, 443, 514, 515, 576, 632  
 Mazuruka, 427  
 Michio, 64, 361, 426, 428, 429, 515, 546, 548  
 Milembe, 123  
 Mimi, 547  
 Mimikire, 73, 123, 330  
 Mirinda, 374  
 Mitsue, 64, 426, 429, 431, 548, 550  
 Miya, 64, 426, 515, 614  
 Momo, 426  
 Mpoko, 329  
 Mtimpu, 426  
 Mtwale, 426  
 Mumu, 426  
 Musa, 50, 55, 56, 64, 122, 327, 333, 334–5, 344, 389, 393, 436, 443, 487, 575, 612, 613, 615, 616, 618, 619
- Ndilo, 122, 426  
 Nick, 64, 221, 334, 335, 426, 428  
 Nishida, 426  
 Nkombo, 59, 60, 219, 221, 328, 337, 367, 412, 413, 414, 424, 438–9, 550  
 Nsaba, 52, 57, 58, 60, 215, 286, 287, 334, 392, 393, 394, 426, 436–7, 440, 443–5, 536  
 Ntologi, 50, 51–2, 54, 55, 57, 63, 122, 125, 215, 284, 286, 327, 330, 333–4, 335, 374, 376, 378, 379–80, 381, 389, 391, 392, 393, 395, 436–7, 440, 443, 445, 474, 575, 613, 618
- Opal, 61, 62, 91, 400, 405–6, 415, 416, 422, 423, 516, 614  
 Orion, 61, 219, 422, 442, 574  
 Oscar, 61, 220, 221, 423, 614
- Penelope, 344  
 Pimu, 53–4, 58, 62, 215, 219, 220, 304, 375, 378, 379, 380, 392, 394, 411, 414, 442, 443, 445, 513, 613, 614  
 Pinky, 54, 59, 62, 375, 405–6, 424, 425, 426, 512  
 Pipi, 65, 406, 424, 425–7, 430  
 Primus, 53, 54, 62, 219, 380, 391, 392, 414, 424, 578  
 Puffy, 62, 88, 406, 424, 425, 426, 428–9, 430, 431, 513  
 Pulin, 65, 215, 424, 425, 426, 612, 613, 615, 619
- Qanat, 405, 415, 416, 513, 515
- Rashidi, 56, 428  
 Rhea, 61, 613, 614  
 Rubicon, 61, 373, 375, 423, 427, 513, 515  
 Ruby, 61, 91, 406, 415, 423, 427
- Sada, 52, 426  
 Sally, 135, 219, 330, 515, 527  
 Sankaku, 618  
 Serena, 218, 335, 366, 368, 427, 429, 436–7, 548  
 Shigeo, 374  
 Shike, 55, 361, 365, 392, 393, 428, 440, 443, 537  
 Shinako, 426, 428  
 Silafu, 217, 329, 335, 427, 436–7  
 Sinsi, 426  
 Sobongo, 48, 49, 50, 121, 122, 123, 125, 391, 393, 440, 488–9  
 Swala, 515
- Tamara, 61, 335  
 Tango, 55, 329, 427
- Tarnie, 302, 664–5  
 Teddy, 61  
 Tomato, 374  
 Toshiba, 54, 56, 57, 60, 215, 376, 393, 426  
 Totzy, 61, 64, 92, 103, 221, 243  
 Tula, 50, 52, 64, 65, 361, 367, 425, 426, 427, 551, 574
- Vera, 366, 368, 414, 415
- Wabunengwa, 58, 328, 332, 357  
 Wabwema, 49, 328  
 Wakampompo, 52, 57, 424, 427  
 Wakapala, 405  
 Wakasila, 123  
 Wakasunga, 56, 215, 329, 330, 334, 367, 374, 405, 424, 438–9  
 Wakilufya, 214, 487, 512, 558, 588, 613  
 Wakusi, 53, 62–3, 327, 328, 330, 366, 368, 406, 429, 438–9, 512, 513, 547, 578  
 Wally, 374  
 Wamikambi, 49, 123, 328, 357  
 Wamkime, 427  
 Wanaguma, 51, 327, 328, 330, 332  
 Wangala, 60, 328  
 Wankuma, 328, 428  
 Wankungwe, 367, 407  
 Wansombo, 56, 61, 64, 327, 329, 337, 612, 613, 615, 616, 619  
 Wantangwa, 357  
 Wantendele, 50, 374, 405, 406, 425, 426  
 Wasalamba, 357, 367  
 Wasiwasi, 426  
 Wasobongo, 57, 60, 407, 426
- Xantip, 64, 88, 91, 425, 504  
 XT11, 64
- Yuri, 133, 134
- Zola, 92, 664–5

## SUBJECT INDEX

- aardvark, 43, 204, 219–20, 222, 278, 538, 549, 741
- Adachi, Kaoru, 78
- adaptation, 79, 168, 234, 268, 322, 618, 619
- adolescence, 313, 315, 317–18, 360, 502, 593
- growth spurt in, 322
- human, 322
- infertility in, 315, 318
- of female, 71, 133, 316, 318, 421, 485, 487, 553, 606, 650
- of male, 275, 281, 316, 317, 377, 395, 417, 431, 440, 449, 465, 485, 537
- adoption (*see also* allomothering), 62, 335, 402, 406, 421, 423, 425, 427, 430, 431
- adulthood, 121, 313, 315, 318, 395, 485, 553
- affiliative interaction, 387–9, 410, 411, 501
- between kin, 411
- between non-kin, 412
- influence on males' conflict, 413
- particular proximate relationship (PPR), 412, 413
- age–sex structure, 83–4, 121
- aggression, 448
- agonistic behavior, 439
- display (*see also* intimidation display), 435, 448
- interaction, 333, 440, 465
- relationship, 465
- support, 448
- aging
- cataract, 316, 330
- definition of, 326
- osteoarthritis, 616
- osteophytosis, 616
- osteoporosis, 337, 616
- physical aging, 326, 327–30
- presbyopia, 316, 330
- social aging, 326
- airplane, behavior, 366, 548, 552, 553
- algae feeding, 135, 246, 527, 718
- alliance, 387, 406, 448, 535
- allomothering, 315, 318, 421, 423, 425, 430, 474, 553, 560
- by grandmother, 423
- by males, 422
- by young females, 421–2
- infant carrying, 421, 422, 424, 425
- practice for child rearing, 422
- alpha male, *see* male(s), alpha status
- altruism, 430, 535
- ambilaterality, 562
- null hypothesis of, 564
- ANC Production, Inc., 152, 443, 685, 686
- ants
- Camponotus*, 281, 294, 300–1, 524, 558, 569, 570, 646
- Cataulacus*, 294, 302, 306
- colony, 302
- Crematogaster*, 294, 298, 300, 301, 306, 307
- Dorylus*, 295, 300, 302, 307, 578
- Pachycondyla*, 295, 300, 302
- Polyrhachis*, 295, 302
- relationship with plant, 301, 306
- seasonality of feeding, 306
- weaver, 295, 300, 302
- ant fishing
- Camponotus*, 281, 299–300, 306, 568–72
- development of, 314
- host tree of, 304
- laterality of, 557–60
- anthropometric trait, 619, 620
- anti-predator strategy, 197, 210, 277
- appeasement, 449, 462
- arboreal monkey, 213, 217, 222
- stand and defend strategy, 217
- arboreality, 168, 481, 545, 558, 559, 564, 619, 648
- Arnhem captive colony (Netherlands), 286, 413, 414, 435, 440, 452, 534
- Aspilia*, 340, 341, 346, 347, 693
- antibiotic compound of, 341
- kaurene diterpens isolated from, 346
- thiarubrine A leaf swallowing hypothesis, 341, 347
- Assirik (Senegal), 113, 114, 216, 269, 302, 569, 573, 645
- association, 317, 318, 400, 402, 405, 407, 410–11, 412, 413, 453
- attack, 373, 416, 436, 437, 460
- coalitional, 56, 406, 415
- chase, 416, 436
- lethal, *see* killing
- polyadic, 448
- relational model in relation to, 450
- avoidance of aggression, 450, 451
- Azanza*, 693
- as food, 237, 269, 271, 721
- phenology, 177, 180, 188, 189
- seed, 266
- vegetation, 97, 156
- Azuma, Shigeru, 22, 72
- B group (Bilenge group), *see* unit-group
- baboon, 106, 336, 347, 349, 440, 481, 601, 602, 606, 677
- olive, 195, 210, 278, 412, 550, 607
- parasite infection on, 645
- yellow, 42, 44, 195, 208, 209, 222, 278, 618, 740
- as prey, 275, 276, 523
- parasite infection on, 645, 646, 648, 649
- relationships with chimpanzee, 218, 221, 523, 550
- balance theory (mutuality and transitivity), 500–1
- basal area (BA), 153–5, 168
- basic social unit (BSU), 72, 74, 521
- bat, 107, 199, 210, 740
- bed, 39, 317, 588–91
- cockroach in, 595
- construction technique, 591

- day, 593  
 height of, 593  
 leaf size of, 588, 590  
 lifespan of, 39, 588  
 re-use of, 591  
 strength of leaf-stem connections in, 588  
 tree used as, 586–7
- begging, 275, 280, 281, 286
- Bilenge (Mahale), 13, 16, 303, 684
- bipedalism, 319, 445, 575, 619
- birth, 75, 314, 318–19  
 first delivery (parturition), 87–9, 91, 315, 485, 604, 606  
 in natal group, 87, 91, 134, 318, 485  
 interbirth interval, 466, 604, 605, 606  
 number of, 85, 91  
 stillbirth, 85, 366, 368, 376  
 twin, 89, 319
- bitter pith chewing, 342–6  
 antiparasitic function, 342  
 nutritional value, 346
- black-and-white colobus, Angolan, 42, 44, 195, 196, 677, 740
- blue monkey, 42, 195, 197, 208, 209, 218, 277, 740
- body weight, 618  
 at birth, 313
- Boesch, Christophe, 2, 74, 77, 283, 752
- bone  
 diaphysis, 619  
 fracture of, 616  
 mineral density of, 327, 616  
 trauma on, *see* trauma
- bonobo, 1, 136  
 comparative study, 445–6, 498, 510  
 comparison of vocalization, 537, 539  
 disease in, 354, 355  
 fission–fusion in, 107  
 food-sharing in, 280  
 genito-genital rubbing, 487, 504  
 intergroup relationship, 119  
 lateral bias in, 563  
 leaf swallowing, 346  
 low frequency of meat eating, 222  
 parasite infection on, 645, 646  
 “peaceful”, 381  
 society of, 468  
 testosterone, 601  
 Y-STR haplotypes, 632
- Bossou (Guinea), 2, 74, 235, 356, 559, 606  
 birth rate, 75
- carrying of dead infant, 366  
 extra-group paternity, 133  
 female transfer, 76  
 food sharing, 279  
 grooming, 402  
 group size, 75  
 hunting, 277  
 oil palm feeding, 246  
 party size, 110  
 ranging pattern, 104  
 survivorship, 87  
 unit-group size, 75
- boundary  
 male-defended, 94, 103  
 mass excursion to, 131  
 patrol, 94, 131
- brachiation, 618
- Brachystegia bussei*, 152, 570, 584, 589, 694  
 as food, 229, 722  
 vegetation, 38, 39
- brain weight, 330
- breastfeeding, 313, 319, 321
- Budongo (Uganda), 2, 74, 235, 276, 348, 416, 585  
 extra-group paternity, 133  
 infanticide, 372, 373  
 large-scale transfer of female, 134  
 rate of female immigration, 76  
 Sonso group, *see* unit-group  
 temperature, 148
- buffalo, African, 19, 42, 44, 206, 538, 742
- bushbuck, 42, 44, 206, 208, 209, 210, 215, 218, 275, 278, 538, 682, 742
- bushfire, 680, 682
- bushmeat, 679
- bushpig, 42, 44, 56, 205, 275, 276, 278, 349, 614, 742
- Bwindi (Uganda), 148
- Bygott, David, 77, 372, 439, 465, 751
- Byrne, Richard W., 230, 564, 565, 751
- cannibalism, 51, 278, 372
- Carpenter, Clarence R., 72
- carrying  
 colobus arm, 59  
 dead body of infant, 59, 60, 365, 367, 547  
 guineafowl feathers, 512, 578, 579  
 infant, *see* maternal behavior *and* allomothering  
 object, 578
- carrying capacity, 75, 76, 79, 90
- cataract, *see* aging
- cellulose digestion in intestine, 645
- cerebral cortex shrinkage, 330
- challenge hypothesis, 607–8
- charging display (*see also* intimidation display), 435  
 directed, 436, 437  
 undirected, 436, 437, 445
- childhood, 322
- chimpanzee, 1  
 density, 39  
 distribution, 33, 34–8, 39, 44, 99, 626, 627, 630, 669  
 estimates of, 39  
 population in Tanzania, 33  
 subspecies of, 1, 33, 254, 527, 563, 625  
 Central, 1, 214, 625  
 difference, 77, 604  
 eastern, 1, 3, 214, 252, 563, 625  
 Nigeria–Cameroon, 1, 625  
 Western, 1, 252, 563, 625
- chimpanzee viewing (*see also* tourism), 657  
 booking system, 666, 686  
 guide, 657, 658, 664, 666  
 observation rules, 354, 364, 658, 661, 686  
 violation of, 661, 663  
 private tracker, 658  
 tour company, 15, 657, 658, 663  
 tourist, 16, 363, 657, 661
- CITES (Convention on International Trade in Endangered Species of Wild Fauna and Flora), 679
- civet, African, 43, 202, 216, 741
- climate, 143, 150, 167, 174, 307, 680, 744  
 global climatic change, 44, 143, 145, 149, 150, 152, 162, 163, 168, 174
- coalition, 387  
 female, 59, 406, 437, 465  
 male, 114, 275, 318, 393, 437, 446, 463, 474, 490, 607  
 strategy, 114, 286, 387, 392
- Collins, Anthony, 292, 573, 751
- colobus, *see* red colobus
- communication  
 referential, 533, 541  
 symbolic, 533  
 vocal, 533, 540, 541
- community, *see* unit-group  
 confusion of the term, 74

## 770 Subject index

- competition  
 over food, 91, 126, 134, 243, 390, 400, 411, 417, 449, 450, 465, 466  
 over mates, 91, 134, 389, 449, 450, 491  
 over play partners, 553  
 scramble, 114, 115, 466  
 sperm, 486, 488, 490, 492, 607
- conflict  
 management, 451, 454  
 resolution, 451, 452, 454
- conservation, xii, 11, 39, 193, 210, 278, 445, 608, 663, 679, 683  
 community-based, 683, 684, 687  
 problems at Mahale, 679–81
- consolation, 449
- consortship, *see* mating
- convention, 78, 115, 528
- cooperation, 119, 387, 634  
 in hunting, *see* hunting
- copulation, 314, 485–7  
 at night, *see* nocturnal behavior  
 by immigrant females, 491  
 intervention in, 428, 488, 491  
 priority of alpha male, 466, 488, 490, 492  
 rank reversal and copulation rate, 488  
 rate of females, 485  
 rate of males, 485
- Cordia*, 300, 586, 589, 696  
 as food, 237, 239, 240, 242, 265, 269, 271, 723  
 phenology, 176, 177, 180–3, 187, 188, 189, 191, 192, 193  
 rare event, 190–1  
 seed, 259, 260, 261, 263, 264, 266, 267, 268  
 vegetation, 157
- core area, *see* ranging
- Corp, Nadia, 230, 232, 560, 561, 562, 564, 565, 752
- courtship, 487  
 display, 485, 574–5
- culture  
 and nature, 527  
 cultural behavior, 522  
 overview, 521–5  
 cultural transmission, 134–5  
 social custom, 27, 523  
 tradition, 562, 578
- curiosity, 220, 221, 278, 365, 546, 549, 551, 553
- de Waal, Frans B. M., 286, 391, 414, 416, 440, 451, 462, 463, 465, 467, 752
- death (*see also* mortality), 75  
 attitude to dead body, 366, 369  
 carrying of corpse, *see* carrying  
 cause of (*see also* killing, disease, pre-dation), 87, 354, 357, 358, 364, 368, 379, 614, 617, 659
- deceptive behavior, 320
- decomposition of the soft  
 tissue, 621
- deforestation, 38, 44, 79, 151, 680
- delivery, *see* birth
- demography  
 K group, 377  
 M group, 71, 83–7  
 variation in, 75
- dentition (dental), *see* teeth
- depression, 365, 366
- development, 326, 440, 502, 505, 526, 553, 554  
 individual difference in, 321  
 skeletal and dental, 614–15  
 stages of, 313–16  
 subspecies difference in, 313
- diameter at breast height (DBH), 152, 153
- diet, 227–9, 259, 268, 717  
 dietary breadth, 234  
 local differences in, 527  
 medicinal value of, 347  
 of infant, 320
- directing-to-stay behavior, 334
- disabled infant, 321, 322
- disease  
 AIDS-like, 355, 357–61  
 attitude to sick individuals, 365  
 congenital diseases/handicap, 361  
 degenerative joint, 616  
 diarrhea, 344, 348, 349, 362, 363  
 fungal infection, 361  
 goiter, 361  
 human, 665  
 prevention of, 445, 686  
 parasitic infection  
 autoinfection, 648  
 cross-infection, 648, 650  
 fecal–oral route, 649  
 oral ingestion, 646  
 seasonality of, 649  
 skin penetration, 646  
 through contaminated food, 646  
 through soil, 646  
 vertical transmission, 648
- periodontal, 327, 615, 616
- recovery from, after self medication, 344
- respiratory, 354, 355, 357–60, 362, 364  
 seasonality of, 362–3
- simian immunodeficiency viruses (SIVs), 361
- skin, 361  
 subcutaneous swelling, 361, 365
- dispersal regime, 75, 76–7
- display, *see* charging display, courtship display, intimidation display
- Dja (Cameroon), 262, 263, 291, 302, 573
- DNA, 214, 625  
 noninvasive sample, 252, 625–6
- dominance  
 formal, 416, 451, 460, 467, 468  
 real, 416
- dominant–subordinate hierarchy, 50, 391, 392, 452, 608, 649  
 linear, 460, 465
- dominant–subordinate relationship, 77, 78, 451, 452, 460, 463, 468  
 female, 75, 404–5, 407, 465, 466  
 male, 390  
 male–female, 416–17, 465
- Dracaena*, 307, 586, 589, 699  
 vegetation, 157, 162
- drumming, 575–6  
 buttress, 442, 594  
 metal wall/metal house, 315, 442–3, 522, 547
- duiker  
 blue, 42, 195, 206–8, 209, 210, 275, 278, 283, 682, 742  
 as prey, 216, 218, 276  
 bush, 42, 206, 742
- ecotourism (*see also* tourism), xii, 679
- ectoparasite, 551  
 louse, 293, 472, 477, 478, 482, 524, 576  
 egg, 472, 477, 478–80, 482  
 sand flea, 477  
 tool use to remove, *see* tool use
- tick, 477, 478, 481, 577
- elephant, African, 19, 43, 44, 107, 205, 349, 672, 673, 680, 742
- emigration, *see* transfer of female
- emotion, 214, 221, 536, 539, 554, 578
- ENSO (El Niño–Southern Oscillation), 144
- environmental education, 657, 683, 684, 688
- epiphyses, condition of sutures, 614

- equality and inequality principle, 78, 466–7
- Erythrina*, plasmodicidal and antischistosomal activity, 349
- estrus (estrous)
- cycle, 485, 490
  - dominant–subordinate relationship, 405
  - female, 333, 389, 449, 487, 488
  - and party size, 112
  - synchrony and asynchrony, 491
- ethnographic method, 528
- ethogram, 510–12, 521, 524, 525
- of manual behavior, 557, 560
- EU (European Union), 12
- evolution
- human evolution, 1, 78, 82, 213, 222, 274, 322
  - of gesture, 275
  - of primate social structure, 71, 72
  - of social intelligence, 119
- excitement, social, 449, 451, 463
- booming, 445, 446
  - mass excitement, 445, 460, 463, 464
  - snowballing, 463
- extensive survey, 22, 33–4, 99
- by boat, 34
  - by reconnaissance walk, 33, 34
- face-to-face interaction, 463, 536
- facial expression, 513, 515, 540, 553
- fauna
- insect, 291–6
  - mammal, 195–208, 210, 682, 740
- fecal analysis, 259, 269–71, 281, 300
- feces, information from, 268
- feeding, 227
- algae, *see* algae feeding
  - behavior, 229–34
    - exploratory, 550
    - insect, 296–300
    - rare, 246
- feeding ecology, 246, 255, 340, 584
- feeding habit, 523, 527
- non-nutritional, 340
  - novel, 524, 550
- female(s)
- “less social”, 399, 401, 407
  - competition among, 76, 491
  - cycling, 112, 123, 402, 412, 415, 417, 487, 491
- dominant–subordinate relationship, *see* dominant–subordinate relationship
- female choice, 124, 125, 126, 450, 491
- friendship, 405–6
- gregariousness of, 136, 401–2
  - grooming among, *see* grooming
- immigrant, 83, 87, 91, 133, 134, 318, 405, 491
- implicit interactions among, 407
- natal, 83, 87, 91, 634
  - old, 26, 326, 333, 337, 416
  - peripheral, 91, 400, 427
  - relationship among, 76, 401–4, 406, 407
  - reproductive status of, 410, 487
  - sociality of, 404, 407
  - sterile, 59, 332, 337, 424, 430
  - transfer of, *see* transfer of female
- femoral neck, 616, 619
- Ficus*, 348, 587, 590
- as food, 229, 237, 239, 240, 242, 260, 263, 264, 726–7
  - availability, 193
  - importance of, 269
  - phenology, 176, 180–3, 184–9, 192
  - rare event, 190–1
  - seed, 259
  - vegetation, 96, 97, 157, 164, 167
- Filabanga (Tanzania), 33, 40, 73, 113, 128
- fission–fusion, 71, 73, 74, 77, 78, 106–7
- flora, 691
- diversity of, 150
  - historical background of, 150–1
- Fongoli (Senegal), 274, 280, 302, 563, 573, 574, 595, 645, 646
- food
- acquisition of, 229, 280
  - animal, 275–9
  - availability of, 227, 234, 236, 255, 505, 579, 604
  - food choice
    - determinative factors of, 246, 254, 256
    - of infants, 320  - food item, 229
  - honey, 304
  - inorganic substances, 227–8
  - major, 236, 264
  - mushroom, 227
  - plant, 228–9
  - relative importance category of, 180, 236
  - consistently staple foods (CF), 236, 238
  - other foods (OF), 238
  - staple foods (SF), 236, 238
  - repertoire, 227, 523, 717
  - type, 228
- food sharing
- active, 275
  - among mother–infant, 275, 320
  - among non-kin, 275, 280, 286
  - demand, 286
  - dismemberment in, 281
  - division, 281
  - hypotheses about
    - harassment hypothesis, 286
    - meat-for-sex hypothesis, 287
    - political tactic hypothesis, 275, 286
    - reciprocity hypothesis, 286
    - social display hypothesis, 286  - meat, 280–1
  - meat-eating cluster, 280
  - passive, 274
  - plant, 279
  - snatching/stealing, 281
  - tolerated scrounging, 275
  - tolerated theft, 286
  - under-pressure, 286
- forest succession, 150, 151, 165, 168
- foster mother, 335, 424, 428, 430
- Frankfurt Zoological Society (FZS), 686, 688
- friendship, *see* female(s)
- frugivore, 179, 192, 266, 268
- fruit availability, 236, 241
- and party size, 114–15
- fruiting phenology, *see* phenology, plant
- Fujimoto, Mariko, 221, 278, 752
- Fujita, Shiho, 75, 363, 752
- Fukuda, Fumio, 195, 682, 752
- funny face, 515
- Furuichi, Takeshi, 214, 381
- galago, 42, 195, 197, 740
- gang attack, 54, 379, 463
- Garcinia*, 99, 701
- as food, 236, 237, 265, 271, 728
  - phenology, 177, 188, 189, 192
  - rare event, 190–1
  - seed, 259, 261, 263, 266
  - vegetation, 96, 97, 158
- gene flow, 33, 136, 626–30, 634, 636
- General Management Plan (GMP), 686
- genet, 202, 216

## 772 Subject index

- genetic barrier, 630  
 genetic differentiation, 627  
 genetic diversity, 490, 636  
 genetic relatedness, 634  
 genetic structure, 625, 627, 628, 634  
 genetic variation, 251, 254  
 genital inspection, 487  
 genital swelling, 83, 123, 315, 318, 327, 485, 604  
   maximal, 315, 485, 487  
 genito-genital rubbing, 468, 504, 511  
 gerontology, 326, 337  
 gesture, 533, 553, 565, 575  
   courtship, *see* courtship  
   submissive, *see* submission  
   threatening, 538, 540  
 Ghiglieri, Michael P., 74, 594  
 Gilby, Ian C., 284, 286, 287  
 global climatic change, *see* climate  
 Gombe (Tanzania), xiii, 2, 7, 33, 73, 74, 75, 235, 355, 559, 606, 627, 628, 629, 688  
   birth rate, 75  
   boundary patrol, 131  
   cause of death, 87, 354  
   chronological change in sex ratio, 76  
   extra-group paternity, 133  
   food-sharing, 279  
   group fission, 128, 400  
   hunting, 210  
   infanticide, 372, 373  
   Kahama group, *see* unit-group  
   Kasekela group, *see* unit-group  
   large-scale transfer of female, 134  
   oil palm feeding, 246  
   rate of female immigration, 76  
   selectivity for red colobus, 275  
   termite-fishing, 568  
   war, 119, 131, 372, 376, 377  
 Goodall, Jane, xiii, 2, 7, 22, 73, 75, 340, 568, 683  
 gorilla, 1, 348, 349  
   coevolution with *Cola*, 268  
   comparison of vocalization, 537, 538, 539  
   expedition by Japanese, 22  
   food processing, 564, 565  
   insect feeding, 291  
   leaf swallowing, 346  
   sex steroid, 602  
   sex-biased dispersal, 636  
   stress, 608  
   testosterone, 601  
   tourism, 658, 659  
 grandmother, 91, 423, 515  
   hypothesis, 331  
 great ape, 1, 22, 313, 336, 344, 565, 636, 679  
   bed-making, 583  
   comparison of vocalization, 537  
   estimation of population density by beds, 584  
   leaf-swallowing, 347  
   parasite infection on, 645  
   tourism, 665  
 Greater Mahale, 627, 628, 630, 684  
 greeting, 78, 314, 439, 452, 459–60, 462, 463, 468, 537, 594  
*Grewia*, stomach upset treatment, 349  
 grooming  
   among females, 402, 477, 527  
   among males, 388  
   branch-clasp, 526  
   exchange of, 474  
   clique, 476, 477  
   cluster, 334, 404, 459, 476, 477, 482  
   density, 526–7  
   hand-clasp, 134, 314, 473, 522, 523, 524, 525–6  
   palm-to-palm/non-palm-to-palm, 526  
   hygienic function of, 475  
   leaf, 134, 472, 524, 576–7  
   mutual, 314, 473, 476, 477  
   network, 404, 526–7  
   object or substrate, 473  
   other species, 472  
   polyadic, 476, 477  
   relationships evaluated by, 473  
   removal movement, 475, 480, 481, 482  
   self-, 472, 474, 475, 481  
   simultaneous performance with play, 503  
   social, 472  
   social function of, 473  
   group, *see* unit-group  
 group extinction, cercopithecoid, 126  
 group tracking, 33, 34, 38  
 grouping pattern, 71, 106, 114–15, 528  
 guineafowl, 443  
   carrying feathers of, *see* carrying  
 Guineo-Congolian forest, 151  
 habitat destruction, 679  
 habituation, 22, 33, 72, 130, 133, 135, 269, 445, 521, 608  
   degree of, 107, 400, 527  
 hair  
   as source of DNA sample, 626,  
   cleaning of, 475  
   epizoochorous seeds on, 477  
   louse eggs on, 478–80, 482  
 Hamai, Miya, 125, 221, 752  
 Hanamura, Shunkichi, 302, 614, 752  
 hand preference, sex difference, 557, 560, 562  
 handedness  
   *sensu lato*, 564, 565  
   *sensu stricto*, 556, 563, 564, 565  
 harassment, 417, 491  
   aggressive, 317  
   by immature male, 417, 440, 576  
   playful, 315, 317  
 Harungana, 702  
   as food, 260, 264, 269, 271, 728  
   vegetation, 23, 96, 158, 167  
 Hasegawa, Toshikazu, 25, 26, 27, 38, 98, 99, 278, 332, 488, 489, 490, 492, 539, 604, 682, 751  
 Hashimoto, Chie, 112, 114, 625  
 Hayakawa, Takashi, 752  
 Hayaki, Hitoshige, 27, 28, 334, 389, 392, 395, 428, 548, 751  
 Hinde, Robert A., 78  
 Hiraiwa-Hasegawa, Mariko, 25, 27, 90, 126, 278, 279, 320, 390, 682, 751  
 home range, 94–5  
   blocks in the, 96–7  
   boundary of, 98  
   changes of the, 98–100  
 hominid (Hominidae), 1, 584  
   ancestral, 1, 25, 347, 583  
   bipedalism, 619  
   lineage, 583  
*Homo*, 510  
   early (ancestral) human, 71, 222, 322,  
   *Homo erectus*, 322  
   *Homo ludens*, 496  
   *Homo sapiens*, 1, 354, 413, 556, 563  
 homosexual behavior, 487, 504  
 van Hooff, Jan A. R. M., 435, 540  
 hormone  
   chronic gonadotropin (CG), 602  
   cortisol, 453, 466, 603, 608, 649  
   estrogen, estradiol-17 $\beta$  (E2), E1C, 601, 603, 604, 605, 606

- glucocorticoids, 602, 608,  
luteinizing hormone (LH), 331,  
602, 604  
non-invasive sample, 601  
oxytocin, 602  
progesterin, progesterone (P4), PdG, 601,  
603, 604, 605, 606  
testosterone, 466, 601, 602, 603,  
607–8  
high level of, 649  
vasopressin, 602  
Hosaka, Kazuhiko, 11, 132, 275, 334, 343,  
376, 427, 540, 683, 686, 752  
Huffman, Michael A., 27, 59, 221, 333,  
361, 379, 573, 613, 616, 646,  
649, 751  
human activity, 38, 135, 143, 151,  
201, 679  
human-borne pathogen, 363, 364  
human metapneumovirus (hMPV),  
355, 364  
human evolution, see evolution  
humidity, 145, 151, 363, 744  
Hunt, Kevin D., 27, 618, 619, 751  
hunter-gatherer, human, 222, 331  
hunting  
behavior, 274  
binges, 284  
blue duiker, 207, 208, 276  
bushpig, 205, 276  
bystander, 283, 448, 449  
cheater, 283  
cooperative, 274, 283  
female contribution, 282  
group, 274, 282  
male contribution, 281  
red colobus, 54, 196, 208, 274, 275,  
276, 277–8  
red-tailed monkey, 196  
risk-prone, 284  
seasonality of, 284  
skillful hunter, 62, 218, 276, 285–6  
small-group male, 284  
yellow baboon, 276  
wait-for-monkey-to-fall  
strategy, 283  
hyena, spotted, 43, 107, 202, 216, 741  
hyrax, 204, 210, 277, 546, 574, 741  
identification of individual  
K group, 73, 107  
M group, 26, 83, 120  
lhobe, Hiroshi, 209, 277, 752  
lida, Eriko, 204, 210, 752  
illness, see disease  
Imanishi, Kinji, 21, 22, 72, 521,  
523, 673  
immaturity, prolonged period of, 313  
immigration, see transfer of female  
inbreeding (incest) avoidance, 71, 318,  
333, 413, 492  
infancy, 313–17, 321, 322  
infanticide, see killing  
injury  
on dead body, 373  
Inoue, Eiji, 11, 752  
insect (see also ant, termite, and ectopar-  
asite), 292  
aphid, 293, 304  
carpenter bee, 295, 304, 305  
dung beetle, 292, 296  
-dwelling plants, 291  
fauna, see fauna  
fig wasp, 304  
honey bee, 295, 300  
moth, 296, 304, 307, 550  
oribatid mite, 643, 646  
orthopteran, 304, 305, 646, 650  
interbirth interval, see birth  
intergroup relationship, 73  
antagonism, 119, 125, 128  
chronological change, 135  
counter-call, 132, 536  
displacement, 128–9, 131, 135  
encounter, 122  
imbalance of power, 124, 131  
incursion, 130, 377  
internal parasite, 343  
Acanthocephala, 640, 642, 646, 650  
Amoebida, 640, 642, 644  
Anoplocephalidae, 641, 643, 646  
cellulose digestion in intestine, 650  
Cestoda, 641, 643, 646, 650  
Ciliata, 642, 645  
Cosmoceroidea, 641, 643, 649  
cyst, 361, 642, 644  
Dicrocoeliidae, 640, 639, 643, 645  
entodiniomorphid ciliate, 645, 650  
examination methods, 640, 639  
filariform larva, 648  
granulomas, 648  
intermediate host, 639, 642,  
648, 650  
Nematoda, 641, 643, 646  
nodular worm, 344, 613, 648  
*Oesophagostomum* spp., 641, 342, 343,  
361, 639, 643, 646–8, 650  
Oligacanthorhynchidae, 642, 646  
Oxyuroidea, 648  
Protozoa, 640, 642, 644  
Rhabditoidea, 641, 643, 648  
senile proglottid, 639, 646  
spirurid nematode, 648  
Strongyloidea, 641, 643, 646  
Subuluroidea, 648  
Trematoda, 640, 642, 645, 650  
Trichuroidea, 641, 643, 646  
trophozoite, 642, 645  
interspecific relationship (see also hunt-  
ing and predation)  
competition over food, 218, 222  
response to animal  
bird, 221  
dead aardvark, 219–20  
exploratory behavior, 219, 220  
exploratory–threat behavior, 219  
fearful responses, 218  
leopard, 203, 213–16  
lion, 216  
porcupine, 219  
snake, 220–1  
squirrel, 219  
threatening responses, 214, 216, 218  
warthog, 218  
intervention  
female, 410, 414–16  
impartial, 448  
male, 488  
partial, 448  
separating, 334, 391, 392  
intimidation display, 435  
bipedal swagger, 436, 439, 487  
bluff, 435, 446, 487  
contest of, 442  
joint display, 438, 442, 446  
non-vocal, 395, 439, 441  
rain dance, 441, 522  
red sunset, 443  
streambed display, 441, 446  
vocal, 439, 440, 538  
introduced plant, 152, 246  
Itani, Jun'ichiro, xii, 10, 21, 22, 72, 78,  
466, 467, 668, 673, 682, 751  
Itoh, Noriko, 38, 108, 111, 152, 164, 284,  
406, 528, 680, 752  
Izawa, Kosei, 22, 73, 79, 594, 595, 751



774 Subject index

- Japan International Cooperation Agency (JICA), 12, 22, 24, 124, 681–2  
 Japan Monkey Centre, 21, 22, 536, 612  
 Japanese macaque, *see* macaque  
 Japanese primatology, 21, 22, 26, 27, 71, 128, 521  
   publication, xiii, 26, 28, 669  
   theoretical works in, 27  
 Jisaka, Mitsuo, 342  
 juvenility, 313, 314, 317, 322  
   of female, 317  
   of male, 317
- K group (Kajabala group), *see* unit-group  
 Kabogo (Tanzania), 22, 33, 72, 128, 291  
 Kaburu, Stefano S. K., 752  
 Kahuzi-Biega (DRC), 74, 114, 269, 537  
   temperature, 148  
 Kakeya, Makoto, 669, 671, 672, 675, 676, 751  
 Kalinzu (Uganda), 112, 114, 276, 302, 526  
 Kangwena (Mahale), 14, 15, 17, 98  
 Kano, Takayoshi, 33, 38, 669, 751  
 Kansyana (Mahale), 14, 15, 16, 17, 22, 23, 25, 51, 96, 143, 612, 744  
 Karobwa Hills (Tanzania), 41, 627, 629  
 Kasakati (Tanzania), 22, 33, 40, 73, 79, 111, 128, 234, 235, 269, 573, 594, 595  
 Kasiha (Mahale), 14, 15, 16, 98, 673, 685  
 Kasoje (Mahale), 13, 14, 15, 17, 40, 585, 670  
 Kasoje forest, *see* vegetation type  
 Katumbi (Tanzania), 13  
   clinic, 684, 685  
   primary school, 676, 684, 685  
 Kawabata, Masato, 342, 639, 646, 649, 751  
 Kawai, Kaori, 28, 752  
 Kawamura, Shunzo, 21  
 Kawanaka, Kenji, 22, 98, 298, 300, 333, 387, 440, 445, 450, 577, 682, 685, 751  
 Kayumbo, Hosea Y., 11, 683  
*Keetia*, 587, 704, 716  
   as food, 260, 729  
   vegetation, 158, 161, 170  
 Kibale (Uganda), 2, 74, 235, 585, 606  
   boundary patrol, 131  
   buttress drumming, 442  
   food quality and reproductive success, 466  
   Kanyawara group, *see* unit-group  
   killing, 372  
   Ngogo group, *see* unit-group  
   playback experiment, 536  
   study of hormones, 466  
   study of medicinal foods, 349  
   temperature, 148  
 killing  
   coalitionary, 131, 376, 381  
   conspecific, 372, 373  
   definition of, 373  
   infanticide, 90, 368, 372, 376, 390  
   female-led, 373  
   in Hanuman langurs, 372  
   lethal aggression, 94, 119, 131, 132, 135, 378  
   male-biased, 373  
   of adults, 125, 376  
 kinship, 649  
   maternal, 411  
 Kitamura, Koji, 412  
 Kiyono, Mieko, 296, 752  
 Kobayashi, Satoshi, 679, 682, 752  
 Kooriyama, Takanori, 752  
 Kortlandt, Adriaan, 74  
 Koshima Islet (Japan), 21  
 Koshimizu, Koichi, 342, 344, 346, 350, 752  
 Kummer, Hans, 106, 336  
 Kuroda, Suehisa, 107, 467  
 Kutsukake, Nobuyuki, 221, 752  
 Kyoto University, xi, 10  
   Africa Primatological Expedition (KUAPE), 11, 22
- Landolphia*, 570, 704  
   as food, 238, 265, 271, 730  
   availability, 193  
   phenology, 177, 180, 188, 189, 192  
   seed, 259, 261, 263, 266  
   vegetation, 158, 170  
 language, 463, 476, 533, 539, 541, 556  
   semantics, 533, 541  
   syntax, 541  
 lateral bias  
   direction of, 563  
   group-level, 562, 563  
 laterality study  
   framework of, 556, 563  
   funnel plots methods, 564  
   of human traditional societies, 556  
 laughter, *see* vocalization  
 leaf grooming, *see* grooming  
 leaf sponge/spoon, 511, 549, 577  
 leaf, for scratching, 516  
 leaf clipping, 134, 314, 487, 553, 574–5  
 leaf-pile pulling, 314, 524, 546, 577–8  
 leaf swallowing, xii, 233, 340–2, 344, 346–7, 349  
   anti-parasitic function, 343, 347  
   Velcro effect, 347  
 learning, 246, 247, 254, 255, 256, 485, 513, 523, 527, 529, 554, 577  
 lemon (*Citrus limon*), 696  
   as food, 58, 229, 231, 237, 239, 246, 247, 251, 279, 523, 576, 722  
   phenology, 176, 180–3, 187, 192  
   rare event, 190–1  
   processing of, 232, 233, 557, 560, 564, 565  
   vegetation, 157  
 leopard, 27, 43, 44, 202, 206, 210, 219, 220, 221, 673, 741  
   predation on chimpanzees, 75, 125, 210, 431, 688  
   relationships with chimpanzees, 213–16, 221, 222, 278, 472, 547  
 liana, 96, 114, 152, 155, 167, 168, 169, 170, 175, 193, 232, 234, 240, 528  
   increasing trend, 152, 168, 169  
 life history (*see also* reproduction), 91, 313, 314, 321, 322, 326, 332, 333, 336, 400, 485  
 life-form categories of plants, 152  
 lifespan  
   post-cycling lifespan (PCL), 328, 332  
   post-reproductive lifespan (PRL), 328, 332  
 lion, 19, 43, 202, 203, 213, 216, 673, 741  
   predation on chimpanzees, 50, 59, 60, 83, 120, 125, 216  
 lip  
   compress, 435, 436, 437, 445  
   food processing by, 232, 260, 569, 574  
   grooming with, 388, 482, 577  
   in funny face, 515  
   lip flip, 513–15, 550  
   lip smack, 482, 524  
   splashing water with, 549  
 longevity, 75, 326, 327, 405  
 long-term study, xiii, 22, 23, 25, 48, 128, 135, 246, 274, 307, 313, 321, 326, 331, 342, 395, 496, 502, 521, 579, 612  
   comparison among sites, 1, 78, 240, 354, 524, 604

- on phenology, 174, 193
- Lopé (Gabon), 269, 526, 569
- Lubulungu River (Mahale), 15, 16, 96, 97, 152, 205, 218
- M group (Mimikire group), *see* unit-group
- macaque
- Japanese, 21, 25, 77, 126, 331, 333, 349, 400, 412, 413, 467, 473, 482, 506, 521, 523, 539
  - rhesus, 330
- Mahale Ecosystem Management Project (MEMP), 12
- Mahale Mountains Chimpanzee Research Project (MMCRP), 10, 11, 15, 22, 287, 362, 379, 683, 686, 717
- Mahale Mountains National Park (MMNP), xi, xiii, 7, 11, 682
- location, 7, 8
  - park boundary, 9
  - tourism, 657
- Mahale Wildlife Conservation Society (MWCS), 11, 152, 659, 683–5, 686, 688
- Mahale–Gombe Wildlife Research Centre (MGWRC), 12
- male(s)
- alpha status, 48, 387, 391–2, 393, 446, 464, 475, 488, 649
  - ally of alpha male, 52, 54, 284, 333, 334, 389
  - loss of, 51, 52, 54
  - ostracized ex-alpha, *see* ostracism
  - beta status, 392
  - boldness towards another, 443
  - coalition, *see* coalition
  - competition among, 91, 390, 489, 491, 607
  - gamma status, 392
  - high-ranking, 51, 387, 393, 489, 490, 491, 536, 607, 608
  - low-ranking, 393, 428, 468, 488, 536, 607
  - male bond, 119, 121, 125, 418
  - male cluster, 460, 463
  - male-centric society, 90
  - middle-ranking, 391, 393
  - old, 333, 334, 335, 337
  - prime adult, 388
  - proximity, 387, 391, 392, 395
  - relationship among, 387, 388, 389, 391, 395
  - sociable, 77
- mammal, 44, 195, 250, 277, 630, 740
- density, 208–10
  - group, 209
  - individual, 209
  - population, 199, 200, 206, 207, 210
  - distribution, 34, 39, 44
  - survey at Mahale, 200, 203
  - Tongwe names of, 675
- manual behavior
- bimanual processing of fruit, 560, 562
  - bout versus event, 564
  - definition of bout, 560
  - ethogram, *see* ethogram
  - fruit processing bout, 560
- Marchant, Linda F., 512, 556, 558, 563, 577, 752
- masturbation, 487
- Masui, Ken'ichi, 682, 751
- maternal behavior
- cradling and nipple preference, 561
  - infant carrying, 319
  - maternal investment, 320, 321–2, 399
  - mother–infant relationship, 316, 322
- mating
- consortship, 50, 402, 474, 488, 489, 576
  - mate choice, 490, 491
  - opportunistic, 488, 489, 492
  - playful mating, 317
  - possessiveness, 50, 488, 489
  - promiscuous, 71, 489, 490
- Matsumoto, Takuya, 64, 250, 362, 492, 752
- Matsumoto-Oda, Akiko, 112, 234, 412, 491, 604, 752
- Matsusaka, Takahisa, 219, 296, 304, 512, 752
- McGrew, William C., 274, 279, 526, 528, 548, 560, 561, 562, 573, 578, 751
- meat consumption, 233, 282, 283
- meat sharing, *see* food-sharing
- mediation, 414
- medical experiment, 679,
- medicinal plants, 59, 233, 249, 250, 344, 362, 523, 674
- medicinal contribution, 347
- menarche, 604
- menopause, 82, 326, 331–2, 616
- Miombo woodland, *see* vegetation type
- mirror, water, *see* water
- Mitani, John C., 2, 27, 90, 119, 287, 421, 533, 535, 538, 539, 540, 541, 752
- mitochondria, 626, 634
- D-loop, 630, 634, 635, 636
- DNA, 625, 626, 630, 634, 636, 645
- Miyadi, Denzaburo, 21
- Miyako (Mahale), 13, 15, 25, 26, 124, 585, 587, 618, 630, 632
- mongoose, 43, 195, 201, 216, 547, 741
- Mori, Akio, 77, 435, 445, 446, 533, 537, 538, 751
- mortality (*see also* death), 75, 121, 123, 125, 133, 331, 344, 354, 361, 362
- of infant, 75, 91, 121, 123, 364
- multinodular lesions, 648
- mutation rate, 632, 634
- muzzle/hand rubbing, 524, 576
- Myrianthus*, 152, 154, 546, 706
- as food, 229, 230, 231, 237, 239, 265, 561, 562, 732
  - availability, 193
  - phenology, 176, 180, 184–9, 192
  - rare event, 190–1
  - seed, 259, 261, 264, 266
  - vegetation, 96, 158, 166
- N'ganja (Mahale), 15, 233
- Nakai, Masashi, 379, 613, 619, 752
- Nakamura, Michio, 275, 276, 330, 361, 445, 500, 524, 561, 688, 752
- Nakamura, Miho, 686
- Nakazawa, Nobuko, 125, 210, 214, 221, 688, 752
- national park, 7, 11, 12, 23, 39, 364, 627, 639, 651, 657, 679, 680, 682, 686
- natural selection, 322, 535
- of taste, 251, 254
- necropsy, 648
- Nemoto, Toshimichi, 683
- nest, *see* bed
- nest-grunt, *see* vocalization, bed-grunt
- nipple, 318, 319, 320, 513, 561
- fumbling (press), 53, 63, 438, 512, 513, 514, 522
  - suckling their own, 513
- Nishida, Toshisada, xi, xii, xiii, 7, 11, 22, 24, 25, 27, 53, 56, 57, 58, 119, 152, 275, 330, 340, 439, 445, 538, 557, 577, 612, 668, 673, 682, 683, 751
- Nishie, Hitonaru, 243, 299, 752
- Nkungwe, Mt. (Mahale), 7, 10, 16, 22, 34, 196, 676, 742
- nocturnal behavior (*see also* sleep), 234, 583, 593, 594, 595
- copulation, 595

## 776 Subject index

- nocturnal behavior (cont.)  
 defecation and urination, 594  
 rain display, 595  
 travel, 583, 595  
 vocalization, 594, 595
- non-maternal care, *see* allomothering
- Norikoshi, Kohshi, 167, 558, 682, 751
- novel behavior, 135, 435, 510, 511, 512, 515, 516, 521, 523
- nutrition, 192  
 in relation to food choice, 255  
 in relation to tastes, 247  
 malnutrition, 650  
 nutritional condition of chimpanzee, 650  
 nutritional cost and benefit, 286  
 nutritional quality of food, 240  
 nutritional requirements of chimpanzee, 234, 240  
 nutritional significance of rock-licking, 250  
 nutritional state of female, 604, 605, 607  
 of fruits, 192, 227, 240, 280  
 of insects, 291, 299, 300  
 of leaves, 240
- Nyungwe (Rwanda), 174, 261, 262, 263, 267, 269
- object manipulation, active, 565
- Ohashi, Gaku, 279
- Ohigashi, Hajime, 342, 344, 346, 752
- oil palm (*Elaeis*), 152, 218, 246, 586, 699, 725  
 eating pith of, 512, 550, 682
- old age  
 definition of, 326  
 female, *see* female(s)  
 grooming to, 333, 336  
 male, *see* male(s)  
 social role of, 333  
 socially aged, 326, 333, 334  
 underestimation of ages, 84
- open-mouth kiss, 407, 474, 649
- orangutan, 1, 533, 583, 608, 619, 636
- orphan, 314, 321, 334, 335, 337, 421, 425–31  
 female, 428, 430  
 male, 428, 430  
 survival of, 76, 334, 425, 429, 430, 431
- osteology, 327
- ostracism, 48, 51, 52, 393–5
- Otani, Mia, 210, 752
- ovarian cycle, 603, 604, 606
- ovulation, 123, 125, 332, 487, 488, 489, 491, 601, 602, 603, 604, 606
- Pan*, *see* chimpanzee *and* bonobo
- Pan Africa News*, 683
- pangolin, 203, 277, 741
- pant-grunt, *see* vocalization
- pant-hoot, *see* vocalization
- parturition, first, *see* birth
- party, 72, 78, 106, 107  
 core, 91, 122, 463  
 face-to-face, 102, 107–10, 111, 112, 113, 114, 115, 528  
 factors affecting party size, 112–15  
 large, 91, 103, 112, 122, 393  
 nomadic, 100, 101, 103, 110–11, 112, 114, 115, 131, 284, 363, 388, 528, 666
- paternity, 133, 390, 490, 491–2, 625  
 extra-group, 133
- personality, 48, 333, 416, 425, 440, 449, 553  
 of alpha male, 52, 376, 395
- pet trade, 679
- Petit Loango (Gabon), 214
- phenology, plant, 114, 115, 143, 149, 153, 174, 181, 182, 184, 187, 234, 236, 238, 241, 242, 287, 680  
 climate, 174, 179, 191–2, 193  
 transect, 175
- phenylthiocarbamide (PTC), 251
- philopatry  
 female, 467, 630  
 male, 71, 129, 390, 431
- Pintea, Lilian, 151
- plant  
 food, *see* food  
 life-form categories, *see* life-form categories of plants  
 phenology, *see* phenology, plant
- plant–chimpanzee interaction, 268
- play  
 ‘political’, 334  
 among adults, 389, 498, 544, 552  
 as mother–offspring interaction, 320  
 elements, 498, 499  
 finger-wrestling, 498, 552  
 group, 502  
 imaginary (pretend), 506, 544, 545, 548, 550  
 in dyad, 500,  
 locomotor, 496, 544, 545–6, 553  
 motor-training hypothesis, 503, 506
- object, 496, 544, 545, 546–548, 550, 553
- parallel, 552
- para-play bout, 499
- pirouette, 545, 551
- play bout, 499
- play clique, 500
- play cluster, 500
- play face, 497, 544, 550, 551, 552, 553
- play mothering, 553
- play network, 501, 502, 506
- play panting, *see* vocalization
- play-fight, 496, 502
- producing sounds in, 547
- rough-and-tumble, 552
- sexual, 550, 552, 553
- simultaneous performance with  
 grooming, *see* grooming
- social, 496, 544
- social object, 506
- solicitation for, 550, 553, 576
- solo, 496, 544, 545, 550, 552, 553
- training-for-the-unexpected hypothesis, 506
- walk, 496, 545, 550  
 with water, *see* water
- poaching, 135, 354, 676, 679, 688
- politics, xii, 414  
 political network, 58  
 political tactics, 48  
 political way for males to coexist, 391
- porcupine, 43, 195, 200, 219, 349, 550, 657, 740
- positional behavior, 612, 618–19
- post-conflict behavior, 449, 452
- precipitation, 16, 143, 144, 145, 146, 479, 572, 744, 745  
 drying trend, 144, 145  
 temporal shift in the annual distribution, 144
- predation (on chimpanzee)  
 by leopard, *see* leopard  
 by lion, *see* lion  
 pressure, 203, 210, 431, 584  
 risk, 465, 490, 584
- predator, 340, 538  
 chimpanzee as  
 predator–prey interaction, 222, 277–8
- on blue duiker, 278
- on chimpanzee, 115, 120, 213, 214, 538, 553, 594

- potential, 112, 213, 216, 220, 221, 223, 472, 538, 550
- on insect, 291
- on red colobus, 217, 282
- on vervet monkey, 533
- pregnancy, 318, 321, 399, 601, 603, 616
- presbyopia, *see* aging
- prey image (*see also* hunting), 208, 213, 221, 222–3, 276
- provisioning, 22, 26, 75, 90, 280, 521
- abandonment of, 26
- amount of provisioned foods, 26
- mobile, 25
- site, 22, 24, 25, 107, 110, 387, 445
- Pruetz, Jill D., 280, 595
- Pseudospondias*, 217, 302, 586, 588, 589, 709
- as food, 229, 237, 239, 242, 260, 263, 265, 271, 279, 280, 733
- availability, 193
- food, 229
- phenology, 176, 180–3, 187, 192
- rare event, 190–1
- seed, 259, 261, 263, 264, 266, 268
- vegetation, 96, 97, 159, 162, 167
- Psychotria*, 709
- as food, 237, 239, 240, 242, 260, 263, 265, 733
- seed, 261, 267
- Psydrax*, 588, 590, 709, 710
- as food, 236, 237, 239, 240, 242, 260, 263, 265, 269, 271, 733
- phenology, 176, 180, 184–9, 192
- seed, 261
- vegetation, 96, 97, 159
- punishment, 334, 393
- Pusey, Anne E., 133, 318, 333, 404, 440, 466
- Pycnanthus*, 348, 349, 587, 590, 710
- as food, 229, 237, 239, 240, 242, 247, 248, 249, 265, 271, 734
- availability, 193
- hyper-dispersed, 165, 170, 233
- phenology, 176, 180–3, 187, 192
- rare event, 190–1
- seed, 259, 261, 263, 264, 266, 267, 268
- vegetation, 23, 159, 162, 165, 167
- python, 220, 550
- rainfall, *see* precipitation
- ranging
- core area, 94, 103, 122, 124, 401, 449, 466
- high-use area, 94
- of savanna chimpanzees, 128
- seasonality of, 100
- sex difference in, 100
- reassurance, 365, 451
- reciprocity
- in meat sharing, 286
- reciprocal grooming, 27, 333, 388, 474
- reciprocal interaction, 459, 468
- reconciliation, 450, 451, 452–4
- red colobus, 42, 195–6, 208, 209, 222
- as prey, *see* hunting
- relationships with chimpanzees, 217
- washing a coat of, 579
- red-tailed monkey, 42, 195, 196, 208, 209, 210, 260, 264, 275, 277, 676, 740
- parasite infection on, 646, 648, 649
- relationships with chimpanzee, 217–18, 222, 276, 283
- referential signal, 533
- refugee, 7, 681
- relatedness, *see* genetic relatedness
- reproduction, 321, 326, 331, 332, 337, 466, 601, 608
- reproductive benefit, 390, 460, 465, 466
- reproductive life history, 83, 87–90, 91
- reproductive skew, male, 632, 636
- reproductive success, 48, 381, 430, 466, 489, 491, 505, 607, 634
- slow, 75
- successful, 89, 90, 92, 315, 606
- respect, 336, 416, 460, 462, 464
- response to animals, *see* interspecific relationship
- restraint (self-restraint), 336, 467
- Reynolds, Vernon, 74, 347, 751
- rigor mortis, 620
- roan antelope, 42, 44, 208, 742
- rock licking 250, 284 (*see also* food, inorganic substances)
- roof and shelter, 595
- Rubondo (Tanzania), 180, 648
- Saba*, 711
- as consistently staple food, 236, 240, 735
- as food, 234, 237, 239, 242, 265, 268, 269
- as liana, 234, 268
- availability, 174, 193
- and female gregariousness, 402
- hyper-dispersed, 169, 233, 268, 528
- increasing trend, 170
- phenology, 176, 180–3, 187
- processing of, 230, 232, 557, 559, 560, 564, 565
- season, 96, 101, 102–3, 115, 131
- seeds, 259, 260, 261, 263
- discrimination from *Landolphia*, 271
- dispersal of, 268
- fecal analysis, 271
- germinability experiment, 266
- in a fruit, 264
- occasional feeding of, 262
- stable fruiting pattern of, 192, 240
- vegetation, 96, 159, 167, 169
- safari tour, 663, 665
- Sakamaki, Tetsuya, 373, 415, 752
- salt requirement, 284
- Sasaki, Hitoshi, 292, 752
- scavenging, 206, 214, 215, 216, 278, 612, 613, 614, 617, 621
- by leopard, 214
- van Schaik, Carel, 179, 191
- scratch, 480, 516, 560
- self, 124, 216, 220, 453, 625, 626
- social, xi, 473, 511, 522, 524, 526, 557, 560, 562
- season
- dispersing, 100, 103, 104, 111, 112, 115, 411, 427
- dry, 143, 147
- bed lifespan in, 584
- epidemics in, 362
- home range size in, 95, 100
- hunting peak in, 284
- phenological characteristics in, 174, 180, 192
- gathering (congregating), 100, 101, 103, 104, 111, 112
- Saba*, *see Saba*
- wet (rainy), 143, 144
- ant-feeding in, 306
- bed lifespan in, 584
- bitter pith chewing in, 342, 343
- decreased body weight in, 618
- home range size in, 95, 100
- parasite infection in, 649
- parasite species detected in, 343
- phenological (plant) characteristics in, 174, 180, 184, 191, 192
- seasonality
- ant-feeding, *see* ant hunting, *see* hunting
- of bed life span, 584

## 778 Subject index

- seasonality (cont.)  
 parasitic infection, *see* disease  
 party size, 115, 284  
 plant phenology, 174, 179  
 ranging, *see* ranging  
 respiratory disease, *see* disease  
 tick, 478  
 tourism, *see* tourism
- seed  
 elongate shape of, 266, 268  
 epizoochorous, 477–9, 481  
 germinability of, 259, 266–7  
 in a fecal clump, 262, 269  
 large, 259, 264, 266  
 seed dispersal, 259, 264, 268, 301  
 seed disperser, 266  
 size of, 265, 266  
 swallowing of, 259
- self-handicapping, 336, 467  
 self-medication, xii, 249, 255, 340, 342, 343, 349, 350
- Senna spectabilis*, 151, 152, 222, 307, 586, 590, 685, 711
- sex difference  
 association pattern, 410
- sex ratio, 71, 76, 84, 91, 125, 400, 491
- sex-biased dispersal, 492, 636
- sexual coercion, 450, 487, 491
- sexual swelling, *see* genital swelling
- sexuality, 326, 330, 331, 332
- shaking branch, 439, 550, 553, 576
- Shimada, Masaki, 39, 333, 524, 752
- shrub-bend, 487, 575
- sickness, *see* disease
- side-directed behavior, 449
- Silk, Joan B., 279, 452
- Sinsiba (Mahale), 14, 15, 17, 205, 233
- Sisindiko (Mahale), 15, 442
- skin necklace, 578
- sleep  
 nap, 593, 594  
 position, 593, 594, 595  
 REM (rapid eye movement) and non-REM sleep, 593  
 sleeping site, 414, 584
- social behavior, 26, 77, 78, 326, 387, 514, 515, 526, 527, 602
- social interaction, 28, 71, 134, 233, 243, 333, 387, 389, 407, 449, 450, 451, 459, 468, 476, 477, 490, 523, 533, 537, 553, 574, 608, 649
- social network analysis, 501  
 centrality, 501
- social relationship, 77, 78, 112, 114, 125, 400, 451, 453, 454, 468, 472, 474, 475, 505
- social scratch, *see* scratch
- social structure, 74, 78, 107, 119, 322, 464, 466  
 bisexually bonded model, 77  
 bond/core model, 77
- social system, 71, 77, 672
- social tactics, 390, 391, 449
- social unit, 71, 77, 78, 120, 128, 399, 459, 467
- social  
 as opposed to individual, 529  
 as opposed to material (biological), 529
- society/sociality, 21, 28
- sociobiology, 27, 496, 504
- somersault, 497, 545, 546, 552
- specia (species society), 72
- sputter, 524
- squirrel, 195, 200, 208, 209, 219, 275, 277, 546, 550, 574, 740
- Stanford, Craig B., 58, 217, 274, 284, 752
- stem pull-through, 522, 575
- stress, 125, 363, 445, 452, 453, 459, 505, 602, 604, 608, 618, 649, 657, 666, 681
- subgroup, *see* party
- submission, 451–2, 454, 465
- submissive greeting, 416, 439, 459, 460, 463, 465
- subtle behavior, 516,
- Sugiyama, Yukimaru, 74, 75, 277, 751
- support, 462  
 of mother to mature daughter, 91
- survivorship of infants, 86, 91, 466
- Sussman, Robert W., 119, 120
- Suzuki, Akira, 22, 73
- Synsepalum*, 177, 587, 590, 712  
 as food, 238, 239, 242, 265, 269, 736  
 availability, 193  
 phenology, 180, 188, 189  
 rare event, 190–1  
 seed, 259, 261, 267  
 vegetation, 97, 160, 167
- Syzygium*, 587, 590, 712  
 as food, 260, 262, 263, 736  
 seed, 261, 267, 268  
 vegetation, 160
- Tabernaemontana*, 586, 712  
 as food, 229, 237, 242, 260, 265, 268, 279, 736
- availability, 193  
 food, 230  
 phenology, 176, 180, 184–9, 191, 193  
 rare event, 190–1  
 seed, 261, 264, 268  
 vegetation, 160, 164
- Tai (Côte d'Ivoire), 2, 356, 559, 585, 606  
 adoption, 431  
 birth rate, 75  
 boundary patrol, 131  
 buttress drumming, 442  
 Central group, *see* unit-group  
 cooperative hunting, 274, 283  
 extra-group paternity, 133  
 large decline in group size, 75, 135  
 leopard predation on chimpanzee, 214  
 North group, *see* unit-group  
 ranging pattern, 104, 132  
 rate of female immigration, 76  
 selectivity for red colobus, 275  
 South group, *see* unit-group  
 survivorship, 87
- Takahata, Yukio, 25, 28, 50, 126, 284, 331, 332, 334, 440, 572, 682, 751
- Takasaki, Hiroyuki, 27, 266, 341, 488, 751
- Tanganyika, Lake, xi, 7, 8, 10, 38, 228, 250, 639, 669, 676, 677
- Tanzania (previously Tanganyika), xii, 1, 7, 8, 22, 33, 669, 680
- Tanzania Commission for Science and Technology (COSTECH), 12
- Tanzania National Parks (TANAPA), 11, 152, 686, 688
- Tanzania Wildlife Research Institute (TAWIRI), 12, 683, 686, 688
- taste, 192  
 bitter, 247, 250, 251, 252  
 bitter taste receptor (TAS2R), 251, 253  
 insipid, 248  
 receptor, 249, 251  
 salty, 247  
 sour, 247  
 sweet, 247  
 tasting study, 247–9  
 threshold (sensitivity), 251, 254  
 umami, 247, 250
- taxonomy  
 ethno-, *see* Tongwe  
 of great apes, 1
- teasing, 550, 551
- teeth  
 clacking, 482, 524  
 dental eruption, 614

- deciduous teeth, 614  
dental problem, 615  
Teleki, Geza, 216, 283, 286, 327  
temperature, 16, 143, 146–9, 595, 620, 744  
daily fluctuation pattern, 145, 146  
diurnal range of, 147, 362, 363  
maximum, 146–9, 744, 747  
minimum, 146–9, 744, 749  
termite  
*Macrotermes*, 296, 300, 303, 307, 570, 572  
*Odontotermes*, 296, 303, 304  
*Pseudacanthotermes*, 296, 299, 300, 302, 303, 304, 570, 572  
termite-fishing, 300, 303, 563, 564, 568, 572–3, 579  
terrestriality, 481, 558, 559, 564, 648  
territoriality, 131  
territory (*see also* home range), 94, 131, 132, 607  
testes, asymmetry of, 619  
thiarubrine A, 341, 342, 346, 347  
threat, 446  
throwing  
object, 575  
splash, 575  
tickle, 496, 497, 503, 548, 552  
Tokuda, Kisaburo, 682  
tolerance, 50, 243, 336, 407, 450, 453, 460, 462, 463, 537  
mutual, 459, 468  
towards old individuals, 333–4  
Tongwe, 15, 23, 217, 668, 684  
as research assistants, 673  
clan, 669  
culture, 677  
ethnic group, 669  
ethnomedicine, 349–50  
indigenous (ethno-) taxonomy, 674  
knowledge about nature, 674–6, 687  
land, 195, 669  
language, 669  
settlement, 96, 686  
spiritual world, 672  
subsistence of, 671  
symbolic artifacts of, 673  
Tongwe Trust, 685  
tool use (*see also* ant-fishing *and* termite-fishing)  
and object use (definition), 568  
arboreal, 558  
for drinking water, 524, 577  
hunting with tool, 573–4  
leaf napkin, 522, 576  
nasal probe, 511, 577, 579  
removing sand fleas from a toe, 548, 577, 579  
subsistence/non subsistence tool use, 579  
tool set, 577  
Toro-Semliki (Uganda), 148  
tourism (*see also* chimpanzee viewing), 354, 364, 608, 657, 680, 681  
concerns relating to, 666  
facility, 16, 663  
Flycatcher Camp, 16  
Nkungwe Camp, 15  
Nomad Camp, 15  
increasing number of tourists, 665, 686  
seasonality of, 662  
Toyoshima, Akisato, 72  
Toyota Foundation, 688  
trail system at Mahale, 17–19  
transfer of female, 71, 73, 76, 91, 120, 122, 123, 133–4, 616, 630, 634, 650  
age at emigration, 87, 485  
age at immigration, 87  
cost of, 91, 92  
female-biased dispersal, 634, 636  
immigration and male-female relationship, 418  
large-scale, 71, 123, 126, 132, 134, 135  
temporal immigration, 83, 133  
trauma on bone, 379, 380, 613, 617  
travel in a single file, 114, 284  
tree  
mortality, 152, 155, 162, 163, 164, 165, 166, 167, 168  
recruitment, 162, 163, 164, 165, 166, 167,  
survival status, 152, 162  
turnover, 152, 162, 163, 166, 167  
triadic relationship, 393  
Tsukahara, Takahiro, 203, 216, 752  
Turner, Linda A., 151, 153, 155, 165, 166, 167, 169, 170, 234, 263, 267, 306, 752  
Tutin, Caroline E. G., 113, 216, 268, 287, 488, 751  
twin birth, *see* birth  
Uehara, Shigeo, 55, 167, 208, 218, 276, 277, 281, 299, 300, 303, 304, 306, 341, 393, 414, 572, 573, 618, 682, 751  
Ugalla (Tanzania), 22, 41, 216, 584, 585, 627, 629, 680  
UNEP (United Nations Environment Programme), 688  
unit-group, xi, 71, 73, 74, 120  
B group (Mahale), 124, 129, 131, 296, 299, 303, 570, 572, 573, 579  
Central group (Tai), 3  
distribution of unit-groups at Mahale, 38  
fission, 76, 78, 79, 128, 632  
K group (Mahale), 13, 22, 24, 48, 72, 73, 129  
extinction, 75, 119–26, 129  
Kahama group (Gombe), 75, 119, 128, 132, 134, 372, 376  
Kanyawara group (Kibale), 2, 74, 103, 286, 389, 401, 413, 450, 453, 528, 608  
party size, 110  
study of dominance, 464  
study on challenge hypothesis, 607  
survivorship, 87  
Kasekela group (Gombe), 2, 75, 119, 128, 132, 133, 134, 291, 300, 355, 372, 376  
M group (Mahale), 16, 22, 24, 26, 51, 129  
large decline in size, 26, 83, 90, 91, 400  
probable overcrowding, 71, 90  
neighboring, 72, 74, 94, 119, 126, 129, 132, 490, 524, 536, 630, 632, 650  
Ngogo group (Kibale), 2, 74, 75, 119, 132, 133, 282, 286, 381, 413, 465, 524  
killing, 372  
selectivity for red colobus, 275  
study on challenge hypothesis, 607  
survivorship, 87  
North group (Tai), 3, 75, 114  
organization, 418  
size, 76, 78, 79  
Sonso group (Budongo), 2, 134, 135, 527, 565  
study of dominance, 464  
South group (Tai), 3, 112, 114, 400  
variation in sizes, 75