

## Index

Figures and Tables are indicated in bold typeface

- abiotic factors (plant zonation), 20, **21**
- accidents. *See* destruction (anthropogenic), oil spills
- Achillea fragrantissima* (shrub), 179, 204
- Acrostichum* (fern), 26, 135, 141, 165, 181, 233
- adaptations
- breathing roots (mangrove), **23**, 26, **119**
  - plant, 17, 20, 59, **62**
- Aegialitis*, 236
- Aegiceras corniculatum* (river mangrove), 210, **223**, 240, 241
- Africa
- biodiversity in, 153–155, **155**
  - geomorphology, 156–161, **157**, **159**
  - mangrove distribution, 8, 26
  - mangrove ecosystems, 161–177, **162**, **164**, **168**, **178**, **180**, 181–182, **182**, **183**, **184**
  - wetland services, **161**
- Aleuropsis* (grass), 198
- algae. *See also* stromatolites
- and salt marsh formation, 17–19, **18**, 193, 269
  - blooms from excess nutrients, 97, **97**, 111–112, **111**
  - co-exist with sea anemones, 149
  - in mangroves, 182, 183
  - salt marsh energy production, 30, 39
- alkali heath, 97
- Allenrolfea occidentalis* (iodine bush), 101
- Amazon River estuary, 135
- Amoco Cadiz* (oil spill), 56, 294
- Andrew (Hurricane), **119**
- animals
- 3-D zonation, 155
  - death in oil accidents, 56
  - in high salinity, 95–97
  - in mangroves, 119, **136**, 161, 166–170, **168**, **215**, **216**, **224**
  - in subarctic salt marshes, 86–87
  - in temperate salt marshes, 98, **99**, **102**, 108, 138, 201, **201**, 205, **206**, **211**, **213**, **229**, 230–228
  - macrofauna, **31**, 32
  - meiofauna, 35, 85, **200**, 282
  - microfauna, 32, 256, 260–261, **262**
  - uses of wetlands, **272**
- Antarctic realm, 5, 63, **65**, 66
- anthropogenic change
- in Africa, 172–177
  - in Australia, 232
  - in North America, 87–88, **100**, **107**, 111–112, 121, 128–129
  - in South America, 135, 140–142
  - in Southeast Asia, **60**, 208–210, 212, 218–214, 219
- Antonina wetland. *See* Mar de Cananeia wetlands (Brazil)
- archeology
- Arctic villages, 73
  - Asian, 218, 226–227
  - Australasian, 232, 242
  - shell middens, 95, 142, 270
  - traditional uses of coastal wetlands, 270–271, **271**
- Arctic cyclones, 16, 108
- Arctic indigenous village erosion, 48–49, **50**, 74
- Arctic salt marsh
- as type of climate zonation, **3**, **58**, 59, **60**, **63**
  - global warming, 48–51, **49**, **50**, **51**
  - North American, 72–87, **80**, **82**
  - plants, **63**
- Arctic sea ice melting, 44, 48–51
- Arctic tipping point, 49–51, **51**
- Artemisia herb-alba* (shrub), 204
- Artemisia santonica* (halophyte), 199
- Artemisia taurica*, 198
- Arthrocnemum* (halophyte), **98**, 179
- Arthrocnemum fruticosum* (halophyte), 193
- Arundo donax* (cane), 204
- Asia, 219, 223
- coastal flooding projections, **45**
  - geomorphology, 210–222
  - mangrove wetland in, 26, 46, 64, 222–223
  - monsoon history, 186–186, 208, 215–218, 230
  - pollen archives and climate, 265–267
  - restoration projects, 290
  - temperate salt marsh, 225–230
  - tropical salt marsh, 210–222
- Aster tripolium* (daisy), 190
- Atriplex*, 198
- Atriplex lampa* (spearscale), 146
- Atriplex montevidensis* (spearscale), 144
- Atriplex portulacoides* (halophyte), 190

- Australasian realm  
 as type of climate zonation, **65**, **66**  
 geomorphology, **232**  
 mangrove wetland, 232–233  
 pollen archives and climate, 264–265  
 temperate salt marsh, 238–247  
 tropical salt marsh, 237
- Australia  
 biodiversity, **236**  
 geomorphology, 232  
 land reclamation in, 55  
 mangrove distribution, 8, 26, 233  
 paleogeology, 233, **234**  
 phytosociological grouping method, 68  
 temperate salt marsh, 238–247  
 tropical salt marsh, **25**, **235**, 237  
 tsunami damage in, 261–262
- Australian and New Zealand Plant Society, 275
- Average Linkage Clustering (statistical method), 67
- Avicennia alba* (mangrove), 290
- Avicennia bicolor* (El Salvador mangrove), 131
- Avicennia germinans* (black mangrove), 117–118, **118**, **119**, 125, 129, 131, **131**, 154, 165, 166, 290
- Avicennia marina* (mangrove), 173, 184–185, 210, 219, **223**, 233, 236, 239, 240, 241, 243, **266**
- Avicennia officinalis* (mangrove), 212
- Avicennia schaueriana* (Mexico mangrove), 131, 134
- Baccharis halimifolia* (shrub), **113**
- Bahia Bustamante (Argentina), 142, **145**, 146
- Bahia Lomas (Chile), 149–150, **150**
- Bahia Quillaipe (Chile), **45**, 148–149
- Baja California wetlands, 124–129, **124**, **125**, **126**, **127**, **128**. *See also* Mexico
- bald eagle, **34**
- Bambusa* (bamboo), 214
- bare tannes, 165
- barrage. *See* dams
- Barringtonia racemosa* (powder puff mangrove), 181, 276
- basin mangrove wetland, 165
- Batis argillicola*, 236
- Batis Maritima* (saltwort), 122
- Bay of Fundy (Canada), 106–109, **107**, **108**, **109**
- bay trees, 117, **117**
- beach asparagus, 80, 91, 273
- Beaufort Sea. *See* Mackenzie delta (Arctic)
- Bengalla delta. *See* Ganges River delta (Asia)
- benzene, toluene, ethylbenzene, xylene (BTEX), 56
- Bermuda, 8
- billharzia (disease). 179. *See also* malaria
- billabongs (Australia), 231, 232
- biodiversity  
 African wetland, 153–155, **155**  
 Australasian, **236**, 237, 240–241, 244, 245  
 subtropical salt marsh, 121–122, **121**  
 temperate salt marsh, 103, 112, 147, 190–192, **191**, 200–201, 205, **206**  
 tropical salt marsh, 129–131, 135–136, **136**
- biogeographic realms, 64–68, **65**, **178**
- Biosphere Nature Reserve, 129
- bird types  
 clapper rail, **34**, **102**  
 Coscoroba swan, 147  
 Eskimo curlew, **36**  
 flamingos, 146, 147  
 great blue heron, **34**  
 greater yellowlegs, **34**  
 moa, 242–243  
 mockingbird, 147  
 pelican, **37**  
 penguins, **145**, 146  
 roseate spoonbill, **34**  
 snow geese, 85–86, **85**  
 song sparrow, **34**  
 tern, **102**
- birds  
 and oil spills, 55  
 Arctic, 59, **63**, 74  
 Australasian, 237, 245  
 common to coastal wetlands, 34, **34**, **36**  
 mangrove, 119, **136**, 166, **167**, 169, **215**, 220, **220**  
 subarctic, **36**, 85–86, **85**, **86**, 150  
 subtropical, 180  
 temperate salt marsh, 93–94, **94**, **99**, 101, 146, 147, 201, 205, **205**, 227, 228, **229**
- bird's beak flower, **102**
- Black Sea (Eastern Europe), 197–199, **198**, **199**
- blue carbon, 22–24, 40, 297
- Bolinas Lagoon (United States), 264, **265**
- breathing roots (mangrove), **23**, 26, **119**
- brown marsh, 122–123
- Bruguiera* (mangrove), 214, 219
- Bruguiera gymnorhiza* (orange mangrove), 179, 181, 219, 233, 236, 242, 267
- Bruguiera sexangula* (mangrove), **266**
- burrowing crabs, 138, 156, 244
- Cairns (Australian city). *See* Trinity Inlet region (Australia)
- Calvin-cycle plant photosynthesis (C<sub>3</sub>), 24
- Camargue marsh (Europe), 190–192
- Canada. *See also* North America  
 salt marsh formation, 12  
 tidal scales in, 6, 14
- Canadian Wildlife Service, 108
- Carapa procera* (bitter oil tree), 165
- carbon sequestration. *See also* ecosystem service, energy flow  
 blue carbon, 22–24, **25**, 40, 297  
 in mangroves, 30, 42  
 in soil restoration, 288  
 in wetland plants, **39**, 110, 230

- Carcinus maenus* (green crab), 292–293
- Carolina Bays (United States), 117, **117**
- Casuarina glauca* (tree), 241
- Casuarina obesa* (tree), 240
- Caulerpa racemosa* (seaweed), 52, **52**
- Caulerpa taxifolia* (seaweed), 52
- Central America, 12, 129–131, **130**, 271, 290
- Ceratophyllum demersum* (hornwort), 204
- Ceriops* (mangrove), 214, 236, 267
- Ceriops tagal* (mangrove), 210, 219
- Chara* (stonewort), 204
- Chenolea diffusa* (salt bush), 179
- Chesapeake Bay (United States), 110–113, **111**, **113**, **114**, **292**
- Chezetcook Marsh (Canada), 103–106, **104**
- China
- restoration projects, 289, 293, 294
  - sediment accretion in delta, 19
  - tidal scales in, 14
- choked salt marsh, 140–142
- clapper rail (bird), **34**, **102**
- climate zonations, 57–64. *See also* salt marshes
- climatic conditions. *See also* global warming, pollen archives
- and coastal wetland distribution, 7, **69**
  - and seagrass abundance, 237
  - impact on coastal wetlands, 14–16, **15**
  - in last interglacial period (LIG), 262–263
- coastal squeeze, 290
- coastal wetland distribution
- Africa, 3, 153–182
  - Asia, 4, **209**, 210–230
  - Australia, 4, 233, 234–242
  - Central America, 3, 129–131
  - Europe, 4, 187–200, **188**
  - New Zealand, 4, 242–247
  - North America, 3, 77–131
  - South America, 3, 132–138
- coastal wetland formation. *See* salt marsh formation
- coastal wetlands. *See also* salt marshes, estuaries
- climate zonations, 57–64, **58**, **60**, **62**
  - definition, 5
  - historical use of, 271–273, **275**
  - phytosociological grouping method, 68
  - plant range, **9**
  - worldwide, **3**
- coccoliths, 250
- coelecanth (fish), 180
- Colorado River delta, **126**, 128–129
- communities (definition), 67
- Conocarpus erectus* (buttonwood tree), 118, **118**, **119**, 125, 131, **131**, 165
- conservation. *See also* Ramsar Sites
- Canadian, 108
  - Kendall Island Migratory Bird Sanctuary, 35
  - legislation, 298–299
- United Nations Educational Scientific and Cultural Organization (UNESCO), 129, 178, 192, **201**
- wetland, 1–2, **2**
- Wildlife Wetlands Sanctuary (NOAA), 101, **102**
- Cook Inlet (Alaska), 78–79, **79**
- cordgrass. *See also* grass types
- in subtropical tidal wetlands, **124**, **158**
  - South America, 145–146
  - study with pickleweed, 145
- Cordylanthus maritimus* (toadflax), 97
- Cortaderia selloana* (pampasgrass), 138
- Coscoroba coscoroba* (Coscoroba swan), 147
- Cote d'Ivoire (Africa), **159**, 161
- coyote, 34
- crabs, 145
- Crassula maritima* (succulent), 179
- Crassulacean Acid Metabolism (CAM) (plant), 24
- creek model of salt marsh formation, 18–19
- Cressa cretica*, 236
- Crithmum maritimum* (samphire), **274**
- crocodile, **37**, 166, 180, 237
- cyclones
- Arctic, 16, 108
  - Asian, **15**, 211, 213, 215, **217**, 218
  - definition, 15
- Cymodocea nodosa* (seagrass), 193
- Cymodocea rotundata* (seagrass), 236
- Cymodocea serrulata* (seagrass), 236
- Daintree River estuary (Australia). *See* Trinity Inlet region (Australia)
- dams, 162, 163, 170, 176, **176**, **189**, 203, 226, 229
- Danube River delta (Europe), 199–202, **201**
- dead zones (ocean), 111, 122, 293
- Deepwater Horizon* (oil spill), 56
- deltaic marshes, 10–12, 19, 44, **45**, 120–123
- destruction (anthropogenic)
- deltaic marshes, 10–12, 207
  - diebacks, 115–116
  - from dams, 162, 165, **203**
  - from dredging, 136–137
  - from farming, 40, 53–54, 55, **195**
  - from invasive species, 52, **52**
  - from land reclamation, 46–48, 93, **96**, 109, 132, 156
  - from oil, 55–56, **79**, 149–150, **150**, 156, 227
  - from population growth, 44–46, **45**
  - from red tide, 227
- destruction (mangrove), 118–119, 125, **125**, 130, **130**, 135, 160–161, 178, 183, **183**, 212, **213**, 219, 231. *See also* erosion
- destruction (weather)
- from flooding, 122
  - from global warming, 48–51, **49**, **50**, **51**
  - from ozone hole, 152
  - from storm surges, **47**
  - from storm tides, 15, **15**

- detritivores. *See also* oyster farming  
 in mangroves, 42  
 in salt marshes, 41–42, **41**
- diatoms, 250, 257. *See also* microflora
- dieback disease (mangrove disease), 213
- die-off  
 and global warming, 115–116  
 from disease, 213  
 from salinity, **122**
- dikes, 189, 212, **213**, 271
- dinoflagellate cysts. *See also* microflora
- Diospyros littorea* (mangrove), 267
- diseases  
 bilharzia, 179  
 dieback disease (mangrove), 213  
 malaria, 53–55, **54**, 196, 278
- Distichlis palmeri* (grass), 129
- Distichlis spicata* (grass), 89, **113**, 126, 147
- Ducks Unlimited (Canada), 108
- dugong, 237
- earthquakes. *See also* paleoseismology, Pacific Ring of Fire  
 Alaska–Aleutian subduction zone, 257  
 Chilean (1960), 300  
 proxydata studies, 248  
 silent, 300  
 temperate salt marshes (North America), **91**
- East Africa wetlands, 172–182
- eco-regions (Ganges delta), 214
- ecosystem service, **39**, 298. *See also* carbon sequestration, wetland services
- ecosystem studies. *See also* models  
 mathematical modelling, 67, **280**, 290–291  
 mesocosm, 4, 279–296, **280**  
 microcosm, 280, **280**  
 reason for, 280  
 whole-system, 280–285, **280**, **281**
- Eel River (United States), 91
- Egeria densa* (waterweed), 148
- Eleocharis geniculata* (rush), 160, 166
- elephant, 180, **216**
- elevation. *See also* high marsh, low marsh  
 and restoration efforts, 287  
 and tidal inundation, 19–20, **21**
- Elymus athericus* (grass), 190
- energy flow. *See also* carbon sequestration, wetland services  
 carbon release, 50, **50**, 52  
 in mangroves, 42–43  
 in temperate salt marshes, 38–42, **41**
- Enteromorpha* (algae), 97
- erosion. *See also* destruction (mangrove)  
 and superstorms, 113, **114**  
 from permafrost melting, 73–74  
 subtropical salt marsh, **126**, 129  
 suppression by halophytes, 18  
 temperate salt marsh, 88, **100**, 195
- Eskimo curlew (bird), **36**
- estuaries. *See also* coastal wetlands  
 formation of, 9, **11**, 12  
 salinity of, 8  
 subtropical salt marsh, 129, 179–181  
 temperate salt marsh, 88–90, 92–93, 101–103, 147, 187
- Eucalyptus* (tree), 29, 219, 236, 240
- Europe  
 coastal flooding projections, 44, **45**  
 paleogeology of, 186–187  
 salt marsh formation, 12  
 temperate salt marshes, 20, 187–200  
 tidal scales in, 14
- Excoecaria agallocha* (mangrove), 212, 219, 242
- extreme high water (EHW), 77
- Exxon Valdez* (oil spill), 56
- farming  
 and salinity, 273–276, **274**  
 creating salt tolerant crops, 276–278, **277**  
 rice, 219, 271, 276, **277**, 278  
 shrimp, 53, 129, 136, 162, 170, 212, 219
- farmland drainage  
 and mangrove destruction, 46, 136, 169, 214, 219  
 and marshland loss, 48, 109  
 and seasonal flooding, 174–175, **175**  
 and temperate salt marsh loss, 193  
 and wetland destruction, 53–54, 194–195, **197**, 240
- fauna. *See* animals
- Festuca rubra* (grass), 190
- fish  
 farms, 212, 219, 222  
 in mangroves, 119, 154, 166, **168**, 170, 222, 237  
 temperate salt marsh, 147, 201, 230
- fish types  
 coelecanth, 180  
 killifish, 30  
 mummichogs, 30  
 silversides, 30  
 sticklebacks, 30
- flamingos, 146, 147, 191
- Fleur de Sel de Camargue (salt), 191–192, **191**
- floating mats (of vegetation)  
 subtropical salt marsh (North America), **121**, 122  
 temperate salt marsh (Mediterranean), 200
- flora. *See* plants
- flying fox, 237
- flywheel effect, 51, **51**
- Food and Agriculture Organization of the United Nations (FAO), 205
- food web  
 definition, **39**  
 in mangroves, 42–43  
 in salt marshes, 41–42

- foraminifera. *See also* microfauna, pollen archives, sea level change  
 proxy data studies, 248  
 salt marsh ecology, 30, **31**, 32, 67, 93  
 statistical methods, 258  
 subarctic salt marsh, 151  
 subtropical salt marsh, 115–117, 122  
 temperate salt marsh, 103, 105, 138, 145, 148–149, 193–194, 246–247  
 tropical salt marsh, 160, 182, 183  
 fossil pollen. *See* pollen archives  
 fox, 34  
*Frankenia palmeri* (Palmer's seaheath), 101  
*Frankenia pauciflora* (seaheath), 240  
*Frankenia salina* (salt marsh heath), 147  
 freshwater swamp forest eco-region, 214  
 fringe mangrove wetlands, 166
- Gabook adder (snake), 180  
 Gambia River estuary (Africa), 161–172, **162**, **164**, **165**, **168**, **171**, **271**  
 Ganges River delta (Asia), 210–215, **211**, **213**, **215**, **217**  
 Garden of Eden (biblical), 207  
 geomorphology  
 Arctic and subarctic, 59–63, 149–150, **150**, 151  
 Australasian, 232, **232**  
 of African wetlands, 156–161, **157**, **159**, 163, 172–174, **173**, 180  
 subtropical (North America), 114–117, **120**, 124, **124**, **127**, **128**  
 temperate (Asia), **226**  
 temperate (Europe), 187, 190, 193–190, 193  
 temperate (Mediterranean), 194–196, **196**, 199–202  
 temperate (Middle East), **139**, 202–203, **202**, 204  
 temperate (North America), 103–105, 106, **108**, 110  
 temperate (South America), 142, 146  
 tropical (Asia), 210–212, **211**, 218  
 tropical (North America), 129–131, **130**
- glacier  
 genetic salt transfer, 269–270  
 moraine deposits, 58, 81  
 surge, 58, 59
- Global Hyperwarming model, 49  
 global warming. *See also* climatic conditions  
 and Arctic, 72–77, **73**, **75**, **76**, **77**  
 and diebacks, 115–116  
 and flooding in Australasia, 241–242  
 and wetland destruction, **939.1**, **939.2**, 48–51, **49**, **50**, **51**  
 impact on least developed countries, 161, 172, 212–213  
 oceanic aspects, 48–49
- grass types. *See also* cordgrass, halophytes  
*Aeluropis*, 198  
*Cortadiera celloana*, 138  
*Distichlis palmeri*, 129  
*Distichlis spicata*, 89, **113**, 126, 147  
*Elymus athericus*, 190  
*Festuca rubra*, 190  
*Panicum virgatum*, 122  
*Paspalum vaginatum*, 135, 160, 166  
*Pholiusurus pannonicus*, 198  
*Posidonia oceanica*, **295**  
*Puccinellia distans*, 244  
*Puccinellia fominii*, 198  
*Puccinellia glaucescens*, 147  
*Puccinellia maritima*, 190  
*Puccinellia paulustris*, 193  
*Schedonorus phoenix*, 247  
*Selliera radicans*, 244  
*Spartina alterniflora*, 20, **21**, 24, 30, 38, 41, 52, 90, 105, 106, **113**, 228, 285–286, 289, 293, 294  
*Spartina anglica*, 48, 52, 190, 228  
*Spartina brasiliensis*, 135, 138  
*Spartina cynosuroides*, 105, **113**, 115  
*Spartina densiflora*, 138, 142, 147  
*Spartina foliosa*, 52  
*Spartina maritima*, 179, 193  
*Sporobolus robustus*, 160  
*Sporobolus virginicus*, 135, 179
- Great Alaskan Earthquake (1964), 250–256, **255**, **256**  
 Great Arctic Cyclone of 2012., 16  
 Great Barrier Reef (Australia), 234–237  
 great blue heron, **34**  
 Great Chilean Earthquake (1960), 147–148  
 Great East Japan Earthquake (2011), 254  
 Great Flood (biblical), 207  
 greater yellowlegs (bird), **34**  
 Green Revolution, 300  
 green turtle, 169, 237  
 green wave bird migration, 59  
 greenhouse effect, 50, **50**, 52, 152  
*Grindelia discoidea* (gumweed), 144  
 Grote Mandrenke (Hurricane), 188  
 Guaratuba wetland. *See* Mar de Cananea wetlands (Brazil)  
*Guinness Book of World Records* (book), 213
- Halimione portulacoides* (halophyte), 190  
*Halimione verrucifera* (halophyte), 199  
*Halocnemum strobilaceum* (succulent), 197, 198  
*Halodule uninervis* (seagrass), 236  
*Halophila decipiens* (seagrass), 236  
*Halophila ovalis* (seagrass), 236, 240  
 halophyte types  
*Artemisia santonica*, 199  
*Arthrocnemum*, **98**, 179, 193  
*Atriplex portulacoides*, 190  
*Halimione portulacoides*, 190  
*Halimione verrucifera*, 199  
*Kochia prostratae*, 199  
*Limonium suffruticosum*, 199  
*Salicornia ramosissima*, 190  
*Sarcocornia*, **244**, 273

- halophyte types (cont.)  
*Sarcocornia pacifica*, **113**, 291  
*Sarcocornia perennis*, 80–83, **83**, 142, **143**, 146  
*Sarcocornia quinqueflora*, 240, 241, 244, 247
- halophytes. *See also* grass types  
and salt marsh formation, 17–19  
biofuel, 269  
food uses, 269, 272–273, 275–276  
genetic diversity, 276–278  
in Nile River delta, 175, 176, **176**  
salt tolerance, 20–21, 269–270, 276–278, **277**
- Haloxyylon salicornicum* (shrub), 204
- harmful algal blooms, 227
- Hatch–Slack plant photosynthesis (C<sub>4</sub>), 24
- Hattie (Hurricane), 131
- Heritiera fomes* (mangrove), 214
- Heritiera littoralis* (looking glass mangrove), 181, **223**, 267
- Heterozostera* (seagrass), 240
- Hibiscus tiliaceus* (yellow hibiscus), 165, **266**
- high marsh. *See also* low marsh, vertical zonations, elevation  
Arctic salt marshes, **76**  
common plants, **62**  
in temperate salt marshes, **144**, **198**  
plant climate ranges, **69**, **70**  
subarctic salt marshes (North America), **104**  
subtropical tidal wetlands, **124**  
temperate salt marshes, **102**
- hippopotamus, **165**, 166, 180
- Hudson Plains (Canada), 83–87, **84**, **85**, **86**
- Hugo (Hurricane), **116**, 117
- Humbolt Bay (United States), 91, **91**, **261**
- humpback whale, 180
- hurricanes. *See also* Superstorm Sandy  
Andrew, 117  
damage from, 114–115, 188  
definition, 15  
Grote Mandrenke (Hurricane), 188  
Hattie, 131  
Hugo, **116**, 117  
Juan, **15**  
Katrina, **15**
- hypoxia. *See* dead zones (ocean)
- icesheet melting  
Antarctic, 14, 81  
Greenland, 48–51, 66, 263  
isostatic rebound, 78, 233  
raised shorelines, 48, **60**, 81–82
- Indus River (Asia), 208–210
- Intergovernmental Panel on Climate Change (IPCC), 46, 49, **98**
- invasive species. *See also* *Spartina densiflora* (cordgrass)  
and global warming, 92  
and restoration efforts, 292–293  
and wetland destruction, 52, **52**, 90, 190, **198**, 230, 299  
*Phragmites*, 52, **113**, 122, 138, 181, 198, 200, 299  
seaweed, 52, 293
- invertebrates. *See also* oyster farming, shrimp farming  
crabs, 32, 145  
green crab, 292–293  
snails, 32  
worms, 32, 240–241
- ionomic databases, 4. *See also* wetlands studies
- Iva frutescens* (shrub), 20, **21**, **113**, **114**
- James Bay (Canada), 83–87, **84**, **85**, **86**
- Juan (Hurricane), **15**
- Juncus acutus* (spiny rush), 138
- Juncus gerardii* (black rush), 20, **21**
- Juncus kraussii* (rush), 240, 241, 244
- Juncus roemerianus* (black rush), **113**, 115, 294
- Katrina (Hurricane), **15**
- Kendall Island Migratory Bird Sanctuary, 35
- killifish, 30
- Kochia prostratae* (halophyte), 199
- Kosi Bay (Africa), 177, 179, 181
- lagoons  
African, 161  
of temperate salt marshes (South America), 138, 142–145, **149**  
of temperate salt marshes (United States), 95–101, **96**, **97**, **98**, **99**, 263–264, **264**, **265**  
sedimentation of, 263–264
- Laguncularia racemosa* (white mangrove), 117–118, **118**, **119**, 125, 129, 131, **131**, 165, 181
- Lasthenia glabrata*, 20, 97
- legume trees, 165
- Lemna gibba* (duckweed), 204
- Lena (river), 59
- Leptocarpus similis* (rush), 247
- Leschenault Inlet Estuary (Australia), 239
- levees, 122
- Liaohe River. *See* Yellow River delta (Asia)
- Limonium brasiliense* (sea lavender), 144
- Limonium caspicum*, 198
- Limonium serotinum*, 193
- Limonium suffruticosum* (halophyte), 199
- Limosa haemastica* (goswit), 146
- Liolaemus zapallarensis* (Tropidurid lizard), 147
- Little Ice Age (LIA), 137
- Los Peñasquitos Lagoon (United States), 95–101, **96**, **97**, **98**, **99**, 263–264, **264**
- low marsh. *See also* high marsh, vertical zonations, elevation  
Arctic salt marshes, **76**  
halophytic grasses, 20  
plant climate ranges, **69**, **70**  
plants, **62**

- subarctic salt marshes (North America), **104**  
 subtropical tidal wetlands, **124**  
 temperate salt marshes, **102**
- low tide, **6, 6**
- Lumnitzera littorea* (mangrove), 219  
*Lumnitzera racemosa* (Pacific black mangrove), 181, 267
- Mackenzie Delta (Arctic), 72–77, **73, 75, 76, 77**, 288  
 macrofauna. *See* animals  
 macroflora. *See* plants  
 macrophytobenthos, **229, 230**  
 Madagascar, 181  
 malaria, 53–55, **54**, 196, 278. *See also* bilharzia (disease)
- mammals  
 coyote, 34  
 dugong, 237  
 elephant, 180, **216**  
 flying fox, 237  
 fox, 34  
 hippopotamus, **165**, 166, 180  
 in mangroves (Africa), 169  
 manatee, 166, **168**  
 mink, 34  
 mouse, 34  
 muskrat, 34  
 otter, 34  
 salt marsh ecology, 35–35  
 temperate salt marshes (North America), 98, **99**  
 tigers, **211**  
 wallaby, 237  
 weasel, 34  
 whale, 180
- manatee, 166, **168**
- mangal vegetation. *See* mangrove ecology
- mangrove distribution  
 Africa, 153–155, **154, 155**, 161–177, **162, 164, 168**, 181–182, **182, 183, 184**  
 Asia, 208–210, **209**, 212, 214, 219, **223**, 265–267, **267**  
 Australasian, 232–233, **235**, 237, 239, 240, 241–242, 243–244, **243, 244**  
 Central America, 131, **131**  
 North America, 117–120, **118**, 125, 129–131, 129  
 South America, **133**, 134–138, **135, 136, 137**, 138, 139–140, **139, 141**  
 worldwide, **3, 7, 53**
- mangrove ecology  
 biodiversity of, 7, 25–26, **27, 37, 37**, 119–120, **127, 128, 131**  
 energy flow in, 42–43  
 on coral reefs, 12  
 plant adaptations, **22, 23**, 26, 118  
 propagules, 17, 26, 125, 132, 245, 290  
 restoration, 289–290, 293  
 salt tolerance, 269–270
- similarities between regions, 67  
 mangrove types. *See also* tree types  
*Aegiceras corniculatum*, 210, **223**, 240, 241  
*Avicennia alba*, 290  
*Avicennia bicolor*, 131  
*Avicennia germinans*, 117–118, **118, 119**, 125, 129, 131, **131**, 154, 165, 166, 290  
*Avicennia marina*, 184–185, 210, 219, **223**, 233, 236, 239, 240, 241, 243, **266**  
*Bruguiera gymnorrhiza*, 179, 181, 219, 233, 236, 242, 267  
*Bruguiera sexangula*, **266**  
*Ceriops*, 210, 214, 219, 236, 267  
*Diospyros littorea*, 267  
*Excoecaria agallocha*, 212, 219, 242  
*Heritiera fomes*, 212, 214  
*Heritiera littorales*, 181, **223, 267**  
*Laguncularia racemosa*, 117–118, **118, 119**, 125, 129, 131, **131**, 165, 181  
*Lumnitzera littorea*, 219  
*Lumnitzera racemosa*, 181, 267  
*Mora oleifera*, 134, **135**  
*Pelliciera rhizophorae*, 131, 134, **135**  
*Rhizophora apiculata*, 219, **223, 266**  
*Rhizophora harrisonii*, 131, 160, 165  
*Rhizophora mangle*, 117–118, **118, 119, 124**, 125, 129, 131, **131**, 160, 165, 166  
*Rhizophora mucronata*, 179, 181, 184, 210, **266**  
*Rhizophora racemosa*, 131, 160, 165  
*Rhizophora stylosa*, **223**, 233, 236, 241–242  
*Sonneratia alba*, 181, 183, 267  
*Sonneratia apetala*, 52, 212  
*Sonneratia caseolaris*, 219, **266**  
*Xylocarpus australasicum*, 236  
*Xylocarpus granatum*, 181, 214, 219, **223**, 267
- mangrove wetland (basin), **165**
- Mar de Cananeia wetlands (Brazil), 139–140, **141**
- Mar de Chiquita (Argentina), 142–145, **143**
- Maytenus phyllanthoides* (sweet mangrove), 127, **127, 128**
- mean higher high water (MHHW), 12, 20
- mean sea level (MSL)  
 and global warming, 48–49  
 and tidal cycles, 12  
 definition, **6, 6**  
 from storm surges, 50
- Mediaeval Warm Period, 137
- Mediterranean Sea (Europe), 190–200, **191, 192, 194, 195, 197, 198, 199**, 294
- meiofauna, 35–35, **36**
- Mekong River delta (Asia), 53, 215–222, **217, 220**
- Melaleuca* (cajeput), 219, 236, 240
- Mesembryanthemum crystallinum* (ice plant), 97
- mesocosm studies, 279–296, **281, 283, 284**, 300
- mesocosm studies examples, 285–286
- mesocosm studies themes  
 biological parameters, 292–293

- mesocosm studies themes (cont.)  
 medical, 294–295  
 physical parameters, 290–292, **292**  
 pollution effects, 293–294, **295**  
 restoration, 286–290, **288, 289**
- Mesopotamia. *See* Middle East (temperate salt marshes)
- methane  
 and birds, 86  
 as ticking time bomb, 51, **51**
- Mexico, 263, 290. *See also* Tijuana Estuary (United States/Mexico), North America, Baja California wetlands
- microcosm studies, 280, **280**
- microfauna. *See also* ostracodes, foraminifera  
 earthquake prediction, **253**, 256, 260–261, **260, 261, 262**  
 salt marsh ecology, **31**, 32
- microflora, **253**. *See also* coccoliths, dinoflagellate cysts, diatoms
- Middle East (temperate salt marshes), 202–208, **202, 203, 205**
- Mimus thenca* (Chilean mockingbird), 147
- mink, 34
- Mississippi Delta wetlands (United States), 120–123, **120, 121, 122**
- moa bird, 242–243
- models. *See also* ecosystem studies  
 Global Hyperwarming, 49  
 salt marsh formation, 18–19, 287  
 wetland restoration, 290–292, **292**
- moist deciduous forest eco-region, 214
- moment magnitude scale (earthquake), 148
- monsoon flooding, 208, 218, 230, 265–267
- Mora oleifera* (mangrove), 134, **135**
- mosquito control  
 and mangrove destruction, 118–119  
 and wetland drainage, **54**
- mouse, 34
- mud volcanoes, 198–199, **199**
- mudslides, 80
- mummichogs, 30
- muskrat, 34
- Myanmar (Burma), 208, 214–215, **217**
- Myriophyllum* (watermilfoil), 204
- Myrsine parviflora* (shrub), 141
- Najas marina* (naiad), 204
- National Oceanic and Atmospheric Administration (NOAA), 101
- natural catastrophes  
 cyclones, **15**, 16, 46, 179, 211, 213, 215, **217**, 218  
 earthquakes, 76–77, **91**, 250–259, 300  
 glacier surge, 58, 59  
 hurricanes, **15**, 16, 114–115, **116**, 117, 188  
 mudslides, 80  
 tsunamis, 15, **15**, 210, 261–262  
 typhoons, **15**, 16  
 vulnerability to, 112, 114–115, 121, 142, 218  
 wetlands destruction increases, 45, 46
- Nature Conservancy (Canada), 108
- Nearctic realm, **65**, 66, 67–68, **69**
- Neotropical realm, **65**, 66  
 net production, **39**
- Netarts Bay (United States), 90–91, **90, 260**
- New South Wales (Australia), 241–242
- New Zealand  
 as last island for human habitation, 242–243  
 earthquakes, 242, 247  
 mangrove distribution, 8  
 marshland loss, 48  
 paleogeology, 242, **243**  
 population growth, 243  
 temperate salt marsh, 242–247, **243, 244, 246**
- Niger Delta (Africa), 156–158
- Nile River Delta salt marsh (Africa), 153, 172–177, **173, 174, 175, 271**
- nitrogen  
 and dead zones, 55, 111, 122  
 fixation, **39**, 40–41, 42
- North America. *See also* Mexico, Canada, United States  
 and Nearctic realm, 67–68  
 Arctic salt marshes, 72–77  
 coastal flooding projections, 44, **45**  
 salinity and plant diversity, 68–70, **69, 70**  
 salt marsh energy production, 39, 41  
 subarctic salt marshes, 77–87  
 subtropical salt marshes, 114–129  
 temperate salt marshes, 87–113  
 tidal scales in, 6  
 tropical salt marshes, 26, 64, 129–131
- Nymphioides* (water lily), 204
- Nypa fruticans* (palm), 26, 52, 155, 214, 219
- Oceania realm, **65**, 66, 231
- oil spills  
 and wetland destruction, 55–56  
 in subarctic, 78, 149–150, **150**  
 potential in Arctic, 74  
 restoration of wetland after, 287
- Okinawa, 8
- Orphan Tsunami (Japan), 258–259, **259**
- ostracods, **251**
- otter, 34
- oyster farming, 88, **89**, 111, 112, 166, 171–172, **171**. *See also* detritivores, invertebrates
- Pacific Ring of Fire, 78–79, 132, 208, 231, 242, **243, 249, 249**. *See also* earthquakes
- Palaearctic realm, **65**, 66
- paleoclimate, xii, 253, 262
- paleoclimatology, 248
- paleoecology  
 and salt tolerance, 269  
 importance of, 300–301  
 statistical methods, 257–258



- paleogeography  
 and biogeographic realms, 64–67, **66**  
 Australasian, 233, **234**, 238–239, **238**, 242, **243**  
 European, 186–187, 190  
 in Nile River delta, 173, **174**  
 Mediterranean, 193–194  
 Middle East, 203  
 temperate salt marshes (Asia), 229
- paleoseismology. *See also* earthquakes, radiocarbon dating, tsunamis  
 Alaskan megaequake indicators, 250–258, **252**, **255**, **256**, **257**  
 definition, 248–250  
 Orphan Tsunami indicators, 258–259, **259**  
 proxy-data studies, 248  
 sediment indicators, 258–259, **260**
- paleotemperature, 248
- Pandanus candelabrum* (pandan), 165
- Panicum virgatum* (panic grass), 122
- Panmangal 3-D zonation, 155, **155**
- Paspalum vaginatum* (grass), 135, 160, 166
- Patos Lagoon (Brazil), 140–142
- Pearl River delta (Asia), 226
- pelican (bird), **37**
- Pelliciera rhizophorae* (tea mangrove), 131, 134, **135**
- penguins (bird), **145**, 146
- permafrost melting, 51, 73, 301
- Pfiesteria piscicida* (dinoflagellate), 112
- Phloxeris vermicularis* (amaranth), 135, 160, 166
- Phoenix paludosa* (date palm), 214
- Phoenix reclinata* (date palm), 165
- Pholurus pannonicus* (grass), 198
- Phormium tenax* (flax), 247
- Phragmites australis* (reed), 52, **52**, **113**, 138, 181, 198, 200
- Phragmites communis* (reed), 122
- Phragmites mauritanicus* (reed), 181
- physical aspects. *See* climatic conditions, geomorphology
- phytoplankton, 30, 39
- phytosociological grouping method, 68, **125**, 126–127
- pickleweed, 97, 138, 144, 145, 146, 147
- pingo-like feature (PLF), 73–74, 199
- Pistia stratiotes* (water soldier), 204
- Plagianthus divaricatus* (ribbonwood), 247
- plant diversity  
 African, **176**, 179  
 Arctic salt marsh, 59, **63**, 74–75, **76**  
 Central America, **123**  
 mangrove, 131, **131**, **155**, 165, **225**  
 subarctic salt marsh, **81**, 82–83, 84–85, 151, 152  
 subtropical salt marsh, 115–116, **126**, 127, 180–181, **180**  
 temperate salt marsh, 88–90, 97–98, **98**, 101, 105, 112, **113**, 144, 146, 147, 190, 204
- plants  
 adaptation to salt marsh, 20–24, **22**, **25**, 298  
 and oil spills, 56  
 and salinity, 7, 68–70, **69**, **70**  
 historic use of, 271–273  
 South American names for, 143, 143  
*Plants in Action* (1999) (programme), 275  
*Plasmodium* (disease parasite), 54, **54**  
*Plegadis shihi* (ibis), 147  
 Po River estuary (Europe), 192–193, **192**
- polar. *See* Arctic salt marsh, subarctic salt marsh
- pollen archives. *See also* climatic conditions, foraminifera  
 and mangrove distribution, 137–138, 183–185, **184**, 263–264, **264**, **267**  
 and wetland sedimentation, **265**  
 for climate changes, 26–29, **28**, 157–158  
 mangrove, **266**  
 need for caution in interpreting, 242
- pollution  
 dead zones, 111, 122, 293  
 greenhouse effect, 50, **50**, 52, 152  
 mesocosm studies, 293–294, **295**  
 offshore drilling, 254  
 ozone hole (Antarctic), 152  
 studies, **295**  
 sump ponds, 75  
 UV increase, 59
- population growth  
 and deltaic marshes, 10  
 and soil salinization, **274**  
 and wetland destruction, 44–46, **45**, 112  
 Australasian, 243  
 in Africa, 160, 161  
 in Asia, **209**, 210, 212, 226, 229  
 in South America, 133
- Posidonia oceanica* (seagrass), 294, **295**
- Potamogeton lucens* (pondweed), 204
- preservation. *See* conservation
- primary production. *See also* secondary production  
 definition, **39**  
 in salt marshes, 38–41
- propagules, 17, 26, 125, 132, 245, 290
- Proxies in Late Cenozoic Paleoceanography* (book), 258
- proxy-data studies. *See also* wetlands studies  
 geochemical tracers, 250, **251**  
 importance of, 300  
 types of, 248, 250
- Puccinellia distans* (grass), 244
- Puccinellia fominii* (grass), 198
- Puccinellia glaucescens* (grass), 147
- Puccinellia maritima* (grass), 190
- Puccinellia paulustris* (grass), 193
- radiocarbon dating, 252, 262. *See also* paleoseismology
- ramp model of salt marsh formation, 18–19
- Ramsar Convention on Wetlands (1971), 1–2, **2**, 12, 57, **65**, 66, 270, 298
- Ramsar realms. *See* biogeographic realms

- Ramsar sites. *See also* conservation  
 Africa, 153–154, **154**, 156, 161  
 Asia, 230  
 Australasia, 233  
 South America, **133**, 147, 150, **150**
- Raphia farinifera* (palm), 26
- red tide, 227
- relative sea level (RSL) studies, 109–110, 115
- remediation. *See* restoration
- reptiles  
 Australasian, 237  
 crocodile, **37**, 166, 180  
 green turtle, 169, 237  
 lizard, 147  
 mangrove (Asia), 222  
 snake, 180
- restoration  
 from invasive species, 292–293  
 from pollution, **164**, **295**  
 mangrove, **158**  
 models, 290–292  
 studies, 286–290, **288**, **289**  
 wetland, 203, 207–208, 286–288, 289, 290
- Rhanterium epapposum* (shrub), 204
- Rhine River delta (Europe), 187–190, **188**, **189**
- Rhizophora apiculata* (mangrove), 219, **223**, **266**
- Rhizophora harrisonii* (mangrove), 131, 160, 165
- Rhizophora mangle* (red mangrove), 117–118, **118**,  
**119**, **124**, 125, 129, 131, **131**, 160, 165, 166
- Rhizophora mucronata* (red mangrove), 179, 181, 184,  
 210, **266**
- Rhizophora racemosa* (mangrove), 131, 160, 165
- Rhizophora stylosa* (mangrove), **223**, 233, 236,  
 241–242
- Rhone River delta (Europe), 190–192
- ria (definition), 110
- rice farming, 219, 271, **277**, 278
- Richards Island (Arctic), 74–77, **75**, **76**
- Richter scale (earthquake), 148
- Río Chico, Argentina, 151–152, **151**
- River of Sorrow. *See* Yellow River delta (Asia)
- riverine mangrove wetland, 165
- roseate spoonbill (bird), **34**
- Rubisco enzyme system (plant), 24
- Ruppia* (ditchgrass), 97, 204, 240
- Russia, 59, **60**, 72, 197, 278
- Salicornia*, 20, 21, 24, 97, **98**, 141, 190, 192, 193,  
 272–273, 276
- Salicornia europaea*, 198, **274**
- Salicornia prostrata* (succulent), 197
- Salicornia ramosissima* (halophyte), 190
- salinity  
 agricultural impact, 273–276  
 and coastal wetland distribution, 7  
 and fish, 170  
 and plants, 20–24, **22**, **25**, 68–70, **69**, **70**, 143, 298
- animal adaptations for, 34–35
- changes from humans, 44–46, 95–97, 273–276, **274**
- definition, 8
- fluctuations, 92–93
- high marsh, **125**, 127–128
- in Nile River delta, 175–177, **175**
- in Tigris–Euphrates River delta, 207
- low marsh, 19
- studies, 282, 291
- salt harvesting, 191–192
- salt marsh formation  
 conditions that shape, 12–14, **13**, **19**, 297  
 models, 18–19, 287  
 process, 8–12, **10**, **11**  
 sediment stabilization in, 17–19, **18**
- salt marshes. *See also* climate zonations, coastal wetlands  
 ecology, 5, 10–12, 30–34, **31**, 34–35  
 energy flow in, 38–42, **41**  
 most accessible, 5  
 perception as wasteland, 53  
 plant ecology, 7, 12, **13**, 20–24, **22**, **25**  
 tides, 5–6, **6**  
 vertical distribution, 19–20, **21**
- Samolus repens* (sea primrose), 244, 247
- samphire, **21**, 273
- San Blas (Argentina), 142, **144**, 145–146
- San Francisco Bay (United States), 92–94, **93**, **94**
- sandflats. *See* tidal flats
- Sarcocornia* (halophyte), **145**, **244**, 273
- Sarcocornia pacifica* (halophyte), **113**, 291
- Sarcocornia perennis* (halophyte), 80–83, **83**, 142,  
**143**, 146
- Sarcocornia quinqueflora* (halophyte), 240, 241,  
 244, 247
- Saxby Gale (cyclone), 109
- Schedonorus phoenix* (grass), 247
- schistosomiasis. *See* bilharzia (disease)
- Scirpus* (sedge), 20, **21**, 144, 160, 181, 204
- scrub mangrove wetland, 165
- Scyphiphora hydrophyllacea* (shrub), 214
- sea anemones, 149
- sea ice melting, 44, 48–51
- sea level change. *See also* foraminifera  
 and coastal wetland distribution, 15  
 and flooding, 212–213, 230  
 and global warming, 48–49, **49**, 193, 208  
 and mangrove distribution, **137**, 299  
 and wetland restoration models, 290–292, **292**
- Australia, 233, **234**
- salt marsh survival, 9
- subarctic salt marshes, **83**
- subtropical salt marsh, **116**
- seablites. *See* halophytes
- sea grass types  
*Halophila decipiens*, 236  
*Halophila ovalis*, 236, 240

- Heterozostera*, 240  
*Posidonia oceanica*, 294  
*Vallisneria spiralis*, 204  
*Zostera capensis*, 178  
*Zostera capricorni*, 236  
*Zostera marina*, **13**, 198, **292**  
*Zostera noltii*, 193  
 seaweed, 52, 293  
 secondary production. *See also* primary production  
 definition, **39**  
 in salt marshes, 41–42  
 sedge types  
*Schoenoplectus validus*, 240  
*Scirpus*, 20, 144, 160, 181, 204  
 sedimentation  
 and salt marsh formation, 18, **19**  
 and wetland restoration, 287, 292  
 China, 229  
 cores, 105–106  
 from ice block collapse, 106, **108**  
 in Indus River, 208–210  
 in lagoons, 263–264, **265**  
 in Nile River delta, **175**, 176–177  
 to indicate seismic events, 258–259  
*Selliera radicans* (grass), 244  
 seres (definition), 67  
*Sesuvium portulacastrum* (sea purslane), 160,  
 166, 236  
 Seven Wonders of the World, 207  
 sewage, 193  
 and mangrove distribution, 129  
 and surface water salinity, 95–97  
 and water purity, 193, 227, 300  
 Shark Bay (Australia), 238–239, **238**  
 shell middens, 95, 142, 270  
 shoreline erosion  
 Arctic thermokarst melting, **60**, 73, 77  
 Tuktoyktuk and Alaskan beaches, 73  
 shrimp farming, 53, 129, 136, 162, 170, 212, 219. *See also* invertebrates  
 shrubs  
*Achillea fragrantissima*, 179, 204  
*Artemisia herb-alba*, 204  
*Avicennia marina*, 173  
*Baccharis halimifolia*, **113**  
*Haloxylon salicornicum*, 204  
*Iva frutescens*, 20, **21**, **113**  
*Myrsine parviflora*, 141  
*Rhanterium epapposum*, 204  
*Scyphiphora hydrophyllacea*, 214  
 Sierra Leone Estuary (Africa), **159**  
 Sinai Desert hard bottom mangroves, 182, **182**, 183  
 snow geese, 85–86, **85**  
*Solidago* (goldenrod), 105  
 song sparrow, **34**  
*Sonneratia* (mangrove), 214  
*Sonneratia alba* (mangrove apple), 181, 183, 267  
*Sonneratia apetala* (mangrove), 52, 212  
*Sonneratia caseolaris* (mangrove), 219, **266**  
*Sorghum bicolor* (millet), 181  
 South African wetlands, 177–181, **180**  
 South America  
 coastal wetlands, **45**, 132–138  
 confusion in plant names, 143, 143  
 invasive species, 293  
 mangrove distribution, 8  
 subarctic salt marshes, 149–152  
 subtropical salt marsh, 138–146  
 temperate salt marsh, 146–149  
 tidal scales in, 14  
 tropical salt marsh, 134–138  
 soybeans, 276  
*Spartina alterniflora* (grass)  
 adaptations to salinity, 20, **21**, **113**  
 and sedimentation, 106  
 feeding role in, 30  
 in mesocosm research, 285–286, 289, 293, 294  
 invasive species, 52, 90, 228, 293  
 salt marsh energy production, 24, 38  
*Spartina anglica* (cordgrass), 48, 52, 190, 228  
*Spartina brasiliensis* (cordgrass), 135, 138  
*Spartina cynosuroides* (grass), 105, **113**, 115  
*Spartina densiflora* (cordgrass), 138, 142, 147. *See also* invasive species  
*Spartina foliosa* (grass), 52  
*Spartina maritima* (cordgrass), 179, 193  
*Spartina patens* (marsh hay), 20, **21**, 105, **113**, 291  
*Sporobolus robustus* (grass), 160  
*Sporobolus virginicus* (grass), 135, 179  
 St. Lucia Bay (KwaZulu Natal), 153  
 statistical methods  
 principle components matching analog (MAT), 258  
 Q-mode factor analysis (QFA), 258  
 Taxonomic Uniformitarian Method, 257  
*Stern Review* (report), 44  
 storm surges  
 and wetland destruction, **47**, 50, 76–77, 211  
 definition, **13**, 15, **15**  
 marshes a buffer for, 300  
 stressors. *See* destruction (weather), destruction (mangrove), destruction (anthropogenic), global warming  
 stromatolites, **125**, 127–128, 238–239, **238**. *See also* algae  
*Suaeda* (seablite), 146, 179, 190, 197, 198, 228, 230, 241  
 subarctic salt marsh  
 as type of climate zonation, **58**, **60**, 63, **63**  
 mesocosm studies, 282, **283**, **284**  
 North America, 77–87  
 South America, 149–152  
 subtropical salt marsh  
 Africa, 172–177, **178**, 179–181, **180**  
 as type of climate zonation, **58**, **60**, 64

- subtropical salt marsh (cont.)  
 North American, 114–129  
 South America, 138
- success (restoration), 288, **288**, 289
- Sunderbans. *See* Ganges River delta (Asia)
- Superstorm Sandy, **15**, 16, **16**, 113, **114**. *See also* hurricanes
- Super Typhoon Tip, **15**
- tannes (definition), 166
- Taxodium distichum* (tree), 115
- Tecticornia australasica* (herb), 236
- tectonic forces  
 and earthquakes, 248–250, **249**  
 and estuary formation, 9  
 different from climatic conditions, 262–263
- temperate salt marsh  
 African, 178–179  
 as type of climate zonation, **58**, **60**, 63  
 Asian, 225–230  
 Australasian, 238–247  
 Middle East, 202–208  
 North American, 87–113  
 South America, 138, 140–149  
 worldwide, **3**
- temperature  
 and coastal wetland distribution, 7  
 and type of wetland, 5  
 fluctuation effect on salt marsh, 12–14
- tern (bird), **102**
- Tethys Sea, **65**, 66
- The Collapse of the Eastern Mediterranean* (book), 190
- The Greater St. Lucia Wetland Park (South Africa), 179–181, **180**
- The Green Delta. *See* Ganges River delta (Asia)
- The Illiad* (poem), 196
- The Vanished Ocean* (book), 190
- thecamoebians, 194, 250, **251**
- thermokarst melting, **60**, 73, 77
- Three Gorges Dam, 229
- tidal flats  
 Asian, 227–228  
 elevation gain from sediment, 18  
 formation, 9
- tidal freshwater wetlands, 200, 204
- tidal power (electricity generation), 109
- tidal range (definition), 14
- tidal scales  
 in choked salt marsh, 142  
 largest in world, 106  
 specific vertical zones for salt marshes, 12–14, **13**
- tidal wetlands eco-region, 214
- tides  
 and definition of wetlands, 5–6, **6**, 19–20  
 and mangrove species types, 235–236  
 and salt marsh animal adaptation, 34  
 continuous connection to ocean needed, 95  
 fluctuation effect on salt marsh, **13**  
 navigation charts, 6, **6**  
 surge, **107**, 109, **109**
- Tierra del Fuego (South America), 149–152
- tigers, **211**
- Tigris–Euphrates River (Middle East), **202**, **203**, **206**
- Tijuana Estuary (United States/Mexico), 101–103, **101**, **102**, 280, 285. *See also* Mexico
- tipping point, 49–51, **51**
- Tohokuoki Japan earthquake (2011), 254
- tomato, 276, **277**
- Torrey Canyon* tanker (oil spill), 56
- tree ring dating, 252, 267
- tree types. *See also* mangrove types  
 bay, 117, **117**  
 billabongs, 231, 232  
*Carapa procera*, 165  
*Casuarina glauca*, 241  
*Casuarina obesa*, 240  
*Conocarpus erectus*, 118, **118**, **119**, 125, 131, **131**, 165  
*Eucalyptus*, 29  
 legume, 165  
 palm, 26, 52, 155, 165, 214, 219  
*Taxodium distichum*, 115  
*Triglochin striata*, 241, 244  
 Trinity Inlet region (Australia), 234–237, **235**, **236**
- trophic dynamics. *See* energy flow
- tropical salt marsh  
 African, 172–177  
 as type of climate zonation, **58**, **60**  
 Australasian, 237  
 North America, 26, 64, 129–131  
 South America, 134–138
- Troy (Turkey), 196, **196**
- tsunamis. *See also* paleoseismology  
 damage from, **15**, 210, 261–262  
 definition, 15  
 marshes a buffer for, 300  
 Orphan Tsunami (Japan), 258–259
- Tuktoyaktuk (Canada), 73–74
- Typha angustifolia* (cattail), **113**
- Typha domingensis* (cattail), 204
- typhoons, 15, **15**
- UNESCO. *See* United Nations Educational Scientific and Cultural Organization (UNESCO)
- United Nations Educational Scientific and Cultural Organization (UNESCO), 129, 178, 192, **201**
- United States. *See also* North America  
 restoration projects, 286–288  
 salt marsh formation, 12  
 subtropical salt marsh, 101–103, 280, 285  
 temperate salt marshes, 88–101, 263–264
- UV exposure (ultraviolet), 59
- UV-B damage (ozone), 152

- Valdivia earthquake (Chile), 147–148, 260–261, **262**
- Vallisneria spiralis* (seagrass), 204
- Venice (Italy), **192**
- vertical distribution. *See* high marsh, low marsh
- vertical zonations. *See also* high marsh, low marsh and pollen archives, 29
- in marsh areas, 12, 19–20, **21**
  - mangrove, 25–26, **27**, 135, **139**
  - salt marsh animals, 34–35, **36**
  - salt marsh plants, 68–70
- Vietnam, 53, 215–222, **217**, **220**
- Vietnam War, 219
- vivipary (mangrove reproduction), 26, **27**
- waddens, 187–189, **188**, **189**
- wallaby, 237
- wave erosion
- Amazon River estuary, 132
  - shoreline change, 59, 113
- weasel, 34
- West Africa wetlands, 156–172
- wetland services. *See also* ecosystem service, energy flow
- Asian tropical salt marsh, **217**
  - definition, 57–59, **58**
  - mangrove, **164**, 166, **216**, **271**
  - of African wetlands, **161**
  - use by animals, **272**
- wetlands studies. *See also* ionic databases
- foraminifera, 246–247
  - forecasting global warming impact, 4
  - future research, 4
  - global approach to, 1
  - ionic databases for salt stress in farmlands, 4
  - mangrove, 241–242, 245
  - whole-system studies, 280–285, **280**, **281**
- Wildlife Wetlands Sanctuary (NOAA), 101, **102**
- Willapa Bay (United States), 88–90, **89**
- world
- Gambia longest estuary, 163
  - largest Arctic salt marsh, 59
  - largest estuary in USA, 110
  - longest salt marsh, 153
  - most southern marsh, **151**
  - tidal scales in, 6
  - water supply, 278
- World Atlas of Mangroves* (book), 156
- World Wetlands Day (United Nations), 1
- worms, 240–241
- Xylocarpus australasicum* (mangrove), 236
- Xylocarpus granatum* (cannonball mangrove), 181, 214, 219, **223**, 267
- Yangtze River delta (Asia), 226, 228–230, **229**
- Yellow River delta (Asia), 226–228
- Zannichellia palustris* (pondweed), 141, 204
- Zostera capensis* (seagrass), 179
- Zostera capricorni* (seagrass), 236
- Zostera marina* (seagrass), 193, 198, **289**
- Zostera noltii* (seagrass), 193