

## Index

- 3D-reconstructed spatial data analysis, 643
- 3D reconstruction of psychophysiological data, 640–642
- abdominal adiposity, 534
- Abell, T. L., 263
- Abelson, J., 72
- Abelson, J. L., 257
- Abelson, R. P., 583, 586, 598, 605, 606
- abnormal physiology, 548
- in schizophrenia, 548
- ACC. *See* anterior cingulate cortex
- acceleration index (ACI), 205
- ACE. *See* angiotensin converting enzyme
- ACE inhibitors, for hypertension, 191
- Achilles tendon reflex, 168
- ACI. *See* acceleration index
- Ackermann, K., 434, 482
- acoustic startle reflex, 551
- acquisition artifacts, 46–47
- ACTH. *See* adrenocorticotrophic hormone
- action
- emotions and, 446
- activation
- muscle tension as a measure of, 549
- of physiological states, 7
- active coping responses, 411
- active electrodes, 81
- active TMS, vs. sham TMS, 137
- acute coronary syndrome, 529
- acute lipid responses, 534
- adaptive functioning, in infancy, 498
- adaptive immune system, 377
- co-stimulatory signals, 379
- inhibitory signals, 379
- adaptive immunity
- Concanavalin A (Con-A), 381
- depression and, 381
- phytohemagglutinin (PHA), 381
- pokeweed mitogen (PWM), 381
- psychoneuroimmunology influences on, 381
- system, 379
- ADHD. *See* attention deficit hyperactivity disorder
- Adolphs, R., 29
- adrenal glands
- epinephrine secreted by, 190
- adrenal medulla, cholinergic innervation of, 190
- adrenocortical activity, 496
- adrenocorticosteroid response, 413
- adrenocorticotrophic hormone (ACTH), 468
- anterior pituitary gland and, 468
- stress and, 413
- Adrian, E. D., 152
- adult onset (Type 2) diabetes, 533
- behavioral factors associated with, 533
- blood pressure and stress, 534
- predictors of, 533
- adults
- early life stress and, 385
- inflammation and, 391
- affective and linguistic prosody, 513
- affective computing, 302
- affective startle paradigm, 552
- afferent neural routes, 415
- afferent viscerosensory information, 435
- affine transformation matrix, 60
- AFNI, 66
- African-Americans
- atopic dermatitis rates for, 537
- diabetes mellitus risks of, 533
- hypertension risks of, 532
- Agras, W., 290
- Aguirre, G. K., 54
- Aiken, L. S., 673
- AIM 8 impedance device, 203
- Air Traffic Controller Health Change Study, 533
- alarm stage, 413
- alcoholism
- crime memory and, 575
- infectious illness and, 536
- stress and, 476
- Aldini, Giovanni, 116
- aliasing, 632
- allergic/atopic conditions, 537
- allodynamic regulation, 405
- allostasis, 404
- considerations of, 404
- regulatory/homeostatic reflexes, 404
- stress and, 412–414
- visceral functions and, 404
- allostatic load, 404, 413, 552
- asthma and, 538
- chronic, 528
- allostatic modulations, 404
- allostatic regulation, 404
- allostatic theory, 528
- Alloway, W. R., 574
- alpha band (oscillations), 78, 500, 636
- alertness attenuation of, 78
- alpha asymmetry index, 291
- ASD children and, 501
- emotions and, 501
- frontal alpha asymmetry, 501
- frontal lobe asymmetry of, 501
- of adults, 500
- of infants, 500
- opening of eye changes in, 635
- Alpher, V. S., 248
- alternative forms reliability, 614
- Altmann, E. M., 585
- Alvarez, I., 324
- Alvarez, W. C., 258
- Alzheimer's disease
- characteristics of, 36
- hippocampal atrophy in, 477
- marker for early onset of, 44
- Amaral, D. G., 470
- ambulatory blood pressure, 527
- ambulatory monitoring, 527–528
- ambulatory psychophysiological recording, 303
- ambulatory psychophysiological techniques, 531
- ambulatory recording devices, 3
- American Polygraph Association, 569
- American Psychological Association, 16, 583, 595
- amnesia
- CAR and, 481
- amygdala
- attention and, 437
- bilateral damage, 221
- emotion regulation in, 31
- fear conditioning and, 220
- sexual behaviors and, 292
- startle reflex and, 406
- sustained threat and, 552
- threat evaluation by, 470

- anal blood flow/muscle activity  
measurement, 291
- analysis of covariance (ANCOVA), 556, 597
- analysis of phase values, 639
- analysis of variance (ANOVA)  
interaction effects explained by, 601  
measures of, 596  
regression alternatives to, 599–601
- anatomy  
cardiovascular system, 183–188  
components of, 6  
defined, 4  
gastric, 259  
of facial expressions, 153
- ANCOVA. *See* analysis of covariance
- Anderson, S. W., 221
- Andre, L., 270
- Andreassen, O. A., 348
- Andreassi, J. L., 218
- Andresen, V., 277
- androgens  
male sexuality effects of, 286
- anger  
as psychological state, 449  
anger provocation study, 232
- angiotensin converting enzyme (ACE), 191
- animal research, 3, 383  
lesion studies, 65  
neuronal activity in, 652  
on EDA, 219  
sleep studies in, 382  
TMS and, 120, 129
- anisotropic diffusion, 654. *See also*  
diffusion-weighted imaging
- annotation tag prevalence analyses  
software for, 369
- anorexia nervosa, EGG, 271
- ANOVA. *See* analysis of variance
- ANS. *See* autonomic nervous system
- anterior cingulate cortex (ACC), 219  
ERN generated in, 90  
schizophrenia and, 555  
the Stroop task and, 194
- anterior pituitary, 471
- anterior superior temporal gyrus  
(STG), 513
- antibody titers, stress linked with, 207
- anticipatory controls, 402
- antidepressants, 382, 417
- antigen-presenting cells (APCs), 379
- anxiety  
anxious apprehension, 552  
anxious arousal, 551  
attentional biases/disorder, 554  
attentional control theory, 554  
EMG activity and, 165  
generalized, 553  
memory and, 554  
physiological activation and, 8
- APCs. *See* antigen-presenting cells
- apocrine sweat glands, 218
- applied psychophysiology, 5
- approach-avoidance, 444
- approach temperament, 552
- ARAS. *See* Ascending Reticular Activating System
- arcuate component, 512
- arcuate fasciculus, 513
- arginine vasopressin (AVP)  
ACTH release activation by, 469  
hypothalamus synthesization/release of, 468
- Aristotle, 151
- Arnrich, B., 223
- arousal  
ARAS and, 414  
concept of, 3  
construct limitations regarding, 415  
multilevel analyses of, 414  
systems, 414
- ArrayExpress, 357
- arrhythmias  
ICDs implantation for, 531
- arterial baroreceptors, 192
- arterial spin labeling (ASL), 43, 44
- arterial tonometry blood pressure  
measurement, 200
- arterioles, blood pressure and, 186
- artifact correction, 84
- artifacts  
acquisition, 46  
blinks/eye movement's generation of, 83  
BOLD method negatively impacted by, 46  
correction of, 84  
examples of, 644  
motion, 308  
muscle activity, 82  
outliers and, 628  
rejection, 83  
removal of, 83–84  
signatures of, 645
- Ascending Reticular Activating System  
(ARAS), 414
- ASD. *See* autism (spectrum disorder)
- ASL. *See* arterial spin labeling
- assays  
blood, 3  
gene expression, 363  
tissue, 3
- assessment methods, electronic, 303
- association analysis, 345–348
- Association for Applied Psychophysiology  
and Biofeedback, 540
- association studies, 339, 345  
for blood pressure and heart rate, 348  
trait/genetic variants, 345
- assumptions  
presupposition of psychophysiology, 6
- asthma, 537  
bronchial, 540  
corticosteroid positive anti-inflammatory influence on, 537  
heart rate variability biofeedback for, 540, 541  
symptoms of, 537
- atherogenesis  
inflammation and, 530
- atherosclerosis  
as basis for coronary heart disease, 529  
as inflammatory disorder, 208  
inflammation and, 386
- atlas of brain (Talairach & Tournoux), 66, 642
- atopic dermatitis, 537
- atrioventricular (AV) nodes (of heart), 184
- attention, 554  
anxiety and, 555  
as cognitive system, 554  
children's first year of life, 496  
continuous performance task used for, 503  
covert focus of, 90  
depression and, 554  
DLPFC and, 554  
dysfunction in schizophrenia, 554  
heart rate and, 496  
natural environments and, 304  
oscillatory abnormalities and, 554  
overt, 431  
psychophysiological studies of, 4
- attention deficit hyperactivity disorder  
(ADHD), 505
- attention termination, baseline level, 496
- attentional blink paradigm, 516
- attitudes  
pupil size hypothesis, 12
- auditory evoked potential, 102
- auditory oddballs, 89, 90, 694
- auscultatory blood pressure  
measurement, 199
- autism (spectrum disorder), 47  
alpha bands in children with, 501  
continuous performance task for  
children with, 503  
facial coding systems and, 172  
left frontal asymmetry in children with, 501  
RSA and, 498
- autocorrelation  
generalized least-squares and, 62
- autonomic activation, 410, 413
- autonomic balance, 408
- autonomic balance, in cardiac control, 530
- autonomic conditioning studies, 230
- autonomic hyper-arousal, schizophrenia, 234
- autonomic nervous system (ANS), 188–191, 446  
appearance of eyes, 449  
arousal, 451  
autonomic ganglia of, 188  
autonomic quiescence, 451  
autonomic reciprocity, 407  
autonomic response specificity, 411  
baroreceptor heart rate reflex and, 192  
behavior's influence on ANS via HRV, 498  
cardiovascular system controlled by, 188  
coherent activity patterns, 445  
coloration, 448  
fight, flight, anxiety, worry and, 272  
functioning, 498  
heart innervation by, 190–191  
higher neural controls of, 192–194  
moisture and secretions, 448–449  
neurotransmitters of, 189  
peripheral components of, 188  
protrusions, 449  
response patterns, 207  
specific activity patterns, 445  
autonomic space model, 408

## 700 INDEX

- AV. *See* atrioventricular (AV) nodes (of heart)
- average common reference, 82
- aversive stimuli, 220
- schizophrenia and, 235
- AVP. *See* arginine vasopressin
- awareness training
- bodily, 436
- physiological, 450
- awe
- as psychological state, 449
- Ax, A. F., 232
- B cell activation
- of immunoglobulin, 537
- Bacon, A. K., 551
- Bacon, Francis, 6
- Bahrack, H. P., 165
- Barker, A. T., 117
- Barlow, D. H., 289, 290, 293
- baroreceptor effectiveness index (BEI), 203
- baroreceptor reflex, 191, 202–203
- baroreflex measures, 202–203
- Barrett, L. F., 444
- Bartak, A., 223
- basal temporal language area, 513
- baseline correction, 84
- Basmajian, John, 171
- Bayesian solutions, 600
- Beaumont, W., 258, 272
- Becker, M. A., 599
- Becker, R., 289
- behavior
- inflammatory regulation of, 387–389
- (laboratory induced) risks, 301
- plasticity, adaptability, variability in, 4
- regulation of immunity, 389–391
- behavior genetics, 339
- causal modeling and, 343
- dizygotic (DZ) twins, 341
- monozygotic (MX) twins and, 341
- Behavior Research Methods* (journal), 583
- behavioral inhibition, anxiety disorders and, 553
- behavioral medicine, 526, 527, 540
- mental stress testing/method of investigation, 542
- behavioral neuroscience, 4, 6
- behavioral outputs, 18
- behavioral science, 26
- BEI. *See* baroreceptor effectiveness index
- Ben-Shakhar, G., 227, 229, 649
- Bercovici, B., 287
- bereavement, 383, 384
- Berger, H., 74, 102, 549
- Bernard, Claude, 401, 466
- Bernstein, D. P., 205
- Berntson, G. G., 41, 170, 195, 198, 224, 408, 594, 633
- BESA dipole analysis, 650
- beta-blockers, 454
- between-subject factors, 586
- bootstrapping procedure with, 108
- bias, facial expressions and racial, 163
- Biferno, M. A., 229
- Bimodal Interactive Activation Model (BIAM), 516
- Bini, Lucio, 116
- Binik, Y. M., 288
- biofeedback, 5
- epilepsy and, 541
- rehabilitation and EMG, 171
- bioinformatics, interpretive, 369
- biomarkers
- airborne, 303
- daily life sensitivity of, 303
- saliva collection procedures and, 303
- biopotential recording, 303
- dry electrodes, 303
- non-contact electrodes, 303
- biphasic magnetic pulse waveforms, 121
- blanching/facial pallor, 448
- blink reflex, 168
- blood assays, 3
- blood collection, CORT measured via, 480
- blood glucose test, 10
- blood oxygenation level dependence (BOLD), 17
- fMRI and, 17, 43, 45, 55, 647
- physiology of, 48–49
- blood pressure, 186, 199–200, 201
- arterial tonometry blood pressure measurement, 200
- arterioles and, 186
- auscultatory blood pressure measurement, 199
- baroreceptor heart rate/vascular reflex importance for, 202
- cardiac natriuretic system and, 191
- defined, 186
- diastolic (DBP), 186
- general measurement issues for, 200
- oscillometric blood pressure measurement, 199–200
- plethysmography measurement of, 200–201
- systolic (SBP), 186
- Blumenthal, T. D., 165
- bodily awareness training, 436
- Boelhouwer, A. J. W., 168
- Boiten, F. A., 248
- BOLD. *See* blood oxygenation level dependence
- Bonferroni correction, 64, 359
- Borenstein, M., 586
- Boucsein, W., 218, 219, 222, 224, 225
- Boulogne, Guillaume Duchenne de, 152
- brachial artery ultrasonography, 201
- Bradley, M. M., 169, 230
- Bradley, W. E., 290
- brain
- activation of HPA axis, 380
- asymmetry of, 35
- GI system's interaction with, 258, 272
- imaging techniques for, 3
- parasympathetic nervous system communication with, 258
- preservation of 3-D structure of, 642
- reticular activating system in, 3
- skin's connection with, 218–219
- Talairach/Tournoux atlas of, 642
- transcranial magnetic stimulation of, 3
- brain activity sensing, 324
- brain derived neurotrophic factor (BDNF), 125
- brain imaging techniques, 3
- brain lesions
- EDA and, 219
- brain mapping, 639
- surface maps, 639–640
- brain microstates, 102
- brain structure, association with cognitive function, 8
- brainstem
- auditory evoked potential, 102
- reflexes, 191–192, 193
- Brainstorm*, 105, 108
- branching varicose nerve fibers, 428
- breast cancer, inflammation associated with, 387
- Brennan, R. L., 616, 621
- Britt, T. W., 165
- Broca, Paul, 26, 512
- Broca's area, 7, 35, 513, 552
- Brod, Jan, 532
- Brodmann, Korbian, 27, 30, 66
- bronchial tubes, 245
- Bronk, D. W., 152
- Brown, B. H., 263
- Brown, C., 520
- Brumbaugh, C. C., 248
- Brunia, C. H. M., 165, 168
- Brydon, L., 534
- Bush, L. K., 594, 604
- Buske-Kirschbaum, A., 537
- Cacioppo, J. T., 157, 162, 164, 170, 408, 584, 594, 625
- CAH. *See* congenital adrenal hyperplasia
- Camillieri, M., 277
- cancer, 386–387
- Cannon, T. D., 235
- Cannon, W. B., 258, 263, 401, 402, 404, 407, 412, 413, 417, 429, 446, 466
- canonical neurons, 4
- CARDIA. *See* Coronary Artery Risk Development in Young Adults (CARDIA) study
- cardiac autonomic balance (CAB), 410
- cardiac autonomic regulation (CAR), 410
- cardiac cycle, 184–185
- cardiac imaging, 206
- cardiac magnetic resonance imaging (MRI), 206
- cardiac natriuretic system, 191
- cardiac output (CO), 187, 204, 205, 207
- cardiac vagal control, 454
- cardiologists, 206
- cardiovascular disease risks, 201, 208
- cardiovascular measures
- VU-AMD impedance device, 203
- cardiovascular reflexes, 191, 192. *See also* chemoreceptor reflexes
- cardiovascular system
- anatomy/physiology of, 183–188
- autonomic nervous system control of, 188
- brain imaging methods and health of, 193–194
- brainstem reflexes and, 191–192
- cardiac anomalies, 206
- central neural control of, 191–194
- loneliness influence on, 207–208

- stressors' effect on, 208  
 vasculature and, 183  
 water balance of, 191
- Carlson, A. J., 263
- Carmichael, M. S., 291
- carotid ultrasounds, 530
- carpal tunnel syndrome, 538
- Carriere, K. C., 597
- Casali, J. G., 253
- catecholamines, 190, 472, 483
- caudal neural system, 415
- CD4+ cells, 381, 382  
 T lymphocytes, 362
- CD8+ cells, 381, 382  
 T lymphocytes, 362
- CENA. *See* Chicago Electrical Neuroimaging Analytics
- central nervous system (CNS)  
 external physical/social environment and, 379
- cephalic-vagal reflex, 258, 271
- cerebral cortex  
 distributed hierarchical model, 28  
 frontal lobe, 32  
 localization of function, 29  
 occipital lobe, 29  
 parietal lobe, 30  
 temporal lobe, 30
- Cerletti, Ugo, 116
- channel, EEG recording systems, 81
- Chapman, A. J., 163
- Chapman, J. P., 597
- Charcot, Jean, 217
- chemoattractants, 378
- chemokines, 208, 378
- chemoreceptor reflexes, 192
- chemoreceptors, 192, 246
- Chen, D. D., 271
- Chen, E., 248, 477
- Chen, J. D. Z., 271
- Chen, Y., 164
- Chey, W. Y., 263
- Chicago Electrical Neuroimaging Analytics (CENA), 102, 103, 104  
 Confidence Interval (CI), 105  
 global field power (GFP), 107  
 root mean square error (RMSE), 106
- children  
 atopic dermatitis and, 537  
 cognitive growth of, 498  
 parent-child attachment, 496  
 shy, 501  
 social engagement, 498
- choice-2 reaction time task, EMG activity during, 166
- cholecystokinin (hormone), 260  
 effect on postprandial gastric myoelectrical activity, 271
- Chomsky, Noam, 511
- Chovil, N., 163
- Christie, M. J., 218, 224, 226
- chronic pain syndromes, 433
- chronic stress  
 CAR and, 481  
 immune system and, 383
- Cialis (tadalafil), 285
- Cidex OPA (ortho-phthalaldehyde), 286
- Cidex Plus (glutaraldehyde), 286
- circadian cycles, 404
- circadian rhythms, 140
- CIT. *See* Concealed Information Test
- Cleveland, William, 680
- clinical psychophysiology, 5
- clitoris  
 anatomy of, 284  
 arousal neurophysiology of, 285  
 CAH enlargement of, 289  
 Doppler ultrasonography measurement of, 289  
 mechanical strain gauge measurement device, 289
- close-loop baseline procedure, for EMG, 162
- cloze probability, 517
- CNV. *See* contingent negative variation
- CO. *See* cardiac output
- cognition  
 psychophysiological studies of, 4
- cognitive behavioral stress management, 359
- cognitive control, 555
- cognitive neuroscience, 6
- cognitive psychophysiology, 5
- cognitive systems  
 auditory perception, 554  
 declarative memory, 555  
 executive function (EF), 555  
 RDoC approach, 556  
 response selection, 555  
 visual perception, 554
- Cohen, J., 586, 599
- Cohen, P., 599
- coil types (TMS), 118–119
- cold face stress, 273
- cold pressor test, EEG activity and, 273
- Coles, M. G., 644
- commonalities, in health disorders, 539
- comparison question technique (CQT), 567
- complex words, 512
- computational modeling, 3
- computed tomography (CT), 206
- computer modeling, 28, 248
- Concealed Information Test (CIT), 229.  
*See also* Guilty Knowledge Test (GKT)
- concomitants, psychophysiological, 12–13  
 concurrent validity, 622
- congenital adrenal hyperplasia (CAH), 289
- connectivity analyses, 513
- Conserved Transcriptional Response to Adversity (CTRA), 380
- construct validation, 623–624
- constructs  
 inferences about, 612
- content validation, 622
- contingent negative variation (CNV), 651
- contour following integrator, as online 'smoother,' 160
- controllable pulse parameter device (cTMS), 118
- coping  
 active responses, 411  
 passive responses, 411
- corneal-retinal potential, 83
- Coronary Artery Risk Development in Young Adults (CARDIA) study, 532
- coronary atherosclerosis, 529
- coronary heart disease (CHD), 529  
 risk factors for, 529
- CORT (cortisol), 469  
 daily secretory pattern, 467  
 interactions with forebrain structures, 469  
 transport/tissue compartments/cellular actions, 467
- cortical pyramidal cells, EEG and postsynaptic potentials in, 76
- cortico-spinal pathway, 168
- corticotropin releasing factor (CRF), 468
- cortisol responses, 537
- cosine similarity metric, 107
- cosine window, 198
- Cottam, G. L., 165
- Cotter, G., 313
- Courtney, C. G., 223
- covariance, analysis of, 556, 597
- covariance structure, 663–665
- covariates of no interest, 59
- coxsackie virus, 381
- CQT. *See* comparison question technique
- cranium, magnetic field flux penetration of, 117
- CRF. *See* corticotropin releasing factor
- criminal, lie detection for, 565
- Critchley, H. D., 272
- criterion-related validation, 622–623
- Cronbach, L. J., 616
- cross-correlation methods, as pattern recognition algorithms, 645
- CT. *See* computed tomography
- cTMS. *See* controllable pulse parameter device
- Curtin, J., 236
- Cuthbert, B. N., 230
- cytotoxic T cells, 378, 379, 381, 382
- d'Arsonval, Jacques-Arsene, 117
- D'Esposito, M., 476
- dACC. *See* dorsal anterior cingulate cortex
- Damen, E. J. P., 165
- Darrow, C. W., 218, 322
- Darwin, Charles, 27, 151, 152, 153, 163, 167, 449  
 on facial expressions/emotion, 163
- data, 591, 592, 595, 645  
 acquisition of, 590  
 analysis of, 595–605  
 collection/reduction of, 591–594  
 discrete sampling of, 629  
 editing techniques, 592  
 intensity measures, 647–649  
 onset measures, 645  
 ordinal scale/interval scale interpretation of, 652  
 peak measures, 645  
 quality control of, 591–592  
 quantification of, 628, 645–649, 650–652  
 reduction of, 628, 649–650  
 sequential time samples of, 596–597  
 spectral analyses of time series, 603  
 temporal dimensions of, 645–646

- data (cont.)  
temporal domain, 635–639  
transformation/outliers/non-normal distributions, 593–594  
variances of psychophysiological, 629
- data processing. *See* 3D-reconstructed spatial data analysis; time constant parameters  
amplitude measures, 639  
data reduction phase, 628  
filtering/artifact problems, 643–645  
pattern-recognition algorithms, 630  
signal-enhancement phase, 628  
spatial dimensions, 639, 646–647  
spatial domain, 639–643  
statistical analysis phase, 628
- data processing problems, 643–645
- data recording methods  
ambulatory BP monitoring, 311  
ballistocardiogram (BCG), 313  
biomarkers, 303  
effects of posture, 305  
ethical/privacy/legal considerations, 325  
external pulses, 316  
laser-based microvasculature imaging, 310  
mechanical signs, 318  
mechanocardiology, 313  
muscle activity, 306  
physical activity recognition, 304  
precordial motions, 314  
thermal imaging, 310
- Davenport, K., 271  
Davenport, M. D., 480  
Davidson, J. M., 291  
Davidson, R. J., 501  
Davis, H., 549  
Davis, J. F., 158, 165  
Davis, P. A., 549  
Davis, R. C., 165, 258, 263  
Dawson, M. E., 222, 223, 229, 231, 236, 321  
Dawson, S. J., 289  
DBP. *See* diastolic blood pressure
- De Incessu Animalium* (Aristotle), 151  
de Moor, M. H., 344  
*De Motu Animalium* (Aristotle), 151  
de Vris, J. J., 223  
De Wever, I., 263
- deception detection, 170
- defensive motivational system, 231, 552
- defensive response (DR), 415
- DEGs. *See* differentially expressed genes
- dementia, 47
- Department of Veterans Affairs Medical Research Service, 484
- depression  
antiviral immune responses and, 380, 381  
EMG influenced by, 164  
factors associated with, 384  
inflammation and, 385  
young adults, studies in, 382
- dermatitis. *See* atopic dermatitis
- developmental psychophysiology, 5, 495
- diabetes insipidus  
vasopressin's absence in, 191
- Diagnostic and Statistical Manuals (DSMs), 549
- Diamanti, A., 271
- diaphragm, 244, 245. *See also* hiccups
- diastolic blood pressure (DBP), 186
- Dickinson, R. L., 284
- Dien, J., 650
- difference wave function, 106
- differentially expressed genes (DEGs), 355, 367
- diffusion tensor imaging (DTI), 42, 136, 654
- diffusion-weighted imaging, 42
- digestion, 260. *See also* stomach  
*Digestion and Health* (Cannon), 258
- Dimberg, U., 164, 230
- dimensional emotions tradition, 447
- dimensional tradition, 446
- dipole analysis  
BESA, 650
- direct psychophysiological therapies, 540
- discourse processing, 513
- discrete emotions tradition, 446
- discrete phenotypes, 341
- discriminant analysis, 652
- disease states, 496
- diseases  
cardiovascular disease risks, 201, 208
- disinfectants, for cleaning genital measurement devices, 286
- distress, 474
- diurnal influences, 497
- Dixen, J., 291
- DLPFC. *See* dorsolateral prefrontal cortex
- Donchin, E., 644, 649, 650
- Donders, Franciscus, 16
- dopamine binding, 43
- dopaminergic system, 414
- Doppler ultrasound techniques, 206, 289  
clitoral measurements using, 289
- dorsal anterior cingulate cortex (dACC), 194  
PTSD and, 551
- dorsolateral prefrontal cortex (DLPFC), 33, 138, 193  
association with anxiety, depression, and attention, 554  
schizophrenia and, 555
- double-dissociation design, EMG activity and, 166
- DR. *See* defensive response
- dreams  
REM association with, 167  
study of, 4
- drowsiness  
alpha oscillations and, 78
- DSMs. *See* Diagnostic and Statistical Manuals
- DTI. *See* diffusion tensor imaging
- Du Bois-Reymond, E., 151
- dual route model, 519
- dualism, monism vs., 3
- dynamic causal modeling, 558
- earlier left anterior negativity (eLAN), 519
- Eason, R. G., 166
- EBCT. *See* electron beam computed tomography
- Eccles, J. C., 156
- eccrine activity sensing, 320  
hydration and evaporation, 322  
pore-based methods, 323
- eccrine sweat glands, 189, 218
- echocardiography, 206  
disadvantages of, 206  
heart imaging via, 206  
real-time 3D echocardiography (RT3DE), 206
- EDA. *See* electrodermal activity
- Eddy, M., 604
- Edelberg, R., 219, 223
- EE continuum. *See* expressed emotion continuum
- EEG. *See* electroencephalogram; electroencephalography; equivalently expressed gene
- EEG frequencies  
alpha band, 78  
beta band, 79  
delta band, 79  
gamma band, 79  
theta band, 79
- effector molecules, 377
- EKG. *See also* electrogastrogram  
as indirect measure of gastric emptying, 264
- Ekman, Paul, 163
- Elber, L., 229
- elderly people  
hippocampal atrophy in, 477
- electrical stimulation  
muscle studies and, 152  
tDCS and, 127
- electrocardiography (ECG)  
Holter monitoring, 301  
psychophysiological measures of, 194–195  
sexual intercourse measurements, 284
- electrocontractile complex, 265
- electrodermal activity (EDA), 217, 218, 222–224, 226, 320, 453  
advantages/disadvantages of use of, 228–229
- ambient temperature/time of day recording choices, 224
- analog recording form measurement of, 222
- anatomical/physiological basis of, 218–221
- animal studies (cats) of, 219  
as example of slow time constant, 631  
as response system of choice, 228
- brain lesions and, 219
- continuous sampling of, 222
- continuous stimuli influence on, 231–232
- contralateral cortical/basal ganglion influences on, 219, 223
- description of, 218
- discrete stimuli influence on, 229–231
- distal/medial phalange recording sites, 222
- EE continuum and, 234–235
- electrode issues, 222
- energy regulation/energy mobilization and, 232
- extraneous individual differences variability, 227

- harmless/risk-free recording techniques for, 228
- historical issues regarding, 218
- hypothalamus/limbic system ipsilateral influences on, 219, 223
- individual differences in, 232–237
- inexpensiveness of, 228
- Jung's experiments with, 218
- physical recording basis, 221–222
- psychological significance of, 218
- psychopathy and, 235–237
- quantification procedures, 224–228
- recording systems, 222–224
- recording/quantifying, 218
- schizophrenia and, 233–235
- secretory theory of, 218
- social stimulation influence on, 232
- strong emotion elicitation of, 232
- sweat gland involvement with, 218, 219, 228
- test–retest reliability of, 228
- Vigouroux's vascular theory of, 218
- wide-ranging uses of, 217
- electrodermal labiles/stabiles, 233
- differences between, 233
- electrodermal lability
- description of, 232
- in normal populations, 233
- in psychopathy, 235–237
- in schizophrenia, 233–235
- SCRs/NS-SCRs and, 233
- electrodes
- Ag/AgCl gel electrodes, 303
- dry, 303
- EDA considerations for, 222
- EGG usage of, 266
- ground, 82
- non-contact electrodes, 303
- tDCS, 119
- electroencephalogram (EEG), 74
- neural origins of, 76–78
- electroencephalography (EEG), 74, 76
- EEG/ERP, equipping a lab, 96
- EEG/ERP optimizing data quality, 98
- EEG/ERP safety, 98
- EEG/ERP subcomponents, basis functions, 79
- high-density, 101
- sleep studies usage of, 167
- spatial resolution, 78
- temporal resolution, 78
- electrogastrogram (EGG), 258, 262, 263, 269, 271
- abdominal site choice, 266
- cold pressor test influence on, 273
- disgust and, 271–272
- dominant frequency/stability of dominant frequency, 270
- eating's influence on patterns of, 270–271
- electrodes used for, 266
- FFT and, 267
- functional dyspepsia and, 272
- future research directions of, 278–279
- gastric motor activity and, 263–264
- gastric myoelectric activity and, 263–264
- nausea/motion sickness and, 274–275
- pacesetter/second potentials reflected in, 263
- percentage distribution of power of, 269
- percentage of time with dominant frequency in normal band, 270
- physiological basis of, 264–265
- preparations for, 266
- recording of, 266
- respiration's influence on, 267
- sham feeding procedure measurement of, 271
- spectral analysis of, 267–269
- stressors' influence on, 273
- electrogastrography, 258–262
- physiological basis of, 259–265
- electromyographic activity/signals, 163, 165, 167
- amplification of, 159
- as voltage time function, 161–162
- choice-2 reaction time measurement of, 166
- clinical depression's influence on, 164
- conditional probability paradigm and, 166–167
- double-dissociation design and, 166
- in normal/anxious people, 165
- manipulated response paradigm and, 169–170
- mimicry and, 164
- observers' influence on, 163
- outcome paradigms and, 164–166
- racial bias and, 163
- reflex probe paradigms and, 167–169
- silent language processing and, 166, 167
- electromyography (EMG), 152, 153, 161, 164. *See also* surface electromyography (EMG)
- advantages/disadvantages of, 154
- as example of fast time constant, 632
- baselines, 162
- biofeedback, 171
- closed-loop baseline procedure, 162
- emotions and facial, 153, 164, 170
- motivational state's influence on, 165
- MUAP and, 157
- noise reduction/grounding, 157
- non-invasiveness of, 172
- obtrusiveness/reactiveness of surface, 153
- shifts in central tendency of, 161
- signal detection, 157–161
- signal representation, 161–162
- somatic system and, 153
- surface EMG, advantages of, 153
- electron beam computed tomography (EBCT), 530
- electrooculographic (EOG) measurements, 167
- bipolar measurements in, 651
- ELISA. *See* enzyme-linked immunosorbent assay
- embodied cognition, 4
- EMG. *See* electromyography
- emotion
- respiration's influence on, 248
- emotion elicitation, 445
- emotion recognition
- in autistic children, 498
- systems, 172
- emotion(s), 152
- blushing, 448
- crying/sadness, 448
- empathy, 450
- facial EMG studies of, 153
- heuristic model of, 165
- negative, 451
- positive, 451
- tearing, sadness, 448
- emotional contagion, 450
- emotional elicitation, verifying, 452
- empathy, 450
- endogenous event-related potential (ERP) microstates, 106
- endogenous states, 496
- endogenous stimuli, 499
- endophenotypes, 548, 550, 557
- enjoyment
- as psychological state, 449
- enteroglucagon (hormone), 260
- environmental psychophysiology, 5
- environmental stress, 384
- enzyme-linked immunosorbent assay (ELISA), 483
- EOG. *See* electrooculographic (EOG) measurements
- EPI. *See* epinephrine
- epidemiological surveys, 528
- epilepsy, 541
- biofeedback and, 541
- epinephrine (EPI), 47, 190, 465
- epistasis, 340
- epochs correction, 84
- Eppinger, H., 455
- Epstein-Barr virus, 537
- equivalent current dipole, 77
- equivalently expressed gene (EEG), 355
- erectile dysfunction
- drugs for aiding, 285
- NPT recording approach to, 286
- erectile dysfunction, 286
- ERN. *See* error-related negativity
- Ernst, J. M., 251
- EROS. *See* event-related optical signal
- ERPs. *See* event-related potentials
- error-related negativity (ERN), 90
- errors
- specific, 621
- transient, 621
- E-selectin (adhesion molecule), 378
- Esteves, F., 230
- estrogen, 286
- event-related fMRI, 54–55
- event-related magnetic fields (ERMFs), 78
- event-related optical signal (EROS), 632, 639, 641, 644, 647
- event-related potentials (ERPs), 74
- anticipation component of, 651
- approaches to “inverse problem,” 642
- as example of fast time constant, 632
- bootstrapping procedures, 647
- components of, 76, 88–91
- description of, 74
- difference wave, 88
- EEG, MEG, fMRI, PET, fNIRS, EROS and, 639, 641

## 704 INDEX

- event-related potentials (ERPs) (cont.)  
 exogenous v. endogenous types of, 106, 162  
 “forward model” problems, 641  
 high-density, 101  
 history on, 74–76  
 implications when interpreting results of, 78  
 “inverse problem” and, 641  
 markers, 515  
 measurement window, 95  
 mismatch negativity (MMN), 90  
 N2pc component, 90  
 neural origins of, 76–78  
 open field configuration, 657  
 P3 component, 88  
 Picton on auditory, 74  
 quantifying amplitudes, 95  
 reference problem, 651–652  
 response-locked averages, 89  
 signal-to-noise ratio, 109, 635, 645  
 size of, 74  
 spectral perturbations in, 638  
 statistical analysis of, 95–96  
 waveform, 76
- Everaerd, W., 286, 290, 293
- exercise  
 association with depression, 344
- exercise induced ischemia, 531
- exhaustion phase, 413
- exogenous event-related potential (ERP)  
 microstates, 106
- exogenous stimuli, 403
- experimental designs, 585–586  
 computational software used for, 586  
 methodology for, 583  
 participant size determination, 586  
 repeated measures vs. between subject, 585–586  
 sampling issues, 586–588  
 Welch–James test used for, 597
- Exploratory Data Analysis* (Tukey), 592
- expressed emotion continuum (EE continuum)  
 EDA and, 234
- expressive suppression, 450
- exteroceptive senses, 427
- eye movements/blinks  
 innervation ratio and, 156
- Eyer, J., 404
- Fabiani, M., 634, 644, 647
- facial action coding system (FACS), 152, 158, 169, 306, 452
- facial EMG, emotions and, 153
- facial expressions, 153, 163  
 anatomy of, 153  
 depression’s influence on, 164  
 display rule study, 163  
 Ekman’s “neurocultural” model of, 163  
 muscle-by-muscle induction paradigm, 169  
 racial bias study and, 163  
 SMAS and. *See* superficial musculoaponeurotic system
- facial reddening, 448
- FACS. *See* facial action coding system
- factor analysis, 371, 655
- Fahrenberg, J., 583
- Fair, P. L., 164
- false discovery rate (FDR) control, 58, 64, 65, 359
- family-wise error rate (FWER), 58, 64–65
- Faraday’s law, 117
- Fast Fourier Transform (FFT), 636  
 EGG and, 267  
 HRV and, 198
- fasting  
 physiology of, 261
- FBI, GKT and, 574
- FDR control. *See* false discovery rate (FDR) control
- fear  
 as psychological state, 449
- feedback loop, 248
- feedback negativity (FN), 553
- Feldt, L. S., 596
- Feleky, A., 244
- Felleman, D. J., 28, 29
- females, 285  
 estrogen, 286  
 genital anatomy of, 284  
 genital measurement of, 287–289  
 hormonal control in, 285–286  
 measurement comparison studies, 288–289  
 subjective vs. genital responses in, 293  
 vagina/labial temperature measurement, 288
- Ferdinand, Hermann Ludwig, 151
- Féré, C., 217
- fever, heterostatic regulation of, 403
- FFT. *See* Fast Fourier Transform
- fibrinogen, low SES influence on, 530
- Fick (dye dilution) method, 206
- filter(s)  
 basis of, 643  
 data processing problems, 643–645  
 high-pass, 643  
 low-pass, 643  
 notch, 643  
 offline, 644  
 online, 644  
 “optimal,” 644  
 performance operating characteristic (POC) of, 644  
 Vector Filter procedure, 644
- Finnish men stress responsivity study, 531
- Fisher, C., 289
- Fisher, S., 288
- fistula  
 GI system observed via, 258
- Fitts, P. M., 165
- flexible set points, 413
- flow cytometry, 362, 372, 378
- fMRI analysis  
 fixed effects analysis, 63  
 mixed effects analysis, 63  
 random effects analysis, 63
- fMRI connectivity analysis  
 dynamic causal modeling (DCM), 67  
 psychophysiological interaction (PPI), 67
- fMRI experimental design, 53  
 block, 53–54  
 event-related, 54–55  
 m-sequences, 55
- fMRI preprocessing  
 coregistration, 60  
 realignment, 59  
 reconstruction, 59  
 slice timing, 59  
 smoothing, 60  
 warping to atlas (normalization), 60
- fMRI studies  
 dissociations, 51  
 forward inference, 51  
 reverse inference, 50
- fNIRs. *See* functional near-infrared spectroscopy
- Fodor, J. A., 511
- Foerster, F., 604
- Folkman, S., 469
- Fookson, J. E., 635
- forward inference, 41, 50–51
- Fourier transform, 79, 197, 635–637
- Fowler, S. C., 165
- Fowles, D. C., 218, 222, 223, 235
- Fox, N. A., 501
- Fox, P. T., 634
- Frank–Starling mechanism, 187, 247
- FRC. *See* Functional Residual Capacity
- Freedman, L. W., 222
- frequency domain, 635  
 Fourier analysis/autoregressive methods of, 635–637  
 time domain combinations with, 637
- Freud, Sigmund, 28
- Freund, K., 289
- Fridlund, A. J., 157, 162, 163, 165, 594
- Friesen, C. A., 270
- Frijda, N. H., 248
- Fritsch, G., 32, 34
- frontal lobe, 32  
 dorsolateral prefrontal cortex, 33  
 orbital prefrontal cortex, 33  
 prefrontal cortex, 33  
 symptoms, prefrontal injury, 33  
 ventromedial prefrontal cortex, 33
- Fugl-Meyer, A. R., 288
- functional dyspepsia, EGG and, 272
- functional genomics, 355  
 bioinformatics, 355  
 blood-informative transcript, 355  
 coding region, 355  
 complementary DNA (cDNA), 355  
 conserved transcriptional response to adversity, 355  
 DNA, 355  
 epigenetics, 355  
 equivalently expressed gene, 355  
 gene regulation, 355  
 gene transcript, 355  
 genes, 355  
 genetics, 355  
 genome, 355  
 genome sequence (and sequencing), 355  
 genomics, 355  
 high-level (stage 2) statistical analysis, 355  
 low-level (stage 1) statistical analysis, 356  
 microarray, 356  
 mRNA, 356  
 promoter, 356  
 RNA, 356

- RNAse enzyme, 356  
 RNA-seq (RNA sequencing), 356  
 structural genomics, 356  
 transcript abundance matrix, 356  
 transcription factor, 356  
 transcriptome, 356  
 transcriptome profiling, 356  
 variable of interest (VOI), 356
- functional magnetic resonance imaging (fMRI), 17  
 as example of slow time constant, 631  
 EEG or MEG, 47  
 functional neuroimaging studies of  
 autonomic control of, 193  
 genetics and, 47  
 genital response monitored with, 291  
 respiration's influence on, 252  
 resting states studies, 57  
 spatial limitations, 45  
 spatial resolution, 49  
 strengths and weaknesses, 44  
 task-based studies, 43  
 temporal resolution, 49  
 with TMS, 47
- functional near-infrared spectroscopy (fNIRs), 325
- functional neurochemistry, PET measures of, 44
- Functional Residual Capacity (FRC), 250
- fusiform face area, 53
- FWER. *See* family-wise error rate
- GAD. *See* generalized anxiety disorder
- Galen, 6
- Galileo Galilei, 6
- gamma band oscillations, 500, 554
- gamma-band responses, 515
- Gao, Y., 236
- GAS. *See* General Adaptation Syndrome
- gas chromatograph, 277
- gastric electrical stimulation (GES),  
 monitoring effects of, 276
- gastric inhibitory polypeptide (hormone), 260
- gastric motor activity  
 EGG and, 263–264  
 physiological bases of, 258–262
- gastric slow waves, 261, 263
- gastric spike and plateau potentials, 262
- gastrin (hormone), 260
- gastrointestinal (GI) system, 258, 276–278.  
*See also* electrogastrogram (EGG)  
 anatomical/functional relationships  
 within, 264  
 brain's interaction with, 258, 272  
 components/functions of, 259  
 hormones of, 260  
 stress/anxiety's influence on, 272–274
- Gaussian Random Field Theory (RFT), 60, 64
- GCSM. *See* genetic covariance structure modeling
- Geer, J. H., 287
- Geisser, S., 596
- Geldof, H., 271
- gene arrays, 484
- gene–environment (GE) correlation, 343
- gene–environment (G × E) interaction, 343
- Gene Expression Omnibus (GEO), 357
- gene modules, 365
- gene regulation, 354
- gene set analyses, 360
- gene transcription, 354
- General Adaptation Syndrome (GAS), 413
- general linear model, 61
- generalizability theory, 614, 617, 620  
 absolute decision, 618  
 d (adding a day) component, 616  
 error in, 621  
 facets of, 621  
 identifying error components, 620  
 multiple reliabilities explored by, 615  
 nested designs, 617  
 o (observer) component, 615, 616, 617  
 object of measurement component, 615  
 p (persons/participants) component, 615, 617  
 pd (person × day) component, 617  
 po (person × observer) component, 616, 617  
 random effects vs. fixed effects, 617  
 relative decision, 618  
 reliability estimates, 619  
 reliability–validity blending in, 622  
 size of true score and error, 615  
 universe of admissible observations step of, 615  
 universe of generalization step of, 615
- generalized anxiety disorder (GAD), 553
- generalized least-squares, 62
- genes, 355
- genetic covariance structure modeling (GCSM), 341, 344
- genital erection, 449
- genital herpes, 535
- genital measurement devices  
 cross-sex (gender) devices, 291–292  
 disinfectants for cleaning, 286  
 ERP/EEG/fMRI/PET, 291–292  
 men's, 289–291  
 thermography (temperature)  
 measurements, 291  
 women's, 287–289
- genome study design  
 considerations for tissue sampling, 358  
 considerations of timing, 358  
 sample size and statistical power, 359
- Genomes Project Consortium, 346
- genome-wide association studies (GWAS), 339, 346, 349
- genotyping, DNA, 3
- Germana, J., 165
- GES. *See* gastric electrical stimulation
- Gianaros, P. J., 272, 273
- Gilbert, A. N., 163
- Gilbert, C., 170
- Gilbert, J. E., 324
- GKT. *See* Guilty Knowledge Test (GKT)
- global field power (GFP), 107
- glucocorticoid function, 534
- glucocorticoid insensitivity, 380
- glucocorticoid receptor, activation of, 380
- glucocorticoid receptors (GR), 467
- glucocorticoid resistance. *See*  
 glucocorticoid insensitivity
- glutaraldehyde (Cidex Plus), 286
- Gomez, P., 248
- grammatical categories, 514
- grammatical relations, 514
- Grand Mean ERP waveforms, 109
- Granger causality, 656
- Grashuis, J. L., 268, 271
- Gratton, G., 644
- Gravenhorst, F., 223
- Gray, M. A., 272
- Graziano, M. S. A., 32
- Greenen, R., 604
- Greenhouse, S. W., 596
- Grimaldi, D., 306
- Groen-Blokhuis, M. M., 344
- Grossman, P., 199, 223
- ground electrode, 82
- growth hormone, 16, 21
- Guilty Knowledge Test (GKT), 229, 566, 567
- GWAS. *See* genome-wide association studies
- gyri  
 inferior temporal/fusiform/  
 parahippocampal, 513
- Haggerty, R. J., 535
- Hagoort, P., 514, 520
- Hamer, D. H., 345
- hanning window, 198
- happiness, 447
- hardware and software development, 302
- Harrison, N. A., 272
- Hatfield, M. E., 165
- head movements, during time-series experiments, 59
- headaches  
 surface EMG and, 170–171
- hearing, TMS and, 128
- heart  
 atrial/ventricular syncytia of, 183  
 autonomic innervation of, 190–191  
 AV nodes of, 184  
 blood flow regulation of, 187–188  
 blood flow/Poiseuille's Law, 186  
 cardiac cycle/output of, 184–185, 187  
 conducting system of, 184  
 echocardiography measurement of, 206  
 extrinsic/intrinsic mechanisms of, 187  
 Frank–Starling mechanism, 187  
 heartbeat discrimination tasks, 430  
 heartbeat perception tasks, 430  
 heartbeat tracking tasks, 430  
 metabolic theory of, 188  
 muscles of, 183  
 myogenic theory of, 188  
 Ohm's Law relationship to, 186  
 oxygen/nutrient demand theory of, 188  
 parasympathetic nervous system and,  
 190–191  
 period rhythms of, 197–198  
 Purkinje System (fibers) of, 184  
 SA nodes of, 184  
 stress's effect on, 208  
 tissue-based mechanisms of, 187  
 vasodilator theory, 187
- heart brain. *See* parasympathetic cardiac ganglia (“heart brain”)
- heart-evoked potential (HEP), 431



- heart rate, 192, 195  
acceleration, 447, 496  
deceleration, 447, 496  
heart period, 195–196  
reactivity, 496
- heart rate variability (HRV), 196–197  
cardiovascular dynamics insights by, 199  
FFT and, 198  
quantification of, 198–199
- Hebb, Donald, 27
- heightened stress reactivity, 552
- Heiman, J. R., 288
- Helmholtz, H., 151
- helper T (TH) cells, 379, 381
- hemodynamic changes, stress-induced, 531
- hemodynamic response function (HRF), 54, 61
- Henderson, A., 249
- Henson, D. E., 288
- Heraclitus, 126
- Herbert, B. M., 270
- Herbert, C., 270
- heritability, 346, 347, 348  
broad-sense, 340  
genetic factors influence on, 340  
narrow-sense, 340
- Herpes Simplex virus, 208, 381
- herpes virus, 536
- Herring-Breuer reflex (respiration), 246
- Hess, U., 594, 604
- heterarchical organization, 406
- heterodynamic regulation, 403
- heterostasis, 402–404
- heterostatic modulation, 404
- hiccups, 246
- Hicks, B. D., 233
- high-density EEG/ERPs, 101
- high-pass filters, 643
- high performance liquid chromatography, 483, 484
- high stress reactivity, 533
- Hippocrates, 401, 548
- Hispanics, diabetes mellitus risks of, 533
- Hitzig, E., 32, 34
- Hoffman reflex, 168
- Holter monitoring, 308, 531
- Holter, N. J., 307
- homeodynamic regulation, 402
- homeostasis, 401
- Honts, C. R., 170, 570, 573, 574
- Hoon, P. W., 288
- hormone replacement therapy, 286
- hormones  
androgens, 286  
estrogen, 286  
gastrointestinal, 260  
vasopressin, 191
- Hostein, J., 263
- HPA responsiveness, inhibited stress-related, 537
- HPV. *See* Human Papillomavirus
- HRF. *See* hemodynamic response function
- Hubel, D. H., 35, 652
- Hugdahl, K., 218
- Human Papillomavirus (HPV), 286, 536
- human research, 383
- epidemiologic studies in, 381
- sleep studies in, 382
- human–technology interactions  
bidirectionality of, 302  
smart environments, 302
- humoral axes, 427
- humoral interoception, 427
- Huynh, H., 596
- HVAC system metaphor, 9
- hyperglycemia, 533
- hypertension, 531  
ACE inhibitors for, 191  
risk factors, 532
- hyporesponsiveness  
physiological and behavioral, 548
- hypothalamus–pituitary–adrenal axis (HPA axis), 380  
activation of, 380  
chronic dysregulation, 552  
glucocorticoid feedback inhibition, 380  
repeated/chronic activity of, 380
- hypoxia, 192
- IAPS. *See* International Affective Picture System
- IBI. *See* interbeat interval
- ICA. *See* independent component analysis
- ICC. *See* interstitial cell of Cajal
- ICDs. *See* implantable cardioverter-defibrillators
- IFCN. *See* International Federation of Clinical Neurophysiology
- iGES. *See* International Gastrointestinal Electrophysiology Society
- IL-1 (Interleukin-1), 378
- IL-1Ra, acute coronary syndrome and, 529
- IL-1 $\beta$  (Interleukin-1 $\beta$ ), 3
- imaging techniques  
cardiac, 206  
for brain, 3
- imitation, 152
- immune functions  
stressors' influence on, 208
- immune system, 377–379  
adaptive, 379  
branches of, 377  
external physical/social environment influence on, 377  
immunological memory, 378  
innate, 378
- immunity  
malnutrition and, 536
- immunological memory, 378, 394, 395
- impedance cardiography (ICG), 203–206, 312  
ECG required for, 204  
instrumentation, 203–204  
non-invasiveness of, 203  
primary dependent variables in, 204  
scoring, 204–206  
validity, 206  
“whole-body,” 204
- implantable cardioverter-defibrillators (ICDs), 531
- incentive salience, 553
- independent component analysis (ICA), 93  
as data-decomposition algorithms, 55
- inductive plethysmography. *See* plethysmography; respiratory inductive plethysmography (RIP)
- infants  
engagement/responsivity of, 498  
heart rate increase to parental separation, 496
- infectious disease  
risk of, 382–383
- infectious illness  
behaviors and lifestyle influences on, 536  
malnutrition and, 536
- inference(s)  
about constructs, 612  
basic task of, 612–613  
of causality, 621, 654
- inflammatory cytokines, 378, 385, 417  
anti-inflammatory, 378  
pro-inflammatory, 378
- inflammatory diseases, 386–387  
cancer, 386–387  
cardiovascular disease, 386  
rheumatoid arthritis, 386
- inflammatory disorders  
atherosclerosis, 208
- influenza virus, 381
- initial values, law of, 604
- innate immune system, 377  
acute-phase response, 378  
adverse conditions influence on, 380  
CNS and, 380  
pattern recognition (receptors), 378
- innate immunity, 385
- innervation ratio, 156
- insecure attachment, 496
- inspiration/expiration, 244, 247, 248, 251
- insular cortex, 449
- insulin dependent (Type 1) diabetes, 533
- intensity-based normalization, 66
- interaction effects  
ANOVA explanation of, 601  
interpretation/testing of, 597–598  
multiple regression approach, 599
- interbeat interval (IBI), 496, 589  
cardiac, 590
- intercostal/external costal muscles, 245
- interdigestive state, physiology of, 261
- INTERHEART study, 529
- Interleukin-1. *See* IL-1
- Interleukin-1 $\beta$ . *See* IL-1 $\beta$
- internal consistency reliability, 614
- International Affective Picture System (IAPS), 230
- International Federation of Clinical Neurophysiology (IFCN), 130
- International Gastrointestinal Electrophysiology Society (iGES), 258
- interoception, 427  
consciousness and, 435  
function/structural neuroimaging of, 435  
health and well-being impacted by, 436  
manipulation/training of, 435  
meditation and, 436
- interoceptive  
awareness, 432  
information, 428

- performance accuracy, 431  
 sensations, 427, 429, 430, 432, 433  
 signals, 428  
 systems, 427  
 interoceptive accuracy, 432  
   anhedonia and melancholia, 437  
   anxiety and, 437  
   autistic spectrum and, 437  
   effect on social behavior, 434  
   emotion regulation and, 433  
   psychosis, 437  
 interoceptive processes, eating and weight disorders, 438  
 interoceptive sensation, axes of, 427  
 interoceptive sensitivity, 432  
 interoceptive trait prediction error (ITPE), 437  
 interpersonal conflict tasks, 526, 527  
 interpretive bioinformatics, 369  
 interstitial cells of Cajal (ICC), 259, 261  
 intraganglionic laminar endings (IGLEs), 428  
 intramuscular laminar arrays (IMAs), 428  
 invariants, psychophysiological, 13  
 Inzlicht, Michael, 667  
 IRB (institutional review board), 301, 327  
 irritable bowel syndrome, 278, 476  
 Irwin, M. R., 389  
 ischemia, stress-induced, 531  
 Iwata, J., 207  
  
 Jaccard, J., 599  
 Jackson, A., 28  
 Jackson, John Hughlings, 26  
 Jacobson, Edmund, 152, 164  
 Jalinous, R., 117  
 James, William, 23, 152, 278, 415  
   on emotions, 152  
 James–Lange theory of emotion, 23, 548  
 Jäncke, L., 163  
 Janssen, E., 290, 293  
 Janssen, J. H., 223  
 Janssens, J., 263, 293  
 Jennings, J. R., 604  
 Jessurun, M., 165  
 Johansson, K., 288  
 Johnson, P., 604  
 Johnson, V. E., 284, 293  
 Jung, Carl, EDA experiments of, 218  
  
 Kamarck, T., 604  
 Kanan, Christopher, 28  
 Kappeler-Setz, C., 223  
 Karacan, I., 289  
 Karis, D., 644  
 Kaufman, N., 163  
 Keller, J., 233, 277  
 Kennedy, D. P., 29  
 Keppel, G., 583  
 Keselman, H. J., 597  
 Kiecolt-Glaser, J. K., 389  
 kinetic models, 44  
 kinetic properties, 43  
 kinetocardiography (KCG), 314  
 King, J., 223  
 Kinsey, A. C., 284  
 Kircher, J. C., 170, 570  
 Kirchoff's Laws, 203  
  
 Klein, D. F., 248  
 Klein, D. N., 554  
 Kleinmuntz, B., 573  
 Klerman, G. L., 164  
 k-means cluster analysis, 103  
 Koch, A., 430  
 Koch, K. L., 270, 273  
 Kohatsu, S., 263  
 Kolb, B., 29  
 Konno, K., 250  
 Konorski, Jerry, 27  
 Kramer, A. F., 644  
 Kristjansson, S. D., 596  
 Krzywicki, A. T., 224  
 Krzywinski, M., 679, 693  
 Kujawa, A., 554  
  
 Laan, E., 286, 288  
 Lalumiere, M. L., 289  
 Landis, C., 252  
 Lang, P. J., 230, 236  
 Langevin, R., 290  
 language, 511  
   competence, 511  
   neural architecture of, 512  
   non-literal, 513  
   performance, 511  
   language processing  
     EMG and silent-, 166  
     role of attention in, 512  
     role of temporal lobe in, 513  
   language production  
     left lateralization and, 513  
 Larsen, J. T., 164  
 larynx, 245  
 laser Doppler flowmetry, 310  
 laser Doppler vibrometry (LDV), 316  
 Lashley, Karl, 26  
 latency jitter phenomenon, 630  
 Law, L. N., 588  
 law of initial values, 604  
 Layer, P., 277  
 Lazarus, R. S., 466, 469  
 LC. *See* locus coeruleus  
 LC-NE system. *See* locus coeruleus-norepinephrine (LC-NE) system  
 LD. *See* linkage disequilibrium  
 LDA. *See* linear discriminant analysis  
 LeDoux, J. E., 207  
 left lateralization, 513  
 left middle temporal gyrus, 513  
 left perisylvian cortex, 513  
 left posterior STG, 513  
 Leitenberg, H., 290  
 lesion–symptom mapping, 513  
 Levey, A. B., 588, 604  
 Levey, M. N., 594  
 Levinson, S. C., 514  
 Levitra (vardenfil), 285  
 lexical frequency, 515  
   bi/trigram, 515  
 lexical neighborhood density, 515  
 lexical representations, 512  
 lexical/associative semantic relationships, 518  
 Li, G., 253  
 Lichtheim, L., 512  
 Liddell, E. G. T., 156  
  
 Lin, Z. W., 270, 271  
 Lindsley, D. B., 152  
 line noise, 78  
 linear discriminant analysis (LDA), 53  
 linguistics, 511, 512, 514  
   experience, 511  
   structuralism, 511  
 linkage analysis, 344–345  
   multi-generation pedigrees, 344  
 linkage disequilibrium(LD), 345  
 lipopolysaccharide (endotoxin), 378  
 liquid chromatography. *See* high performance liquid chromatography  
 Lix, L. M., 597  
 locus coeruleus (LC), 470  
 locus coeruleus-norepinephrine (LC-NE) system, 414  
 Loewenfeld, I. E., 583  
 loneliness  
   psychophysiology of, 207–208  
 lonely people  
   diminished wound healing in, 207  
   neuroendocrine/immune response of, 207  
   TPR/CO of, 207  
 longitudinal fasciculus, 512  
 long-term memory, short-term and, 681  
 love (romantic), brain activation and, 51  
 lower back pain, 538  
 low-pass filters, 643  
 LPP  
   activity, 553  
   modulation, 553  
 lumbar spinal segments, 188  
 lungs, 245  
 Luria, Alexander, 27, 28, 30  
 Luther, B., 227  
 Lykken, D. T., 218, 221, 227, 567, 574  
  
 MacLean, Paul, 27  
 magnetic fields, 78, 117  
 magnetic induction, 117  
 magnetic neural stimulation, 116  
 magnetic resonance imaging (MRI)  
   cardiac, 206  
 magnetic stimulator, design of, 117–118  
 magnetoencephalogram (MEG), 78, 512  
   advantage over EEG, 78  
   as example of fast time constant, 632  
   size of, 78  
 Mainland, J., 249  
 Malagelada, J. R., 263  
 males  
   androgen and, 286  
   erection dysfunction drugs for, 285  
   erection neurophysiology, 285  
   genital measurement devices, 289–291  
   hormonal control in, 285–286  
   nocturnal penile tumescence (NPT), 286  
   penis anatomy, 284–285  
   rapists/sexual aggressive, 287  
   subjective vs. genital responses in, 293  
   thermography (temperature)  
     measurement of, 291  
 Maley, M., 227  
 Malmö, R. B., 162, 165  
 Mandel, M. R., 164  
 manipulated response paradigms, 162  
   EMG activity/signals and, 169–170

- MANOVA test of differences, 596  
 MAPs. *See* muscle action potentials  
 Marie, I., 277  
 markers, psychophysiological, 11, 12  
 marriage  
   distressed marriage – SCL studies, 232  
 Martin, I., 588  
 Masaoka, Y., 249  
 masked priming, 516  
 Mason, John, 466  
 mass spectrometry, 484  
 Masters, W. H., 284, 293  
 masturbation, 291  
 maternal/parenting behaviors, 496  
 Matteucci, Carlo, 151  
 maturational, effects/failures, 495  
 maximum likelihood (ML) estimation,  
   341, 345, 671  
 McBurney, D. H., 583  
 McCallum, R. W., 271  
 McCarthy, G., 647  
 McConaghy, N., 289  
 McEwen, B. S., 404, 466, 528  
 MDA. *See* multivariate discriminant  
   analysis  
 Mead, J., 250  
 measures/measurements, 592–593  
   continuous vs. discrete, 634–635  
   defined, 630  
   direct vs. indirect, 632–634  
   estimating/controlling error in, 612  
   facets of, 614  
   fast vs. slow, 631–632  
   guidelines for, 583  
   indirectness of, 629  
   inherent noise in, 629  
   measurement scales, 592–593  
   multiple determination of, 629  
   onset measures, 645  
   responsivity, 588  
   several dimensions of, 635  
   spatial dimensions of, 639  
   statistical reliability comparisons,  
     652  
   temporal dimensions, 645–646  
   time constant parameter of, 631–632  
   validity of, 621–625  
 mechanical myogram (MMG), 306  
 mechanoreceptors, 192, 246, 261  
 Mednick, S. A., 236  
 MEG. *See* magnetoencephalogram  
 Meijer, E. H., 229  
 melancholic depression, 437  
 memories  
   autonomic activity and, 434  
   declarative, 478  
   stress and, 478  
 memory, 434  
 memory T cells, 379, 381  
 Mendelsohn, M., 284  
 mental chronometry, 7  
 MEPs. *See* motor evoked potentials  
 mercury-in-rubber strain gauge, sexual  
   response measurement via, 289  
 Merla, A., 323  
 mesolimbic dopaminergic system, 414  
 messenger RNA (mRNA), 356, 364, 365  
 metabolic disorders, 533–534  
 metabolic syndrome, as metabolic  
   disorder, 533  
 metabolic theory (of heart), 188  
 methodology  
   key principles of, 583  
   of experimental designs, 583  
   questions as basis for, 583  
 Meyer, D. R., 165  
 Meyer, R., 535  
 Miao, L., 268  
 microarray, 364  
   -based gene expression, 364  
   gene transcripts detection, 365  
   limitations, 364  
 microbiota, 418  
   gut, 278  
 Miller, G. A., 233, 597  
 Miller, G. E., 248, 477  
 Miller, N., 387  
 Mills and Nithi, threshold estimation  
   method of, 130  
 Milner, B., 32  
 mimicry, EMG activity/signals  
   and, 164  
 mind–body therapies, 391  
   influence on inflammatory outcomes,  
     389  
 MindWare Mobile Impedance  
   Cardiograph, 203  
 mineralocorticoid receptors (MR), 467  
 Minnesota Model 304B Impedance  
   Cardiography device, 203  
 Minnesota Twin Family study, 348  
 mirror neuron system, 4  
 mirror neurons, 32  
 Mishkin, M., 28  
 mismatch negativity (MMN), 90, 554  
 Mitchell, D. A., 233  
 ML estimation. *See* maximum likelihood  
   (ML) estimation  
 MMG. *See* mechanical myogram  
 MMN. *See* mismatch negativity  
 MNI. *See* Montreal Neurological Institute  
 mobile medical applications, 301  
   embedded/add-on/networked sensors,  
     301  
   issues with, 302  
   psychophysiological, 302  
 Möcks, J., 650  
 modeling, computational, 3  
 molecular studies, 3  
 monism, dualism vs., 3  
 monitoring passenger health, 302  
 Monk, T. H., 635  
 monophasic magnetic pulse waveforms,  
   121  
 Montreal Neurological Institute (MNI), 66,  
   642, 657  
 Mordkoff, J. T., 273  
 morphemes. as basic unit of language,  
   514  
 morphological priming paradigms, 516  
 morphological processing, 516  
   dual route model of, 519  
   single route model of, 519  
 morphology, 512  
 morphosyntax, in sentence processing,  
   519  
 motilin (hormone), 260  
 motivation, EMG influenced by, 165  
 motor evoked potentials (MEPs), 120  
 motor neurons  
   activation of muscle via small, 156  
   depolarization, 156  
   innervation ratio, 156  
   innervation zones, 156  
   muscle contraction strength and, 156  
   variance of, 156  
 motor thresholding, 129–131  
 motor unit action potential (MUAP), 157  
 mRNA. *See* messenger RNA  
 mu rhythm, 501  
 MUAP. *See* motor unit action potential  
 Müller, Johannes, 151  
 Multidimensional Assessment of  
   Interoceptive Awareness (MAIA), 436  
 multidirectional influences, 413  
 multifunction sensors, 303  
 multilevel modeling, 662–663  
   ANOVA and, 662  
   mixed model format and, 665  
   multilevel equations and, 665  
 multiparameter regulation, 413  
 multiple operationism, 624  
 multiple regression, 599  
 multiple sclerosis, 48  
 multivariate analysis, 4, 52, 596  
 multivariate discriminant analysis (MDA),  
   652  
 Munro, L. L., 231  
 Murdock, K. K., 248  
 muscle action potentials (MAPs), 156  
 muscle-by-muscle induction paradigm,  
   facial expressions and, 169  
 muscle contraction, 151, 156  
   electrical basis of, 151  
   innervation ratio, 156  
   measurement tools, 152  
   motor neurons and, 156  
   striated muscles and, 155  
   study of thermodynamics of, 151  
 muscle fatigue, EMG central tendency  
   shift and, 161  
 muscle fibers, “all-or-none” character of,  
   152  
 muscle physiology, 151–152  
 muscle tension, as measure of  
   physiological activation, 549  
 muscle twitches, MAPs and, 156  
 muscles  
   facial, 307  
   intercostal/external costal, 245  
   motor nerves activation of, 155  
   of heart, 183  
   striated, 155  
   various functions of, 155  
 musculoskeletal disorders, 538, 539  
 Muth, E. R., 249, 270, 273  
 myocardial ischemia, 542  
 myocardium, 496  
   atrioepitn released by, 191  
   ventricular, 194  
 myoelectrical signals, stomach as source  
   of, 263  
 myogenic theory (of heart), 188  
 Myrtek, M., 604

- N100, 515, 519  
 N200 no go effect, 521  
 N2pc component, 90  
 N400 amplitude, 517  
 N400 repetition effects, 515  
 NANC. *See* nonadrenergic noncholinergic (NANC) transmitter  
 Nardi, A. E., 248  
 NASA TLX standard cognitive test, 249  
 nasal cavity, 245  
 National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure, 532  
 National Health Interview Survey (2012), 537  
 National Institute for Occupational Safety and Health, 538  
 National Institute of Mental Health (NIMH), 550  
 National Institute on Drug Abuse, 550  
 National Institutes of Health, 484  
 nausea/motion sickness, rotating optokinetic drum production of, 274  
 near-infrared spectroscopy (NIRS), 42, 641  
 negative valence systems, 551  
   acute threat, 551  
   potential threat, 551  
   sustained threat, 552  
 Nelsen, T. S., 263  
*Nervousness, Indigestion, and Pain* (Alvarez), 258  
 neural architecture, for language, 512  
 neural axes, 427  
 neural differentiation, 515  
 neural pathways, 427  
 Neuroimaging Informatics Tools and Resources Clearinghouse (NITRC), 65  
 neuromodulatory systems, 429  
 neuropathology, molecular imaging and, 44  
 neuroplasticity, 34  
 neurotransmitters  
   acetylcholine, 189  
   epinephrine, 190  
   norepinephrine, 189  
   of ANS, 189  
 NIH. *See* National Institutes of Health  
 NIMH. *See* National Institute of Mental Health  
 NITRC. *See* Neuroimaging Informatics Tools and Resources Clearinghouse  
 no go N200 effect, 521  
 no go trials, 521  
 Nobel Prize in Physiology or Medicine (1924), 194  
 nocturnal penile tumescence (NPT), 286  
 noise  
   measurement's inherent, 629  
 nonadrenergic noncholinergic (NANC) transmitter, 285  
 non-contact electrodes, 303  
 non-literal language, 513  
 non-periodic brain state dynamics, 102  
 non-specific response, 413  
 non-specific SCR (NS-SCR), 225, 231, 232  
   and EDA lability, 232  
 noradrenergic activation, 472  
 noradrenergic receptor action, 190  
 Norris, C. J., 164  
 NPT. *See* nocturnal penile tumescence  
 NS-SCR. *See* non-specific SCR  
 NTS. *See* nucleus tractus solitarius  
 nucleus paragigantocellularis, 470, 471  
 nucleus tractus solitarius (NTS), 191, 415, 470  
 null hypothesis debate, 604–605  
 Nyquist frequency, 632  
   aliasing, 632  
 O'Kane, B. L., 224  
 Obrist, Paul, 411  
 observation  
   EMG activity influenced by, 163  
   facial expressions influenced by, 163  
 observational epidemiology, 528  
 occipital lobe, 29  
 OCTT. *See* oral-cecal transit time  
 oculomotor activity sensing, 325  
 oculomotor response systems, 324  
 oddball paradigm, 86  
 oddball task, 76  
 odor acquisition, 249  
 Ogawa, A., 271  
 Ohm, Georg, 186  
 Ohm's Law, 186, 221, 640  
 Öhman, A., 230, 235  
 Ondine's Curse, 246  
 open field configuration (ERPs), 657  
 open-class words, 515  
 operant training, 5  
 optokinetic drum, nausea and, 274  
 OR. *See* orienting response  
 oral-cecal transit time (OCTT), 273, 277  
 orienting response (OR), 415  
 Orizio, C., 306  
 orthographic  
   information, 514  
   neighborhood density/frequency, 515  
 orthographic preactivation, 518  
 orthographic processing, 516  
 oscillometric blood pressure measurement, 199–200  
 Osofsky, H., 288  
 oxygen/nutrient demand theory (of blood flow), 188  
 oxytocin  
   as posterior pituitary hormone, 465  
 P300 event-related potentials  
   elicitation of, 634  
   identification of, 645  
 paced breathing, 497  
 pain management  
   migraine and tension-type headache, 541  
 Palti, Y., 287  
 PAMPs. *See* pathogen-associated molecular patterns  
 Para, C., 230  
 paraphilias, 287  
 parasympathetic cardiac ganglia ("heart brain"), 189  
 parasympathetic control, 410  
 parasympathetic nervous system (PNS)  
   brain/gut communication with, 258  
   cardiac controls, 410  
   heart and, 190–191  
   parasympathetic withdrawal, 408  
 paraventricular nucleus (PVN), 468  
 parent-child attachment, 496  
 parental separation, infants and, 496  
 parietal lobe, 30  
 parietal P600, 517  
 Parolisi, S., 271  
 parsing, 514  
   stress and, 405  
   syntactic parsing operations, 512  
 partial least squares, 53  
 PASS software, 586  
 passive coping responses, 411  
 pathogen-associated molecular patterns (PAMPs), 377  
 pathways  
   equifinal, 495  
   etiological, 505  
   multifinal, 495  
 Patrick, C. J., 236  
 pattern recognition  
   data processing algorithms, 630  
 Payne, A. F., 223  
 PCA. *See* principal component analysis  
 PCASL. *See* pseudo-continuous ASL  
 Penfield, Wilder, 19, 32  
 penis. *See also* erectile dysfunction  
   anatomy of, 284–285  
   arterial pulse amplitude measurement of, 290  
   circumference measurement of, 289–290  
   EMG measurement of, 290  
   erection neurophysiology of, 285  
   measurement comparison studies of, 290  
   rigidity measurement of, 290–291  
   RigiScan measuring device, 290  
   temperature assessment of, 290  
   volume measurement of, 289  
 PEP. *See* pre-ejection period  
 peptides  
   gastric inhibitory polypeptide, 260  
   vasoactive intestinal polypeptide (VIP), 285  
 performance operating characteristic (POC), of filters, 644  
 performance-intensive applications, 302  
 peripheral autoregulatory processes, 402  
 peripheral nervous system (PNS), 3, 450  
   measures of, 444  
 peristaltic wave. *See* electrocontractile complex  
 PET. *See* positron emission tomography  
 Peterson, Jordan, 667  
 Pflatz, M. Z., 223, 248  
 phasic psychophysiological responding, 495  
 phasic SCRs, 225  
 phenotypes, 339  
 phobias  
   claustrophobia, 577  
   flying phobia, 223  
   photophobia, 172  
   social phobia, 237, 553

- phobias (cont.)  
  specific phobia, 551  
  spider phobia, 237
- phonemes, as basic unit of language, 514
- phonemic production difficulties, 513
- phonological information, 514, 516
- phonological processing, 516
- photoplethysmogram (PPG), 308
- phrases, 514
- phrenic nucleus, 246
- phrenology, 16
- physiological awareness training, 450
- physiological dysregulation,  
  psychopathology research and, 549
- physiological system dysfunction, 495
- physiology  
  cardiovascular system, 183–188  
  muscle, 151–152  
  orgasm, 286
- Physiology and Behavior* (journal), 570
- Picton, T. W., 74
- piloerection, 449
- pitch contours, 515
- pituitary hormones  
  adrenocorticotropin (ACTH), 468  
  oxytocin, 465
- plethysmograph  
  whole body, 250
- plethysmography, 200–201  
  LifeShirt plethysmograph, 251  
  photoplethysmography, 200–201,  
  308–310  
  vaginal photoplethysmography, 287,  
  294  
  venous occlusion, 201  
  whole body, 200
- PNS. *See* parasympathetic nervous system
- POC. *See* performance operating  
  characteristic
- Poiseuille's Law, 186
- Pollatos, O., 270, 430
- polygenic risk scores, 348
- polyphasic magnetic pulse waveforms, 121
- polysomnography, 171–172
- Polytec IVS300 vibrometer, 306
- polyvagal theory, 451
- POMC. *See* proopiomelanocortin (POMC)
- population inference, 61
- Porges, S. W., 603
- positive valence systems, 552  
  approach motivation, 552  
  expectancy, 553
- positron emission tomography (PET)  
  artifacts and, 46  
  as example of slow time constant, 632  
  for cardiac imaging, 206  
  functional neuroimaging studies of  
  autonomic control of, 193  
  measures of brain activity using, 43  
  penile circumference measures use of,  
  291  
  spatial limitations of, 45  
  strengths and weaknesses, 44  
  temporal limitations of, 46
- postdictive validity, 622
- posterior superior temporal sulcus, 513
- post-N400 positivity (PNP), 517
- Poulton, E. C., 586
- PPG. *See* photoplethysmogram
- Pratt, Frederick, 152
- Prause, N., 288, 289, 291
- predation, as social-ecological threat, 377
- predictive validity, 622  
  of laboratory reactivity, 301
- pre-ejection period (PEP), 453, 498  
  children with ADHD and, 499  
  development and, 499  
  emotions and, 453  
  reactivity and stress, 499  
  socioemotional development and, 499  
  sympathetic cardiac control and, 410
- prewhitening, 62
- Priester, J. T., 170
- priming paradigms, 520
- principal component analysis (PCA), 93,  
  644  
  as data-decomposition algorithm, 55  
  periodic processes and, 102  
  signal separating and, 649  
  spatial, 650  
  temporal, 650
- processes, 495
- progesterone, 478
- progressive lateralization, 28
- progressive muscle relaxation, 540
- proopiomelanocortin (POMC), 468
- proteins, acute phase, 530
- prototypical antecedent conditions, 446
- Proudfit, G. H., 554
- pseudo-continuous ASL (PCASL), 43
- psychobiology  
  bottom-up approach of, 6  
  psychophysiology's relation to, 5–6
- psychogalvanic reflex, 12
- psycholinguistics  
  competence vs. performance, 511
- Psychological Science* (journal), 604
- psychological stress, 466  
  adaptive immunity and, 381
- psychology  
  psychophysiology shared goals with, 4
- psychometric principles, 612
- psychoneuroendocrinology, 6, 14
- psychoneuroimmunology, 6  
  behavioral regulation of immunity,  
  389–391  
  chronic social adversity/inflammation  
  and, 384  
  depression/inflammation and, 385  
  early life stress/inflammation and,  
  384–385  
  hypothalamus–pituitary–adrenal axis  
  and, 380  
  inflammatory disease and, 386–387  
  inflammatory regulation of behavior,  
  387–389  
  influence on innate immunity/  
  inflammatory disease risk, 383–391  
  laboratory-based stress/inflammatory  
  responding, 383–384  
  pathways of immune regulation, 381  
  sleep disturbance/inflammation and,  
  385–386  
  study of, 377  
  sympathetic nervous system and,  
  380–381
- psychopaths, EDA and, 235–237
- psychophysiological activity  
  tonic vs. phasic, 503
- psychophysiological data, 3D  
  reconstruction of, 640–642
- psychophysiological inference, 8, 168, 453
- psychophysiological relationships, 5–6  
  2 (one-to-one vs. many-to-one) × 2  
  (situation-specific vs. cross-  
  situational) taxonomy, 10
- psychophysiological responding, tonic/  
  phasic, 495
- psychophysiology, 5  
  behavioral neuroscience, 4  
  breathing (respiration) history in, 244  
  early work focus of, 207  
  environmental, 5  
  goal of, 625  
  historical developments in, 3  
  of loneliness, 207–208  
  psychobiology's relation to, 5–6  
  psychology shared goals with, 4  
  social, 5
- Psychophysiology* (journal), 348, 583, 595
- psychosomatic medicine, 183, 526
- psychotherapy, 553
- pulmonology, as medical specialization, 244
- pulse arrival time (PAT), 312
- pulse transit time (PTT), 312
- pupil size, 449
- Purcell, S., 343
- Purkinje system and fibers (of heart), 184
- PVN. *See* paraventricular nucleus
- Qin, S., 268
- QRS complex, 496
- QTL. *See* quantitative trait locus
- quality control, of data, 591–592
- quantitative trait locus (QTL) linkage  
  analysis, 344–345
- Quigley, K. S., 218, 273, 499, 633
- radioimmunoassay, 484
- radiologists, 206
- Ragert, P., 124
- Raichle, M. E., 634
- Raine, A., 222, 236
- randomization, 656
- rapid eye movement (REM) sleep, 167,  
  171
- Raskin, D. C., 170, 570
- Ray, W. J., 218
- Raynaud's syndrome, 540
- rCBF. *See* regional cerebral blood flow
- RCMP. *See* Royal Canadian Mounted  
  Police
- RDoC initiative, 550
- reaction time (RT)  
  EGG effect on, 273
- reactivity hypothesis, 405
- real-time 3D echocardiography (RT3DE),  
  206
- reciprocal activation, 408
- reciprocal regulation, 387, 410  
  of immune response gene expression/  
  CNS function, 377
- recording devices  
  ambulatory, 3

- Redi, Francesco, 151  
 reduced cardiac stress reactivity, 534  
 reduced stress responsivity, 534  
 reference electrode, 81  
 referentially induced negativity (Nref), 520  
 reflex probe paradigms, EMG activity/  
 signals and, 167–169  
 reflex(es), 167  
 Achilles tendon, 168  
 affective processes association with, 169  
 blink, 168  
 defined, 168  
 Hoffman, 168  
 neurologist's view of, 168  
 probe techniques, 169  
 regional cerebral blood flow (rCBF), 43  
 regions of interest (ROI), 64, 65  
 analysis, 643  
 regression analysis techniques, 599–601  
 relevant/irrelevant (test), 170  
 reliability  
 alternative forms, 614  
 reliability theory, 613, 614, 621  
 alternative theory, internal consistency  
 reliability, test–retest reliability, 614  
 REM. *See* rapid eye movement  
 renin-angiotensin system, 191  
 repetition, 515  
 repetitive strain injury, 538  
 repetitive TMS (rTMS), 119, 122  
 cumulative plasticity effects, 124  
 mechanisms underlying plasticity  
 effects of, 124  
 trains/duration of effects, 123  
 research design (sexual arousal)  
 between-participant design, 293  
 within-participant design, 293  
 research/investigations  
 data collection systems, 589–591  
 defining response/intermeasure  
 dependencies, 588–591  
 measurement scales, 592–593  
 planning of, 583–591  
 representing results of, 594–595  
 resistance stage, 413  
 respiration, 267  
 anatomy of, 245–247  
 basics of, 244–248  
 breathing as artifact, 252–253  
 chemoreceptors and, 246  
 cognition and, 248–249  
 diaphragm as dominant force in, 245  
 emotion's influence on, 248  
 fMRI and, 252  
 gas analysis measurement of, 249–250  
 Herring-Breuer reflex, 246  
 measurement of, 249–254  
 mechanical signs of, 318  
 neural control of, 246–247  
 nose vs. mouth, 245  
 odor acquisition and, 249  
 pressure transducer's measurement of,  
 251  
 psychological dimensions of, 248–249  
 purpose of breathing, 244  
 respiratory belt measurement of,  
 250–251  
 skin conductance influence on, 253  
 speech's association with, 249  
 spirometry measurement of, 249, 250  
 thermal transducer's measurement of,  
 251  
 voluntary control of, 246–247  
 whole body plethysmography  
 measurement of, 250  
 respiration sensing  
 cardiorespiratory interactions, 320  
 measures of gas exchange, 319  
 respiratory belts, 250–251  
 respiratory inductive plethysmography  
 (RIP), 251  
 respiratory sinus arrhythmia (RSA), 197,  
 244, 247, 454, 497, 498, 505  
 neonatal, 498  
 respiratory system. *See also* bronchial  
 tubes; inspiration/expiration; larynx;  
 lungs; nasal cavity; Ondine's Curse;  
 trachea  
 airways of, 245  
 different uses of, 245  
 measurements used for, 250  
 muscles of, 245–246  
 responsivity  
 exclusion/inclusion criteria, 588  
 measures of, 588–589  
 restorative processes, metaplasticity and,  
 127  
 reticular activating system, 3  
 reverse inference, 41, 51, 55  
 reverse transcription-polymerase chain  
 reaction (RT-PCR), 365  
 reward prediction error, 553  
 rheumatoid arthritis, 386  
 rhythmic contractions, 496  
 Richards, D. W., 246  
 right hemisphere  
 damage, 513  
 homologue, 513  
 role in non-literal language, 521  
 RigiScan penile measuring device, 290  
 RIP. *See* respiratory inductive  
 plethysmography  
 RMSE. *See* root mean square error  
 RMSSD. *See* Root Mean Square  
 Successive Difference  
 RNA sampling, 361  
 RNA sequencing, 365  
 ROI. *See* regions of interest  
 root mean square error (RMSE), 104  
 algorithm, 104  
 first peak in function of, 105  
 metric, 106–107  
 Root Mean Square Successive Difference  
 (RMSSD), 196  
 Rose, R. J., 227  
 Rosenbloom, A., 289  
 Roth, W. T., 199, 223  
 Rothstein, H., 586  
 Roy, J. C., 218  
 Royal Canadian Mounted Police (RCMP),  
 570  
 R-R intervals, 496, 497, 498  
 RSA. *See* respiratory sinus arrhythmia  
 RT. *See* reaction time  
 RT3DE. *See* real-time 3D  
 echocardiography  
 rTMS. *See* repetitive TMS (rTMS)  
 rTMS frequency  
 behavioral performance, 123  
 endogenous oscillatory activity, 123  
 modulation, 122  
 RT-PCR. *See* reverse transcription-  
 polymerase chain reaction  
 Rubin, H. B., 288, 290  
 Russell, D. W., 596  
 Russian  
 neuropsychologist, 27  
 physiologist, 217  
 SA. *See* sinoatrial (SA) nodes (of heart)  
 sAA. *See* salivary alpha amylase  
 Sabini, J., 163  
 Sakai, L. M., 231  
 saliva, 363  
 biomarkers and, 303  
 CORT measured via collection of, 480  
 salivary alpha amylase (sAA), 484  
 salivation, emotional states and, 448  
 Salt, P., 164  
 sampling  
 discreteness of data, 629  
 issues of, 586–588  
 Sarter, M., 625  
 SAS software, 586, 596, 597, 665  
 Sawatsky, M. L., 289  
 SBP. *See* systolic blood pressure  
 Scerbo, A. S., 222  
 Schell, A. M., 223, 231, 321  
 schizophrenia, 47  
 autonomic hyper-arousal in, 235  
 electrodermal abnormalities associated  
 with, 233–235  
 Schlosberg, H., 166, 218  
 Schlossberg, S., 248  
 Schumm, J., 223  
 Schurman, J. V., 270  
 Schwartz, G. E., 164  
 Schwartz, L. S., 466  
 science  
 as error-correcting enterprise, 612  
 inferences as basics of, 612  
 methodology, 583  
*Science* magazine, 594, 679  
 scientists, fallible observations of, 612  
 SCL. *See* skin conductance level  
 Scoville, W. B., 32  
 SCRs. *See* skin conductance responses  
 SDNN time domain metric, 196  
 secretin (hormone), 260  
 selecting stimuli, 452  
 Selle, N. K., 229  
 Selye, Hans, 402, 404, 412, 413, 417, 466  
 SEM. *See* startle eyeblink modulation  
 (SEM) paradigm  
 semantic priming, 516  
 semantic relations  
 between words, 516  
 beyond word, 517  
 sensor technology, 302  
 multifunction sensors, 303  
 sensors, external vs. wearable, 304  
 sensory technology  
 smart textiles in, 302  
 Seoane, F., 248

- sexual arousal  
  continuous measures of, 292  
  measuring subjective, 292
- sexual intercourse  
  pulse curves (EKGs) measured during, 284
- sexual preferences, 287
- sexual response. *See also* erectile dysfunction; females; genital measurement devices; males; penis; photoplethysmography, vaginal  
  anal blood flow/muscle activity measurement, 291  
  anatomy and physiology of, 284–286  
  cognitive-affective models of, 293–294  
  excitement vs. plateau phases of, 293  
  female measurement comparison studies, 288–289  
  hormonal control of, 285–286  
  male erection, neurophysiology of, 285  
  Masters/Johnson's four-phase model of, 293  
  mercury-in-rubber strain gauge measurement of, 289  
  observations of, 284  
  orgasm, physiology of, 286  
  penile measurement comparison studies, 290  
  positive/negative feedback systems of, 293  
  research designs, 293  
  social context of, 286–287  
  thermography (temperature) measurements in, 291  
  volunteers of, 286
- Shagass, C., 165
- sham TMS, active TMS vs., 137
- Shavelson, R. J., 616
- Sherrington, C. S., 156, 168
- shock, as aversive stimuli, 236
- shock avoidance, EGG effect on, 273
- short-term memory, and long-term memory, 681
- shoulder pain, 538
- Siegel, S., 593
- signal averaging  
  latency jitter phenomenon, 630  
  problems with, 630  
  smearing issue, 630
- signal detection  
  electrode placement, 157–158  
  electromyography (EMG), 157–161
- signal extraction/enhancement, 645
- signal recording/processing  
  data collection systems in, 589–591  
  signal representation, of EMG, 161–162
- Signal Transducer and Activator of Transcription (STAT), 378
- signal-to-noise ratio (SNR), 50, 643  
  changes with age, 500  
  enhancement of, 360, 361, 628, 644  
  improving, 98
- sildenafil (Viagra), 285
- silent-language processing, 166, 167
- Singh, K., 223
- single nucleotide polymorphisms (SNPs), 47, 339, 345
- single photon emission computed tomography (SPECT), 206
- single positron emission computerized tomography (SPECT), 42
- single word ERP data, 515
- sinoatrial (SA) nodes (of heart), 184
- Sintchak, G., 287
- Sirota, A., 345
- Sjogren, K., 288
- skin  
  as protective barrier, 218  
  brain's connection with, 218–219
- skin conductance level (SCL), 218  
  biopolar recording of, 222  
  constant-voltage system measurement of, 221  
  distressed marriage influence on, 232  
  fear/anger influence on, 232  
  respiration's influence on, 253  
  rest period downward drift of, 225  
  sweat glands and, 219  
  task anticipation/performance increase of, 231, 232  
  tonic range for, 224
- skin conductance responses (SCRs), 218, 225, 228, 229, 230, 231. *See also* non-specific SCR (NS-SCR)  
  advantages of measuring, 228  
  amygdala's importance in conditioning of, 221  
  average size calculations, 226  
  backward masking usage, 230  
  conditioning with fear-relevant CSs/shock UCs, 230  
  discrete non-aversive stimuli elicitation of, 230  
  electrodermal lability and, 232  
  GKT and, 229  
  habituation of, 227–228  
  IAPS usage in measuring, 230  
  minimum response amplitude decisions for, 225  
  non-discrimination by, 230  
  phasic, 225  
  rise time/recovery time correlation, 226  
  specific, 225  
  sweat glands and, 219
- skin conductance, insecure attachment related to, 496
- skin potentials, 81
- Skinner, B. F., 168
- skull, high resistance in electrical activity, 78, 116
- sleep  
  actigraphy as evaluation method for, 304  
  EEG measures during, 167  
  measurements during, 167  
  perioral EMG activity markers during, 167  
  polysomnography measurement of, 171–172  
  stages of, 171
- sleep apnea, 201, 246, 251
- slice timing, 59
- slowly adapting receptors, 246
- Smallwood, R. H., 263
- SMAS. *See* superficial musculoaponeurotic system
- smearing issue, of signal averaging, 630
- smiling, reasons for, 163
- smoothing, spatial, 60–61
- Smout, A. J. P. M., 263, 268, 270
- SnPM. *See* Statistical Non-Parametric Mapping
- SNPs. *See* single nucleotide polymorphisms
- SNR. *See* signal-to-noise ratio
- Soares, J. J. F., 230
- social networks, protective effect of, 536
- social psychophysiology, 5
- social stress tests, 498
- Society for Psychophysiological Research (SPR), 198, 203, 218, 223, 226, 244, 258, 591
- software  
  BMDP, 596  
  DAVID, 369  
  EDA and, 222  
  Gene Ontology annotation system, 369  
  Gene Set Enrichment Analysis, 369  
  Gostat, 369  
  Ingenuity Pathway Analysis, 369  
  PASS, 586  
  SAS, 586, 596, 597  
  SPSS, 586, 596  
  Statistica, 586, 596
- somatic marker hypothesis (Damasio), 231, 433, 434, 454
- somatic motor system, 189
- somatic system, 153, 165  
  activation/patterning, 152  
  as means of communication/effecting environmental change, 163  
  attitudinal response influenced by, 170  
  EMG measurement challenges, 153  
  emotional/cognitive processes and, 153  
  manipulations of, 169  
  operant conditioning procedures, 169  
  uncertainty and, 165
- somatostatin (hormone), 260
- source localization, 101  
  estimation, 108  
  for microstates, 109  
  in EEG/MEG datasets, 47
- spatial PCA, 650
- spatial sampling, 639
- Spearman-Brown prophecy formula, 587, 614
- specific response systems  
  activity sensing, 304–307  
  brain and oculomotor sensing, 324–325  
  eccrine activity sensing, 320–324
- specific SCRs, 225
- SPECT. *See* single positron emission computerized tomography
- Spencer, D. D., 47
- Spencer, H., 27, 151
- Spencer, K. M., 93, 650
- Spiering, M., 293
- spirometry, 249, 250
- SPM. *See* statistical parametric mapping
- SPM Anatomy Toolbox, 66
- SPM software  
  RFT used in, 64

- SPR. *See* Society for Psychophysiological Research
- SPSS software, 586, 596, 665
- St. Martin, Alexis, 258
- stable brain microstates, 101  
  identifying, 102
- startle eyeblink modulation (SEM)  
  paradigm, 447  
  studies, 447
- startle inhibition, 553
- Statistica software, 586, 592, 596
- Statistical Non-Parametric Mapping (SnPM), 65
- Statistical Parametric Mapping (SPM), 52
- steady state evoked potentials, 324
- Stemmler, G., 583, 649
- Steptoe, A., 534
- step-wise discriminant analysis (SWDA), 648
- Sterling, P., 404
- Stern, R. M., 218, 270, 273
- Stewart, C., 604
- Stifter, C. A., 499
- stimuli selection, 452
- stimulus orienting, 496
- stomach. *See* gastric inhibitory polypeptide (hormone); gastric slow waves; gastric spike potentials; gastrointestinal (GI) system; interstitial cells of Cajal (ICC)  
  anatomy, 259  
  as source of myoelectrical signals, 263  
  controlling/mixing contents of, 260  
  digestive processes in, 260  
  “electrical halo” during postprandial period, 265  
  electrocontractile complex of, 265  
  emptying of, 276–277  
  emptying of liquids from, 261  
  extrinsic nerves of, 259  
  fasting (interdigestive state) physiology of, 261  
  ICC of, 259  
  neuromuscular activity/myoelectric activity of, 261–262, 263–264  
  postprandial physiology of, 259–261  
  SNS influence on, 272
- stomach activity, 454
- stress  
  antiviral immune responses and, 380, 381  
  biology of, 4, 192, 209  
  defined, 413  
  early life, 384–385  
  early life adversity, 476  
  GI system influenced by, 272–274  
  HPA responsiveness in inhibited, 537  
  immune cell distribution and, 381  
  invention of term, 413  
  laboratory induced, 383  
  sleep and, 382  
  social, 384
- stress hormone regulation, 475
- stress hormone response, 475
- stress hormones, 470
- stress-induced ischemia, 531
- stress reactivity, 475
- diminished, 475
- stress responsivity, of newborn babies, 538
- stressor specificity, 404
- stressors  
  classification of, 273
- stretch receptors, 187, 191, 192, 246, 247
- striated muscle, final common pathway, 155
- striated muscles, 155
- stroke volume, 247, 430
- strokes, 171, 317  
  depression association to, 386  
  diabetes mellitus association with, 533
- Stroop interference task, 111, 411
- structural equation modeling, 341, 369, 596
- structural scans, 42
- subtractive method, 7, 17
- Sundin, O., 531
- superficial musculoaponeurotic system (SMAS), 153
- superior temporal gyrus, 512
- suprachiasmatic nucleus (of hypothalamus), 467, 481
- surface-based normalization, 60, 66
- surface electromyogram (EMG)  
  site preparation, 158
- surface electromyogram (EMG) electrodes  
  placement of, 157–158
- surface electromyography (EMG)  
  advantages of, 153  
  anatomical/physiological basis of, 155–157  
  applications of, 170–173  
  bipolar method, 159  
  contour following integrators, 161  
  detection of deception and, 170  
  headache reduction and, 170–171  
  inferential context of, 162  
  MUAPs and, 157  
  preamplification/signal conditioning, 159–161  
  quantification/analysis, 161–162  
  reflex probe paradigms and, 168
- surprise  
  as psychological state, 449
- sustained attention, 496
- SWDA. *See* step-wise discriminant analysis
- sweat glands  
  and EDA, 218, 219, 228  
  apocrine, 218  
  eccrine, 189, 218
- sympathetic  
  activation, 408  
  branch, 446  
  cardiac control, 410
- sympathetic nervous system (SNS)  
  activation of, 380  
  cardiovascular disease link with, 208  
  stomach activity influenced by, 272
- sympathovagal  
  balance, 391, 408  
  index, 198
- symptom reporting, variations in, 536
- syntactic/semantic processing, 512, 519
- syntax, 514
- systemic psychophysiology, 5
- systolic blood pressure (SBP), 186
- Szucko, J. S., 573
- tadalafil (Cialis), 285
- Talairach, J., 66, 630, 642, 657
- Talairach coordinates, 66
- TAM. *See* transcript abundance matrix
- Tarchanoff, J., 217
- targeted cell sampling, 361
- Tartz, R., 223
- Tassinary, L. G., 162, 584, 594, 625
- TBS. *See* theta-burst stimulation
- tDCS. *See* transcranial direct current stimulation
- temporal lobe, 30  
  disease symptoms of, 31  
  language processing and, 513  
  regions of, 30
- tendonitis, 538
- tension-type headaches  
  as result of CNS dysfunction, 541  
  surface EMG and, 171
- test-retest reliability, 228, 573, 614
- TFs. *See* transcription factors
- Thayer, J. F., 273
- thematic psychophysiology, 5
- thermal imaging methods, 310
- thermoceptors, 415
- theta-burst stimulation (TBS), 125
- Thickbroom, G. W., 124
- Thomas, M., 275
- thoracolumbar system, 188
- threat-challenge, 447
- threat value, 466, 469, 474
- thresholding, multiple comparisons and, 65
- time constant parameters (of measures), 631–632
- time domain, 635, 637–638
- time-frequency analysis, 88
- time frequency models, mixed, 637–639
- time-series experiments, head movement  
  problems during, 59
- Timm, G. W., 290
- tissue assays, 3
- TLR4, as TLR, 378
- TLRs. *See* toll-like receptors
- TMS. *See* transcranial magnetic stimulation
- toll-like receptors (TLRs), 378, 389
- tonic psychophysiological responding, 495
- total peripheral resistance (TPR), of lonely people, 207
- Tourette syndrome, 437
- Tournoux, P., 630, 642
- TPR. *See* total peripheral resistance
- tracers, in brain, 43
- trachea, 245
- tractographic imaging, 512
- transactions, 495
- transcranial direct current stimulation (tDCS), 116  
  anodal, 117, 125, 139  
  cathodal, 117, 125, 127, 139  
  electrodes, 119  
  stimulators, 118
- transcranial Doppler sonography, 206, 325



- transcranial magnetic stimulation (TMS),  
3, 116, 117, 119  
active vs. no, 136  
active vs. sham, 136–137  
animal/computation studies in, 120, 129  
application of, 137  
behavioral/perceptual events prevented  
by, 134  
changes in brain activity induced by,  
134–136  
coil types, 118–119  
corticospinal axons, 120  
corticospinal output, 120  
direct neuronal activation by, 119  
headaches/hearing effects from, 128  
motor cortex/MEPs and, 120, 133  
paired TMS pulses, 122  
phosphene thresholds, 134  
physiology of, 119–127  
principles of, 117  
psychological interest in, 116  
psychophysiology interest in, 133  
pulse waveforms, 121  
safety, 127–131  
safety/motor thresholding, 129–131  
spatial contrasts, 138–139  
targeting figure 8 coils, 131–133  
temporal contrasts, 137–138  
TMS-induced electric field distribution,  
117  
transsynaptic interactions of, 119  
visual events stimulated by, 133  
transcript abundance matrix  
(TAM), 357  
molecular architecture of, 358  
Transcription Element Listening System  
(TELiS), 369  
transcription factors (TFs), 354  
transcriptional profiling, of leukocytes,  
384  
transcriptome, 354  
profiling, 354, 358, 359, 363  
transient ischemia, 531  
Trier Social Stress Test, 476  
Tritt, Dr. Shona, 667  
Tröster, G., 223  
Tucker, R., 264  
Tukey, J. W., 592
- Uijtdehaage, S. H., 270  
ultrasound techniques. *See* transcranial  
Doppler sonography  
unconditioned stimulus (UCS), 229  
Ungerleider, L. G., 28  
univariate analyses, 52, 596, 643  
upper extremity disorders, work-related,  
538  
urine, 481  
US Department of Defense, 301
- vaccination  
stress association with, 536, 537  
vagina  
(and labial) temperature measurement  
of, 288  
anatomy of, 284  
arousal neurophysiology of, 285  
mechanical strain gauge measurement  
device, 289  
oxygen pressure changes measurement  
of, 289  
vaginal pH measurement, 289  
vagus nerve, 451  
Vainer, B. G., 324  
valence (reward) specific dysfunction, 553  
validity. *See also* construct validation;  
content validation; criterion-related  
validation  
concurrent/predictive/postdictive, 622  
measurements of, 621–625  
van Berkum, J., 520  
van Blankenstein, M., 271  
Van Boxtel, A., 165  
van de Velde, T. H., 284  
van de Vijver, F. J. R., 604  
van der Schee, E. J., 268, 271  
van Dooren, M., 223  
van Essen, D. C., 28, 29  
Vanderweerd, M., 263  
Vanderwolf, C. H., 247  
Vantrappen, G., 263  
vardenafil (Levitra), 285  
vasoactive intestinal polypeptide  
(hormone) (VIP), 260, 285  
vasoconstriction  
blood pressure and, 228, 532  
vasodilator theory (of blood flow), 187  
vasopressin, 191  
Vector Filter procedure, 644  
veins, distensibility of, 187  
Venables, P. H., 218, 221, 222, 224, 226,  
233, 236  
ventral (extreme capsule) pathways, 513  
ventral occipitotemporal cortex, 514  
ventral tract, 512  
ventromedial prefrontal cortex (VMPFC)  
damage, 221  
verifying emotional elicitation, 452  
Verona, E., 236  
Verschuere, B., 230  
Viagra (sildenafil), 285  
Vigouroux, R., 217  
EDA vascular theory of, 218  
violation paradigms, 520  
violence  
CORT and, 476  
VIP. *See* vasoactive intestinal polypeptide  
(hormone)  
viral pathogens, 382  
viruses  
herpes virus, 208, 381, 536  
visceral afference, 415  
visceral afferent information, 415, 429  
visceral information pathways  
endocrine (or humoral), 416  
neural, 415  
visceral perturbation, 402  
vision, categories of, 29  
Vissenberg, M., 290  
Visser, S., 290  
visual cortex, 30, 35, 105  
PET responses and, 634  
TMS and, 126  
visual word form area, 514  
VMPC damage. *See* ventromedial  
prefrontal cortex (VMPC) damage  
voltage/potential, for current to move, 81  
volume-clamp/Peñáz blood pressure  
measurement, 200  
voluntariness, 17  
awareness, 21  
directness of control, 22  
intentionality, 20  
von Economo's naming system, 30  
voxel-based morphometry (VBM)  
method, 42  
vulva, 284
- Wachowiak, M., 249  
Waersted, M., 166  
Wagner, G., 289  
Wang, B., 348  
Wang, J., 164  
Wang, Y., 269  
Warburton, V. L., 291  
water balance  
cardiac natriuretic system and, 191  
of cardiovascular system, 191  
renin-angiotensin system and, 191  
waveforms, magnetic pulse types of, 121  
wavelets, decomposition of, 638  
Webb, A. K., 596  
Webb, N. M., 616  
Webb, S. J., 502  
Weiss, J. M., 466  
Welch–James test, 597  
Wernicke, Karl, 26, 512  
Wernicke's area, 35, 512–513  
West, S. G., 673  
Westgaard, R. H., 166  
Wheeler, D., 290  
Whishaw, I. Q., 29  
White, C. T., 166  
White, T. L., 583  
Wickens, T. D., 583  
Wiener, N., 644  
Wientjes, C. J., 248  
Wiesel, T. N., 35, 652  
Wieselgren, I. M., 235  
Wilcott, R. C., 323  
Wilhelm, F. H., 199, 223, 251  
Willebrand factor, low SES influence on,  
530  
Williams, M., 236  
Williams, R. L., 289  
windowing, 497  
within-subject factors, 452, 663  
bootstrapping procedure with, 108  
WM. *See* working memory  
Wolf, J. M., 407  
Wolf, K., 153  
Wolf, O. T., 413  
Wolf, S., 258, 274  
Wolff, H. G., 258  
Wolff, S. M., 359  
Wolfinger, R. D., 673  
Wolford, G., 594, 604  
Wolter, J., 277  
Wong, B., 679, 689  
Wood, C. C., 647  
Wood, G., 599

- 
- |                                      |               |                    |
|--------------------------------------|---------------|--------------------|
| Woodworth, R. S., 166, 218, 248      | Xi, N., 268   | Yang, Z., 164      |
| Woody, C. D., 630                    | Xu, L., 270   | Yin, J., 271       |
| Woody filter statistical method, 630 | Xu, X., 271   | You, C. H., 263    |
| working memory (WM), 512             |               |                    |
| Wu, T., 348                          | Yang, C., 269 | Zipp, P., 158      |
| Wundt, Wilhelm, 16                   | Yang, J., 346 | Zuckerman, M., 284 |