

## Index

- actionable, *See* information
- adaptation, 1, 33, 34, 35, 38, 263, 267, 270, 275, 276, 279, 288
  - low regret, 270, 289
  - maladaptation, 267, 279
  - robust, 23
- added value, 21, 22, 30–31, 237–238, 243, 265–266, 272, 281, 283, 284
- advection, 107, 161
- Africa, 20, 95, 117, 118, 144, 227
- air mass, 9, 10, 26, 27, 196
- Alps, 9–12, 88, 89, 91, 100, 152, 162, 194, 220
- AMO, 14, 264
- analog method, *See* perfect prognosis
- annual cycle, 26, 28, 150, 158, 205, 207, 230, 250
- Arctic, 121
- artificial skill, 69, 236, 237
- Asia, 121, 265
- assumption, underlying downscaling, 29–30, 33, 142, 173, 201–202, *See also* perfect prognosis and model output statistics
- Australia, 227, 245, 254, 257
  
- BCCA, 223, 245
- BCSD, 223, 245
- bias correction, *See* model output statistics
- Bjerknes feedback, 118
- block maxima approach, 50
- blocking, 9, 26, 94, 119, 120, 156, 214, 231, 245, 285
- Bora, 231
  
- calibration, 135
  - distributionwise, 137, 172
  - pairwise, 137, 171, 224
- CAPE, 161, 163, 282
- centrifugal force, 102–105
- centripetal force, 103, 106
- climate change, 1, 2, 9, 13, 17–25, 29–35, 38, 40, 87, 88, 95, 98, 111, 117, 118, 120, 125, 127, 128, 130, 131, 137, 141, 142, 148, 154–159, 163–167, 169–178, 185, 187, 191–193, 195–199, 201, 211, 216–218, 220–223, 228, 229, 233–238, 241, 257–258, 261–266, 268–275, 278, 279, 281–288, *See also* trend
- climate information distillation, 23, 278–279, 289
- climate projection, *See* uncertainty
- climate service, 1, 22, 23, 33, 36, 170, 277–278
- cloud, 13, 110, 111, 116, 118, 160, 190, 196, 285
  - base, 160
  - cover, 111, 196
  - droplets, 13, 92, 110, 160
  - feedback, 111, 117, 126, 285
  - formation, 13, 111, 158, 161
  - microphysics, 13, 110, 116
- cloud-system resolving simulation, *See* convection permitting simulation
- CMIP, 2, 21, 98, 109, 118, 121, 126, 130, 158, 170, 222, 227, 265, 271
- coast, 274
- convection, 11–13, 105, 110–118, 121, 129, 130, 161, 205, 218, 271, 272, 274, 285, 286
- convection permitting simulation, 100, 285, 286, 287
- convergence, 13, 101, 105, 114–116, 161
- CORDEX, 21, 100, 120, 126, 170, 227, 279, 286, 288
- CORDEX-ESD, 23, 227
- Coriolis force, 11, 102–106
- credible, *See* information
- cyclogenesis, 11
- cyclone, 9, 26, 27, 119, 141, 159, 236, 271
  - Genoa low, 11, 162, 231
  - tropical, 11, 161
- Vb, 11
  
- decadal prediction, 39, 126, 270
- decision making, 123
- defensible, *See* information
- delta change approach, 19, 173, 174–175, 179, 217, 271
- deterministic downscaling, 138
- detrainment, 116

- distribution
- Bernoulli, 48
  - Binomial, 49
  - conditional density function, 46
  - cumulative probability distribution, 44
  - expected value, 44
  - exponential, 50
  - gamma, 50
  - Gaussian, *See* distribution, normal
  - generalised Pareto, 53
  - GEV, 53
  - joint probability density function, 45
  - joint probability distribution, 46
  - marginal density function, 46
  - moments, 44
  - normal, 49
  - Poisson, 49
  - probability density function, 43
  - probability mass function, 43
  - quantile, 44
  - return period, 54
  - return value, 54
  - uniform, 49
  - variance, 44
- diurnal cycle, 121, 182
- divergence, 9, 101, 106, 107, 161, 163
- divide, climatic, 27
- downdraft, *See* vertical velocity
- drought, 9, 13, 14, 17, 28, 39, 167, 256, 257, 273, 274
- dynamical change, 14, 118, 120, 218, 221, 266, 271
- dynamical downscaling, *See* regional climate model
- elevation dependent warming, 14, 31, 120, 192, 238, 287
- emission scenario, *See* uncertainty
- empirical statistical downscaling, *See* perfect prognosis and model output statistics
- emulator, 221–222
- ensemble of opportunity, *See* uncertainty
- ENSO, 14, 32, 81, 111, 118, 129, 187, 196, 264, 271, 274
- entrainment, 13, 116
- estimation, 55
- Bayesian estimator, 60
  - bias, 56
  - confidence interval, 56, 59
  - confidence intervals, 55
  - credible interval, 61
  - hyper parameter, 61
  - information matrix, 59
  - least squares estimator, 63
  - maximum likelihood, 57
  - posterior probability density function, 61
  - prior probability density function, 61
  - profile likelihood, 59
- sample, 55
- uncertainty, *See* uncertainty
- ethics, 23, 34, 279
- Europe, 4, 9–11, 14–17, 20–23, 87, 91, 100, 117, 121, 122, 129, 162, 165, 182, 193, 221, 223, 227, 238, 240, 243, 258, 264–266, 271
- evaluation, 5, 6, 21, 23, 25, 29, 36, 39, 68, 87, 93, 117–121, 131, 157, 163, 167, 169, 172, 179, 196, 197, 199, 227–262, 266, 267, 273, 278, 285, 288
- diagnostic, 59–60, 228, 229–231, 241
- GCM predictor experiment, 233
- index, 229, 238
- pairwise, 228, 232
- perfect predictor experiment, 199, 232–233, 234, 241, 242, 257, 258, 262, 282
- performance measure, 69, 172, 229, 230, 231, 232, 238
- process-oriented, 35, 231, 236, 271, 283
- pseudo reality, 21, 159, 166, 196, 199, 234–235, 237, 257, 258, 283, 284, 288
- trends, 121, 159, 233–236, 257, 264–265, 283
- evaporation, 13, 101, 110, 112, 148, 160
- evaporative loss, 88, 92
- evapotranspiration, 12, 94
- extreme event, 2, 9, 18, 20, 25, 26, 28, 36, 38, 48, 50–54, 60, 88, 92, 117, 121, 125, 126, 129, 130, 147, 149, 152, 162, 166, 167, 177, 180–181, 188–190, 199, 205, 213, 216, 222, 223, 230, 234, 242, 254–257, 260, 261, 268, 272, 273, 279, 283, 284, 286, 288
- finite differences, 107–109
- forecast verification, 69, 130, 172, 228, 241
- free atmosphere, 19, 148, 157, 159
- friction force, 101, 104, 105, 106
- Föhn, *See* wind
- garbage-in garbage-out, 29, 265, 266
- GCM predictor experiment, 235
- GCOS, 87
- general circulation model, 2–5, 16–23, 24–32, 117, 96–121, 124, 131, 141, 156, 157, 159–161, 170, 174, 186–188, 191, 192, 199, 217, 220–222, 227, 233, 234, 235, 236, 237, 238, 241–243, 257, 263–268, 271–274, 276, 279, 282–288
- geopotential, 105, 106
- geopotential height, 76, 95, 137, 154, 158, 159, 161, 163, 282
- GFCS, 1, 22
- global climate model, *See* general circulation model
- gravitation, 103, 105
- gravity, 103, 104, 105
- greenhouse gas emissions, 125

- gridded observations, 87, 90–93, 188, 189, 191, 223, 232
- Hadley cell, 11, 271
- heat wave, 9, 26, 28, 39, 223, 245, 256, 273
- hidden Markov model, *See* random process
- Himalaya, 11
- homogeneous downscaling, 137
- homogenisation, 89–90
- humidity, 33, 54, 94, 95, 137, 155, 158, 160, 161, 163–166, 169, 248, 258
- hydrostatic approximation, *See* hydrostatic balance
- hydrostatic balance, 105, 106
- hydrostatic model, 104
- impact model, 34, 37–38, 130, 170, 201, 270, 272, 275, 287, 288
- Indian Ocean, 121
- Indian Ocean Dipole, 14
- information, 35–36
  - actionable, 1, 35, 36, 269, 281
  - credible, 1, 23, 29, 31, 35–37, 123, 130, 131, 156, 157, 167, 173, 187, 195–197, 199, 221, 229, 234, 236, 238, 260, 262, 265–267, 269, 277, 279, 281, 284, 286, 288
  - defensible, 35, 228, 269, 270, 273, 274, 279, 282, 286, 288
  - legitimate, 35, 36, 37
  - plausible, 35, 98, 125, 131, 166, 192, 275
  - salient, 23, 35, 36, 37, 123, 227, 228, 277
- inhomogeneity, 88–90
- inhomogeneous downscaling, 137
- initial condition ensembles, *See* uncertainty
- inner alpine valley, 12, 187
- instability, baroclinic, 9, 161
- instability, convective, 13, 160, 161
- inter-variable dependence, *See* statistical climate aspect
- interannual variability, 214
- internal climate variability, *See* uncertainty
- interpolation, 18, 32, 38, 87, 91–93, 96, 176, 177, 180, 199, 211, 265, 272
- inversion, 12, 92, 190, 272
- IPCC, 2, 17, 20, 125
- ITCZ, 11, 111, 118, 236
- jet stream, 9, 119, 120
- lake effect, 271
- land-sea breeze, *See* wind
- large-scale circulation, 4, 16, 22, 55, 65, 119, 120, 138, 147, 148, 150, 161, 192, 208, 212, 261, 281, 287, 288
- legitimate, *See* information
- level of free convection, 13
- limited area model, *See* regional climate model
- low regret measure, 34
- Madden Julian Oscillation, 285
- maladaptation, *See* adaptation
- maritime climate, 11
- maritime continent, 121
- Markov chain, 202, *See* random process
- Markov process, *See* random process
- Mediterranean, 11, 100, 141, 162, 194
- micro climate, 12, 274
- Middle East, 121
- minimum skillful scale, 18, 19, 156, 157, 211
- Mistral, 231
- model output statistics, 5, 16, 23, 24, 135, 170–200, 201, 202, 217, 233, 234, 238–241, 243, 245, 248, 250, 251, 253, 254, 256–258, 260–261, 282–288
  - additive correction, 171, 175
  - bias correction, 5, 137, 138, 170–200
  - credibility assumption, 173, 187, 283
  - delta change approach, *See* delta change approach
  - direct approach, 174
  - downscaling to sub-grid scales, 22
  - large-scale errors, 22
  - multivariate, 178–179, 254
  - quantile mapping, 21, 22, 139, 140, 171, 176–182, 188, 190, 191, 196–197, 199, 222–224, 238, 240, 245, 248, 252, 256, 258, 260, 261, 284, 286
  - representativeness assumption, 173, 187–188, 197, 283
  - scaling, 175, 180, 181, 190
  - stationarity assumption, 173
  - suitable structure assumption, 173, 283
  - time-invariance assumption, 173
  - trend modification, 177, 191, 195–197, 222, 284
  - wet-day correction, 180, 260
- monsoon, 11, 118, 161, 182, 187, 271
- MOS, *See* model output statistics
- mountain breeze, 188, *See* wind
- multi-model ensemble, *See* uncertainty
- NAO, 10, 81, 121, 285
- North America, 20, 87, 117, 264
- North Atlantic, 9, 10, 17, 76, 118–120, 186, 285
- numerical weather prediction, *See* weather forecasting
- ocean upwelling, 118
- orographic drag, 110, 111
- orographic forcing, 11, 13
- orographic precipitation, 4, 12, 13, 20, 91, 120, 161, 188, 214, 271
- orography, 4
- overfitting, 65, 66, 69, 85, 162, 164, 165, 236

- Pacific, 14, 118, 264
- parameterisation, 29, 109–117, 124, 128, 130  
 Arakawa-Schubert scheme, 115  
 Betts-Miller scheme, 114  
 cloud, 111  
 convection, 110, 111, 113–117, 121, 126, 130, 234  
 Kuo scheme, 114  
 mass flux scheme, 115  
 Reynolds averaging, 111  
 Tiedke scheme, 115
- pattern methods, 74–85  
 CCA, 82–85, 145, 152  
 EOF, 76–82  
 MCA, 82–85, 145, 152  
 PCA, 75–82, 163, 164  
 principal component, 77–82
- PCA, *See* pattern methods
- PDO, 14, 264
- peaks-over-threshold approach, 53
- perfect prognosis, 4, 5, 16, 23, 24, 30, 127, 135, 141–169, 179, 201, 202, 207, 210, 212, 218, 233–237, 245, 248, 250, 251, 254, 256–258, 261, 284, 288  
 analog method, 135, 146–148, 149, 150, 152, 153, 154, 155, 212, 223, 243–261, 286  
 artificial neural network, 144  
 CCA, 152, *See also* pattern methods  
 inflated regression, 139, 143, 149, 150, 153, 248  
 informative, 157–169  
 informativeness assumption, 142, 156, 157–158, 173, 233, 282  
 MCA, 152, *See also* pattern methods  
 perfect prognosis assumption, 30, 142, 155, 156–157, 162, 173, 233, 234, 258, 282  
 quantile regression, 144  
 regression, 24, 135, 143–145, 147–154, 222, 243, 245, 247, 248, 250–252, 254, 256, 257, 261, 272, 273, 285, 286, *See also* regression  
 stationarity assumption, 142  
 suitable structure assumption, 142, 283  
 time-invariance assumption, 142  
 weather type method, 4, 24, 135, 145–146, 149, 150, 152–154, 221, 258
- perturbed physics ensembles, *See* uncertainty
- planetary wave, 9, 10, 13, 214
- planning horizon, 36, 39, 270
- plausible, *See* information
- post normal science, 34
- PP, *See* perfect prognosis
- practitioner's dilemma, 33
- predictability, 127, 265
- predictand, 87–93, 135–169, 187
- predictor, 16, 19, 21, 24, 29–31, 93–95, 135–140, 141–169, 187–188, 202, 206–210, 212–214, 216, 218  
 domain, 162  
 for precipitation, 160–161  
 for temperature, 159–160  
 pre-processing, 162–164  
 selection, 164–169
- pressure, 9, 10, 16, 95, 101–107, 111, 154, 158, 159, 161–163, 182, 258
- pressure gradient force, 101, 104–106
- primitive equations, 104–107
- probabilistic projection, *See* uncertainty
- probability, 42  
 Bayes theorem, 43  
 conditional probability, 43  
 event, 41  
 event space, 41  
 i.i.d., 47  
 random variable, 42  
 sample space, 41
- provider's dilemma, 33
- quantile-quantile plot, 60, 189, 232, 240, 241
- random process, 70  
 autocorrelation function, 70  
 autocovariance function, 70  
 autoregressive process, 71, 203, 206  
 crosscorrelation function, 71  
 crosscovariance function, 71  
 ensemble, 70  
 hidden Markov process, 73  
 Markov chain, 73, 202, 207  
 Markov process, 71  
 Poisson process, 73  
 realisation, 70  
 stationarity, 70  
 white noise, 71
- randomisation, *See* stochastic downscaling
- reanalysis, 92, 93–95
- regional climate model, 2–5, 19–20, 22, 24–31, 96–100, 117–121, 137, 170, 180, 186–192, 194, 220–224, 231, 232, 234–236, 242, 243, 251, 257, 258, 265–267, 271, 272, 274, 276, 283, 284, 286–288
- regression, 61–70, 135, *See also* perfect prognosis  
 AIC, 67  
 backward elimination, 68  
 BIC, 67  
 deviance statistic, 67  
 forward selection, 68  
 generalised linear model, 64, 143, 144, 150, 152, 153, 207, 209, 245, 248, 251, 252, 254, 257  
 inflation, *See* perfect prognosis  
 least squares estimator, 63  
 linear model, 62, 143  
 logistic, 65, 207  
 model selection, 66

- regression (*cont.*)  
 multiple linear regression, 62  
 residual quantile quantile plot, 69  
 residuals, 68  
 straight line regression, 63  
 vector generalised linear model, 65, 144, 149
- representative concentration pathway, 98, 125
- representativeness, 31, 181, 185, 187, 196, 197
- resampling, 147
- residual spatial dependence, 27, 139, 152, 185, 210, 214, 250
- residual temporal dependence, 26, 139, 150, 152, 182, 197, 210, 214, 245
- Rossby wave, *See* planetary wave
- salient, *See* information
- seasonal cycle, *See* annual cycle
- seasonal forecasting, 39, 98, 270, 276
- seasonal prediction, *See* seasonal forecasting
- self-organising map, 162, 169
- snow cover, 12, 274
- snow-albedo feedback, 14, 31, 120, 121, 187, 188, 192, 271
- soil moisture, 12, 121, 187, 245
- soil moisture feedback, 12, 13, 26, 121, 206, 235, 271
- South America, 95, 117, 121, 227
- Southern Ocean, 121
- spectral nudging, 100
- spell, 26, 49, 148, 182, 183, 214, 229, 230, 248, 260, 261  
 cold, 9, 245, 254, 261  
 dry, 9, 37, 182, 202, 206, 248, 257  
 of threshold exceedance, 39  
 warm, 9, 254, 261  
 wet, 2, 37, 206, 245, 248, 261
- stability, 13, 161, 163, 258, 282
- statistical climate aspect, 25–29, 36–40, 139–140, 142, 148, 166, 167, 179, 188, 197, 212, 217, 218, 227, 230, 242, 258–262, 273  
 calibrated, 157, 213, 214, 233, 243, 245, 248, 250  
 explicitly modelled, *See* calibrated  
 marginal, 25–26, 148–150, 179–181, 213, 230, 243–245, 254–256, 258–262  
 multivariable, 28, 152, 153, 185, 186, 216, 230, 252–254, 258–262  
 non-calibrated, 243, 250  
 spatial, 27–28, 150–152, 183–185, 214–216, 230, 250–252, 258–262  
 temporal, 26, 28, 150, 182–183, 213–214, 230, 245–250, 256–262
- statistical downscaling, *See* perfect prognosis and model output statistics
- statistical-dynamical downscaling, 220–221
- Stevenson screen, 89
- stochastic downscaling, 138, 202
- storm track, 9, 13, 119, 186, 192, 193, 197, 271
- stress test, 266, 267, 288
- surrogate global warming simulation, 287, 288
- systematic spatial variations, 27
- temperature, 282
- thermodynamic change, 14, 118, 120, 164, 179, 218, 221, 237, 265, 266, 271, 287
- thermodynamic equation, 107
- totals-total index, 161
- trend, 22, 88–90, 93–95, 121, 128, 139, 157–159, 165, 166, 176, 177, 191, 192, 195–197, 222, 228, 233–237, 240, 241, 257–258, 260, 261, 263–265, 268, 274–278, 283–285, *See also* climate change
- uncertainty, 1, 5, 6, 21, 33–35, 37, 118–121, 123–132, 164–166, 196, 229, 263, 264, 266, 267, 269, 271, 275–279, 281, 284, 288
- aleatory, 123
- climate projection, 123–131  
 deep, 23, 129–130, 131, 279, 284  
 emission scenario, 125  
 ensemble of opportunity, 130  
 epistemic, 123  
 forcing, 124, 125, 275  
 fractional, 128  
 human reflexive, 125  
 initial condition ensembles, 128  
 internal climate variability, 15, 22, 98, 118, 121, 126–129, 164, 172, 176, 218, 229, 231–233, 235, 240, 241, 257, 264–265, 271, 275–276, 284
- irreducible, 123
- macro initial conditions, 127
- micro initial conditions, 127
- model inadequacy, 125
- model imperfection, 125–126, 271, 275–276
- model inadequacy, 126, 130, 229
- model uncertainty, 20, 117, 125–126, 130, 273, 274
- multi-model ensembles, 128
- observational, 92, 95
- perturbed physics ensembles, 128
- probabilistic projection, 130, 265
- reducible, 123
- sampled, 126, 131
- sampling, 53, 55, 56, 57, 79, 165, 166, 232
- scenario, 125
- undercatch, 88
- United Nations Framework Convention on Climate Change, 1
- updraft, *See* vertical velocity
- urban heat island, 89
- urbanisation, 89
- user needs, 22–23, 33–40

- VALUE, 23, 33, 227, 229, 230, 243, 251, 257, 258, 260, 262
- variability  
 decadal, 111, 157, 176, 197, 265  
 interannual, 14, 26, 111, 157, 166, 176, 194, 197, 237, 243, 248, 250, 260, 261, 267, 271  
 multidecadal, 14, 260, 275  
 sub-grid, 22, 115, 188, 190, 191, 199, 222, 260, 272, 286
- vertical velocity, 13, 105, 107, 121, 158, 160, 161
- vorticity, 159, 161, 163
- Walker circulation, 11, 118
- WCRP, 20
- weather forecasting, 16–17, 19, 29, 30, 35, 87, 93, 98, 99, 104, 107, 109, 122, 126, 155, 157, 158, 164, 167, 169, 171, 172, 179, 200, 228, 233
- weather generator, 19, 41, 138, 201–219, 245, 248, 250, 252, 254, 256, 257, 261–262, 288  
 assumptions, 201  
 Bartlett-Lewis, 204, 205  
 change factor, 19, 217–218  
 conditional, 206–208, 218  
 credibility assumption, 217, 283  
 full field, 211–212, 214  
 hidden Markov, 209–210, 214, 248, 250, 252, 258, *See also* random process
- informativeness assumption, 218, 282
- multisite, 208–209, 211, 214–216
- multivariable, 206
- Neyman-Scott, 204, 205
- perfect prognosis assumption, 218
- Poisson cluster, 203–205, 210–212, 214, 216
- random cascade, 211, 212
- representativeness assumption, 217, 283
- Richardson-type, 202–203, 206, 207, 208, 213, 214, 216, 250
- single site, 140
- subdaily, 212
- suitable structure assumption, 217, 218, 283
- weather type, 41–43, 46, 145, 163–164, *See also* perfect prognosis
- wind, 9–13, 33, 54, 88, 93, 161, 163, 169, 185, 214, 220, 221, 231  
 coastal jet, 271  
 downslope, 12  
 downvalley, 12  
 Föhn, 12, 271  
 land-sea breeze, 13, 271  
 mountain breeze, 271  
 shear, 111  
 upslope, 12  
 upvalley, 12