

Index

- abacavir, 749–750
 abatacept, 764
 abdominal aortic aneurysm repair, 35
 abdominal migraine (cyclic vomiting syndrome), 137–138
 abducens nerve (CN VI)
 diabetic neuropathy, 151–152
 double vision, 624
 Gradenigo syndrome, 236, 624
 abetalipoproteinemia, 410–411, 573, 690
 abscesses
 intracranial
 Bacteroides, 54–55
 fungal, 222
 hemorrhage into, 247–248
 nocardiosis, 422–423
 psoas muscle, 540
 spinal epidural, 614
 absence seizures, 3, 317
 atypical, 3
 ACA (anterior cerebral artery)
 infarction, 28, 331–332
 acamprosate, 790
 acanthocytosis, 409–410
 with abetalipoproteinemia, 410–411
 acarbose, 719
 ACE inhibitors, 496, 709
 acetazolamide, 100, 243, 297
 acetazolamide-responsive myotonia, 513–514
 AChA (anterior choroidal artery)
 infarction, 28–29
 acoustic neuroma (vestibular schwannoma), 595
 acquired hepatocerebral degeneration, 4
 acrodermatitis enteropathica, 705
 acromegaly, 492
 actinomycosis, 4
 acute brachial neuritis (Parsonage–Turner syndrome), 5, 417
 acute disseminated encephalomyelitis (ADEM), 5–6
 post-immunization, 503–505
 post-infectious, 146, 178, 364, 505–507
 acute inflammatory demyelinating polyneuropathy, *see* Guillain–Barré syndrome
 acute kidney injury, 568–569, 577
 acute necrotizing encephalopathy, 301
 acute postasthmatic amyotrophy (Hopkins syndrome), 273–274
 acute posterior multifocal placoid pigment epitheliopathy, 677
 acute respiratory distress syndrome (ARDS), 294
 acute stress disorder, 7–8
 acyclovir, 264, 266, 738–739
 adalimumab, 766
 ADAMTS13 deficiency, 655–656
 Addison's disease, 10–11
 ADEM, *see* acute disseminated encephalomyelitis
 adenovirus, 8
 adenylosuccinate lyase (ASL) deficiency, 9
 ADH, *see* antidiuretic hormone
 ADHD, *see* attention deficit hyperactivity disorder
 Adie's pupil, 662–663
 adjustment disorder, 10, 354, 511
 adrenal gland
 hyperadrenalism, 277–278
 insufficiency, 10–11
 pheochromocytoma, 484–485
 adrenoleukodystrophy, 11–12
 adrenomyeloneuropathy, 11–12
 advanced sleep–wake phase disorder, 12
 AEDs, *see* antiepileptic drugs
 aerosol inhalation abuse
 nitrous oxide, 421–422, 687
 solvents, 13, 234–235, 267, 610
 afferent pupillary defect, 13–14
 age-related macular degeneration, 352–353
 AION (anterior ischemic optic neuropathy), 41, 423, 501
 air embolism, 14
 akinetic (atonic) seizures, 45
 albiglutide, 720
 albuterol (salbutamol), 736–737
 alcohol abuse, 14–16
 abstinence medication, 790, 799–800
 Korsakoff syndrome, 323–324, 537
 Marchiafava–Bignami disease, 363
 Wernicke disease, 537, 651, 700–701
 withdrawal, 16–17
 aldosterone excess, 277–278
 alemtuzumab, 751
 Alice in Wonderland syndrome, 192
 alien limb phenomenon, 50
 almotriptan, 788, 789
 alogliptin, 720
 Alpers disease (Alpers–Huttenlocher syndrome), 17–18
 alpha-2 adrenergic agonists, 785, 790–791
 alpha-galactosidase A deficiency (Fabry disease), 198–199
 alpha-glucosidase inhibitors, 719
 alpha-receptor blockers (alpha-1 adrenergic receptor antagonists), 421, 512, 722
 ALS–parkinsonism–dementia complex (ALS-PDC), 21–23
 altitude, central sleep apnea, 99–100
 aluminum toxicity, 153–154, 570, 727
 alveolar echinococcosis, 170
 Alzheimer's disease, 18–19, 690–691
 amantadine, 767
 amaurosis fugax, 20, 644
 amblyopia, 551, 625
 American trypanosomiasis (Chagas disease), 113
 aminoacidopathies
 biotinidase deficiency, 62–64
 homocysteinemia, 272–273, 281
 homocystinuria, 273
 maple syrup urine disease, 362–363
 phenylketonuria, 484
 pyridoxine-dependent seizures, 553–554
 aminoglycosides, 738
 amiodarone, 709–710
 ammonium ions (hyperammonemia), 278–279, 779

Index

- adenylosuccinate lyase deficiency, 9
 amnesia
 dissociative (psychogenic), 159–161
 Korsakoff syndrome, 323–324, 537
 transient global, 664
 amniotic fluid embolism, 108
 amoebiasis, 20
 amoxapine, 791
 amphetamines, 803–804
 ecstasy, 173–174
 methamphetamine, 373–374
 amphotericin B, 42, 79, 222, 269, 738
 amylinomimetics, 719
 amyloid
 Alzheimer's disease, 18
 amyloidosis, 21
 cerebral amyloid angiopathy, 105
 familial, 205
 amyotrophic lateral sclerosis (ALS), 219–220
 ALS–parkinsonism–dementia complex, 21–23
 anabolic steroids, 323, 358, 722–723
 anakinra, 764–765
 analgesics
 medication-overuse headache, 366
 NSAIDs, 786
 opioids, 786–787, 798–799
 salicylates, 787
 anaplastic astrocytoma, 43
 ANCAs (antineutrophil cytoplasmic antibodies), 237–238
 Andersen–Tawil syndrome, 23, 477
 Anderson–Fabry disease, 198–199
 androgens, 323, 358, 722–723
 anemia
 erythropoiesis-stimulating agents, 755
 hemolytic–uremic syndrome, 247
 iron deficiency, 310–311, 730
 paroxysmal nocturnal hemoglobinuria, 471–472
 vitamin B12 deficiency (pernicious anemia), 226, 686, 688
 vitamin E deficiency, 691
 anesthesia
 and aminoglycosides, 738
 and hyperkalemic periodic paralysis, 281
 malignant hyperthermia, 358–359
 nitrous oxide, 421–422, 687
 aneurysms
 aortic aneurysm repair, 35
 carotid artery, 87–88
 intracranial
 cerebral, 23–24
 mycotic, 398–399
 in pregnancy, 107
 angel dust (phencyclidine), 483
 Angelman syndrome, 24–25, *see also*
 Prader–Willi syndrome
 angioma, 94–95, 680–681
 angiomas (Sturge–Weber syndrome), 232, 571, 629
 angiostrongyliasis, 25–26
 angiotensin-converting enzyme (ACE)
 inhibitors, 496, 709
 angiotensin receptor blockers (ARBs), 709
 angle closure glaucoma, 231–232
 anorexia nervosa, 26–27, 486
 anoxic encephalopathy, 27–28
 antacids, 727
 anterior cerebral artery (ACA)
 infarction, 28, 331–332
 anterior choroidal artery (AChA)
 infarction, 28–29
 anterior interosseous nerve syndrome, 533
 anterior ischemic optic neuropathy (AION), 41, 423, 501
 anterior spinal artery (ASA) occlusion, 29
 antiarrhythmic drugs, 709–711
 anti-asthma drugs, 734, 735–737
 antibiotics, 340, 738, 739–747, *see also*
 antifungal drugs; antiviral drugs
 resistance, 181
 anticholinergic drugs, 768
 bladder care, 275
 bronchodilators, 734
 poisoning, 29
 to prevent dystonic reaction, 168
 anticoagulants, 377, 711, 783, *see also*
 antiplatelet drugs
 in atrial fibrillation, 46
 HIT, 250–251
 in pregnancy, 108
 antidepressant drugs, 355, 427, 480, 547, 791–796
 in bipolar I/II disorders, 64, 65
 in factitious disorder, 204
 in PTSD, 512
 seizure risk, 77, 355
 serotonin syndrome, 601–602
 MAIOs, 355, 480
 other drugs, 792, 793, 795, 796
 sexual dysfunction, 357, 794, 795–796
 suicide risk, 791, 792, 793, 794, 795, 796
 antidiuretic hormone (ADH)
 deficiency, 492
 excess (SIADH), 174, 292, 543
 antiemetic drugs, 728, 729, 781–782
 antiepileptic drugs (AEDs), 189, 774–780
 absence seizures, 3
 atonic seizures, 45
 BECTS (rolandic epilepsy), 58
 MERRF, 199
 for mood stabilization, 64, 307
 in pregnancy/postpartum, 190–191, 692, 779
 for radiation-induced peripheral neuropathy, 560
 tonic–clonic seizures, 228
 and vitamin D deficiency, 689
 antifungal drugs, 42, 79, 222, 269, 738, 739, 742
 antihelminthic drugs, 26, 432
 antihistamines, 734
 anti-Hu syndrome, 30
 antihypertensive drugs, 496, 709, 712–713, 716, 717
 beta-blockers, 196, 290, 516, 712
 in pre-eclampsia, 516
 anti-MAG demyelinating polyneuropathy, 30–31, 418–419
 antimicrobials, 738–747, *see also* antibi-
 otics; antifungal drugs; antiviral
 drugs
 antiparkinsonian drugs, 338, 468–469, 767–771
 dopa-responsive dystonia, 163
 in pregnancy, 384
 and psychosis, 545
 antiplatelet drugs, 711–712, *see also*
 anticoagulants
 antipsychotic drugs, 305, 565, 589–590, 591–592
 in catatonia (contraindicated), 93
 in delirium, 144, 305
 in dementia, 19, 338
 dystonic reaction, 168
 first generation (typical), 781–782, 796
 neuroleptic malignant syndrome, 590, 767, 770, 796, 797
 in Parkinson's disease, 545
 in pregnancy, 116
 in PTSD, 512
 rabbit syndrome, 555–556
 second-generation (atypical), 592, 796–797
 tardive dyskinesia, 555, 589–590, 641–642
 tardive dystonia, 642–643
 antiretroviral drugs, 269, 271, 748–750

- antirheumatic drugs (DMARDs), 579, 764–766
- antisocial personality disorder, 306
- antithrombin deficiency, 31
- antithymocyte globulin, 751
- anti-VEGF drugs, 352, 762
- antiviral drugs, 140, 256, 738–739
 for herpesviruses, 264, 266, 276
 for HIV, 269, 271, 748–750
 for influenza, 301, 745
- Anton syndrome, 103
- anxiety disorders, *see also* illness anxiety disorder
 due to another medical condition, 31–32, 454
 generalized anxiety disorder, 227–228
 hyperventilation syndrome, 287–288
 panic disorder, 455–457
 selective mutism, 598–599
- anxiolytic drugs, 799, *see also* hypnotic drugs
 benzodiazepines, 32, 567, 622, 648, 797–798
- aorta
 arteritis, 32–33
 coarctation, 33
 dissection, 33–34
 surgical procedures, 35–36
 Takayasu arteritis, 641
 trauma, 36–37
- aortic valve
 regurgitation, 34
 stenosis, 35, 678
- aortography, 36
- aphasia
 Broca's area lesions, 377
 Landau-Kleffner syndrome, 330
 primary progressive, 219, 525–526
 logopenic variant, 18
 Wernicke, 376
- apraxia of eyelid opening, 550
- aprepitant, 782
- aqueductal stenosis, 37–38
- arachnoid cysts, 38, 491
- arachnoiditis, 38–39
- ARDS (acute respiratory distress syndrome), 294
- arformoterol, 736
- argininosuccinate (adenylosuccinate) lyase deficiency, 9
- Argyll Robertson pupil, 662
- armodafinil, 316, 322
- arteries, intra-arterial injections, 308, 345
- arteriopathy
 arteritis
 aortic, 32–33
 giant-cell, 32, 41, 501, 644–645
 polyarteritis nodosa, 255, 395–396
 Takayasu, 641
 non-inflammatory
 fibromuscular dysplasia, 212
 moyamoya disease, 385
 Sneddon's syndrome, 609–610
- arteriovenous malformations (AVMs)
 cerebral, 40–41, 441–443
 fistula, 39–40, 89–90, 617–618
 orbital, 438
 hereditary hemorrhagic telangiectasia, 442–443
 pulmonary, 441, 443
- arteritic anterior ischemic optic neuropathy (AAION), 41, 501
- arthritis, *see also* spondylosis
 cervical spine, 109
 DMARDs, 579, 764–766
 osteoarthritis, 443
 reactive, 563–564
 rheumatoid, 578–579
- ASA (anterior spinal artery) occlusion, 29
- ASD, *see* atrial septal defect; autism spectrum disorder
- aspergillosis, 41–42
- aspirin, 711–712, 787
- asthma
 acute postasthmatic amyotrophy, 273–274
 drugs, 734, 735–737
- astrocytoma, 42
 cerebellar, 43–44
 grade I (pilocytic), 42–43
 grade II (diffuse), 43
 grade III (anaplastic), 43
 grade IV (glioblastoma), 43
- ataxia
 coenzyme Q₁₀ deficiency, 520
 Friedreich's ataxia, 216–218
 FXTAS, 216
 vestibulocerebellar syndrome, 207
 vitamin E deficiency, 690
- atherosclerosis
 carotid artery, 88–89
 claudication, 307–308, 678–679
 intracranial, 308–309
- atlantoaxial subluxation, 44–45
- atomoxetine, 797
- atonic seizures, 45
- atrial fibrillation, 45–46
- atrial septal defect (ASD), 46–47
- attention deficit hyperactivity disorder (ADHD), 47, 307, 353–354, 547
 treatment, 47, 797, 803–804
- atypical facial pain, 47–48
- atypical parkinsonism, 48–51
 ALS-PDC, 21–23
 CBD, 49–50, 128–129
 LBD, 48, 50, 337
 MSA, 48, 49, 50, 391–393
 PSP, 48, 49, 197, 529
- autism spectrum disorder, 51–52, *see also* fragile X syndrome
- autobiographical memory, 159–160
- autoimmune disorders
 ADEM, 5–6, 146, 178, 364, 503–507
 anti-Hu syndrome, 30
 anti-MAG Abs, 30–31, 418–419
 autonomic neuropathy,
 paraneoplastic, 461
 CANOMAD syndrome, 81
 celiac disease, 96–97
 CIDP, 116–118
 cryoglobulinemia type III, 134–135
 encephalitis, 6, 177–178, 276, 462–463, 695–696
 encephalomyelitis, 461–462
 GAD Ab syndromes, 235–236
 GALOP syndrome, 224
 granulomatosis with polyangiitis, 237–238
 Guillain-Barré syndrome, 6–7, 78, 254, 255, 757
 Hashimoto's thyroiditis, 241
 LEMS, 329–330, 463, 550
 multiple sclerosis, 389–390, 436, 676
 myasthenia gravis, 396–397, 463–464, 550, 624, 743
 neuromyelitis optica, 414, 605
 neuromyotonia, 414–415
 opsoclonus-myoclonus syndrome, 464
 pernicious anemia, 686
 reactive arthritis, 563–564
 retinopathy, 465
 rheumatoid arthritis, 578–580
 scleroderma, 530, 596–598
 sensory neuronopathy, 465–466
 Sjögren's syndrome, 604–606
 stiff person syndrome, 621–622
 sulfatide antibodies, 419
 Susac syndrome, 635, 676
 Sydenham chorea, 635–636
 systemic lupus erythematosus, 639–640
 TTP, 655–656
 Vogt-Koyanagi-Harada disease, 676, 694

Index

- autonomic nervous system, *see also* syncope
 central alveolar hypoventilation syndrome, 126
 diabetic neuropathy, 150–151
 paraganglioma, 458–459
 paraneoplastic neuropathy, 461
 parasympathetic blockade, 29
 postural orthostatic tachycardia syndrome, 512–513
 pure autonomic failure, 551
 Sjögren's syndrome, 605
 and vincristine, 762
- AVMs, *see* arteriovenous malformations
- avoidant/restrictive food intake disorder, 52–53
- axis (C2)
 atlantoaxial subluxation, 44–45
 odontoid fracture, 111–112
- axonal polyneuropathy, 500
- azathioprine, 238, 695, 751
- azole antifungals, 739
- aztreonam, 739
- babesiosis, 54
- back pain
 degenerative disc disease, 142, 342
 discitis, 157
 herniated discs, 261
 lumbar stenosis, 344
 radiculopathy, 560
- back strain/sprain, 54, 343–344
- baclofen pump, intrathecal, 622
- bacterial infections
 actinomycosis, 4
 aortitis, 32–33
Bacteroides spp., 54–55
 brucellosis, 75–76
Campylobacter enteritis, 78
 cat scratch disease, 93–94
Citrobacter spp., 119–120
Clostridium spp., 120–121
 tetanus, 120, 121, 649–650
 diphtheria, 155–156
 ehrlichiosis, 174–175
 Enterobacteriaceae, 119–120, 181–182
Fusobacterium spp., 222–223
Haemophilus influenzae type B, 240
 infective endocarditis, 299–300, 600–601, 625–626
 leprosy, 334
 leptospirosis, 335
Listeria monocytogenes, 339–340
 Lyme disease, 347–348
Mycoplasma pneumoniae, 397–398
 mycotic aneurysm, 398–399
 necrotizing fasciitis, 91, 207, 208
Neisseria meningitis, 407–409
 nocardiosis, 422–423
 osteomyelitis, 156–157, 447
 pertussis, 156, 482–483
Pseudomonas aeruginosa, 538–539
 pyomyositis, 552–553
 Rocky Mountain spotted fever, 579–580
 sepsis, 600
Staphylococcus aureus, 619
Streptococcus spp.
 group A (rheumatic fever), 116, 379, 577–578, 635–636
 group B, 625
 microaerophilic, 625–626
 PANDAS, 635–636, 658
S. pneumoniae, 626–627
 syphilis, 32, 271, 637–638, 662
 tuberculosis, 271, 669
 typhoid, 671–672
 Whipple's disease, 702
Bacteroides spp., 54–55
 balance problems, *see* vertigo
- Balint syndrome, 55–56
- Bardet–Biedl syndrome, 573
- bariatric surgery complications, 56
- Bartonella henselae* (cat scratch disease), 93–94
- basal ganglia
 calcification, 206–207
 copper deposition (Wilson's disease), 92, 383, 384
 MCA occlusion, 376
 and movement disorders, 384
 neurodegeneration with brain iron accumulation, 409–410, 411
- basilar artery
 locked-in syndrome, 341, 481
 top of the basilar syndrome, 663
- basilar invagination, 56–57
- basiliximab, 751–752
- Bassen–Kornzweig syndrome (abetalipoproteinemia), 410–411, 573, 690
- Batten's disease (neuronal ceroid lipofuscinoses), 528, 573
- B cell disorders, *see also* lymphoma
 multiple myeloma, 389
 plasma cell dyscrasias, 492–493
 Waldenström's macroglobulinemia, 699–700
- Becker muscular dystrophy, 57
- Beck's syndrome (ASA occlusion), 29
- BECTS (benign epilepsy of childhood with centro-temporal spikes), 58
- behavioral variant frontotemporal dementia (bv-FTD), 219
- Behçet's disease, 677
- Bell's palsy (facial nerve), 200–201, 265
 inability to close eyelids, 319
 parotid cancer, 469
 in pregnancy, 417
- bendamustine, 700
- Benedikt syndrome, 624
- benign acute childhood myositis, 301
- benign epilepsy of childhood with centro-temporal spikes (BECTS), 58
- benign familial infantile convulsions and choreoathetosis (ICCA), 58–59
- benign familial neonatal infantile seizures (BFNIS), 59
- benign familial neonatal seizures (BFNS), 59
- benign fasciculation syndrome, 59–60
- benign hereditary chorea (essential chorea), 193–194
- benign paroxysmal positional vertigo (BPPV), 60–61
- benzamides, 728, 781, 782
- benzodiazepines, 32, 567, 622, 648, 797–798
- beriberi, 537, 651
- beta-blockers, 196, 290, 516, 712
- beta-lactam/beta-lactamase inhibitors, 181, 740
- bevacizumab, 762
- BFNIS (benign familial neonatal infantile seizures), 59
- BFNS (benign familial neonatal seizures), 59
- Bickers–Adams–Edwards syndrome, 37
- Bickerstaff encephalitis, 6
- biguanides, 719–720
- bile acid sequestrants, 714
- bilirubin-induced neurologic dysfunction (kernicterus), 319–320, 741
- binge eating disorder, 61, *see also* bulimia nervosa
- Bing–Neel syndrome, 699
- Binswanger's disease, 61–62, 312
- biotinidase deficiency, 62–64
- bipolar I disorder, 64, 800
- bipolar II disorder, 65, 800
- bipolar and related disorder due to another medical condition, 66

- bisphosphonates, 723
black widow spider venom, 66–67
bladder cancer, 67–68
blastomycosis, 68
blepharospasm, 68–69, 367–368
blinatumomab, 754
blindness, *see* vision, loss of
blood hyperviscosity, 288, 505, 507, 622, 699–700
blood pressure, *see* hypertension; orthostatic hypotension
body dysmorphic disorder, 69–70
bone, *see also* *entries at* osteo-
Paget's disease, 451
tumors, 230–231, 445, 447–448
borderline personality disorder, 204
Borrelia burgdorferi (Lyme disease), 347–348
bortezomib, 700, 760
botulinum toxin injections, 69, 110, 368, 783
botulism, 70, 120, 550
bovine spongiform encephalopathy (BSE), 70–71
BPPV (benign paroxysmal positional vertigo), 60–61
brachial plexopathy, 71
acute neuritis, 5, 417
burner syndrome, 71–72
after cardiac surgery, 86
crutch use neuropathy, 134
neoplasm-related, 72
radiation neuropathy, 559–560
root avulsion, 580–581
Bradbury–Eggleston syndrome, 551
brain–lung–thyroid spectrum disorder, 193–194
brainstem
central pontine myelinolysis, 97–98, 292, 570
concussion, 73
encephalitis, 172, 182
lacunar stroke, 328
locked-in syndrome, 341, 481
ophthalmoplegia, 624
Parinaud syndrome, 197, 467, 652
breast cancer, 73–74
brachial plexopathy, 72
chemotherapy, 757–758, 760–761
meningitis, 83
brief psychotic disorder, 74–75
brivaracetam, 774
Broca's area, 377
bronchodilators, 734, 736–737
brucellosis, 75–76
BSE (bovine spongiform encephalopathy), 70–71
buckthorn fruit poisoning, 76
bulimia nervosa, 76–77, *see also* binge eating disorder
buprenorphine, 798–799
bupropion, 77, 357, 791–792
Burkitt lymphoma, 77
burner syndrome, 71–72
burnout, 627
buspirone, 799
butalbital, 783
butyrophenones (haloperidol), 168, 781, 796
cabazitaxel, 761
CADASIL, 105, 312
caffeine, 783–784
Calabar swelling, 342
calcineurin inhibitors, 695, 752
calcitonin, 723
calcium
hypercalcemia, 389, 568, 689
hypocalcemia, 288–289
calcium channel blockers, 712–713
Campylobacter enteritis, 78
canagliflozin, 721
canakinumab, 764–765
candidiasis, 78–79, 221–222
cannabinoids, medicinal, 781
cannabis, 79–80
withdrawal, 80–81
CANOMAD syndrome, 81
capecitabine, 755
capillary telangiectasia, 81–82
carbamazepine, 64, 191, 774–775
carbapenems, 740
resistance, 181
carbon dioxide (hypercarbia/hypercapnia), 118–119, 279
carbon disulphide toxicity, 82
carbon monoxide poisoning, 82
carboplatin, 759–760
carcinoid tumors, 82–83
carcinomatous meningitis, 83–84
cardiac surgery, 85–86
cardioembolic stroke, 46, 85, 375
cardiogenic syncope, 86–87
cardiovascular disorders
aorta, *see* aorta
aortic valve regurgitation, 34
aortic valve stenosis, 35, 678
arrhythmias, 84–85
Andersen–Tawil syndrome, 23, 477
atrial fibrillation, 45–46
medication, 709–711
orthostatic tachycardia, 512–513
prolonged QT syndrome, 533, 743, 744
Stoke Adams attacks, 623
and TCAs, 795
atrial septal defect, 46–47
congestive heart failure, 101–102, 126–127
diabetic autonomic neuropathy, 151
hypertrophic cardiomyopathy, 287
infective endocarditis, 299–300, 600–601, 625–626
mitral prolapse, 380–381
mitral regurgitation, 379–380
mitral stenosis, 380, 678
myocardial infarction, 399–400
patent ductus arteriosus, 472
patent foramen ovale, 472–473
prosthetic valves, 536
rheumatic fever, 116, 379, 577–578
ventricular septal defect, 681
carfilzomib, 760
caries, 147
carmustine, 758–759
carnitine deficiency, 518–519
carotid artery
aneurysm, 87–88
carotid–cavernous fistula, 89–90
dissection, 88
endarterectomy/stenting, 88–89
carotid sinus hypersensitivity, 90
carpal tunnel syndrome, 90–91, 417, 418, 533
cartilage (relapsing polychondritis), 565–566
cassava root poisoning, 91
catamenial neuropathy, 180
cataplexy, 405, 406, 802–803
cataracts, 91–93
catatonia, 93, 160
cat scratch disease, 93–94
cauda equina syndrome, 94, 618
cavernous angioma, 94–95
cavernous sinus, *see also* venous sinus thrombosis
carotid–cavernous fistula, 89–90
thrombophlebitis, 95
thrombosis, 95–96
Tolosa–Hunt syndrome, 661–662
tumor, 96
CBD (corticobasal degeneration), 49–50, 128–129

Index

- celiac disease, 96–97
 central pontine myelinolysis, 97–98, 292, 570
 central retinal artery occlusion, 98, 416
 central retinal vein occlusion, 98–99
 central serous choroidopathy, 99
 central sleep apnea
 Cheyne–Stokes respiration, 101–102, 114
 high altitude, 99–100
 medications/substance abuse, 100–101
 primary, 519–520
 central visual impairment, 102–103
 centronuclear myopathy, 103–104
 cephalosporins, 741
 cerebellum
 astrocytoma/glioma, 43–44
 coenzyme Q₁₀ deficiency, 520
 Dandy–Walker syndrome, 141
 drug-induced tremors, 166
 Lhermitte–Duclos disease, 338–339
 medulloblastoma, 367
 MSA-C, 49, 393–394
 vestibulocerebellar ataxia, 207
 cerebral amyloid angiopathy, 105, *see also*
 lobar hemorrhage
 familial, 205
 cerebral palsy, 106
 cerebral venous thrombosis, *see* venous
 sinus thrombosis
 cerebrospinal fluid leaks, 297, 645
 cerebrotendinous xanthomatosis, 107
 cerebrovascular disease, *see* stroke
 certolizumab pegol, 766
 cervical arthritis, 109
 cervical disc disorders, 109–110
 degenerative disease, 142
 herniation, 260
 cervical dystonia, 110
 cervical facet syndrome, 110–111
 cervical instability (atlantoaxial subluxation), 44–45
 cervical myofascial pain syndrome, 111
 cervical odontoid fracture, 111–112
 cervical radiation myelopathy, 558
 cervical spondylosis, 112
 cervical trauma, 111, 112–113
 cervical tumors, 406–407
 Chagas disease, 113
 channelopathies
 Andersen–Tawil syndrome, 23, 477
 BFNIS, 59
 BFNS, 59
 Dravet syndrome, 164–165
 familial hemiplegic migraine, 205–206
 hyperkalemic periodic paralysis, 281–282, 477
 hypokalemic periodic paralysis, 291, 476–477
 LEMS, 329–330, 463, 550
 limbic encephalitis, 695–696
 myotonia syndromes, 414–415, 477, 513–514
 Charcot–Marie–Tooth disease
 type 1, 258
 type 3, 258–259
 CHARGE syndrome, 374
 Charles Bonnet syndrome, 92, 103, 352, 436
 chemotherapy, 230, 337, 754–763
 intrathecal, 77, 757
 PCV, 432
 radiochemotherapy, 557, 559
 cherry-red spot myoclonus syndrome (sialidosis type I), 603
 Cheyne–Stokes respiration, 101–102, 114
 child abuse, 114–115, 204
 children, *see also* metabolic disorders;
 neonates; neurodevelopmental
 disorders
 ADEM/encephalomyelitis, 5–6, 178, 364, 503–507
 adenovirus, 8
 adrenoleukodystrophy (cerebral form), 11–12
 Alpers disease, 17–18
 amblyopia, 551, 625
 aqueductal stenosis, 37
 bone tumors, 445–446
 brain tumors, 43, 183, 652
 glioma, 43–44
 medulloblastoma, 367
 central visual loss, 103
 centronuclear myopathy, 103–104
 cerebral palsy, 106
 cyclic vomiting syndrome, 137–138
 disruptive mood dysregulation disorder, 158–159
 dopa-responsive dystonia, 163
 epilepsy
 absence, 3, 317
 BECTS (rolandic), 58
 BFNIS, 59
 BFNS, 59
 cortical dysplasia, 128
 Doose syndrome, 162–163
 Dravet syndrome, 164–165
 early myoclonic encephalopathy, 169
 ESES, 175–176
 folinic acid-responsive, 214
 GABA transaminase deficiency, 224
 ICCA, 58–59
 infantile spasms, 299
 juvenile myoclonic, 318, 528–529
 Landau–Kleffner syndrome, 330
 Lennox–Gastaut syndrome, 332–333, 778
 Ohtahara syndrome, 430–431
 progressive myoclonic, 528–529
 pyridoxine-dependent, 553–554
 Rasmussen encephalitis, 562–563
 temporal lobe, with febrile convulsions, 210
 febrile seizures, 210–211
 GAMT deficiency, 238
 GLUT1 deficiency, 236
 Haemophilus influenzae type B, 240
 Hand–Schuller–Christian disease, 240–241
 hemolytic–uremic syndrome, 247
 HHV-6, 275–276
 Hopkins syndrome, 273–274
 influenza-associated encephalopathy, 301
 measles, 364–365
 meningitis
 coxsackie virus, 129–130
 echovirus, 171–172
 meningococcal, 407–409
 Menkes disease, 370–371
 mitochondrial disorders, 332, 404–405
 muscular dystrophy
 Becker, 57
 Duchenne, 57
 facioscapulohumeral, 202
 nightmare disorder, 420–421
 otitis media, 117, 236, 363–364
 radiotherapy side effects, 184
 retinoblastoma, 440
 selective mutism, 598–599
 spinal muscular atrophy type III, 616
 Sydenham chorea, 635–636
 tic disorders, 201–202, 657–659
 tuberous sclerosis, 571, 670
 chlorpromazine, 796
 cholesteatoma, 117, 118
 cholesterol embolism, 115
 cholinesterase inhibitors, 19, 769

- chorea
 chorea gravidarum, 115–116, 383
 essential, 193–194
 hemiballism, 244–245
 Huntington's, 277, 383, 384, 773
 orofacial dyskinesia, 441
 Sydenham, 635–636
- choreoathetosis, 58–59
- chorioretinopathy, 99
- chromosomal abnormalities, *see also*
 trinucleotide repeat disorders
 Angelman syndrome, 24–25
 Down syndrome, 44–45, 163–164,
 765
 Klinefelter syndrome, 322–323
 Prader–Willi syndrome, 514–515
 ring chromosome 20 syndrome, 580
 Turner syndrome, 671
- chronic (congestive) heart failure,
 101–102, 126–127
- chronic inflammatory demyelinating
 polyneuropathy (CIDP)/
 chronic idiopathic sensory
 polyneuropathy, 116–117
 multifocal, 387
- chronic kidney disease, 569–570
- chronic otitis media, 117–118
- chronic progressive external ophthalmo-
 plegia, 550, 624
- chronic respiratory failure, 118–119
- ciguatera (fish) poisoning, 119
- cimetidine, 727–728
- cinacalcet, 724
- circadian rhythm disorders
 advanced sleep–wake phase disorder, 12
 delayed sleep–wake phase disorder,
 142–143
 fatal familial insomnia, 209
 irregular sleep–wake rhythm disorder,
 311–312
 jet lag, 316–317
 shift work disorder, 602–603
- cirrhosis, 4, 256
- cisplatin, 759–760
- Citrobacter* spp., 119–120
- CJD (Creutzfeldt–Jakob disease), 130–131
 variant form, 70–71
- Claude syndrome, 624
- claudication, 307–308, 678–679
- clindamycin, 741
- clonazepam, 567, 797–798
- clonidine, 790–791
- Clostridium botulinum*/botulism, 70, 120,
 550
- Clostridium perfringens*, 120–121
- Clostridium tetani*/tetanus, 120, 121,
 649–650
- clozapine, 592, 796–797
- cluster headache, 121
- CMV (cytomegalovirus), 139–140, 271
- coagulopathy, 122
 hypercoagulability, *see* thrombophilia
 hypocoagulability
 thrombocytopenia, 297–298, 654,
 655–656
 vitamin K deficiency, 692–693
- cobalamin (B12) deficiency, 226, 537,
 686, 732
- cocaine, 122–123
- Coccidioides immitis*, 123–124, 221
- cochlear degeneration, 683
- coenzyme Q₁₀ deficiency, 520–521
 Leigh disease, 332
 NADH CoQ reductase deficiency,
 404–405
- coma, 481
- complex regional pain syndrome, 124
- compression fractures, vertebral,
 124–125
- COMT inhibitors, 469, 768–769
- concussion
 brainstem, 73
 post-concussion syndrome, 187
- conduct disorders, 157–158
 intermittent explosive disorder,
 306–307
- confusional arousal, 125–126
- congenital central alveolar hypoventila-
 tion syndrome, 126
- congestive heart failure, 101–102,
 126–127
- Consten syndrome (temporomandibular
 joint syndrome), 647–648
- continuous spikes and waves during
 sleep syndrome, 175–176
- contraceptives, 724
- conversion disorder, 204, 220–221, 511
 loss of vision, 221
- convulsions, *see also* epilepsy
 eclampsia, 172–173, 190–193, 397
 febrile, 210–211
- copper
 deficiency, 127–128, 705
 Menkes disease, 370–371
 Wilson's disease, 92, 384
- cornea (keratitis), 319
- corpus callosum necrosis (Marchiafava–
 Bignami disease), 363
- cortical dysplasia, 128
- cortical visual impairment, 102–103
- corticobasal degeneration (CBD), 49–50,
 128–129
- corticosteroids, 91, 238, 391, 752
 critical illness myopathy, 131–132
- cortisol
 Addison's disease, 10–11
 hypercortisolism, 136–137, 277–278
 Cushing disease, 491, 492
- cough headache, 523
- coxsackie virus, 129–130
- cramp, 395–396
- cranial nerves, *see also individual nerves*
 diphtheric polyneuropathy, 155
 radiation neuropathy, 559–560
 Tolosa–Hunt syndrome, 661–662
- craniofacial tremor, 130
- craniopharyngioma, 490, 491
- creatine deficiency, 238
- Creutzfeldt–Jakob disease (CJD),
 130–131
 variant form, 70–71
- critical illness myopathy, 131–132
- critical illness neuropathy/
 polyneuropathy, 132–133
- Crohn's disease, 133–134
- crutch use neuropathy, 134
- cryoglobulinemia, 134–135, 257
- cryptococcal meningitis, 135–136, 271
- crystal meth (methamphetamine),
 373–374
- Cuban epidemic neuropathy, 136
- Cushing syndrome, 136–137,
 277–278
 Cushing disease, 491, 492
- cyanide (cassava root) poisoning, 91
- cyclic vomiting syndrome, 137–138
- cyclophosphamide, 237, 566, 759
- cyclosporine, 695, 752
- cyclothymic disorder, 138–139
- cystic echinococcosis, 170
- cysticercosis with myositis, 139
- cytarabine (ara-C), 754
 intrathecal, 77, 757
- cytomegalovirus (CMV), 139–140, 271
- danazol, 722–723
- Dandy–Walker syndrome, 141
- daptomycin, 741–742
- darbepoetin alfa, 755
- Darlings disease (histoplasmosis),
 268–269
- darunavir, 750

Index

- deafness, *see* hearing loss
 decompression sickness, 141–142
 decongestants, 735
 deep brain stimulation, 110, 247, 401
 deep territory MCA ischemia, 375, 376
 Dejerine–Sottas disease, 258–259
 delayed sleep–wake phase disorder, 142–143
 delirium, 143–144, 306, 548
 febrile, 301
 ICU psychosis, 305
 delirium tremens, 16
 delusional disorder, 144–145
 dematiaceous fungi, 145–146
 dementia
 ALS–PDC, 21–23
 Alzheimer’s disease, 18–19, 690–691
 antipsychotic drug use, 19, 338
 CJD/vCJD, 70–71, 130–131
 dialysis-related, 153–154, 570
 frontotemporal, 219–220, 529
 HIV, 270
 Lewy body, 48, 50, 337–338
 medications for, 769, 771
 primary progressive aphasia, 219, 525–526
 vascular, 388–389, 679
 Binswanger’s disease, 61–62, 312
 workup, 18
 dengue, 146–147, 213
 dental disease, 147–148
 dentatorubral–pallidolusian atrophy (DRPLA), 148, 528
 depakote, *see* valproate
 depersonalization/derealization disorder, 149
 depression, *see also* antidepressants
 bipolar disorders, 64, 65
 cyclothymic disorder, 138–139
 major depressive disorder, 353–356, 511
 medication-associated, 717, 731, 749, 760–761
 persistent depressive disorder, 479–480
 psychotic, 546, 589
 and seizures, 354, 355
 de Quervain’s tenosynovitis, 149–150
 dermatomyositis, 150, 255, 498–499
 developmental disorders, *see* neurodevelopmental disorders
 dexamethasone, 700
 dexmedetomidine, 790–791
 diabetes insipidus, 492, 543
 diabetes mellitus, 92
 autonomic neuropathy, 150–151
 CIDP, 116–117
 cranial mononeuropathy, 151–152
 distal symmetric polyneuropathy, 153
 hyperglycemia, 280
 hypoglycemia, 290
 ketoacidosis, 152
 oral hypoglycemic agents, 719–721
 peripheral mononeuropathy, 152
 polyradiculopathy, 153
 retinopathy, 416, 572
 dialysis-related disorders, 569–570
 dementia, 153–154, 570
 disequilibrium syndrome, 154, 570
 3,4-diaminopyridine (DAP), 329
 diamorphine (heroin)
 toxicity, 261–262
 withdrawal, 262–263
 didanosine, 749–750
 diffuse astrocytoma, 43
 diffuse idiopathic skeletal hyperostosis (DISH), 154–155
 digoxin, 710
 dihydroergotamine, 784
 dipeptidyl peptidase-4 inhibitors, 720
 diphtheria, 155–156
 diplopia, 623–625
 discitis, 156–157
 discs, *see* intervertebral discs
 disease-modifying antirheumatic drugs (DMARDs), 579, 764–766
 disequilibrium syndrome, 154, 570
 DISH (diffuse idiopathic skeletal hyperostosis), 154–155
 disorders of sex development (Klinefelter syndrome), 322–323
 disruptive, impulse-control, and conduct disorders, 157–158, 306–307
 disruptive mood dysregulation disorder, 158–159, 306
 dissociative disorders, 511
 depersonalization/derealization disorder, 149
 dissociative identity disorder, 160, 161–162
 psychogenic amnesia, 159–161
 distal spinal muscular atrophy, 162
 distal symmetric polyneuropathy, 153
 disulfiram, 799–800
 diuretics, 281, 713–714
 diving (decompression sickness), 141–142
 dizziness, *see* vertigo
 DLB (dementia with Lewy bodies), 48, 50, 337–338
 docetaxel, 761
 dolutegravir, 748
 domperidone, 781–782
 donepezil, 19, 769
 Doose syndrome, 162–163
 dopamine precursors, 163, 338, 384, 468, 770–771
 dopamine receptor agonists, 384, 468–469, 769–770
 dopamine receptor antagonists, 781–782, *see also* antipsychotic drugs
 dystonic reactions, 168, 591, 728
 oculogyric crisis, 430
 tardive dystonia, 642–643
 dopa-responsive dystonia, 163
 dorsal midbrain (Parinaud) syndrome, 197, 467, 652
 double vision, 623–625
 Down syndrome, 44–45, 163–164, 765
 doxycycline, 747
 Dravet syndrome, 164–165
 dronabinol, 781
 dronedarone, 709–710
 drop attacks
 atonic seizures, 45
 in elderly women, 165
 DRPLA (dentatorubral–pallidolusian atrophy), 148, 528
 drug abuse, *see* substance abuse
 drug-induced tremors, 165–167
 drug reaction with eosinophilia and systemic symptoms (DRESS), 774, 775–776, 777, 778, 779, 780
 Duchenne muscular dystrophy, 167
 dulaglutide, 720
 dyskinesia
 orofacial, 441
 paroxysmal, 470–471
 tardive, 555, 589–590, 641–642
 dysphagia
 botulinum toxin, 110, 783
 psychogenic, 540–541
 dysphonia, spasmodic, 611–612
 dysthymia (persistent depressive disorder), 479–480, *see also* major depressive disorder
 dystonia
 cervical, 110
 dopa-responsive, 163
 dystonic reaction to dopamine antagonists, 168, 591, 728

- oculogyric crisis, 430
tardive dystonia, 642–643
Meige syndrome, 69, 367–368
myoclonus dystonia, 401
in pregnancy, 383
primary torsion dystonia, 526–527
rapid onset dystonia–parkinsonism, 561–562
repetitive hand use, 570–571
X-linked dystonia parkinsonism, 703
- ear
BPPV, 60–61
Meniere's disease, 369
otitis externa, 538–539
otitis media
chronic, 117–118
Gradenigo syndrome, 236, 624
mastoiditis, 363–364
otosclerosis, 448–449
ototoxic drugs, 738, 743, 747, 759
perilymphatic fistula, 473–474
semicircular canal dehiscence, 633–634
temporal bone fracture, 645–646
vestibular degeneration, 683
vestibular neuritis, 683–684
- early infantile epileptic encephalopathy, 430–431
early myoclonic encephalopathy, 169
eastern equine encephalitis virus, 169–170
- eating disorders
anorexia nervosa, 26–27, 486
avoidant/restrictive food intake disorder, 52–53
binge eating, 61
bulimia nervosa, 76–77
pica, 486–487
sleep-related eating disorder, 606
- echinocandins, 742
echinococcosis, 170–171
echovirus, 171–172
eclampsia, 108, 172–173, 190–191, 397,
see also pre-eclampsia
ecstasy (MDMA), 173–174
ectopia lentis (lens subluxation), 333–334
efavirenz, 749
Ehler–Danlos syndrome, 174
ehrlichiosis, 174–175
elbow (epicondylitis), 185
electrical status epilepticus in sleep (ESES), 175–176
- electroconvulsive therapy, 176–177, 545, 547
eletriptan, 788
elimination disorders
encopresis, 179
enuresis, 183
elvitegravir, 748
embolism
air, 14
amniotic fluid, 108
cardioembolic, 46, 85, 375
cholesterol, 115
fat, 209–210
gas (decompression sickness), 141–142
septic, 600–601
empty sella syndrome, 177
emtricitabine, 749–750
encephalitis, 177–178, *see also* encephalomyelitis
amebic, 20
autoimmune
Bickerstaff, 6
limbic, 177–178, 276, 462–463, 695–696
brainstem (enterovirus), 172, 182
cysticercosis, 139
dengue, 146–147, 213
eastern equine encephalitis, 169–170
flaviviruses (in general), 212–214
hepatitis A, 254
HIV-associated, 271
HSV-I, 263–264
HSV-II
adult, 264, 265
neonatal, 264
Japanese encephalitis virus, 213, 315–316
La Crosse virus, 327
measles, 364–365
MERS, 301, 460
mumps, 394–395
Mycoplasma pneumoniae, 397–398
rabies, 556
Rasmussen, 562–563
St. Louis encephalitis virus, 622–623
encephalitis lethargica, 179
encephalomyelitis
ADEM, 5–6
post-immunization, 503–505
post-infectious, 146, 178, 364, 505–507
Lyme disease, 348
paraneoplastic, 461–462
- encephalomyopathy, 520
encephalopathy, *see also* encephalitis
anoxic, 27–28
bilirubin, 319–320, 741
BSE, 70–71
dengue, 146, 213
in eclampsia, 108, 172
epileptic
Dravet syndrome, 164–165
early myoclonic encephalopathy, 169
folinic acid-responsive, 214
GABA transaminase deficiency, 224
Ohtahara syndrome, 430–431
hepatic, 251–252
with cirrhosis, 4, 256
medication-associated, 744, 746–747
hypercapnic, 118–119
hypertensive (PRES), 285, 501–503, 575–576
in HUS, 247
medication-associated, 502, 509, 570, 752, 753, 762
in pregnancy, 108, 172, 416
influenza, 301
maple syrup urine disease, 362–363
PLERM, 432
post-transplant, 508–509
renal failure-associated, 569–570
septic, 600
Wernicke, 537, 569–570, 651, 700–701
Korsakoff syndrome, 323–324, 537
encephalotrigeminal angiomas (Sturge–Weber syndrome), 232, 571, 629
- encopresis, 179
endocarditis
infective, 299–300, 600–601, 625–626
mycotic aneurysm, 398–399
endocrine myopathies, 179–180
endometrial cancer, 674–675
endometriosis (ectopic tissue), 180
endothelin receptor antagonists, 717
enfuvirtide, 748
entacapone, 469, 768–769
enteritis (*Campylobacter*), 78
Enterobacteriaceae, 119–120, 181–182
enteroviruses, 182–183
coxsackie, 129–130
echovirus, 171–172
poliovirus, 182, 494–495

Index

- enuresis, 183
 eosinophilic meningitis
 (angiostrongyliasis), 25–26
 eosinophils, hypereosinophilic
 syndrome, 279–280
 ependymoma, 183–184
 ephedra/ephedrine, 184–185
 epicondylitis, 185
 epidermoid tumors, 185–186
 epidural abscesses, 614
 epidural hematoma (intracranial),
 186–188
 epidural hemorrhage (spinal), 614
 epidural lipomatosis, 615
 epidural neoplasms (spinal metastases),
 188
 epilepsy, 189, *see also* antiepileptic drugs
 absence seizures, 3, 317
 atypical, 3
 amnesia, 160
 atonic seizures, 45
 BECTS (rolandic), 58
 BFNIS, 59
 BFNS, 59
 cortical dysplasia, 128
 and depression, 354, 355
 Doose syndrome, 162–163
 Dravet syndrome, 164–165
 early myoclonic encephalopathy, 169
 folinic acid-responsive, 214
 frontal lobe, 218–219
 GABA transaminase deficiency, 224
 ICCA, 58–59
 infantile spasms, 299
 juvenile absence epilepsy, 3, 317
 juvenile myoclonic epilepsy, 318
 Landau-Kleffner syndrome, 330
 Lennox-Gastaut syndrome, 332–333,
 778
 medication-associated seizures, 736,
 740, 741, 758, 792
 occipital lobe, 428–429
 Ohtahara syndrome, 430–431
 parietal lobe, 466–467
 in pregnancy, 189–191
 progressive myoclonic epilepsy,
 528–529
 DRPLA, 148, 528
 Lafora disease, 328–329, 528
 MERRF, 400–401, 528
 pyridoxine-dependent, 553–554
 Rasmussen encephalitis, 562–563
 ring chromosome 20 syndrome, 580
 status epilepticus, 620–621
 epilepsia partialis continua,
 191–192
 ESES, 175–176
 nonconvulsive, 424, 736
 temporal lobe, 646–647
 with febrile convulsions, 210
 mesial temporal sclerosis, 371–372
 tonic-clonic seizures, 228
 Epley maneuver, 60
 epoetin alfa, 755
 epoprostenol, 717
 Epstein-Barr virus, 192, 349
 erectile disorder, 192–193, 725
 ergotamine/dihydroergotamine, 784–785
 erythrocytes
 acanthocytosis, 409–411
 polycythemia vera, 496–497
 erythromelalgia, 195
 erythropoiesis-stimulating agents, 755
 ESES (electrical status epilepticus in
 sleep), 175–176
 eslicarbazepine, 774–775
 essential chorea, 193–194
 essential myoclonus, 194–195
 essential palatal myoclonus, 451, 452
 essential thrombocythemia, 195
 essential tremor, 195–196
 estrogens
 contraceptives, 724
 HRT, 724–725
 etanercept, 766
 ethambutol, 742
 ethanol, *see* alcohol abuse
 ethosuximide, 3, 775
 ethylene oxide poisoning, 196
 everolimus, 753
 exenatide, 720
 exertional headache, 524
 extradural hematoma, 186–188
 eye, *see also* optic nerve; vision, loss of;
 afferent pupillary defect, 13–14
 amaurosis fugax, 20, 644
 AV fistula, 438
 cataracts, 91–93
 diabetic autonomic neuropathy, 151
 eye worm infestation, 342
 gaze abnormalities
 frontal eye field ischemia, 377
 ocular apraxia, 55
 ophthalmoplegia, 550, 623–625,
 661–662
 Parinaud syndrome, 197, 467, 652
 PSP, 529
 glaucoma, 231–232
 inflammation, 439–440
 keratitis, 319
 lens subluxation, 333–334
 macular degeneration, 352–353
 microphthalmos, 374–375
 miosis, 378–379
 oculogyric crisis, 430
 onchocerciasis, 432–433
 orbital hemorrhage, 438–439
 paraneoplastic retinopathy, 465
 pregnancy-associated conditions,
 415–417
 retinal detachment, 99, 571–572
 retinitis pigmentosa, 573–574
 scleritis, 595–596
 strabismus/diplopia, 623–625
 thyroid ophthalmopathy, 197, 439,
 624, 656
 tonic pupil, 662–663
 tumors, 440–441
 uveitis, 676–677, 694
 vitreous hemorrhage, 693–694
 eyedrops (in glaucoma), 232
 eyelids
 Bell's palsy, 319
 blepharospasm, 68–69, 367–368
 ptosis, 549–551
 retraction, 196–197, 319
 ezetimibe, 714
 Fabry disease, 198–199
 facet syndrome, cervical, 110–111
 facial chorea, 441
 facial myoclonus, 199–200
 facial nerve (CN VII)
 hemifacial spasm, 69, 245–246
 palsy (Bell's palsy), 200–201, 265
 inability to close eyelids, 319
 parotid cancer, 469
 in pregnancy, 417
 trauma, 201, 645
 tumors, 200
 facial pain
 atypical, 47–48
 glossopharyngeal neuralgia, 233–234,
 605
 Gradenigo syndrome, 236
 Raeder's paratrigeminal neuralgia,
 560–561
 trigeminal neuralgia, 605, 667–668
 facial tics, 201–202
 facial tremor, 130
 facioscapulohumeral muscular dystro-
 phy, 202

- factitious disorder, 160, 202–204, 486
 factor V Leiden, 204
 fainting, *see* syncope
 famcyclovir, 739
 familial cerebral amyloid angiopathy, 205
 familial hemiplegic migraine, 205–206
 familial idiopathic basal ganglia calcification, 206–207
 familial vestibulocerebellar syndrome, 207
 fasciculation (benign fasciculation syndrome), 59–60
 fasciitis, 207–208
 fascioliasis, 208
 fatal familial insomnia, 209
 fat embolism, 209–210
 fatty acid-related disorders
 adrenoleukodystrophy, 11–12
 carnitine deficiency, 518–519
 Refsum disease, 259, 573
 febrile delirium, 301
 febrile seizures, 210–211
 with temporal lobe epilepsy, 210
 fecal soiling (encopresis), 179
 felbamate, 775
 female sexual interest/arousal disorder, 211
 femoral neuropathy, 211–212, 418, 570
 psoas hemorrhage, 540
 fenofibrate, 715
 fibric acid derivatives, 715
 fibromuscular dysplasia, 212
 fidaxomicin, 742
 filbanserin, 211
 filgrastim, 756
 flaccid paralysis
 postasthmatic, 273–274
 viral, 182, 315
 flaviviruses, 212–214
 dengue, 146–147, 213
 Japanese encephalitis, 213, 315–316
 St. Louis encephalitis, 622–623
 Zika, 704
 fluoropyrimidine antimetabolites, 755
 fluoroquinolones, 742–743
 fluorouracil, 755
 focal cortical dysplasia, 128
 folic acid/folate
 deficiency, 214, 537
 supplements, 190, 732
 folic acid-responsive seizures, 214
 food poisoning
 botulism, 70, 120, 550
 Campylobacter enteritis, 78
 ciguatera (in fish), 119
 hepatitis A, 253–255
 Listeria, 339–340
 foot drop, 152, 418, 478–479
 formoterol, 736
 fosfocarnet, 276
 fosfomycin, 743
 fragile X syndrome, 214–216
 fragile X tremor ataxia syndrome (FXTAS), 216
 Friedreich's ataxia, 216–218
 frontal eye fields, 377
 frontal lobe epilepsy, 218–219
 frontal lobe ischemia (MCA occlusion), 376–377
 frontal variant of Alzheimer's disease, 18
 frontotemporal dementia, 219–220
 primary progressive aphasia, 219, 525–526
 PSP, 529
 frovatriptan, 789
 functional neurologic symptom disorder (conversion disorder), 204, 220–221, 511
 loss of vision, 221
 fungal infections
 aspergillosis, 41–42
 blastomycosis, 68
 candidiasis, 78–79, 221–222
 Coccidioides immitis, 123–124, 221
 cryptococcal meningitis, 135–136, 271
 dematiaceous fungi, 145–146
 histoplasmosis, 268–269
 meningitis (in general), 221–222
 mucormycosis, 386–387
 Paracoccidioides brasiliensis, 457–458
 Pseudallescheria boydii, 538
 spinal, 222
 Sporothrix schenckii, 619
 Fusobacterium spp., 222–223
 FXTAS (fragile X tremor ataxia syndrome), 216
 gabapentin/gabapentin enacarbil, 560, 775–776
 GABA transaminase deficiency, 224
 GAD (glutamic acid decarboxylase) Ab syndromes, 235–236, 621–622
 galactosylceramidase deficiency (Krabbe disease), 325
 GALOP syndrome (gait disorder antibody late-age onset polyneuropathy), 224
 gamma knife surgery, 196, 370
 GAMT (guanidinoacetate methyltransferase) deficiency, 238
 gancyclovir, 739
 ganglioglioma, 224–225
 ganglion cyst, 225
 gastrointestinal system
 Campylobacter enteritis, 78
 Crohn's disease, 133–134
 diabetic autonomic neuropathy, 151
 medications, 727–729
 tumors
 carcinoid, 82–83
 metastatic, 225–226
 ulcerative colitis, 673
 Gaucher disease, 528
 gaze abnormalities
 frontal eye field ischemia, 377
 ocular apraxia, 55
 ophthalmoplegia, 550, 623–625, 661–662
 Parinaud syndrome, 197, 467, 652
 PSP, 529
 GBS, *see* group B *Streptococcus*; Guillain-Barré syndrome
 gender dysphoria, 226–227
 generalized anxiety disorder, 227–228
 generalized non-convulsive seizures (absence seizures), 3, 317
 generalized tonic-clonic seizures, 228
 genital herpes (HSV-II), 264–265, 381
 germ cell tumors, 228–230, 491, 649
 German measles (rubella), 582
 Gerstmann's syndrome, 376
 giant-cell arteritis, 32, 644–645
 AION, 41, 501
 giant cell tumor of bone, 230–231
 glandular fever (infectious mononucleosis), 192
 glaucoma, 231–232
 glioblastoma (grade IV astrocytoma), 43
 glioma
 astrocytoma, *see* astrocytoma
 ependymoma, 183–184
 oligodendroglioma, 431–432
 optic tract, 436
 gliomatosis cerebri, 232–233
 glipizide, 721
 globus pallidus degeneration, 551–552
 glomus jugulare tumor, 233
 glossopharyngeal neuralgia, 233–234, 605
 glucagon-like peptide-1 receptor agonists, 720

Index

- glucocorticoids, *see* corticosteroids
 glucose
 hyperglycemia, 280
 hypoglycemia, 290
 glue sniffing, 13, 234–235, 267, 610
 GLUT1 deficiency syndrome, 236
 glutamic acid decarboxylase antibody
 (GAD Ab) syndromes, 235–236,
 621–622
 gluten intolerance, 96–97
 glyburide, 721
 glycogen storage disease type V (McArd-
 le's disease), 402
 glycopeptides, 743
 golfer's elbow, 185
 golimumab, 766
 Gradenigo syndrome, 236, 624
 granulocyte colony-stimulating factors
 (G-CSF), 756
 granuloma, fungal, 222
 granulomatosis with polyangiitis (Wege-
 ner's granulomatosis), 237–238
 granulomatous amebic encephalitis, 20
 grass pea toxicity (neurolathyrism), 413
 Graves' eye disease, 197, 439, 624, 656,
 see also hyperthyroidism
 grief, 353
 Grisel syndrome, 44
 group B *Streptococcus* (GBS), 625
 growth hormone excess, 492
 Guam (ALS–parkinsonism–dementia
 complex), 21–23
 guanfacine, 790–791
 guanidinoacetate methyltransferase
 (GAMT) deficiency, 238
 Guillain–Barré syndrome (GBS), 6–7
 Campylobacter, 78
 hepatitis A, 254
 hepatitis B, 255
 medication-associated, 757
 gynecologic cancers, 238–239
 ovarian, 228, 229–230, 449–450
 uterine, 674–675

 H₂ antagonists, 727–728
Haemophilus influenzae type B, 240
 hair pulling (trichotillomania), 486,
 666–667
 Hallevorden–Spatz syndrome (PKAN),
 410, 457
 hallucinations
 Charles Bonnet syndrome, 92, 103,
 352, 436
 and depression, 546
 in parkinsonism, 50, 337, 544
 peduncular hallucinosis, 473
 and tizanidine, 791
 hallucinogenic drugs
 ketamine, 320–321
 LSD, 349–350
 mescaline, 371
 phencyclidine, 483
 psilocybin, 539
 haloperidol, 168, 781, 796
 hand
 repetitive use, 570–571
 vascular insufficiency, 679–680
 hand foot and mouth disease, 182
 Hand–Schuller–Christian disease,
 240–241
 Hashimoto's thyroiditis, 241
 headache, *see also* migraine
 carotid artery disease, 87, 88, 89
 cluster, 121
 cough, 523
 exertional, 524
 hemiparesis continua, 245
 ice pick, 295
 medication-overuse, 366
 occipital neuralgia, 429–430
 paroxysmal hemiparesis, 470
 post-lumbar puncture, 242, 243,
 507–508
 in pregnancy, 241–243
 sexual activity, 524–525
 SUNCT/SUNA, 632–633
 tension, 242, 648–649
 thunderclap, 575, 656
 venous sinus thrombosis, 108
 head injuries
 amnesia, 160
 brainstem concussion, 73
 carotid–cavernous fistula, 89–90
 cervical spine, 111–113
 extradural hematoma, 186–188
 persistent vegetative state, 480–482
 in PTSD, 511
 subdural hematoma, 630–631
 temporal bone fracture, 645–646
 hearing loss
 Meniere's disease, 369
 otitis media, 117–118, 363–364
 otosclerosis, 448–449
 ototoxic drugs, 738, 743, 759
 temporal bone fracture, 645
 vestibular schwannoma, 595
 heart disease, *see* cardiovascular disor-
 ders
 heart surgery, 85–86
 heavy metal poisoning
 lead, 330–331
 manganese, 359–360
 heel (plantar fasciitis), 207
 hemangioblastoma, 243–244, 697–698
 retinal, 571
 spinal, 615–616
 hematomyelia, 244
 hemiballism, 244–245
 hemiparesis continua, 245, *see also* parox-
 ysmal hemiparesis
 hemifacial spasm, 69, 245–246
 hemimasticatory spasm, 246
 hemiparkinsonism–hemiatrophy
 syndrome, 246–247
 hemiplegic migraine, 205–206
 hemolytic–uremic syndrome (HUS), 247
 hemorrhage
 AVM rupture, 40–41
 epidural (extradural) hematoma,
 186–188
 hemorrhagic transformation of isch-
 emic stroke, 248–249
 into abscesses, 247–248
 into brain tumors, 249
 intraventricular, 310, 340–341
 lobar, 340–341
 orbital, 438–439
 in pregnancy, 107–108
 psoas muscle, 540
 subarachnoid, 23–24, 108, 629–630,
 693
 spinal, 618
 thrombocytopenia, 654
 vitreous, 693–694
 hemorrhagic disease of the newborn
 (vitamin K deficiency), 692
 Henoch–Schönlein purpura, 249–250
 heparin, 31, 108, 377
 heparin-induced thrombocytopenia
 (HIT), 250–251
 hepatic disease, *see* liver disease
 hepatitis, viral
 acute, 252–253
 HAV, 253–255
 HBV, 255–256, 257
 chronic, 253
 HCV, 256–257
 chronic, 253
 cryoglobulinemia, 134–135, 257
 neuropathy, 257–258
 hereditary hemorrhagic telangiectasia,
 442–443

- hereditary motor sensory neuropathy
type 1 (Charcot–Marie–Tooth disease), 258
- hereditary motor sensory neuropathy
type 3 (Dejerine–Sottas disease), 258–259
- hereditary motor sensory neuropathy
type 4 (Refsum disease), 259, 573
- hereditary spastic paraplegia, 259–260
- Hering's phenomenon, 197
- heroin
toxicity, 261–262
withdrawal, 262–263
- herpesviruses
Epstein–Barr, 192, 349
herpes/varicella zoster, 265–266, 503
HHV-6, 275–276
HSV-I, 263–264
HSV-II, 264–265, 381
- hexane toxicity, 267
- hexosaminidase A deficiency (Tay–Sachs disease), 643–644
- HHV-6 (human herpesvirus 6), 275–276
- highly active antiretroviral therapy (HAART), 269, 271
- hip pathology/surgery, 267–268
- histiocytosis (Rosai–Dorfman disease), 581
- Histoplasma capsulatum*, 268–269
- HIT (heparin-induced thrombocytopenia), 250–251
- HIV-positive patients, 269–271
antiretroviral drugs, 271, 748–750
IRIS, 269, 271
cryptococcal meningitis, 135–136, 271
histoplasmosis, 268, 269
HSV-II, 265
neurocognitive disorder, 270
PML, 271, 527
- HMG CoA reductase inhibitors (statins), 715
- hoarding disorder, 272
- homocysteinemia, 272–273, 281
- homocystinuria, 273
- Hopkins syndrome, 273–274
- hormone replacement therapy (HRT), 724–725
- Horner syndrome, 378–379, 407, 550
- HSV-I (herpes simplex virus I), 263–264
- HSV-II (herpes simplex virus II), 264–265, 381
- HTLV-1 associated myelopathy, 274–275
- human ewingii ehrlichiosis (HEE), 174, 175
- human granulocytic anaplasmosis/ehrlichiosis (HGA/HGE), 174, 175
- human monocytotropic ehrlichiosis (HME), 174–175
- humerus, fracture, 276–277
- Hunter syndrome, 350–351
- Huntington's chorea, 277, 383, 384, 773
- Huntington's disease-like 2 (HDL2), 409–410
- HUS (hemolytic–uremic syndrome), 247
- hydralazine, 717–718
- hydrocephalus, 37–38, 221–222, 653
- hydroxychloroquine, 764
- 5-hydroxytryptamine (5-HT), *see entries at serotonin*
- hyperadrenalism, 277–278, *see also hypercortisolism; pheochromocytoma*
- hyperammonemia, 278–279, 779
adenylosuccinate lyase deficiency, 9
- hyperbaric oxygen therapy, 141–142
- hyperbilirubinemia (kernicterus), 319–320, 741
- hypercalcemia, 389, 568, 689
- hypercarbia/hypercapnia, 118–119, 279
- hypercortisolism, 136–137, 277–278
Cushing disease, 491, 492
- hypereosinophilic syndrome, 279–280
- hyperglycemia, 280
- hyperhomocysteinemia, 281
- hyperkalemic periodic paralysis, 281–282, 477
- hyperlordosis, 282
- hypermagnesemia, 282, 727
- hyponatremia, 282–283
- hyperparathyroidism, 283–284
- hyperperfusion syndrome, 89
- hyperprolactinemia, 284, 532
- hypersomnia, *see also narcolepsy*
idiopathic, 295–296
Kline–Levine syndrome, 301, 321–322
- hypertension
antihypertensive drugs, 709, 712–713, 716, 717
chronic, 284–285
hypertensive crisis, 285–286, 355, 480
lobar hemorrhage, 340–341
in pregnancy
eclampsia, 108, 172–173, 190–191, 397
pre-eclampsia, 515–516
- hypertensive encephalopathy, *see posterior reversible encephalopathy syndrome (PRES)*
- hyperthermia, malignant, 358–359
- hyperthyroidism, 286–287
Graves' eye disease, 197, 439, 624, 656
thyrotoxic periodic paralysis, 477, 657
- hypertrophic cardiomyopathy, 287
- hypertrophic polyneuropathy (hereditary motor sensory neuropathy type 3), 258–259
- hyperventilation syndrome, 287–288
- hyperviscosity syndrome, 288, 505, 507, 622, 699–700
- hypnotic drugs, 302–303, 304, 603, *see also anxiolytic drugs*
melatonin receptor agonists, 801
non-benzodiazepine, 316, 802
suvorexant, 804
- hypoactive sexual desire disorder
female, 211
male, 357–358
- hypocalcemia, 288–289
- hypochondriasis (illness anxiety disorder), 298–299
- hypoglossal nerve (CN XII), 289–290
- hypoglycemia, 290
- hypokalemia, 281
- hypokalemic periodic paralysis, 291, 476–477
- hypomagnesemia, 291–292
- hypomania, 261
bipolar disorders, 65, 66
cyclothymic disorder, 138–139
- hyponatremia, 292, 774
polydipsia, 542–543
- hypoparathyroidism, 292–293
therapy, 725
- hypophosphatemia, 293
- hypotension, orthostatic, 551, 637, 697
- hypothermia, therapeutic, 27
- hypothyroidism, 241, 726
- hypoventilation syndromes
central alveolar hypoventilation syndrome, 126
obesity hypoventilation syndrome, 425
- hypovolemia, 697
- hypoxia, 293–294
- ibuprofen, 786
- ICCA (infantile convulsions and choreoathetosis), 58–59
- ice pick headache, 295
- idiopathic cranial dystonia (Meige syndrome), 69, 367–368
- idiopathic hypersomnia, 295–296

Index

- idiopathic intracranial hypertension (IIH), 296–297
 in pregnancy, 242, 243
 tetracycline use, 747
 vitamin A excess, 685–686
- idiopathic thrombocytopenic purpura (ITP), 297–298
- ifosfamide, 759
- IgA vasculitis (Henoch–Schönlein purpura), 249–250
- IIH, *see* idiopathic intracranial hypertension
- illness anxiety disorder, 298–299
- immune reconstitution inflammatory syndrome (IRIS), 269, 271
- immunization, *see* vaccines
- immunoglobulins
 anti-MAG polyneuropathy, 30–31, 418–419
 cryoglobulinemia, 134–135, 257
 IgM macroglobulinemia, 699–700
 IVIG therapy, 7, 505, 506–507, 622, 696
 MGUS, 383
 plasma cell dyscrasias, 492–493
- immunosuppressive drugs, 237–238, 509, 570, 695, 696, 751–753, 771–772
 in pregnancy, 397, 695
- impotence (erectile disorder), 192–193, 725
- impulse-control disorders, 157–158
 intermittent explosive disorder, 306–307
- inborn errors of metabolism, *see* metabolic disorders
- inclusion body myositis, 498–499
- incontinence
 encopresis, 179
 enuresis, 183
- indomethacin, 245, 470
- infantile convulsions and choreoathetosis (ICCA), 58–59
- infantile severe myoclonic epilepsy (Dravet syndrome), 164–165
- infantile spasms, 299
- infections, *see* bacterial infections; fungal infections; parasitic infections; protozoal infections; viral infections
- infectious mononucleosis, 192
- infective endocarditis, 299–300, 600–601, 625–626
 mycotic aneurysm, 398–399
- inflammatory bowel disease
 Crohn's disease, 135
 ulcerative colitis, 673
- infliximab, 766
- influenza, 300–302, 745
- inhalant abuse
 nitrous oxide, 421–422, 687
 solvents, 13, 234–235, 267, 610
- insomnia
 chronic, 302–303
 fatal familial insomnia, 209
 short-term, 303–304
 treatment, 302–303, 304, 801, 802, 804
- insufficient sleep syndrome, 304
- insular cortex, 376
- integrase strand transfer inhibitors, 748
- intensive care unit (ICU) patients
 myopathy, 132–133
 neuropathy, 132–133
 psychosis, 305
 PTSD/PICS, 511–512
- interferon, 256, 257, 275, 756–757
- interleukin-1 (IL-1) inhibitors, 764–765
- intermittent claudication, 307–308, 678–679
- intermittent explosive disorder, 306–307
- internal iliac artery stenosis, 307–308
- internuclear ophthalmoplegia, 624
- intervertebral discs
 cervical, 109–110, 142, 260
 degenerative disease, 142, 342
 discitis, 156–157
 herniation, 260–261
 lumbar, 142, 261, 342
- intoxication, *see* substance abuse; toxins/toxicity
- intra-aortic balloon assistance, 36
- intra-arterial injections, 308, 345
- intracranial hypertension, 296–297
 in pregnancy, 242, 243
 tetracycline use, 747
 vitamin A excess, 685–686
- intrathecal pharmacotherapy, 77, 622, 757
- intravascular malignant lymphomatosis, 309–310
- intraventricular hemorrhage, 310, 340–341
- ipilimumab, 757
- iron
 deficiency, 310–311
 neurodegeneration with brain iron accumulation
 neuroferritinopathy, 411
 PKAN, 410, 457
 supplements, 730
- irregular sleep–wake rhythm disorder, 311–312
- Isaacs syndrome (neuromyotonia), 414–415
- ischemic demyelination, 312–313
- ischemic monomelic neuropathy, 313, 345
- ischemic stroke
 ACA infarction, 28, 331–332
 AChA infarction, 28–29
 atherosclerosis, intracranial, 308–309
 cardioembolic, 46, 85, 375
 carotid artery endarterectomy/stenting, 88–89
 depression following, 354
 hemorrhagic transformation, 248–249
 lacunar, 327–328
 MCA infarction, 375–377
 moyamoya disease, 385–386
 PCA infarction, 500–501
 in pregnancy, 107–108
 spinal, 29, 313–314, 613–614
 TIAs, 385, 664–665, 683
 top of the basilar syndrome, 663
 vertebral artery dissection, 681–682
- isometheptene mucate, 785
- isoniazid, 743–744
- isotretinoin, 730–731
- ITP (idiopathic thrombocytopenic purpura), 297–298
- ivermectin, 432
- IVIG (intravenous immunoglobulin), 7, 505, 506–507, 622, 696
- ixabepilone, 757–758
- ixazomib, 760
- Japanese encephalitis virus, 213, 315–316
- Jarisch–Herxheimer reaction, 335
- jaw
 hemimasticatory spasm, 246
 temporomandibular joint syndrome, 647–648
- JC virus, 271, 527
- jerking stiff person syndrome, 621
- jet lag sleep disorder, 316–317
- juvenile absence epilepsy, 3, 317
- juvenile myoclonic epilepsy, 318
- juvenile xanthogranuloma, 232
- Kennedy disease, 613

- keratitis, 319
 kernicterus, 319–320, 741
 Keshan disease (selenium deficiency), 599–600
 ketamine, 320–321
 ketoacidosis, diabetic, 152
 ketogenic diet, 163, 236
 kidney disease
 action myoclonus–renal failure syndrome, 528
 acute renal failure, 568–569, 577
 cancer, 567–568
 chronic renal failure, 569–570
 HUS, 247
 kindling, 16
 kinky hair disease (Menkes disease), 370–371
 Kleine-Levin syndrome, 301, 321–322
 Klinefelter syndrome, 322–323
 konzo (cassava root poisoning), 91
 Korsakoff syndrome, 323–324, 537
 Krabbe disease, 325
 Kugelberg–Welander syndrome, 616
 kwashiorkor, 536–537
 kyphosis, 326
- lacosamide, 776
 lacrimal gland inflammation, 439
 La Crosse encephalitis virus, 327
 lacunar stroke, 327–328
 Lafora disease, 328–329, 528
 Lambert–Eaton myasthenic syndrome (LEMS), 329–330, 463, 550
 lamivudine, 749–750
 lamotrigine, 190, 776
 Landau–Kleffner syndrome, 330
 LARIAT® device, 46
 late-onset multiple carboxylase deficiency, 62–64
 lateral/sigmoid sinus thrombosis, 364
 lathyrism, 413
 latrotoxin (black widow spider venom), 66–67
 LBD (Lewy body dementia), 48, 50, 337–338
 lead toxicity, 330–331
 Leber’s hereditary optic atrophy, 331
 leflunomide, 765
 Leigh disease, 332
 Lemierre syndrome, 223
 LEMS (Lambert–Eaton myasthenic syndrome), 329–330, 463, 550
 lenalidomide, 761
 Lennox–Gastaut syndrome, 332–333, 778
 lens subluxation, 333–334
- leprosy, 334
 leptomeningeal carcinomatosis, 83–84
 leptospirosis, 335
 Lesch–Nyhan syndrome, 335–336
 leukemia, 336–337, 754, 758
 leukoencephalopathy
 adrenoleukodystrophy, 11–12
 Binswanger’s disease, 61–62, 312
 CADASIL, 105, 312
 in eclampsia, 172
 ischemic, 312–313
 metachromatic leukodystrophy, 372–373
 PML, 271, 527, 752, 753
 PRES, *see* posterior reversible encephalopathy syndrome
 leukotriene antagonists, 735
 levetiracetam, 776–777
 Levine–Critchley syndrome, 409–410
 levodopa, 163, 338, 384, 468, 770–771
 levothyroxine, 565, 726
 Lewis–Sumner syndrome, 387
 Lewy body dementia (LBD), 48, 50, 337–338
 Lhermitte–Duclos disease, 338–339
 Lhermitte’s sign, 391, 558
 lidocaine, 711
 ligament ossification (DISH), 154–155
 lightning strike, 339
 limbic (autoimmune) encephalitis, 177–178, 276, 462–463, 695–696
 linagliptin, 720
 linezolid, 745–746
 lipid-lowering agents, 714–716
 lipid metabolism disorders
 abetalipoproteinemia, 410–411, 573, 690
 adrenoleukodystrophy, 11–12
 carnitine deficiency, 518–519
 Refsum disease, 259, 573
 lipomatosis, spinal, 615
 liraglutide, 720
Listeria monocytogenes, 339–340
 lithium, 64, 361, 590, 800
 liver disease
 acquired hepatocerebral degeneration, 4
 acute liver failure, 251
 alcoholic, 16
 chronic liver failure, 251–252
 drug toxicity
 amphetamines, 173, 373
 anti-tubercular drugs, 744, 746–747
 COMT inhibitors, 768–769, 799
 disulfiram, 799
 echinococcosis, 170–171
 viral hepatitis
 acute, 252–253
 chronic, 253
 HAV, 253–255
 HBV, 253, 255–256
 HCV, 134–135, 253, 256–257
 neuropathy, 257–258
 liver flukes (fascioliasis), 208
 lixisenetide, 720
 lobar hemorrhage, 340–341
 locked-in syndrome, 341, 481, *see also* persistent vegetative state
 logopenic variant of primary progressive aphasia (lvPPA), 18
 loiasis, 342, 432
 lomustine, 758–759
 long-acting beta agonists (LABAs), 736
 long QT syndrome, 533, 743, 744
 loop diuretics, 281, 713
 lorcaserin, 800
 lordosis, 282
 loss of consciousness, *see also* locked-in syndrome
 medication-associated, 754, 758
 persistent vegetative state, 480–482
 syncope, 636–637
 cardiogenic, 86–87
 carotid sinus hypersensitivity, 90
 Stokes–Adams attacks, 623
 lower limb, *see also* lumbosacral plexopathy
 claudication, 307–308, 678–679
 distal symmetric polyneuropathy, 153
 femoral neuropathy, 211–212, 418, 540, 570
 GALOP syndrome, 224
 hereditary spastic paraplegia, 259–260
 ischemic monomelic neuropathy, 313, 345
 peroneal neuropathy (foot drop), 152, 418, 478–479
 plantar fasciitis, 207
 sciatic neuropathy
 hip pathology/surgery, 267–268
 piriformis syndrome, 489
 in pregnancy, 418
 uterine mass compression, 675–676
 LSD (lysergic acid), 349–350
 lumbar puncture, headache after, 242, 243, 507–508

Index

- lumbar spine
 degenerative disc disease, 142, 342
 disc herniation, 261
 hyperlordosis, 282
 radiation myelopathy, 558
 spondylolisthesis, 343
 spondylolysis, 343
 spondylosis, 343
 sprain, 343–344
 stenosis, 344
- lumbosacral plexopathy
 immune, 344
 intra-arterial injections, 345
 ischemic, 345
 in pregnancy, 346, 417
 radiation neuropathy, 559–560, 649, 675
 root avulsion, 580–581
 traumatic, 346
 tumors, 229
- lumbosacral radiculopathy, 265, 270, 560
- lung
 AVMs, 441, 443
 cancer, 72, 346–347
 LEMS, 329–330, 463
 paragonimiasis (lung fluke), 459–460
- Lyme disease, 347–348
- lymphocytic choriomeningitis virus, 348–349
- lymphoma
 Burkitt, 77
 intravascular lymphomatosis, 309–310
 orbital, 440
 primary CNS, 270–271, 521–523
 Waldenström's macroglobulinemia, 699–700
- lymphomatoid granulomatosis, 349
- lysergic acid (LSD), 349–350
- lysosomal storage diseases, 350
 Fabry disease, 198–199
 Gaucher disease, 528
 Hunter syndrome, 350–351
 Krabbe disease, 325
 metachromatic leukodystrophy, 372–373
 neuronal ceroid lipofuscinoses, 528, 573
 Sanfilippo syndrome, 584
 sialidosis, 528, 603–604
 Tay–Sachs disease, 643–644
- macrolides, 744
- macular degeneration, 352–353
- mad cow disease, 70–71
- magnesium
 for eclampsia/pre-eclampsia, 173, 397, 416–417, 516
 hypermagnesemia, 282, 727
 hypomagnesemia, 291–292
- major depressive disorder, 353–356, 511,
see also persistent depressive disorder
 with psychotic features, 546–548, 589
- malaria, 356–357, 764
- male hypoactive sexual desire disorder, 357–358
- malignant hyperthermia, 358–359
- malignant MCA syndrome, 377
- malingering, 160, 203–204, 359
- malnutrition, 536–537, *see also* trace elements; vitamins
 refeeding syndrome, 27, 53
 tropical ataxic neuropathy, 668
- manganese toxicity, 359–360
- mania/manic episodes, 360–362, 546
 bipolar disorders, 64, 65, 66
- MAOIs (monoamine oxidase inhibitors), 792–793
 hypertension, 355
 serotonin syndrome, 355, 356, 480, 601–602
- maple syrup urine disease, 362–363
- marasmus, 536–537
- maraviroc, 748
- Marchiafava–Bignami disease, 363
- Marcus Gunn jaw wink syndrome, 197
- Marcus Gunn pupil, 13–14
- Marfan's syndrome, 334
- marijuana, 79–80
 withdrawal, 80–81
- mastoiditis, 363–364
- MCA (middle cerebral artery) infarction, 375–377
- McArdle's disease, 402
- McLeod syndrome, 409–410
- MDMA (ecstasy), 173–174
- measles, 364–365
- measles, mumps and rubella (MMR) vaccine, 365–366
- median nerve
 carpal tunnel syndrome, 90–91, 417, 418, 533
 diabetic neuropathy, 152
- medication-overuse headache, 366
- medulloblastoma, 367
- meglitinides, 721
- Meige syndrome, 69, 367–368
- melanoma, 368, 757
- melatonin, 567
- melatonin receptor agonists, 801
- memantine, 771
- memory loss, *see* amnesia; dementia
- Meniere's disease, 369
- meningioma, 369–370, 440, 491
- meningitis
 angiostrongyliasis, 25–26
 carcinomatous, 83–84
Citrobacter, 119–120
 coxsackie virus, 129–130
 cryptococcal, 135–136, 271
 echovirus, 171–172
 enteroviruses, 182
 fungal (in general), 221–222
 histoplasmosis, 268
 HSV-II, 264, 381
 lamotrigine, 777
 Lyme disease, 348
 lymphocytic choriomeningitis virus, 348–349
 meningococcal, 407–409
 Mollaret, 381–382
 mumps, 394–395
 paragonimiasis, 459
- meningoencephalitis
 amebic, 20
 hepatitis A, 254
- Menkes disease, 370–371
- menstrual psychosis, 564–565, *see also* premenstrual dysphoric disorder
- meralgia paresthetica, 418
- MERRF (myoclonic epilepsy with ragged red fibers), 400–401, 528
- mescaline, 371
- mesial temporal sclerosis, 371–372
- metabolic acidosis, 780
- metabolic disorders
 adenylosuccinate lyase deficiency, 9
 aminoacidopathies
 biotinidase deficiency, 62–64
 homocysteinemia, 272–273, 281
 homocystinuria, 273
 maple syrup urine disease, 362–363
 phenylketonuria, 484
 pyridoxine-dependent seizures, 553–554
 creatine deficiency, 238
 glycogen storage disease type V, 402
 of lipid metabolism
 abetalipoproteinemia, 410–411, 573, 690
 adrenoleukodystrophy, 11–12

- carnitine deficiency, 518–519
 Refsum disease, 259, 573
 lysosomal storage diseases, 350
 Fabry disease, 198–199
 Gaucher disease, 528
 Hunter syndrome, 350–351
 Krabbe disease, 325
 metachromatic leukodystrophy, 372–373
 Sanfilippo syndrome, 584
 sialidosis, 528, 603–604
 Tay–Sachs disease, 643–644
 of purine metabolism
 Lesch–Nyhan syndrome, 335–336
 molybdenum cofactor deficiency, 382–383
 metachromatic leukodystrophy, 372–373
 metformin, 719–724
 methadone, 263
 methamphetamine, 373–374
 methotrexate, 237–238, 374, 765
 intrathecal, 77, 757
 methyl dopa, 716
 methylprednisolone, 238, 390, 752
 methylxanthines, 736
 metoclopramide, 728, 782
 metronidazole, 744–745
 MGUS (monoclonal gammopathy of uncertain significance), 383
 microangiopathy, *see also* diabetes mellitus
 HUS, 247
 Susac syndrome, 635, 676
 TTP, 655–656
 micronutrients, *see* trace elements; vitamins
 microphthalmos, 374–375
 middle cerebral artery (MCA) infarction, 375–377
 migraine, *see also* abdominal migraine
 with aura, 377–378
 hemiplegic, 205–206
 medications for, 784–785, 788–789
 ophthalmoplegic, 733
 in pregnancy, 242
 in PTSD, 510
 retinal, 572–573
 mild encephalitis/encephalopathy with a reversible splenic lesion (MERS), 301, 460
 Miller Fisher syndrome, 6, *see also* Guillain–Barré syndrome
 minimally conscious state, 482
 minocycline, 747
 miosis, 378–379
 mirtazapine, 792
 mitochondrial disorders
 Alpers disease (DNA depletion syndrome), 17–18
 chronic progressive external ophthalmoplegia, 550, 624
 coenzyme Q₁₀ deficiency, 520–521
 Leber’s hereditary optic atrophy, 331
 Leigh disease, 332
 MERRE, 400–401, 528
 NADH CoQ reductase deficiency, 404–405
 mitral valve
 prolapse, 380–381
 regurgitation, 379–380
 stenosis, 380, 678
 MMR vaccine, 365–366
 Mobius syndrome, 624
 modafinil, 316, 322
 Mollaret meningitis, 381–382
 molybdenum cofactor deficiency, 382–383
 monoamine oxidase inhibitors, *see* MAOIs
 monoclonal gammopathy (paraproteinemia)
 anti-MAG polyneuropathy, 30–31, 418–419
 cryoglobulinemia, 134–135
 MGUS, 383
 plasma cell dyscrasias, 492–493
 mononeuropathy multiplex, 152, 254, 257, 270
 CIDP, 387
 montelukast, 735
 mood disorders, *see* bipolar disorders; depression; mania
 morphine, 786–787
 motor neuron diseases
 amyotrophic lateral sclerosis, 219–220
 hereditary spastic paraplegia, 259–260
 LEMS, 329–330, 463, 550
 myasthenia gravis, 396–397, 463–464, 550, 624, 743
 primary lateral sclerosis, 525
 radiation-induced, 558
 SBMA, 613
 spinal muscular atrophy, 162, 616
 moyamoya disease, 385–386
 MSA (multiple system atrophy), 48, 49, 50, 391–393
 MSA-C, 49, 393–394
 mTOR inhibitors, 753
 mucopolysaccharidosis type II (Hunter syndrome), 350–351
 mucopolysaccharidosis type III (Sanfilippo syndrome), 584
 mucormycosis, 386–387
 multifocal demyelinating CIDP (MAD-SAM), 387
 multifocal motor neuropathy (with conduction block), 387–388
 multi-infarct (vascular) dementia, 388–389
 Binswanger’s disease, 61–62, 312
 multiple myeloma, 389
 multiple personality disorder (dissociative identity disorder), 160, 161–162
 multiple sclerosis, 389–390, 427, 436, 676
 in pregnancy, 390–391
 multiple system atrophy (MSA), 48, 49, 50, 391–393
 MSA-C, 49, 393–394
 mumps, 394–395
 Munchausen’s syndrome/Munchausen’s syndrome by proxy (factitious disorder), 160, 202–204, 486
 muscle cramps, 395–396
 muscle relaxants, 785–786
 muscular dystrophy
 Becker, 57
 Duchenne, 167
 facioscapulohumeral, 202
 myotonic dystrophy, 92, 402–403
 mushrooms, magic, 539
 mutism, 598–599
 myasthenia
 LEMS, 329–330, 463, 550
 myasthenia gravis, 396–397, 463–464, 550, 624, 743
Mycobacterium leprae (leprosy), 334
 mycophenolic acid derivatives, 753
Mycoplasma pneumoniae encephalitis, 397–398
 mycotic aneurysm, 398–399
 mydriasis, 13–14, 662–663
 myelin-associated glycoprotein (MAG) autoantibodies, 30–31, 418–419
 myelitis, *see also* encephalomyelitis
 transverse, 254
 neuromyelitis optica, 414, 605
 viral, 182, 254, 264, 684
 herpes zoster, 265–266
 polio, 182, 494
 myocardial infarction, 399–400

Index

- myoclonic epilepsy, 528–529
 Doose syndrome, 162–163
 Dravet syndrome, 164–165
 DRPLA, 148, 540
 juvenile, 318
 Lafora disease, 328–329, 528
 MERRF, 400–401, 528
- myoclonus
 dystonia, 401
 early myoclonic encephalopathy, 169
 essential, 194–195
 facial, 199–200
 opsoclonus–myoclonus syndrome, 464
 palatal, 451–452
 propriospinal, 534–535
- myofascial pain, cervical, 111
- myopathy, *see also* myositis
 centronuclear, 103–104
 critical illness, 131–132
 daptomycin, 741–742
 endocrinopathy, 179–180
 hepatitis B, 256
 nemaline rod, 409
 rhabdomyolysis, 301, 576–577, 684
 sarcoid, 584–585
- myophosphorylase deficiency (McArdle's disease), 402
- myositis
 acute, 584–585
 cysticercosis, 139
 dermatomyositis, 150, 255, 498–499
 orbital, 439
 polymyositis, 255, 274, 498–499
 pyomyositis, 552–553
 viral, 684–685
 influenza, 301
- myotonia
 neuromyotonia, 414–415
 paramyotonia congenita, 477
 potassium-aggravated, 513–514
- myotonic dystrophy
 cataracts, 92
 type 1, 402–403
 type 2, 403
- myotubular (centronuclear) myopathy, 103–104
- nabilone, 781
 NADH CoQ reductase deficiency, 404–405
 naltrexone, 801–802
 nanophthalmos, 374–375
 naproxen, 786
 naratriptan, 788
 narcolepsy, 405–406
- nasopharyngeal cancer, 406
- natalizumab, 771–772
- neck, *see entries at* cervical
- necrotizing fasciitis, 207, 208
- Neisseria meningitidis*, 407–409
- nelarabine, 758
- nemaline rod myopathy, 409
- nematodes
 angiostrongyliasis, 25–26
 loiasis, 342, 432
 onchocerciasis, 432–433
 strongyloidosis, 628–629
 trichinosis, 665–666
- neonates
 BFNIS, 59
 BFNS, 59
 centronuclear myopathy, 103–104
 congenital heart defects
 ASD, 46–47
 PDA, 472
 PFO, 472–473
 VSD, 681
 early myoclonic encephalopathy, 169
 folinic acid-responsive seizures, 214
 GABA transaminase deficiency, 224
 herpes encephalitis, 264
 kernicterus, 319–320, 741
 maple syrup urine disease, 362–363
 molybdenum cofactor deficiency, 382–383
 myasthenia, 397
 vitamin K deficiency, 692
- neural tube defects, 612–613
- neuraminidase inhibitors, 301, 745
- neuroacanthocytosis, 409–410
 with abetalipoproteinemia, 410–411
 PKAN, 410, 457
- neuroaxonal dystrophy, 485–486
- neuroblastoma, 440
- neurocardiogenic syncope, 86–87
- neurocysticercosis, 139
- neurodegenerative disorders, 767–773,
see also individual disorders
- neurodevelopmental disorders
 ADHD, 307, 353–354, 547, 797,
 803–804
 Angelman syndrome, 24–25
 autism spectrum disorder, 51–52
 Lesch–Nyhan syndrome, 335–336
 Prader–Willi syndrome, 514–515
 Rett syndrome, 574
- neuroendocrine tumors, *see also* neurofibromatosis type 1; von Hippel–Lindau disease
- carcinoid, 82–83
 neuroblastoma, 440
 paraganglioma, 458–459
 pheochromocytoma, 484–485
 schwannoma, 200, 595
- neuroferritinopathy, 411
- neurofibromatosis type 1 (NF1), 231,
 411–412, 440
- neurofibromatosis type 2 (NF2),
 412–413, 440
- neurokinin receptor antagonists, 782
- neuroleptism, 413
- neuroleptic malignant syndrome, 590,
 767, 770, 796, 797
- neuromuscular junction disorders
 LEMS, 329–330, 463, 550
 myasthenia gravis, 396–397, 463–464,
 550, 624, 743
- neuromyelitis optica, 414, 605
- neuromyotonia (Isaacs syndrome),
 414–415
- neuronal ceroid lipofuscinoses, 528, 573
- neurosyphilis, 32, 271, 637–638
- neurotoxins, *see* toxins/toxicity
- neutropenia, 756
- nevirapine, 749
- niacin, 716
 deficiency (pellagra), 419–420, 537
- nicotine dependency, 660–661
 nicotine replacement therapy, 801
 varenicline, 804–805
- night eating syndrome, 606
- nightmare disorder, 420–421
- nitrofurantoin, 745
- nitrates (vasodilators), 717–718
- nitrogen mustards, 700, 758–759
- nitrosoureas, 758–759
- nitrous oxide, 421–422, 687
- nocardiosis, 422–423
- nodding syndrome, 432
- nodular myopathy, 585
- non-arteritic anterior ischemic optic neuropathy (NAION), 423, 501
- nonconvulsive status
 epilepticus, 424, 736
- non-nucleotide reverse transcriptase inhibitors (NNRTIs), 749
- non-steroidal anti-inflammatory drugs (NSAIDs), 786
- Norrie's disease, 571
- 'North Sea' progressive myoclonus epilepsy, 528
- nucleoside reverse transcriptase inhibitors (NRTIs), 749–750

- nutrition, *see also* trace elements; vitamins
 malnutrition, 536–537, 668
 refeeding syndrome, 27, 53
 tropical ataxic neuropathy, 668
- obesity hypoventilation syndrome, 425
 obesity management
 bariatric surgery, 56
 drugs, 716, 800
- obsessive-compulsive disorder (OCD), 425–428, 511, 589, 635–636
 body dysmorphic disorder, 69–70
 hoarding disorder, 272
 trichotillomania, 486, 666–667
- obstructive sleep apnea, 428
 obesity hypoventilation syndrome, 425
- obturator neuropathy, 418
- occipital lobe epilepsy, 428–429
- occipital neuralgia, 429–430
- OCD (obsessive-compulsive disorder), 425–428, 511, 589, 635–636
- ocular apraxia, 55
- oculogyric crisis, 430
- oculomotor nerve (CN III)
 diabetic neuropathy, 151–152
 Marcus Gunn jaw wink syndrome, 197
 palsy, 550, 624
- oculopharyngeal dystrophy, 550
- odontoid fracture, 111–112
- Ohtahara syndrome, 430–431
- olanzapine, 796–797
- oligodendroglioma, 431–432
- olivopontocerebellar atrophy (MSA-C), 49, 393–394
- onchocerciasis, 432–433
- oncology drugs, *see* chemotherapy
- open angle glaucoma, 231–232
- ophthalmic nerve, 319, 560–561
- ophthalmoplegia, 550, 623–625
 Tolosa–Hunt syndrome, 661–662
- ophthalmoplegic migraine, 433
- opioid antagonists, 801–802
- opioids
 buprenorphine, 798–799
 central sleep apnea, 100–101
 heroin, 261–263
 toxicity, 261–262, 433–434, 786–787
 withdrawal, 262–263, 434–435
- oppositional defiant disorder, 307
- opsoclonus–myoclonus syndrome, 464
- optic ataxia, 55
- optic nerve (CN II)
 AION, 41, 423, 501
 atrophy, 435–436
 compression, 437–438
 glaucoma, 231–232
 glioma, 436
 Leber's hereditary optic atrophy, 331
 neuritis, 416, 436–437, 465, 503–504, 742
 neuromyelitis optica, 414, 605
 perineuritis, 475
- oral contraceptives, 724
- oral hypoglycemic agents, 719–721
- orbital arteriovenous fistula, 438
- orbital hemorrhage, 438–439
- orbital inflammation (pseudotumor), 439–440
- orbital tumors, 440–441
- orbito-rhino-cerebral and skull base syndrome, 222
- orlistat, 716
- orofacial dyskinesia, 441
- orthostatic hypotension, 551, 637, 697
- orthostatic tachycardia syndrome, 512–513
- orthostatic tremor, 442
- Osler–Weber–Rendu syndrome, 442–443
- osmotic demyelination syndrome (central pontine myelinolysis), 97–98, 292, 570
- osteoarthritis, 443, *see also* spondylosis
- osteoblastoma, 444–445
- osteochondroma, 445–446
- osteoma, 446
- osteomalacia, 446
- osteomyelitis, 156–157, 447
- osteoporosis, 447, 723, 725
- osteosarcoma, 447–448
- otitis externa, 538–539
- otitis media
 chronic, 117–118
 Gradenigo syndrome, 236, 624
 mastoiditis, 363–364
- otosclerosis, 448–449
- ototoxic drugs, 738, 743, 747, 759
- ovarian cancer, 228, 229–230, 238–239, 449–450
- oxaliplatin, 759–760
- oxazaphosphorines (cyclophosphamide), 237, 566, 759
- oxazolindiones, 745–746
- oxcarbazepine, 190, 774–775
- oxycodone, 786–787
- oxygen
- anoxic encephalopathy, 27–28
 hyperbaric, 141–142
 hypoxia, 293–294
- paclitaxel, 761
- Paget's disease of bone, 451
- pain
 back
 degenerative disc disease, 142, 342
 disc herniation, 261
 discitis, 157
 lumbar stenosis, 344
 strain/sprain, 54, 343–344
- catamenial, 180
- complex regional pain syndrome, 124
- facial
 atypical, 47–48
 glossopharyngeal neuralgia, 233–234, 605
 Gradenigo syndrome, 236
 Raeder's paratrigeminal neuralgia, 560–561
 trigeminal neuralgia, 605, 667–668
- headache, *see* headache; migraine
- neck
 arthritis, 109
 disc disorders, 109–110
 facet syndrome, 110–111
 myofascial pain syndrome, 111
 post-herpetic neuralgia, 503
 psychogenic, 542
 radiculopathy, 560
 diabetic, 153
- pain relief, *see* analgesics
- palatal myoclonus, 451–452
- paliperidone, 796–797
- pallidal degeneration, 551–552
- Pancoast syndrome, 72
- pancreatic cancer, 452–453
- pancreatitis, 453–454
- PANDAS (pediatric autoimmune neuropsychiatric disorders associated with streptococcal infections), 427, 635–636, 658
- panic attacks, 454–455
- panic disorder, 455–457
- pantothenate kinase-associated neurodegeneration (PKAN), 410, 457
- Paracoccidioides brasiliensis*, 457–458
- paraganglioma, 458–459
 pheochromocytoma, 484–485
- paragonimiasis (lung fluke), 459–460
- parainfluenza, 460
- paramyotonia congenita, 477

Index

- paraneoplastic syndromes
 anti-Hu syndrome, 30
 autonomic neuropathy, 461
 in breast cancer, 74
 carcinoid, 82–83
 encephalomyelitis, 461–462
 LEMS, 329–330, 463, 550
 in leukemia, 337
 limbic encephalitis, 177–178,
 462–463, 695–696
 myasthenia gravis, 396–397, 463–464,
 550, 624, 743
 opsoclonus–myoclonus, 464
 optic neuropathy–retinopathy, 465
 pancreatic cancer, 452–463
 POEMS syndrome, 494
 renal cancer, 568
 sensory neuropathy
 (ganglionopathy), 465–466
 stiff person syndrome, 621
 paraparesis (HTLV-1 associated
 myelopathy), 274–275
 paraplegia
 flaccid, *see* flaccid paralysis
 spastic, 259–260
 paraproteinemia
 anti-MAG polyneuropathy, 30–31,
 418–419
 cryoglobulinemia, 134–135
 MGUS, 383
 plasma cell dyscrasias, 492
 parasitic infections
 angiostrongyliasis, 25–26
 cysticercosis, 139
 echinococcosis, 170–171
 fascioliasis, 208
 loiasis, 342, 432
 onchocerciasis, 432–433
 paragonimiasis, 459–460
 schistosomiasis, 588–589
 strongyloidosis, 628–629
 trichinosis, 665–666
 parasomnias
 NREM-related, 424
 confusional arousal, 125–126
 periodic limb movement disorder,
 475–476
 sleep-related eating disorder, 606
 sleep terrors, 606–607
 sleepwalking, 607–608
 REM-related
 nightmare disorder, 420–421
 recurrent isolated sleep paralysis, 564
 REM behavior disorder, 566–567
 parasympathetic anticholinergic
 blockade, 29
 parathyroid hormone (PTH)
 hyperparathyroidism, 283–284
 hypoparathyroidism, 292–293, 725
 parietal lobe epilepsy, 466–467
 parietal lobe ischemia (MCA
 occlusion), 377
 Parinaud (dorsal midbrain) syndrome,
 197, 467, 652
 parkinsonism, *see also* antiparkinsonian
 drugs
 hemiparkinsonism–hemiatrophy
 syndrome, 246–247
 manganese toxicity, 359–360
 Parkinson’s-plus syndromes, 48–51
 ALS-PDC, 21–23
 CBD, 49–50, 128–129
 LBD, 48, 50, 337–338
 MSA, 48, 49, 50, 391–393
 PSP, 48, 49, 197, 529–530
 rapid-onset dystonia–parkinsonism,
 561–562
 X-linked dystonia–parkinsonism, 703
 Parkinson’s disease, 467–469, *see also*
 antiparkinsonian drugs
 dementia, 337
 depression, 354–355
 psychosis, 544–545
 parotid cancer, 469
 paroxysmal exercise-induced dyskinesia,
 471
 paroxysmal hemicrania, 470, *see also*
 hemicrania continua
 paroxysmal kinesigenic dyskinesia,
 470–471
 paroxysmal nocturnal
 hemoglobinuria, 471–472
 paroxysmal non-kinesigenic
 dyskinesia, 471
 Parsonage–Turner syndrome (brachial
 neuritis), 5, 417
 patent ductus arteriosus (PDA), 472
 patent foramen ovale (PFO), 472–473
 PCA (posterior cerebral artery)
 infarction, 500–501, 663
 PCP (phencyclidine), 483
 pediatric conditions, *see* children;
 neonates
 peduncular hallucinosis, 473
 pellagra (niacin deficiency), 419–420,
 537
 penicillins, 746
 perampanel, 777
 perilymphatic fistula, 473–474
 perineuritis, 474–475
 periodic limb movement disorder,
 475–476
 periodic paralysis, 476–478
 Andersen–Tawil syndrome, 23, 477
 hyperkalemic, 477
 hypokalemic, 291, 476–477
 paramyotonia congenita, 477
 thyrotoxic, 477, 657
 periodontal disease, 147–148
 perioperative nerve injuries, 86, 267–268,
 634
 pernicious anemia, 226, 686, 688
 peroneal neuropathy, 152, 418, 478–479
 persistent depressive disorder (dysthy-
 mia), 479–480, *see also* major
 depressive disorder
 persistent idiopathic (atypical) facial
 pain, 47–48
 persistent vegetative state, 480–482
 personality disorders
 antisocial, 306
 borderline, 204
 schizotypal, 593–595
 pertussis, 156, 482–483
 petit mal epilepsy, 3, 317
 petrous apicitis (Gradenigo syndrome),
 236, 624
 phaeohyphomycosis (dematiaceous
 fungi), 145–146
 phagophobia (psychogenic dysphagia),
 540–541
 pharmacokinetic boosters, 748, 750
 phencyclidine (PCP), 483
 phenothiazines, 781
 phenylephrine, 735
 phenylketonuria, 484
 phenytoin, 692, 777
 pheochromocytoma, 484–485, *see also*
 hyperadrenalism
 phosphate (hypophosphatemia), 293
 phosphodiesterase-5 (PDE-5)
 inhibitors, 725
 phospholipase A-associated
 neurodegeneration, 485–486
 phytanic acid oxidase deficiency (Refsum
 disease), 259, 573
 pica, 486–487
 Pickwickian syndrome (obesity hypoven-
 tilation syndrome), 425
 pilocytic astrocytoma, 42–43
 pineoblastoma, 487–488
 pineocytoma, 488–489

- pioglitazone, 721
 piriformis syndrome, 489
 pituitary gland disorders
 adenoma, 13, 490–492, 624
 prolactinoma, 284, 532–533
 adrenal insufficiency, 10
 pituitary apoplexy, 242, 489–490
 in pregnancy, 242
 third ventricle tumors, 652
 PKAN (pantothenate kinase-associated neurodegeneration), 410, 457
 plantar fasciitis, 207
 plasma cells
 dyscrasia, 492–493
 multiple myeloma, 389
 plasma exchange/plasmapheresis, 7, 505, 507, 622, 696
Plasmodium spp. (malaria), 356–357, 764
 platelets
 antiplatelet drugs, 711–712
 essential thrombocythemia, 195
 thrombocytopenia, 654
 HIT, 250–251
 HUS, 247
 ITP, 297–298
 TTP, 655–656
 platinum analog drugs, 759–760
 platybasia, 493–494
 PLERM (probable *Loa* encephalopathy temporally related to Mectizan treatment), 432
 PML (progressive multifocal leukoencephalopathy), 271, 527
 immunosuppressant drugs, 752, 753
 pneumococcus (*Streptococcus pneumoniae*), 626–627
 POEMS syndrome, 494
 poisoning, *see* toxins/toxicity
 poliovirus, 182, 494–495
 polyarteritis nodosa, 255, 495–496
 polychondritis, 565–566
 polycythemia vera, 496–497
 polydipsia, psychogenic, 542–543
 polymyalgia rheumatica, 497–498
 polymyositis, 255, 274, 498–499
 polyneuropathy, *see also* Guillain–Barré syndrome
 anti-MAG, 30–31, 418–419
 axonal, 500
 CANOMAD syndrome, 81
 CIDP, 116–117
 multifocal, 387
 critical illness, 132–133
 diabetic, 153
 diphtheric, 155
 GALOP syndrome, 224
 HIV, 270
 POEMS syndrome, 494
 polyradiculopathy, *see* radiculopathy
 pomalidomide, 761
 post-concussion syndrome, 187
 postencephalitic symptoms, 179
 posterior cerebral artery (PCA)
 infarction, 500–501, 663
 posterior ciliary artery thrombosis, 41, 501
 posterior cortical atrophy, 18
 posterior fossa syndrome, 367
 posterior reversible encephalopathy syndrome (PRES), 285, 501–503, 575–576
 in HUS, 247
 medication-associated, 502, 509, 570, 752, 753, 762
 in pregnancy, 108, 172, 416
 post-herpetic myelitis/neuralgia, 265–266, 503
 post-immunization encephalomyelitis, 503–505
 post-infectious syndromes, *see* Guillain–Barré syndrome; post-viral syndromes
 post-intensive care syndrome (PICS), 511–512
 post-lumbar puncture headache, 242, 243, 507–508
 postoperative nerve injuries, 86, 267–268, 634
 post-transplant, 276, 508–509
 postoperative psychosis, 305
 post-transplant acute limbic encephalitis, 276
 post-transplant encephalopathy, 508–509
 post-traumatic stress disorder (PTSD), 160, 589, 510–512, *see also* acute stress disorder
 postural orthostatic tachycardia syndrome, 512–513
 post-viral syndromes, *see also* Guillain–Barré syndrome
 ADEM, 5–6, 146, 178, 364, 505–507
 poliovirus, 494
 subacute sclerosing panencephalitis, 364
 potassium
 hyperkalemic periodic paralysis, 281–282, 477
 hypokalemia, 281–282
 hypokalemic periodic paralysis, 291, 476–477
 myotonia syndromes, 513–514
 potassium-sparing diuretics, 713
 Prader–Willi syndrome, 514–515, *see also* Angelman syndrome
 pramlintide, 719
 prazosin, 421, 722
 prednisone, 752
 pre-eclampsia, 515–516, *see also* eclampsia
 pregabalin, 560, 778
 pregnancy
 bipolar disorders, 64, 65
 chorea gravidarum, 115–116, 383
 drug recommendations/contraindications
 AEDs, 190–191, 692, 779
 amiodarone, 710
 antiparkinsonian drugs, 384
 antipsychotics, 116
 heparin, 108
 immunosuppressants, 397, 695
 leflunomide, 765
 lithium, 64, 65
 lorcaserin, 800
 methotrexate, 765
 tPA, 108
 vitamin A, 685, 731
 vitamin supplements, 190
 eclampsia, 108, 172–173, 190–191, 397
 epilepsy, 189–191
 headache, 241–243
 listeriosis, 339–340
 lumbosacral plexopathy, 346, 417
 movement disorders, 383–385
 multiple sclerosis, 390–391
 myasthenia gravis, 396–397
 neuro-ophthalmic disorders, 415–417
 neuropathies common in, 417–418, 675–676
 nicotine replacement therapy, 801
 pre-eclampsia, 515–516
 rubella, 582
 stroke, 107–108
 Zika virus, 704
 premature ejaculation, 516–517
 premenstrual dysphoric disorder, 517–518, *see also* menstrual psychosis
 premenstrual syndrome, 518
 PRES, *see* posterior reversible encephalopathy syndrome
 priapism, 794, 800
 primary amebic meningoencephalitis, 20

Index

- primary carnitine deficiency, 518–519
 primary central sleep apnea, 519–520
 primary CNS angiitis, 521
 primary CNS lymphoma, 270–271, 521–523
 primary lateral sclerosis, 525
 primary progressive aphasia, 219, 525–526
 logopenic variant, 18–19
 primary torsion dystonia, 526–527
 primidone, 196
 prion diseases
 BSE/vCJD, 70–71
 CJD, 130–131
 fatal familial insomnia, 209
 procainamide, 710
 progesterone/progestins, 565, 724
 progressive epileptic aphasia (Landau–Kleffner syndrome), 330
 progressive multifocal leukoencephalopathy (PML), 271, 527
 immunosuppressant drugs, 752, 753, 771
 progressive myoclonic epilepsy, 528–529
 DRPLA, 148, 528
 Lafora disease, 328–329, 528
 MERRE, 400–401, 528
 progressive myoclonus epilepsy–ataxia syndrome, 528
 progressive supranuclear palsy (PSP), 48, 49, 197, 529–530
 progressive systemic sclerosis (scleroderma), 530–532, 596–598
 prolactin (hyperprolactinemia), 284, 532–533
 prolonged QT syndrome, 533, 743, 744
 pronator syndrome, 533–534
 propranolol, 196, 712–713
 propriospinal myoclonus, 534–535
 prostate cancer, 535–536
 prostenoids, 717
 prosthetic heart valves, 536
 protease inhibitors, 750
 proteasome inhibitors, 700, 760
 protein-calorie malnutrition, 536–537
 refeeding syndrome, 27, 53
 protein C deficiency, 537–538
 protein S deficiency, 538
 proton pump inhibitors, 728–729
 protozoal infections
 amoebiasis, 20
 babesiosis, 54
 malaria, 356–357, 764
 sarcosporidiosis, 587
 toxoplasmosis, 271, 572
 trypanosomiasis, African, 277–278
 trypanosomiasis, American, 113
Pseudallescheria boydii, 538
 pseudoephedrine, 735
Pseudomonas aeruginosa, 538–539
 pseudotumor cerebri, *see* idiopathic intracranial hypertension
 psilocybin, 539
 psoas abscess, 539–540
 psoas hemorrhage, 540
 PSP (progressive supranuclear palsy), 48, 49, 197, 529–530
 psychogenic amnesia (dissociative), 159–161
 psychogenic dysphagia, 540–541
 psychogenic non-epileptic seizures, 541–542
 psychogenic pain (psychalgia), 542
 psychogenic polydipsia, 542–543
 psychogenic vertigo, 544
 psychogenic vision loss, 221
 psychosis/psychotic disorders, *see also* antipsychotic drugs
 brief psychotic disorder, 74–75
 delusional disorder, 144–145
 depression with psychotic features, 546–548, 589
 due to another medical condition, 548–549, 777, 792
 ICU/postoperative, 305
 menstrual, 564–565
 Parkinson's disease, 544–545
 PTSD, 511
 schizoaffective disorder, 589–590
 schizophrenia, 590–592, 689
 schizophreniform disorder, 592–593
 ptosis, 549–551
 PTSD (post-traumatic stress disorder), 160, 510–512, 589, *see also* acute stress disorder
 pupillary defects
 afferent defect (Marcus Gunn), 13–14
 diabetic autonomic neuropathy, 151
 efferent defect (tonic), 662–663
 miosis, 378–379
 pure autonomic failure, 551
 pure pallidal degeneration, 551–552
 purine metabolism
 Lesch–Nyhan syndrome, 335–336
 molybdenum cofactor deficiency, 382–383
 pyomyositis, 552–553
 pyrazinamide, 746
 pyridostigmine, 104
 pyridoxine
 deficiency, 553
 toxicity, 214, 554, 732
 pyridoxine-dependent seizures, 553–554
 quetiapine, 796–797
 rabbit syndrome, 555–556
 rabies virus, 556
 radial nerve, 556–557, 587–588
 radiculopathy, 560
 diabetic, 153
 HIV, 270
 HSV-II, 265
 Lyme radiculoneuritis, 348
 radiochemotherapy, 557, 559
 radiosurgery (gamma knife), 196, 370
 radiotherapy
 CNS, 450, 557–558
 and AVMs, 41
 in children, 184
 cranial/spinal nerves, 559–560
 peripheral nerves/plexuses, 649, 675
 pituitary tumors, 492
 Raeder's paratrigeminal neuralgia, 560–561
 raloxifene, 760–761
 raltegravir, 748
 ramelteon, 801
 rapid-onset dystonia–parkinsonism, 561–562
 rasagiline, 355
 Rasmussen encephalitis, 562–563
 Rathke cleft cysts, 490
 rat lungworm (angiostromyiasis), 25–26
 Raymond syndrome, 624
 reactive arthritis, 563–564
 rebound headache, 366
 recreational drugs, *see* substance abuse
 recurrent isolated sleep paralysis, 564
 recurrent menstrual psychosis, 564–565
 red blood cells
 acanthocytosis, 409–411
 polycythemia vera, 496–497
 refeeding syndrome, 27, 53
 reflex sympathetic dystrophy (complex regional pain syndrome), 124
 Refsum disease, 259, 573
 Reiter's syndrome, 563–564
 relapsing polychondritis, 565–566
 release visual hallucinations, 92, 352, 436
 REM behavior disorder, 566–567

- renal disease
 action myoclonus–renal failure syndrome, 528
 acute renal failure, 568–569, 577
 cancer, 567–568
 chronic renal failure, 569–570
 HUS, 247
 repaglinide, 721
 repetitive hand use, 570–571
 reserpine, 717
 respiratory failure
 ARDS, 294
 chronic, 118–119
 restless leg syndrome, 383, 384, *see also* periodic limb movement disorder
 retina
 detachment, 99, 571–572
 diabetic retinopathy, 416, 572
 macular degeneration, 352–353
 paraneoplastic retinopathy, 465
 pregnancy-associated conditions, 416
 retinal artery occlusion, 98, 416
 retinal migraine, 572–573
 retinal vein occlusion, 98–99
 retinitis pigmentosa, 573–574
 retinoblastoma, 440
 retinol (vitamin A), 573, 685–686, 731
 retrobulbar hemorrhage, 438–439
 Rett syndrome, 574
 reversible cerebral vasoconstriction syndrome (RCVS), 574–575
 reversible posterior leukoencephalopathy syndrome, *see* posterior reversible encephalopathy syndrome
 rhabdomyolysis, 301, 576–577, 684
 rheumatic fever, 577–578
 chorea gravidarum, 116
 mitral stenosis, 380
 Sydenham chorea, 635–636
 rheumatoid arthritis, 109, 578–579, 764–766
 rhino-orbito-cerebral mucormycosis, 386–387
 rickettsial infections, 579–580
 Ridoch phenomenon, 103
 rifampin, 746–747
 Riley–Day syndrome, 319
 riluzole, 772
 ring chromosome 20 syndrome, 580
 risperidone, 796–797
 ritonavir, 750
 rituximab, 31, 237, 696, 700
 rivastigmine, 769
 river blindness (onchocerciasis), 432–433
 rizatriptan, 788–789
 Rocky Mountain spotted fever, 579–580
 rolandic epilepsy (BECTS), 58
 Rosai–Dorfman disease, 581
 rosiglitazone, 721
 rt-PA (recombinant tissue plasminogen activator), 377, 416, 582
 in pregnancy, 108
 rubella virus, 582
 Rubenstein–Taybis syndrome, 582–583
 rubeola (measles), 364–365
 rufinamide, 778
 sadness, 354
 safeguarding, 204
 SAH (subarachnoid hemorrhage), 23–24, 108, 629–630, 693
 spinal, 618
 salbutamol (albuterol), 736–737
 salicylates, 711–712, 787
 salivary gland cancer, 469
 salmeterol, 469
 Sanfilippo syndrome, 584
 sarcoid myopathy, 584–585
 sarcoidosis, 677
 sarcoma, 447–448, 585–587
 sarcosporidiosis, 587
 Saturday night palsy, 587–588
 saxagliptin, 720
 SBMA (spinal and bulbar muscular atrophy), 613
 schistosomiasis, 588–589
 schizoaffective disorder, 589–590
 schizophrenia, 590–592, 689, 765
 schizophreniform disorder, 592–593
 schizotypal personality disorder, 593–595
 schwannoma
 facial nerve, 200
 vestibular, 595
 sciatic nerve
 hip pathology/surgery, 267–268
 piriformis syndrome, 489
 in pregnancy, 418
 uterine mass compression, 675–676
 scleritis, 595–596
 scleroderma (progressive systemic sclerosis), 530–532, 596–598
 scoliosis, 598
 scopolamine, 729
 Segawa disease, 163
 seizures, *see also* epilepsy
 absence, 3
 Alpers disease, 17, 18
 atonic, 45
 eclampsia, 172–173, 190–191, 397
 febrile, 210–211
 psychogenic nonepileptic, 541–542
 tonic–clonic, 228
 selective mutism, 598–599
 selective serotonin receptor modulators (SSRMs), 760–761
 selective serotonin reuptake inhibitors (SSRIs), 204, 354–355, 793–794
 hypoactive sexual desire, 357
 selegiline, 355
 selenium deficiency, 599–600
 self-harm, *see also* suicide risk
 Lesch–Nyhan syndrome, 335
 non-suicidal, 486
 sella turcica (empty sella syndrome), 177
 semicircular canal dehiscence, 633–634
 sensory neuronopathy (ganglionopathy), 465–466
 sensory neuropathy
 anti-Hu, 30
 Charcot–Marie–Tooth disease, 258
 CIDP, 116–117, 387
 Dejerine–Sottas disease, 258–259
 hepatitis A, 254
 hepatitis B, 255
 meralgia paresthetica, 418
 Refsum disease, 259, 573
 sepsis/septic shock, 600
 septic embolism, 600–601
 serotonin 1D/1B selective agonists (triptans), 788–789
 serotonin–norepinephrine reuptake inhibitors (SNRIs), 793
 serotonin receptor antagonists, 782
 serotonin syndrome, 601–602
 ergotamines, 785
 lorcaserin, 800
 MAOIs, 355, 480
 other antidepressants, 792, 793, 795, 796
 triptans, 788
 sexual activity headache, 524–525
 sexual dysfunction
 and antidepressants, 357, 794, 795–796
 erectile disorder, 192–193, 725
 female sexual interest/arousal disorder, 211
 male hypoactive sexual desire disorder, 357–358
 premature ejaculation, 516–517
 priapism, 800
 shift work disorder, 602–603
 short-acting beta agonists (SABAs), 736–737

Index

- Shy-Drager syndrome (multiple system atrophy), 48, 49, 50, 391–393
 MSA-C, 49, 393–394
- SIADH (syndrome of inappropriate antidiuretic hormone secretion), 174, 292, 543
- sialidosis, 528, 603–604
- sickle cell disease, 705
- siderosis, 633
- sildenafil, 725
- simultagnosia, 55
- sinus histiocytosis (Rosai-Dorfman disease), 581
- sirolimus, 753
- sitagliptin, 720
- Sjögren's syndrome, 604–606
- skull
 basilar invagination, 56–57
 glomus jugulare tumor, 233
 platybasia, 493–494
 temporal bone fracture, 645–646
- sleep disorders
 advanced sleep–wake phase disorder, 12
 central sleep apnea
 Cheyne–Stokes respiration, 101–102, 114
 high altitude, 99–100
 medications/substance abuse, 100–101
 primary, 519–520
 confusional arousal, 125–126
 delayed sleep–wake phase disorder, 142–143
 hypersomnia
 idiopathic, 295–296
 Kline–Levine syndrome, 301, 321–322
 insomnia
 chronic, 302–303
 fatal familial insomnia, 209
 short-term, 303–304
 treatment, 302–303, 304, 801, 802, 804
 insufficient sleep syndrome, 304
 irregular sleep–wake rhythm disorder, 311–312
 jet lag, 316–317
 narcolepsy, 405–406
 nightmare disorder, 420–421
 NREM-related parasomnias, 424
 obstructive sleep apnea, 428
 obesity hypoventilation syndrome, 425
 periodic limb movement disorder, 475–476
 recurrent isolated sleep paralysis, 564
 REM behavior disorder, 566–567
 shift work disorder, 602–603
 sleep-related eating disorder, 606
 sleep terrors, 606–607
 sleepwalking, 607–608
 sleeping sickness (African trypanosomiasis), 668–669
- smallpox, 609
 vaccination, 608–609
- small vessel disease, *see also* diabetes mellitus
 HUS, 247
 Susac syndrome, 635, 676
 TTP, 655
- smoking, 660–661
 smoking cessation, 801, 804–805
- Sneddon's syndrome, 609–610
- SNRIs (serotonin–norepinephrine reuptake inhibitors), 512, 793
- sodium
 hypernatremia, 282–283
 hyponatremia, 292, 542–543, 774
 sodium glucose cotransporter-2 inhibitors, 721
 sodium oxybate, 405, 406, 802–803
- solvent abuse, 13, 234–235, 267, 610
- somatization, 610–611
 conversion disorder, 204, 220–221, 511
 loss of vision, 221
 factitious disorder, 160, 202–204, 486
 illness anxiety disorder, 298–299
 malingering, 160, 203–204, 359
 somatic symptom disorder, 90
 with predominant pain, 542
- somnambulism (sleepwalking), 607–608
- spasmodic dysphonia, 611–612
- spastic paraplegia/paraparesis
 hereditary, 259–260
 HTLV-1 associated myelopathy, 274–275
- speech difficulties
 aphasia, *see* aphasia
 spasmodic dysphonia, 611–612
- spider venom, 66–67
- spina bifida occulta, 612–613
- spinal muscular atrophy (SMA)
 distal, 162
 type III, 616
- spine/spinal cord, *see also* brachial plexopathy; lumbosacral plexopathy
 AAA repair, 36
 arachnoiditis, 38–39
 arthritis, 109
 atlantoaxial subluxation, 44–45
 back strain/sprain, 54, 343–344
 cauda equina syndrome, 94, 618
 cerebrotendinous xanthomatosis, 107
 compression fractures, 124–125
 decompression sickness, 141–142
 disc disorders
 cervical, 109–110, 142, 260
 degenerative, 142, 342
 discitis, 156–157
 herniation, 260–261
 lumbar, 142, 261, 342
 DISH, 154–155
 dural AV fistula, 39
 epidural abscess, 614
 epidural hemorrhage, 614
 epidural lipomatosis, 615
 extradural hematoma, 187
 facet syndrome, 110–111
 fungal infections, 222
 hemangioblastoma, 615–616
 HIV-associated myelopathy, 270
 HTLV-1 associated myelopathy, 274–275
 hyperlordosis, 282
 ischemia/infarction, 29, 313–314, 613–614
 kyphosis, 326
 lumbar stenosis, 344
 myelitis, *see also* encephalomyelitis
 Lyme disease, 348
 neuromyelitis optica, 414, 605
 transverse, 254
 viral, 182, 254, 264–266, 494, 684
 neural tube defects, 612–613
 neuroleptanesthesia, 413
 odontoid process fractures, 111–112
 perimedullary fistula, 617–618
 poliomyelitis, 182, 494
 propriospinal myoclonus, 534–535
 radiation myelopathy, 557
 SBMA, 613
 scoliosis, 598
 spinal muscular atrophy
 distal, 162
 type III, 616
 spondylitis, 618
 spondylolisthesis, 343
 spondylolysis, 343
 spondylosis
 cervical, 112
 lumbar, 343
 stroke
 ischemic, 29, 313–314, 613–614
 SAH, 618
 subdural hematoma, 631–632

- syringobulbia, 638–639
 syringomyelia, 244
 tethered cord syndrome, 650
 trauma (cervical), 111–113
 tumors, 188, 616–617
 vitamin B12 deficiency, 537, 687
- spondylitis, 618
 spondylolisthesis, 343
 spondylolysis, 343
 spondylosis
 cervical, 112
 lumbar, 343
- Sporothrix schenckii*, 619
- sports injuries
 back injuries, 54, 343–344
 brachial plexopathy, 71–72
 epicondylitis, 185
- SSRIs (selective serotonin reuptake inhibitors), 204, 354–355, 512, 793–794
 hypoactive sexual desire, 357
- Staphylococcus aureus*, 619
- statins, 715
- status epilepticus, 620–621
 epilepsia partialis continua, 191–192
 ESES, 175–176
 nonconvulsive, 424, 736
- stavudine, 749–750
- Stevens–Johnson syndrome, 774, 775–776, 777, 778, 779, 780
- stiff person syndrome, 235–236, 621–622
- stimulants, 803–804
- St. Louis encephalitis virus, 622–623
- Stokes–Adams attacks, 623
- strabismus, 623–625
- Streptococcus* spp.
 group A (rheumatic fever), 116, 379, 577–578, 635–636
 group B, 625
 microaerophilic, 625–626
 PANDAS, 635–636, 658
 S. pneumoniae, 626–627
- stress, 627
 acute stress disorder, 7–8
 adjustment disorder, 10, 354, 511
 PTSD, 160, 510–512, 589
- striatal nigral degeneration (MSA-P), 49
- stroke, 627–628
 ACA infarction, 28, 331–332
 AChA infarction, 28–29
 atherosclerosis, intracranial, 308–309
 cardioembolic, 46, 85
 carotid artery endarterectomy/stenting, 88–89
 central visual loss, 103
 depression following, 354
 hemorrhagic
 AVM rupture, 40–41
 intraventricular, 310, 340–341
 lobar, 340–341
 in pregnancy, 107–108
 SAH, 23–24, 108, 618, 629–630, 693
 vitamin K deficiency, 692
 hemorrhagic transformation, 248–249
 lacunar, 327–328
 MCA infarction, 375–377
 moyamoya disease, 385
 PCA infarction, 500–501
 in pregnancy, 107–108
 spinal
 ischemic, 29, 313–314, 613–614
 SAH, 618
 TIAs, 385, 664–665, 682–683
 top of the basilar syndrome, 663
 venous sinus thrombosis, 95, 106
 vertebral artery dissection, 681–682
 strongyloidosis, 628–629
 Sturge–Weber syndrome, 232, 571, 629
 subacute combined degeneration, 537, 687
 subacute necrotizing encephalomyelopathy (Leigh disease), 332
 subacute sclerosing panencephalitis, 364
 subarachnoid hemorrhage (SAH), 23–24, 108, 629–630, 693
 spinal, 618
 subclavian steal syndrome, 630
 subcortical leukoencephalopathy
 Binswanger's disease, 61–62, 312
 CADASIL, 105, 312
 subdural hematoma
 acute cerebral, 630–631
 chronic cerebral, 631
 spinal, 631–632
 substance abuse, *see also* toxins/toxicity
 alcohol, *see* alcohol abuse
 and amnesia, 160
 cannabis, 79–80
 withdrawal, 80–81
 cocaine, 122–123
 ecstasy, 173–174
 and impulsive/aggressive behavior, 306
 ketamine, 320–321
 LSD, 349–350
 mescaline, 371
 methamphetamine, 373–374
 nitrous oxide, 421–422, 687
 opioids, 433–434
 central sleep apnea, 100–101
 heroin, 261–263
 withdrawal, 262–263, 434–435
 and panic attacks, 454
 phencyclidine, 483
 psilocybin, 539
 solvents, 13, 234–235, 267, 610
 tobacco/nicotine, 660–661
 cessation therapy, 801, 804–805
- sudden unexpected death in epilepsy (SUDEP), 189, 190
- suicide risk
 ADHD, 47
 Alzheimer's disease, 10
 bipolar disorders, 64, 65
 body dysmorphic disorder, 69
 depression, 353, 354, 355, 547
 dissociative amnesia, 160
 epilepsy, 189, 354, 646
 gender dysphoria, 226–227
 Huntington's chorea, 277, 773
 medication-associated
 AEDs, 774
 alemtuzumab, 752
 antidepressants, 791, 792, 793, 794, 795, 796
 antipsychotics, 797
 atomoxetine, 797
 clonidine, 790
 isotretinoin, 731
 leukotriene antagonists, 735
 lorcaserin, 800
 metoclopramide, 728
 suvorexant, 804
 psychogenic pain, 542
 psychogenic seizures, 541–542
 psychosis, 75
 schizoaffective disorder, 589
 tardive dyskinesia, 642
- sulfamethoxazole–trimethoprim, 747
- sulfasalazine, 766
- sulfatide autoantibodies, 419
- sulfite oxidase deficiency, 334, 382–383
- sulfonylureas, 721
- sumatriptan, 788, 789
- SUNCT/SUNA headaches, 632–633
- superficial siderosis, 633
- superior orbital fissure, 661–662
- superior semicircular canal dehiscence, 633–634
- surgery
 nerve injuries during, 86, 267–268, 634
 postoperative psychosis, 305
 post-transplant neuropathies, 276, 508–509

Index

- Susac syndrome, 635, 676
 suvorexant, 804
 swallowing difficulties
 botulinum toxin, 110, 783
 psychogenic, 540–541
 Sydenham chorea, 635–636
 sympathectomy, 35
 symptomatic palatal myoclonus, 451–452
 syncope, 636–637
 cardiogenic, 86–87
 carotid sinus hypersensitivity, 90
 Stokes–Adams attacks, 623
 syndrome of inappropriate antidiuretic hormone secretion (SIADH), 174, 292, 543
 synovial cyst (ganglion cyst), 225
 syphilis, 32, 271, 637–638, 662
 syringobulbia, 638–639
 syringomyelia, 244
 systemic lupus erythematosus, 639–640
 systemic sclerosis (scleroderma), 530–532, 596–598
- tacrolimus, 752
 tadalafil, 725
 Takayasu arteritis, 641
 tamoxifen, 760–761
 tapeworms
 cysticercosis, 139
 echinococcosis, 170–171
 tardive dyskinesia, 555, 589–590, 641–642
 tardive dystonia, 642–643
 tasimelteon, 801
 taxanes, 761
 Tay–Sachs disease, 643–644
 TCAs (tricyclic antidepressants), 355, 480, 794–795
 tedizolid, 745–746
 telangiectasia, 81–82
 temporal arteritis (giant-cell arteritis), 32, 644–645
 AION, 41, 501
 temporal bone fracture, 645–646
 temporal lobe epilepsy, 646–647
 with febrile convulsions, 210
 mesial temporal sclerosis, 371–372
 temporal lobe ischemia (MCA occlusion), 376, 377
 temporomandibular joint syndrome, 647–648
 tendonitis
 de Quervain's tenosynovitis, 149–150
 epicondylitis, 185
 tennis elbow, 185
- tenofovir, 749–750
 tension headache, 242, 648–649
 teratogens
 AEDs, 190–191, 779
 amiodarone, 710
 azathioprine, 695
 leflunomide, 765
 lithium, 64, 65
 vitamin A, 685, 731
 teriparatide (parathyroid hormone), 725
 Terson's syndrome, 693
 testicular cancer, 228, 229–230, 649
 testosterone, 323, 358, 722–723
 tetanus, 120, 121, 649–650
 vaccine, 156
 tethered cord syndrome, 650
 tetrabenazine, 773
 tetracyclines, 747
 thalidomide and analogs, 761–762
 theophylline, 736
 thiamine (vitamin B1)
 deficiency, 323–324, 537, 569–570, 651–652, 700–701
 supplements, 701, 732
 thiazide diuretics, 281, 714
 thiazolidinediones, 721
 third ventricle tumors, 652–653
 thirst, psychogenic, 542–543
 thoracic outlet syndrome, 653–654
 thoracic radiation myelopathy, 558
 threadworm (strongyloidosis), 628–629
 thrombocythemia, essential, 195
 thrombocytopenia, 654
 HIT, 250–251
 HUS, 247
 ITP, 297–298
 TTP, 655–656
 thromboembolism, *see* embolism;
 thrombophilia
 thrombolysis, 108, 377, 416, 582
 and hemorrhagic transformation of stroke, 248–249
 thrombophilia, 654–655
 antithrombin deficiency, 31
 essential thrombocythemia, 195
 factor V Leiden, 204
 HIT, 250–251
 in pregnancy, 108
 protein C deficiency, 537–538
 protein S deficiency, 538
 thrombophlebitis, cavernous sinus, 95
 thrombotic thrombocytopenic purpura (TTP), 655–656
 thunderclap headache, 575, 656
 thymus gland, and myasthenia gravis, 397, 643
- thyroid disease
 and amiodarone, 710
 Hashimoto's thyroiditis, 241
 hyperthyroidism, 286–287
 Graves' eye disease, 197, 439, 624, 656
 thyrotoxic periodic paralysis, 477, 657
 L-thyroxine, 565, 726
 tiagabine, 778
 TIAs, *see* transient ischemic attacks
 tick-borne diseases
 babesiosis, 54
 ehrlichiosis, 174–175
 Lyme disease, 347–348
 Rocky Mountain spotted fever, 579–580
 tick-borne encephalitis virus, 213
 tick paralysis, 660
 tics, 201–202, 426–427, 657–659
 tipranavir, 750
 tissue plasminogen activator (tPA), 377, 416, 582
 in pregnancy, 108
 tizanidine, 785
 tobacco use, 660–661
 cessation, 801, 804–805
 tocopherol (vitamin E), 690–692, 732–733
 tocapone, 768–769
 Tolosa–Hunt syndrome, 661–662
 tonic-clonic seizures, 228
 tonic pupil, 662–663
 tooth disease, 147–148
 top of the basilar syndrome, 663
 topiramate, 191, 778–779
 Tourette's syndrome, 201, 426–427, 657–659
 toxic epidermal necrolysis, 774, 775–776, 777, 778, 779, 780
 toxins/toxicity, 663–664, *see also* substance abuse
 aluminum, 153–154, 570, 727
 anticholinergic agents, 29
 black widow spider venom, 66–67
 botulism, 70, 120, 550
 buckthorn fruit, 76
 carbon disulfide, 82
 carbon monoxide, 82
 cassava root, 91
 ciguatera, 119
 ethylene oxide, 196
 grass pea, 413
 hexane, 267

- lead, 330–331
 manganese, 359–360
 methotrexate, 374, 765
 opioids, 100–101, 261–262, 433–434, 786–787
 pyridoxine, 214, 553, 732
 radiation, *see* radiotherapy
 tick paralysis, 660
 vitamin A, 685–686, 731
 vitamin D, 689
 zinc, 705
- toxoplasmosis, 271, 572
- trace elements
 copper, 127–128, 705
 iron, 310–311, 730
 selenium, 599–600
 zinc, 704–706, 733
- transient global amnesia, 664
- transient ischemic attacks (TIAs), 664–665
 amaurosis fugax, 20
 moyamoya disease, 385
 vertebrobasilar insufficiency, 682–683
- transplants, post-transplant neuropathies, 276, 508–509
- transverse myelitis
 hepatitis A, 254
 neuromyelitis optica, 414, 605
- trauma
 aortic, 36–37
 cervical, 111–113
 dissociative amnesia after, 159–161
 facial nerve, 201, 645
 head, *see* head injuries
 humeral fracture, 276–277
 lumbosacral plexopathy, 346
- trazodone, 794
- tremor
 drug-induced, 165–167
 essential, 195–196
 facial, 130
 FXTAS, 216
 orthostatic, 442
- trichinosis, 665–666
- trichotillomania, 486, 666–667
- tricyclic antidepressants (TCAs), 355, 427, 480, 794–795
- trigeminal nerve (CN V), *see also* atypical facial pain
 and corneal injuries, 319
 hemimasticatory spasm, 246
 neuralgia, 605, 667–668
 Raeder's paratrigeminal neuralgia, 560–561
- trinucleotide repeat disorders
 DRPLA, 148, 528
 fragile X syndrome, 214–216
 Friedreich's ataxia, 216–218
 FXTAS, 216
 Huntington's chorea, 277, 383, 384, 773
 myotonic dystrophy, 92, 402–403
 SBMA, 613
- triptans (serotonin 1D/1B selective agonists), 788–789
- trisomy 21 (Down syndrome), 44–45, 163–164, 765
- trochlear nerve (CN IV), 624
- tropical ataxic neuropathy, 668
- tropical spastic paraparesis, 274–275
- trypanosomiasis, African (sleeping sickness), 668–669
- trypanosomiasis, American (Chagas disease), 113
- TTP (thrombotic thrombocytopenic purpura), 655–656
- tuberculosis, 271, 669
 anti-tubercular drugs, 742, 743–744, 746–747
- tuberous sclerosis, 571, 670
- tumor necrosis factor-alpha (TNF- α) inhibitors, 766
- tumors, *see also* chemotherapy
 angioma, 94–95, 680–681
 astrocytoma, 42, 44
 bladder, 67–68
 bone, 230, 445, 447–448
 and brachial plexopathy, 72
 brain metastases, 72–73
 breast, 72, 73–74, 83
 carcinoid, 82–83
 carcinomatous meningitis, 83–84
 cavernous sinus, 96
 ependymoma, 183–184
 epidermoid, 185–186
 facial nerve, 200
 ganglioglioma, 224–225
 gastrointestinal, 82–83, 225–226
 germ cell, 228, 230, 491, 649
 gliomatosis cerebri, 232–233
 glomus jugulare, 233
 gynecologic, 228, 229–230, 238–239, 449–450, 674–675
 hemangioblastoma, 243–244, 571, 615, 697–698
 hemorrhage into, 249
 kidney, 567–568
 leukemia, 336–337, 754, 758
 lung, 72, 346, 347
- lymphoma
 Burkitt, 77
 intravascular, 309–310
 lymphoplasmacytic, 699–700
 orbital, 440
 primary CNS, 270–271, 521–523
- medulloblastoma, 367
- melanoma, 368, 757
- meningioma, 369–370, 440, 491
- multiple myeloma, 389
- nasopharyngeal, 406
- neck, 406–407
- neurofibromatosis, 411–412, 440
- oligodendroglioma, 431–432
- optic glioma, 436
- orbital, 440–441
- ovarian, 228, 229–230, 238–239, 449–450
- pancreatic, 452–453
- paraganglioma, 458–459
- parotid gland, 469
- pheochromocytoma, 484–485
- pineal gland, 487–489
- pituitary adenoma, 13, 490, 492, 624
 prolactinoma, 284, 532–533
- prostate, 535–536
- sarcoma, 447–448, 585–587
- spine, 188, 616–617
- testicular, 228, 229–230, 649
- third ventricle, 652–653
- uterine, 238–239, 674–675
- vestibular schwannoma, 595
- Turner syndrome, 671
- tympanic membrane perforation, 117–118
- typhoid fever, 671–672
- tyramine cheese reaction, 355, 480
- ubiquinone (coenzyme Q₁₀) deficiency, 520–521
 Leigh disease, 332
 NADH CoQ reductase deficiency, 404–405
- ulcerative colitis, 673
- ulnar nerve, 673–674
- unconsciousness, *see also* locked-in syndrome
 medication-associated, 754, 758
 persistent vegetative state, 480–482
 syncope, 636–637
 cardiogenic, 86–87
 carotid sinus hypersensitivity, 90
 Stokes–Adams attacks, 623
- Unverricht–Lundborg disease, 528

Index

- upper limb, *see also* brachial plexopathy
 carpal tunnel syndrome, 90–91, 417, 418, 533
 de Quervain's tenosynovitis, 149–150
 diabetic mononeuropathy, 152
 epicondylitis, 185
 ganglion cyst, 225
 humeral fracture, 276–277
 ischemic monomelic neuropathy, 313
 pronator syndrome, 533–534
 radial neuropathy, 556–557, 587, 588
 repetitive hand use, 570–571
 subclavian steal syndrome, 630
 thoracic outlet syndrome, 653–654
 ulnar neuropathy, 673–674
 vascular insufficiency to hand, 679–680
- urea cycle disorders, 8–9
 uremia, 569
 uric acid excess (Lesch–Nyhan syndrome), 335–336
 urinary incontinence (enuresis), 183
 uterine cancer, 238–239, 674–675
 uterine mass causing sciatic nerve compression, 675–676
 uveitis, 676–677, 694
- vaccines
 diphtheria, tetanus, and pertussis, 156
 MMR, 365–366
 pneumococcus, 626–627
 polio, 495
 post-immunization encephalomyelitis, 503–505
 smallpox, 608–609
- valacyclovir, 739
 valgancyclovir, 739
 valproate (depakote), 779
 in bipolar disorder, 64
 in MERRF, 199
 teratogenicity, 191, 779
- valves, prosthetic, 536
 valvuloplasty, 678
 vancomycin, 743
 vardenafil, 725
 varenicline, 804–805
 variant Creutzfeldt–Jakob Disease (vCJD), 70–71
 varicella (herpes) zoster virus, 265–266, 503
 variola (smallpox), 609
 vaccination, 608–609
 vascular claudication, 307–308, 678–679
 vascular dementia, 388, 679
 Binswanger's disease, 61–62, 312
- vasculitis
 aortic arteritis, 32–33
 giant-cell arteritis, 32, 41, 501, 644–645
 granulomatosis with polyangiitis, 237–238
 Henoch–Schönlein purpura, 249–250
 neuropathy, 680
 polyarteritis nodosa, 255, 495–496
 primary CNS angiitis, 521
 Takayasu arteritis, 641
- vasodilators, 717–718
 vasogenic edema, *see* posterior reversible encephalopathy syndrome
 vasopressin, *see* antidiuretic hormone (ADH)
 vasovagal (cardiogenic) syncope, 86–87
 VEGF signaling inhibitors, 352, 762
- venous angioma, 680–681
 venous sinus thrombosis, 106–107
 in mastoiditis, 364
 in pregnancy, 107, 108
 thrombophlebitis, 95
- ventilation, assisted
 central alveolar hypoventilation syndrome, 126
 central sleep apnea, 102
 chronic respiratory failure, 118–119
 obesity hypoventilation syndrome, 425
- ventricular drains/shunts, 37, 310, 341
 ventricular hemorrhage, 310, 340–341
 ventricular septal defect (VSD), 681
 vertebral artery dissection, 681–682
 vertebral osteomyelitis (discitis), 156–157
 vertebrobasilar insufficiency, 682–683
- vertigo
 BPPV, 60–61
 lacunar stroke, 328
 Meniere's disease, 369
 otosclerosis, 449
 ototoxic drugs, 738, 743, 747, 759
 perilymphatic fistula, 473–474
 psychogenic, 544
 semicircular canal dehiscence, 633–634
 temporal bone fracture, 645–646
 vestibular degeneration, 683
 vestibular neuritis, 683–684
 vestibulocerebellar ataxia, 207
 vestibulocochlear nerve (CN VIII)
 vestibular neuritis, 683–684
 vestibular schwannoma, 595
 vigabatrin, 779–780
- vilazodone, 795
 vildagliptin, 720
 vinca alkaloids, 762–763
 viral infections, *see also* antiviral drugs; post-viral syndromes
 adenovirus, 8
 coxsackie, 129–130
 cytomegalovirus, 139–140, 271
 dengue, 146–147, 213
 eastern equine encephalitis, 169–170
 echovirus, 171–172
 encephalitis workup, 178
 enteroviruses, 129–130, 171–172, 182–183
 Epstein–Barr, 192, 349
 flaviviruses, 212–214
 hepatitis (acute), 252–253
 hepatitis A, 253–255
 hepatitis B, 255–256, 257
 chronic, 253
 hepatitis C, 256–257
 chronic, 253
 cryoglobulinemia, 134–135, 257
 hepatitis neuropathy, 257–258
 herpes simplex I, 263–264
 herpes simplex II, 264–265, 381
 herpes/varicella zoster, 265–266, 503
 herpesvirus 6 (HHV-6), 275–276
 HIV, *see* HIV-positive patients
 HTLV-1, 274–275
 influenza, 300–302, 745
 Japanese encephalitis, 213, 315–316
 JC virus, 271, 527
 La Crosse, 327
 lymphocytic choriomeningitis, 348–349
 measles, 364–365
 mumps, 394–395
 myelitis, 182, 254, 264–266, 494, 684
 myositis, 301, 684–685
 parainfluenza, 460
 poliovirus, 182, 494–495
 rabies, 556
 rubella, 582
 smallpox, 609
 St. Louis encephalitis, 622–623
 Zika, 704
- vision, loss of, *see also* blepharospasm; strabismus
 afferent pupillary defect, 13–14
 amaurosis fugax, 20, 644
 cataracts, 91–93
 central visual impairment, 102–103
 functional (nonphysiologic), 221

- glaucoma, 231–232
 intracranial hypertension, 296, 297
 Leber's hereditary optic atrophy, 331
 lens subluxation, 333–334
 macular degeneration, 352–353
 medication-associated, 710, 731, 739, 742, 758, 764, 779–780
 microphthalmos, 374–375
 onchocerciasis, 432–433
 optic nerve
 AION, 41, 423, 501
 atrophy, 435–436
 compression, 437–438
 glioma, 436
 neuritis, 416, 436–437, 465, 504, 742
 perineuritis, 475
 orbital hemorrhage, 438–439
 paraneoplastic retinopathy/
 neuropathy, 465
 pregnancy-associated conditions,
 415–417
 retinal artery occlusion, 98, 416
 retinal detachment, 99, 571–572
 retinal migraine, 572–573
 retinal vein occlusion, 98–99
 retinitis pigmentosa, 573–574
 temporal arteritis, 644
 uveitis, 676–677, 694
 vitamin deficiencies, 685, 687
 vitreous hemorrhage, 693–694
 visual hallucinations, *see* hallucinations
 visual phenomena in occipital lobe
 epilepsy, 429
 vitamins
 A (retinol), 573–574, 685–686, 731
 B12 (cobalamin), 226, 537, 686–688, 732
 B complex supplements, 731–732
 D, 688–690, 732
 E (tocopherol), 690–692, 732–733
 folate, 190, 214, 537, 732
 K, 692–693
 multivitamin deficiencies, 16, 97, 136
 niacin (B3), 419–430, 537, 716
 in pregnancy, 190, 731
 pyridoxine, 553
 seizures, 554
 toxicity, 214, 553, 732
 thiamine (B1)
 deficiency, 323–324, 537, 569–570, 651–652, 700–701
 supplements, 701, 732
 vitreous hemorrhage, 693–694
 Vogt–Koyanagi–Harada disease, 676, 694–695
 voltage-gated potassium channel anti-
 body syndrome, 695–696
 volume depletion, 697
 vomiting
 antiemetic drugs, 728, 729, 781–782
 cyclic vomiting syndrome, 137–138
 von Hippel–Lindau disease (VHL),
 697–698
 hemangioblastoma, 243–244, 571, 615–616
 voriconazole, 739
 vortioxetine, 795–796
 Waldenström's macroglobulinemia,
 699–700
 warfarin, 46, 377, 711, 783
 Watchmen® device, 46
 Waterhouse–Friderichsen syndrome, 408
 Weber syndrome, 624
 Wegener's granulomatosis, 237–238
 weight management, *see* obesity man-
 agement
 Weil's disease (leptospirosis), 335
 Wernicke aphasia, 376
 Wernicke disease/encephalopathy, 537,
 569–570, 651, 700–701
 Korsakoff syndrome, 323–324, 537
 West Nile virus, 213
 West syndrome, 299
 Whipple's disease, 702
 white matter disease
 adrenoleukodystrophy, 11–12
 Binswanger's disease, 61–62, 312
 CADASIL, 105, 312
 in eclampsia, 172
 ischemic, 312–313
 metachromatic leukodystrophy,
 372–373
 PML, 271, 527, 752, 753
 PRES, *see* posterior reversible enceph-
 alopathy syndrome
 whooping cough (pertussis), 156,
 482–483
 Wilson's disease, 92, 384
 withdrawal
 alcohol, 16–17
 cannabis, 80–81
 opioids, 262–263, 434–435
 wrist
 carpal tunnel syndrome, 90–91, 417,
 533
 de Quervain's tenosynovitis, 149–150
 ganglion cyst, 225
 xanthomatosis, cerebrotendinous, 107
 X chromosome aneuploidy
 Klinefelter syndrome (47, XXY),
 322–323
 Turner syndrome (45, X), 671
 X-linked disorders
 adrenoleukodystrophy, 11–12
 centronuclear myopathy, 103–104
 dystonia parkinsonism, 703
 Fabry disease, 198–199
 fragile X syndrome, 214–216
 FXTAS, 216
 Hunter syndrome, 350–351
 hydrocephalus, 37
 Lesch–Nyhan syndrome, 335–336
 McLeod syndrome, 409–410
 Menkes disease, 370–371
 muscular dystrophy
 Becker, 57
 Duchenne, 167
 Norrie's disease, 571
 Rett syndrome, 574
 zafirlukast, 735
 zaleplon, 316, 802
 zidovudine, 749–750
 Zika virus, 704
 zinc, 704–706, 733
 zolmitriptan, 789
 zolpidem, 316, 802
 zonisamide, 780