

## Index

- acceleration, 29, 46–48, 69, 93, 139
  - of gravity, 93, 152, 161, 264
- accelerometers, 109, 114
- active constraints, 214
- actual flight time approximation ballistic guidance, 165–167
- actual state vectors, 2
- adherence property (of the supremum), 24, 196
- adjoint vectors, 14, 37–39, 46, 137, 142–143, 147, 167–169, 183, 263
  - equation, 38
  - state transition matrix, 38
- aerospace mission, 6, 289
- aileron deflection, 18, 46, 115
- altitude, 20, 150, 154, 171, 218
- angular momentum, law of, 18
- angular velocity, 94–97, 111, 170
  - vectors, 178, 225, 278
- Apollonius Circle Theorem, 273–275
- apparent target homing guidance miss, 113–115
  - displacement, 140
  - motion, 141
- approximate miss distance analysis homing guidance, 124–126
- argument at periapse, 227
- asteroid, 197–198
- asymptotically stability, 22–23
- asymptotic observer, 96–100, 108
- attitude control, 6
- autopilot, 7, 130, 132–135, 137, 141, 144, 147, 241, 281
  
- backward dynamic programming optimality, 246, 249–250
- ballistic flight, 151, 161, 164, 171, 173, 176–178
- ballistic guidance, 150–186
  - dynamics, 175
  - mechanizing, 170
  - stages of, 150
- ballistic missile, 7, 96, 112, 175, 186, 197
- ballistic optimization, defined, 199
- ballistic projectile, 26
  
- ballistic shots
  - least energetic, 156, 159, 211
  - most accurate, 159, 162
- barrier, 281
- beam attack, 147–148
- beam rider homing guidance, 120, 144–146
- bearing, 114–115
  - fixes, 79–80
  - measurement, 88–89
- Bellman equation, 248–249, 251, 254, 261
  - functional, 251
- Bellman-Isaacs equation, 275–276, 280–281, 289
  - functional, 276
- block diagram, 3–4, 93, 96, 170, 194, 196
- Bolza Problem, 224
- bound, 3, 23, 25
  - upper and lower, 296–297
- boundary, 118
- boundary conditions, 124, 217, 223, 230–231, 233–234, 237, 239, 244, 252, 254, 283
- bounded (boundedness), 22–24, 103
- bounded signal, 24
- bounded-input, bounded-output (BIBO) stable systems, 24–25, 34–35, 195
- box product, 172
- brachistochrone problem, 263, 286
- bullet, 26
- bundle, 81, 155–157, 161, 163, 234, 268
  
- calculus of variations, 234
- calibration, 82
- cannonball, 74, 161, 176
- capture, 271, 277, 279–281, 287
- Cartesian coordinates, 51, 133–134, 286, 288
  - three-dimensional, 15
- causal vs. anticipatory (noncausal) systems, 4
- characteristic function, 57–59
- characteristic polynomial (of state matrix), 99–100
- circular cone, 89, 91, 113
- circular position fixing, 89–91
- closed ball, 295–296
- closing speed, 282

- collision course, 120–121, 129, 132, 147
- compact, 296
  - set, 233
- completely controllable system, 40–41
- completely observable system, 27, 44, 116
- conditional probability, 51, 56–57, 72
- conic fix, 80, 89, 111
- conic section, 154
- constant bearing, 289
  - homing guidance, 120, 129–130, 145, 289
  - midcourse guidance, 187
  - principle, 120
- constrained optimization, 156, 199–213, 219, 258, 288
- continuous-time dynamic programming
  - optimality, 246, 250–252
- control, 5
  - controller, endogenous, exogenous, 5
  - taxonomies of, 224
- control action input vectors, 14
- control display unit (CDU), 7
- controllability, 38–43
  - Gramian, 41–42, 230–231, 288
- controllable state, 40
- convex set, 202–203
- coordinate transformation, 95
- correlation coefficients, 59
- cost functional, 223, 229, 242–244, 248–249, 253, 255, 258, 260, 281
  - time varying, 281
  - zero-sum, 282–283
- co-state equations, 217, 231–232, 235, 244, 280, 283
- dynamic optimality, 230
  - dynamic vectors, 257
- cost-to-go dynamic programming optimality, 246–247, 254, 258, 260
- covariance
  - coordinate error, 81
  - differentiable, 66
  - kernel random process, 63–64
  - matrix, 57–58
- cross-covariance
  - kernel random process, 64
  - matrix, 57, 64
- cross-product (Q-) midcourse guidance, 187
- cross-range miss ballistic guidance, 166
- cross-range miss distance, 165, 167, 169
- cutoff condition, 154–159
  - perturbation, 159
- cylindrical coordinates ballistic guidance, 177
- dead-reckoning, 93
- DECCA hyperbolic fixing system, 89–91
- delta-guidance midcourse sets, 187, 191–193
- density function conditional probability, 55, 81
- density probability functions, 52–53
  - conditional, 55–57
  - joint, 52
  - marginal, 55–56
  - reasons for use of, 59
- deterministic separation principle, 195, 288
- deterministic systems, 14–47
  - vs. stochastic systems, 5
- differentiable functions, 43, 46, 201, 204–205
- differentiable vector, 275
- differential element of length, 81, 83
- differential games, 269–287, 270
  - control, 271
  - policy, 271
  - strategy, 271
- dimensionality, curse of, 247
- dimensionless time-to-go, 135, 138–139, 143
- Dirac delta functions, 53
- direction cosine matrix, 96
- discount factor, 283
- discrete-time systems, 215–217
- dispersal line, 281
- Distance Measuring Equipment (DME), 89
- distributions, 51–57
- dolichobrachistochrone problem, 286
- dominance, 271
  - boundary and region, 275
- Doppler effect, 109
- double integrator optimal controls, 225, 238–242
- down-range miss ballistic guidance, 167–169
- duality, 38–43
- dynamic decision problem, 235
- dynamic observer, 106
- dynamic programming
  - fundamental equation of, 249, 251
  - optimality, 246–248, 249–259
  - fundamental principle of, 249–250
  - imbedding, 250
  - maximum principle and, 256–258, 259–262
- dynamic response, 7
- dynamic systems, 265–266
- earth, 170–174
  - eccentricity, 227
  - oblateness and geophysical uncertainties of, 174
  - perturbations of, 175
- ecliptic plane, 80
- effective exhaust velocity, 212
- effective navigation constant, 133, 241
- eigenvalue, 33–34, 37
  - algebraic and geometric multiplicity of, 33
  - defective, 33
- eigenvector, 33, 36–37
- Einstein's Equivalence Principle, 93
- electromagnetic beam, 120, 144
- elevation, 20–21
  - apparent, 91, 145
- ellipsoid of probability, 61, 87–88
- engineering synthesis optimization, 200
- ensemble, 62, 66
- ephemerid tables, 91
- equality constraints, 199
- equivalence class, 24
- equivocal line, 281

- error analysis ballistic guidance  
 in-plane, 158–163  
 three-dimensional, 163–166
- error analysis position fixing, 80
- escape problem homing guidance, 119
- estimated guidance error, 3, 194
- estimated state vector, 2
- Euclidian norm, 24
- Euler parameters, 96
- Euler-Lagrange equation, 235
- evasion (optimal), 241–242
- events, 49–50, 52  
 certain, 49  
 mutually exclusive, 50–51  
 statistically regular, 49
- exact distance analysis homing guidance miss, 126–129
- expected square miss, 160–162, 197
- expected values, 57–59
- extremal arc, 230, 234
- feedback, 255
- fixed lead bearing, 121
- fixed lead homing guidance, 120, 129
- Flight Management System (FMS), 6–7
- flight path angle, 20–21, 145, 158, 163
- flight termination condition, 175–177, 179
- flight termination condition ballistic guidance, 175
- force, 4, 25, 212, 225, 227  
 aerodynamic, 150, 160, 175  
 applied, 15  
 gravitational and inertial, 93, 114  
 orbital, 179  
 per unit mass, 17–18
- forced response, 23–24
- formalism, 59
- Fourier transform, 58, 66
- fractionals, 222–225
- free flight, 150, 171, 175
- free response, 23, 25, 27, 63
- full information games, 271
- functional, 222–223, 250, 270  
 linear operator, 40  
 optimizing, 248  
 performance index, 223  
 sampling and integral, 223  
 scalar, 234  
 space, 202
- Fundamental Axiom of Analysis, 297
- game theory, 269, 285
- games  
 of degree, 270  
 of kind, 270–271  
 taxonomy of, 269–272  
 value of, 270
- Gamma function, 61
- Gaussian (normal) distribution, 59
- Gaussian (normal) random process, 58–61, 67, 104  
 colored, 67, 141  
 distribution, 48, 58–62  
 joint, 60  
 white, 67, 196
- Gauss-Markov random process, 67–68, 69,  
 100–101, 104, 195–196, 255  
 standard, 69–70
- geodesy, 93
- geometry, 2, 6, 79  
 analytic, 51, 153  
 Apollonius circle, 273  
 beam rider, 144  
 down-range miss, 167  
 earth's rotational, 171  
 launch error miss, 136  
 linearized proportional navigation, 131  
 noise miss, 140  
 planar homing, 118–119  
 restricted two-body, 152
- geophysical uncertainties, 174
- geosynchronous vs. sun synchronous orbits, 9
- gimbal, 94, 115
- global minimum, 200, 205
- Global Navigation Satellite System (GLONASS), 92
- Global Positioning System (GPS), 6, 92–93  
 differential, 92–93
- goniometers, 108
- gravitational constant, 152, 179, 190, 209
- greedy strategy, 235
- ground station, 92–93
- guidance, 6  
 defined, 1  
 errors, 2–3  
 hardware, 111
- guidance law, 3, 14, 21, 129–130, 189–190, 192,  
 197, 255–256, 281, 285
- guided approach, 20
- guided landing, 20
- gyroscopes, 111  
 integrating, 115  
 rate, 115  
 rigidity and, 113  
 single- and two-degree of freedom, 115
- gyroscopic rigidity, 111, 113
- Hamiltonian, 229–230, 232, 234, 239, 241, 252, 257,  
 260, 283–284, 289
- Hamilton-Jacobi-Bellman equation, 258, 261
- heading angle, 46, 115, 119, 130, 147–148, 226–227,  
 272, 276–277, 280
- heat-seeking homing missile, 7
- Hessian matrix, 203–204, 208, 210
- hit equations, 155  
 linearized, 156
- homing guidance, 118–149, 281–285  
 fundamental equations of, 67, 119, 127–128  
 fundamentals of, 118–121  
 planar, 118–121  
 terminal phase analysis of, 123–124  
 types of, 118

- H.O.T. (higher-order terms), 16–17  
 hyperbolic fix, 80, 89  
 hyperbolic position fixing, 89  
 hyperboloid of revolution, 91
- ideal rocket equation, 212  
 Imbedding Principle, 250  
 impact time, 166  
 Implicit Function Theorem, 121, 159, 206, 212, 218, 288  
 impulse response, 23–24, 26, 37, 135–136  
 impulsive burn, 9, 12  
 inclination, 227  
 independence, 59  
 induced norm, 24  
 inequality, 195  
   static system, 288  
 inequality constraints, 214, 218, 277  
 inertial acceleration, 116  
 inertial frame, 15, 93, 152, 178  
 inertial navigation, 7, 78, 93–97, 100, 111  
 Inertial Navigation System (INS), 93, 93–94, 94–95, 95–98  
 inertial space, 94  
 infimum, 296–297  
 information structure, 271  
 information structure games, 271  
 initial condition, 21–23, 27–31, 37, 40–41, 63, 68–69, 76–77, 96, 98, 103, 136–137, 160–161, 173, 183, 188, 196, 225, 228, 230–231, 263–268, 270, 272, 280, 283, 287, 301  
 input, 3–4  
   bounded, 225  
   control, 5, 188, 191, 222–224, 233  
   exogenous and endogenous, 269  
   Gaussian stochastic, 48, 69–72  
   matrix, 17  
   random, 12, 71  
   spring system (force), 4  
   target lateral displacement, 133  
   vector, 14, 23  
 Instrument Landing System (ILS), 145–146  
 integral functional, 223  
 intercept, 141–144, 272, 283  
   head-on, 121, 123  
 International Civil Aviation Organization (ICAO), 88  
 interplanetary travel, 10, 10–12, 12  
 inversion formulas, 58
- Jacobian matrix, 17, 80–81, 83, 205  
 jinking, 139, 241–246, 289  
 joint probability density function, 52, 55, 59, 67, 74  
 jointly Gaussian distributed vectors, 60  
 juking, 244–246
- Kalman filter, 100–106, 193, 232, 255  
   extended (EKF), 105–108  
 Karush-Kuhn-Tucker (KKT) conditions, 214–215  
 Keplerian orbit, 173
- kinematics of rotations, 95  
 kinetic energy, 150, 156, 209  
 Kummer function, 133–134
- Lagrange multiplier, 150, 163, 206–209, 211, 213, 216–217, 224, 288  
 Lagrange Problem, 224  
 Lagrange's theorem, 206  
 Laplace transform, 71  
   differentiation rule, 31  
   inverse, 31  
 lateral acceleration, 147, 241–243, 281–282  
 launch error homing guidance miss, 129, 135–138  
 law of angular momentum, 18  
 law of similarity in triangles, 272  
 lead angle, 129  
 Legendre polynomial, 174  
 Leibniz's rule, 71  
 lift-to-drag ratio, 211  
 likelihood function, 84, 85  
   maximum, 84, 86  
 linear dynamic state transition matrix, 22  
 linear dynamic systems, 28–29  
   observability and, 27  
   properties of, 21–26  
 linear functional operator, 40  
 linear quadratic gaussian (LQG) regulator, 224, 255–256, 262  
 linear quadratic regulator (LQR), 193, 252–255, 262  
 linear time invariant state transition matrix, 31–32  
 linear time invariant systems, 30–32, 34–37  
 linear time varying systems, 4, 39, 62, 98–99, 130, 133, 224, 281  
   forced response, 23  
 linear transformations, 59  
 linear vs. nonlinear systems, 4  
 linearization, 14–21  
 linearized hit equation, 40  
 linearized proportional navigation, 130  
 linearly independent, 21, 33, 214, 297–299  
 line-of-sight (LOS)  
   angle, 118–119, 121, 126, 133, 144, 147, 282, 284  
   turn rate, 285  
 local minimum, 200  
 local simplicity, 289  
 Long Range Navigation (LORAN), 89–91  
 longitude of the ascending node, 227  
 low-thrust propulsion orbital path-planning, 227–228  
 lumped parameter (vs. distributed parameter) systems, 4–5  
 Lyapunov equation, 70, 196, 232
- marginal probability density function, 55, 66  
 Markovian nonlinear model, 105  
 Markovian random process, 67, 105  
 mass, 50  
 mass-spring systems, 4–5  
 matrices, 28–30

- Mayer Problem, 224, 241–242  
   optimal control, 288  
 mean anomaly, 227  
 mean square error, 73, 81–82, 84, 87, 232  
 mean value, 57–58  
   function of a random process, 63–68, 70, 74, 196  
 mean values, 57  
 measure zero, 23, 52, 295  
 measured output, 5, 255  
   controls, 5  
 mechanization of the guidance scheme, 170  
 meridial miss, 179  
 midcourse guidance, 189–198  
   assumptions of, 187  
   methods of, 187  
   navigation with, 187, 193–196  
 minimax, 270  
 miss analysis ballistic optimization, 181–184  
 miss analysis problem, 176  
 miss ballistic guidance, 176  
 miss coefficient, 160–162, 168, 174, 183  
 miss distance, 14, 123–129, 133, 135–141, 159, 165, 167–170, 170, 175, 176, 181, 183, 242  
 missile velocity, 119, 126, 149  
   reference and actual, 130–131  
 momentum wheel, 95  
 most accurate ballistic shot, 160  
 motion equation for conventional guided  
   approach, 20–21  
 motion equations, 163  
  
 natural science (fundamental postulate of), 48  
 navigation, 2, 6, 78–117  
   defined, 1  
   hardware, 108–111  
   purposes of, 72  
 NAVSTAR Global Positioning System, 92  
 necessary condition  
   maximum principle, 246  
   optimality, 214, 217, 228–230, 234, 239, 241, 243–244, 249, 261, 276, 281  
   dynamic, 206  
   first-order, 85–86, 199, 207, 209–210, 254  
   second-order, 208  
   twice-differentiable functions open sets, 204  
 negative definite, 208, 300  
 neighborhood, 85, 296, 302  
   open, 200, 301  
 Newton's equations of motion, 15, 173, 178–179, 204  
 Newton's iteration, 180, 208, 301–302  
 Newton's method, 301  
 Newton's theorem, 301  
 nilpotent matrix, 32  
 noise homing guidance miss, 140–141  
 noisy acceleration measurement, 103  
 nominal interception time, 142  
 nominal orbit, 164, 177  
 nonconvex sets, 202  
  
 nonlinear dynamic systems, 14–21  
 nonlinear estimation, 106  
 nonrotating planet ballistic guidance, 176  
 norm, 23–24  
 normal random vectors, 60  
 null space (nullspace), 28, 30, 298–299  
  
 objective function, 208–209, 222–223, 227, 258, 271, 288  
 observability, 26–30  
   function, 42  
   linear time invariant systems and, 35  
 observable state systems, 27  
 open set, 204–205  
 optimal control, 267, 280  
   beyond finite dimensionality, 222  
   components of, 223  
   defined, 222  
   problem, 223–228, 255  
   Lagrange, 234  
   Mayer, 241, 288  
   unconstrained, 230, 232  
   zero-sum, 289  
 optimal cost-to-go, 247, 249, 254, 257–259  
 optimal evasion problem, 242  
 optimal guidance, 222–268  
 optimal information collection path-planning, 225–226  
 optimal policy, 254  
 optimality  
   condition, 199, 230, 233, 235, 239, 243, 284  
   equations, 217  
   first-order, 207–209  
   conditions for, 85–86, 254  
   principle of, 248–249  
   second-order, 208–210, 254  
   conditions for, 85–86  
   state dynamics, 230  
 optimizing guidance, 199–221  
 orbit determination, 9, 12  
 orbit equation, 154–155  
 orbital acceleration, 178  
 orbital elements, 9, 227  
 orbital maneuver, 9–10, 227  
 order reduction, 278–279  
 ordinary differential equations (ODEs), 4, 257  
 output, 3–4  
   control theory, 5  
   feedback, 224, 255  
   matrix, 17  
   measured (control theory), 5  
   spring system (deformation), 4  
   vector, 14  
  
 parabolic distribution, 54–56  
 parallel miss, 179  
 partial derivative, 16, 159, 180–181, 200–201, 259, 280, 302  
 partial information games, 271

- particle, 15, 85, 150, 267
  - free, 25
- path planning, 6
- performance
  - criterion, 223
  - index, 223, 230, 232
  - output control, 5
- periapse, 198, 227
- pitch angle, 20
- planar homing guidance, 118–119
- planar navigation, 89
- platform, 94–95, 116
- Poisson differential equation, 95–96
- polar coordinates, 15, 76, 83, 112, 127, 152, 154–156, 159, 172–173, 177, 190, 209
- pole, 34–35, 99, 193, 195, 241
  - assignment problem, 99
  - double, 35
- policy, 224, 247
  - versus control versus strategy, 271
  - optimal, 250, 254
- Pontryagin's maximum principle, 233–235, 234, 261, 289
  - dynamic programming and, 256–262
- position, 2, 15, 26, 36, 69, 75, 178
  - current, 46
  - cutoff, 171
  - final, 225
  - fixing, 78–93
  - initial, 25, 30, 63, 68, 187–188, 274
  - relative, 119, 145
- position fixing (Newtonian method for), 80
- positive definite, 28, 35, 208
  - symmetric, 81, 208, 210, 219, 300
- potential energy, 150
- power series, 141–144
  - solution method, 31
- power spectral density, 66–67
- powered lift-off, 150
- principal axis of inertia, 18
- probability
  - density function, 50, 52–61, 67–68, 71–72, 81, 84, 134
  - function, 50–52, 56, 72
  - space, 49–51, 51
  - theory, 49
- proportional guidance/navigation, 120, 141
  - game-theoretic view of, 281–285
  - homing, 120, 129–130
- pursuit homing guidance, 120–123
- Pythagorean theorem, 83
  
- Q- (cross-product) midcourse guidance, 187, 189
- quadratic equation, 190, 266
- quadratic form, 86, 208, 300
- quaternions, 96
  
- $\mathbb{R}^n$  optimization
  - constrained, 205
  - inequality constraints on, 214–215
    - unconstrained, 200–205
- radius of curvature, 118, 124, 277, 300
- random process, 65
- random variable, 51–57, 60–61, 63–64, 73–74, 78, 139
- random vectors, 51–52
  - indexed by time, 62
- range, 29, 74, 85, 99, 105, 107, 116, 119, 121, 130, 144, 161, 277, 299
  - dimensionless, 126–128
  - horizontal, 116
  - initial, 131
  - measurement, 89–90, 103
  - space, 40
- rank, 37, 289, 298–299
  - full, 35–36, 205, 219, 300
- rational function, 31, 33
- realization (sample function) processes, 62–63, 72, 141
- receiver, 92–93
- recursive navigation, 96–100
- redundant measurements position fixing, 84–87
- reentry trajectory, 154
- reference missile velocity, 131
- reference state vectors, 2
- regular points, 205
- relative derivative, 131
- relative velocity, 171
- relativity (general), 93
- remote-operator, 7
- repeatability, 49
- restricted two-body ballistic guidance, 150–154
- restriction preserving optimality, 248
- rheonomic (time varying) optimal controls, 224–225
- Ricatti differential equation, 102–105, 233, 255
  - algebraic (ARE), 103
  - nonlinear, 105
- rocket-staging, 150, 211–213
  - n-stage, 212–213
  - optimal, 213
  - single- and two-stage, 212
- root-mean-square (RMS), 140–141
- rotating planet ballistic guidance, 178
- rotational motion, 18
- Routh-Hurwitz criterion, 100
  
- Sagnac effect, 111
- sample, 49–52, 105–106
  - function, 62–63
  - probability, 51
  - space, 18, 49–51, 49–52
- sampling fractionals, 223
- scleronomic (time invariant) optimal controls, 223–224
- second-order time invariant systems, 268
- seekers, passive (heat) and semipassive (laser-guided smart bombs), 118
- semimajor axis, 227

- sensitivity, 207, 258
- sensor
- inertially stabilized, 94
  - output, 100
  - strapped down, 94–98
- separation of variables, 121, 123, 254
- separation property, 3
- Shannon's equation, 226
- signal, 3, 24
- signal-to-noise ratios, 103
- single-input-single-output (double integrator) systems, 17–20, 24–25, 29, 33, 35, 68, 99, 103, 238–241
- free response, 63
  - velocity sensors and, 30
- singular control, 234, 240
- skew-symmetric, 43, 96
- slewing, 18
- small perturbation, 158, 289
- smooth function, 200, 204, 257
- solutions “in the large” and “in the small,” 230
- spacecraft (orbital), 9
- speed, 20, 86, 92, 130, 133, 212, 279
- closing, 282
  - constant, 225–227, 268, 272, 276–277, 280
  - nominal, 285
  - ratio, 272, 274
- sphere of influence, 197
- spherical position fixing, 89
- spindle torus, 89
- spring systems, 4
- square matrix, 74, 232, 298–300
- stability. *See* systems, stable
- stable state (and linear time invariant systems), 33–34
- stable system, 22–23
- standard deviation, 58, 84
- state
- dynamics equations, 230, 233, 283
  - feedback guidance, 187, 191–193, 196, 255
  - matrix, 17, 233
  - space, 27, 230, 241
  - transition matrix, 22–25, 27, 30–32, 68
  - uniformly exponentially bounded, 23
  - vectors, 14–21
- static (memoryless) vs. dynamic systems, 4
- static decision problems, 65–66, 235
- static games, 270
- stationary random processes, 65
- mean and wide-sense, 66
- statistical regularity, 5, 48
- step target acceleration homing guidance miss, 138–139
- step-target acceleration, 138–139
- stochastic observability, 103
- stochastic optimal control, 255
- stochastic process, 62
- stochastic realization problem, 72
- stochastic separation principle, 256, 288
- stochastic systems, 48–77
- reasons to use, 48
- structural coefficient, 212
- subsidiary optimization, 208, 252
- sufficient condition, 155, 199, 201–202, 205, 208, 261, 289
- superposition principle, 4, 45, 61, 139, 194, 289
- supremum, 24, 296–297
- switching curve, 240–241, 259
- switching envelope, 281
- switching locus, 281
- symmetric matrix, 27, 35–37, 232
- symplectic structure, 222
- synchronous games, 270
- system, 3–4, 14
- system dynamic equations, 223
- systems, distributed parameter, 4
- systems theory, 3–5
- deterministic, 14–42
  - linear, 196
  - stochastic, 48–72
- Tactical Air Navigation (TACAN), 89
- tangent planes, 208–211
- target set, 237–238
- Rendez-Vous, 238
- target sinusoidal motion homing guidance miss, 139–140
- targeting
- ballistic guidance, 176, 179–181
  - problem, 176
- Taylor series expansion, 16, 81, 155, 201–202, 204
- Taylor's theorem, 201–204, 300
- telemeter, 108
- terminal guidance, 14, 118–119
- terminal radius, 166, 190
- terminal turning acceleration, 123, 123–124
- terminal turning rate, 122, 124
- termination time, 175, 181–182
- nominal, 166, 181
- three-dimensional error analysis, 163–170
- three-dimensional navigation, 89
- thrust acceleration, 44, 93, 94–96, 105–106, 109, 188, 196, 255, 264
- thrust force, 15, 69
- time constant, 133, 183, 190, 241
- time varying co-state vectors, 288
- time-to-impact, 147
- torque, 15, 69, 191
- actuator, 18
  - gravity, 114–115
- trace, 74, 84, 101, 232
- Tracking and Data Relay Satellite System (TDRSS), 10
- trajectory, 6, 14, 123–127, 147–148
- actual, 125
  - aerodynamic, 154
  - missile, 155–158, 161–164
  - phases of, 150

- trajectory (*cont.*)  
 nominal, 16–17, 44, 46, 76, 117, 133, 164–165,  
 183–184, 187, 191–193, 252, 255  
 optimal, 240, 248–249, 250, 259  
 perturbed, 167–168  
 polar coordinate, 190  
 pursuit, 6, 118, 120, 124–129, 126, 279  
 reentry, 154–155  
 reference, 130–131, 165  
 straight-line, 119  
 target, 238  
 time-optimal, 119  
 transversality conditions, 234, 236–238  
 transverse displacement, 125  
 triple integrator, 46, 115  
 true acceleration, 75–76, 116  
 true anomaly, 227  
 two-dimensional hit ballistic guidance,  
 154–158  
 two-stage rocket equations, 212
- unconstrained optimal controls  
 uncontrollable state, 40  
 completely, 40  
 uncorrelated random process, 65  
 uncorrelated random vector, 59  
 unicycle kinematics, 272  
 uniformity, 48  
 uniformly absolutely integrable, 24, 26  
 uniformly distributed random vectors, 53–54,  
 63–66, 72, 139  
 unit step input, 133  
 universal gravitational constant, 152  
 unmanned aerial vehicle (UAV), 6–7  
 unobservable state, 27
- variation of constants, 23, 27, 32, 37, 39,  
 231  
 linear dynamic systems and, 23  
 response  
 forced and free, 23  
 impulse, 23, 26
- vector functions of time, 23–24  
 equal almost everywhere, 23–24  
 essentially equal, 23–24  
 vector space, 21, 27, 40, 297–299  
 vectrix (moving), 278–279  
 velocimeter, 109  
 Doppler, 109  
 velocity, 15–16, 25–26, 30, 36, 69, 78, 80, 93, 105  
 absolute, 278  
 angular, 94–97, 111, 115, 170, 178, 278  
 constant known, 107, 113–114, 147–148  
 cutoff, 154, 156, 158, 171, 209  
 effective exhaust, 212  
 fixed, 147  
 horizontal, 116  
 initial, 161  
 launch, 161, 163  
 pursuit, 121–132, 280, 287  
 radial, 44  
 ratio, 121  
 relative, 171  
 roll, 115  
 step, 132  
 tangential, 44, 170  
 wind, 49–50, 52, 63  
 velocity-to-be-gained midcourse guidance,  
 188–191  
 limited and unlimited thrust, 189–191  
 vertical acceleration, 114  
 Very Large Scale Intergration (VLSI), 111  
 VHF Omnidirectional Ranging TacticalAir  
 Navigation (VORTEC), 89  
 VHF Omni-directional Ranging (VOR), 88–89  
 volume, 50
- waypoint, 6–7  
 weighing pattern (impulse response), 196  
 white noise, 105  
 wide-sense stationary, 66
- zero initial condition linear dynamic systems, 37  
 zero-sum differential games, 269–270