

INDEX

- abortion, spontaneous,
  - missed. *See* missed abortion
  - PCOS and teratozoospermia, 172
  - recurrent. *See* recurrent abortion
  - teratozoospermia, 158–160
- adhesions, within blastocyst, 169
- amenorrhea
  - live birth, healthy girl, 150–151
  - not pregnant, 14–15, 204–205
- aseptic vitrification method, 3–4, 7–9
  - cases, 155–230
- assisted hatching
  - before vitrification, 2
  - early blastocyst with, 145
  - warmed blastocysts, 5, 7
- asthenoteratozoospermia,
  - biochemical pregnancy, 74–75, 112–113
  - live birth, healthy boy, 62–63, 122–123
  - live birth, healthy girl, 48–49, 72–73, 132–133
  - live birth, healthy twin boys, 22–23
  - missed abortion, 16–17
  - not pregnant, 82–83
  - ongoing pregnancy, 92–93, 208–209
- asthenozoospermia
  - live birth, girl with heart defect, 26–27
  - missed abortion, 100–101
  - ongoing pregnancy, 66–67
- azoospermia
  - collagenase treatment of testicular tissue, 5
  - live birth, healthy girl, 146–147
  - missed abortion, 98–99, 142–143
  - not pregnant, 188–189
  - ongoing pregnancy, 178–179, 220–221
- blastocoel
  - artificial shrinkage, 2, 6, 19, 34–35, 175
  - blastomeres in, 95
  - cytoplasmic strings. *See* cytoplasmic strings
  - expansion, assessment, 2
  - loose cells in, 177
  - loose fragments in, 167
  - minor fragmentation in, 43, 137
  - necrotic cell in, 129
  - re-expansion after thawing, 5
- blastocysts
  - bad quality early, 113
  - bad quality, live birth, healthy boy, 45
  - cytoplasmic granulation. *See* cytoplasmic granulation
  - degenerated, 29
  - exposure to cryoprotectants, 2–3, 5, 7
  - loading onto carrier/plunging into liquid nitrogen, 3–4, 8
  - poor quality, 143
  - selection after warming, 4–5, 7, 9
  - selection before vitrification, 1–2, 5
  - storage in liquid nitrogen, 4
  - warming. *See* warming process
  - with signs of degeneration, 113
- blastomeres
  - excluded. *See* excluded blastomeres
  - in blastocoel, 95
  - lysed, 71
  - necrotic, 23
  - vacuolized, 35, 87, 141
- cardiac defects/malformations, 26–27, 28–29, 84–85, 230
- cell–cell contacts, regression of, 33, 125
- cerebral edema, neonate with, 24–25
- cervical anomaly, ongoing pregnancy, 206–207
- chemotherapy, azoospermia after, 178–179
- chromosomes, aseptically vitrified blastocysts, 4
- closed vitrification method. *See* aseptic vitrification method
- collagenase treatment, 5
- congenital heart defects. *See* cardiac defects/malformations
- cooling rates, 3–4
- cryoprotectants (CPs)
  - dilution during warming, 4, 8–9
  - exposure of blastocysts to, 2–3, 5, 7
- cryptozoospermia
  - biochemical pregnancy, 64–65, 106–107
  - live birth, healthy girl, 40–41
- cytoplasmic fragments. *See* fragments
- cytoplasmic granulation, 97, 121, *See also under* trophectoderm
  - bad quality blastocyst with, 45
  - before and after vitrification, 211
  - dark and strong, 226
  - expanded blastocyst with, 91
  - extensive, 47, 83, 85, 99, 111, 123
  - extreme, 23
  - heavy, 143
  - inner cell mass, 165
  - major, 29
  - minor, 135
  - moderate, 67
  - poor contraction after warming, 221
  - re-expanded blastocyst with, 39
  - slight, 31, 214
  - strong dark, 217

- cytoplasmic granulation (cont.)  
 trophoctoderm and inner cell mass, 187  
 with microvacuoles, 167  
 with no signs of re-expansion, 103
- cytoplasmic pitting, 75
- cytoplasmic strings  
 almost fully re-expanded blastocyst, 172  
 before and after vitrification, 182  
 blastocyst beginning to expand, 57  
 compact inner cell mass with, 185  
 expanded blastocyst with, 67  
 hatching blastocyst with, 37, 117, 119  
 numerous, 107  
 several, 209
- degeneration  
 blastocyst with signs of, 113  
 blastocyst, no transfer, 29  
 excluded fragments, 223  
 hatched cells, 153  
 morula with signs of, 61  
 disintegration, cellular, 101  
 duodenal atresia, one twin with, 38–39
- early pregnancy loss. *See* abortion, spontaneous
- ectopic pregnancy  
 endometriosis, 68–69  
 tubal infertility, 36–37, 110–111
- endometriosis  
 ectopic pregnancy, 68–69  
 live birth, healthy boy, 18–19, 96–97, 148–149  
 live birth, healthy girl, 104–105, 152–153  
 not pregnant, 164–165  
 ongoing pregnancy, 52–53, 66–67, 94–95, 186–187, 190–192, 208–209, 220–221  
 ongoing twin pregnancy, 216–217, 222–223  
 unknown outcome, 34–35
- excluded blastomeres, 63, 83  
 in blastocoel, 33, 59  
 in perivitelline space, 103, 131
- low quality early blastocysts with, 113
- morula with, 33
- partly re-expanded blastocyst with, 121
- removal of, 131
- excluded fragments  
 attached to zona pellucida, 99, 165, 185  
 causing slight deformation, 23  
 degenerated, 223  
 fully re-expanded blastocyst with, 214  
 good quality blastocyst with, 31  
 in perivitelline space, 133, 177  
 interfering with re-expansion, 25  
 necrotic, 187  
 partly re-expanded blastocyst with, 121  
 re-expanded blastocyst with, 19, 29, 73, 143, 172  
 removal using biopsy pipette, 17  
 stressed blastocyst with, 226  
 viable blastocyst with minor, 119  
 viable early blastocyst with, 61, 149
- fragments  
 attached to inner cell mass, 175, 182  
 close to inner cell mass, 179, 230  
 excluded. *See* excluded fragments  
 in blastocoel, 137, 167  
 in blastocoel and perivitelline space, 43  
 on surface of inner cell mass, 226
- Goldenhar syndrome, mild, 60–61
- granulation, cytoplasmic. *See* cytoplasmic granulation
- hatched cells, strangulation and degeneration, 153
- hatching, assisted. *See* assisted hatching
- HIV infection, 50–51, 88–89
- hypogonadotropic hypogonadism, not pregnant, 14–15
- hypothalamic pituitary failure, live birth, healthy girl, 150–151
- ice crystals, preventing formation, 1
- in vitro culture  
 after vitrification, 7, 9  
 prior to vitrification, 5
- inner cell mass (ICM)  
 assessing quality, 2, 5  
 flat, 163  
 flat and not well defined, 179  
 flattened and covered with fragments, 160  
 granular, 187  
 loose fragments attached to, 175, 182  
 loose fragments close to, 179, 230  
 loose fragments on surface, 226  
 necrotic focus/cells, 91, 93, 101, 133, 192  
 slightly granular, 165  
 vacuoles in, 57, 107, 219
- intracytoplasmic sperm injection (ICSI), oocyte culture after, 5
- intrauterine fetal death, trisomy 21, 32–33
- ionophore, oocyte activation, 5, 178
- liquid nitrogen (LN<sub>2</sub>)  
 blastocyst storage, 4  
 contamination risks, 3  
 plunging blastocysts into, 3–4, 8
- male factor infertility. *See specific types*
- miscarriage. *See* abortion, spontaneous
- missed abortion  
 asthenoteratozoospermia, 16–17  
 asthenozoospermia, 100–101  
 azoospermia, 98–99, 142–143  
 oligoasthenoteratozoospermia, 78–79, 102–103  
 tubal infertility, 136–137, 144–145
- monochorionic diamniotic twins, ongoing pregnancy, 20–21
- morula  
 regression of cell–cell contacts, 33, 125  
 with signs of degeneration, 61  
 with vacuole, 95

necrosis/necrotic foci	perivitelline space (PVS)	teratozoospermia
before and after vitrification, 205	excluded blastomeres in, 103, 131	clinical pregnancy; week 8
before vitrification, 169, 179	excluded fragments in, 177	abortion, 158–160
blastocyst with, 143	lysed blastomeres in, 71	intrauterine fetal death, trisomy
blastomere, 23	minor fragmentation in, 43, 133	21, 32–33
early blastocyst, 139	polar body, necrotic, 141	live birth, boy with malformations,
excluded fragments, 187	polycystic ovaries/polycystic ovarian	60–61
fully re-expanded blastocyst, 167,	syndrome (PCO/PCOS)	live birth, healthy boy, 108–109
169	biochemical pregnancy, 90–91,	live birth, healthy girl, 150–151,
in blastocoel, 129	112–113	152–153
inner cell mass, 91, 93, 101,	intrauterine fetal death, trisomy	live birth, healthy twins, 84–85
133, 192	21, 32–33	live birth, healthy twins after loss
partially re-expanded blastocyst	live birth, boy with malformations,	of one embryo, 224–226
with, 99	60–61	missed abortion, 144–145
polar body, 141	live birth, healthy boy, 18–19,	not pregnant, 164–165
trophectoderm, 81, 157	44–45, 108–109, 114–115, 211	not pregnant, then early
non-vitrifying solution (nVS), 2,	live birth, healthy twins, 84–85	pregnancy loss, 170–172
5, 7	live birth, neonatal cerebral	ongoing pregnancy, 128–129,
	edema, 24–25	210–211
oligoasthenoteratozoospermia	live birth, two healthy boys,	ongoing twin pregnancy, 222–223
(OAT)	166–167	termination of pregnancy, trisomy
live birth, healthy boy, 42–43,	not pregnant, then early	21, 46–47
56–57, 116–117,	pregnancy loss, 170–172	unknown outcome, 76–77
140–141, 211	ongoing pregnancy, 162–163,	termination of pregnancy, trisomy
live birth, two healthy	184–185, 200–201, 210–211,	21, 46–47
boys, 166–167	218–219	testicular sperm extraction (TESE), 5
missed abortion, 78–79, 102–103,	pregnancy loss at 24 weeks,	frozen material, 178
136–137	168–169	obstructive azoospermia, 188, 220
not pregnant, 130–131		theophylline, 5
ongoing pregnancy, 184–185	recurrent abortion	translocation carrier, live birth, girl
ongoing twin pregnancy, 20–21,	ectopic pregnancy, 110–111	with heart defect, 26–27
156–157	ongoing pregnancy, 228–230	trisomy 21
severe. <i>See</i> severe		intrauterine fetal death, 32–33
oligoasthenoteratozoospermia	seminoma, azoospermia after,	termination of pregnancy, 46–47
oligoasthenozoospermia	178–179	trophectoderm (TE)
biochemical pregnancy, 90–91	severe oligoasthenoteratozoospermia,	attached to zona pellucida, 179,
not pregnant, 58–59	healthy dichorionic diamniotic	203
oligoteratozoospermia	twins, 30–31, 86–87	few cells, 65
live birth, healthy girl, 138–139	live birth, healthy boy, 80–81,	grading, 2, 5
live birth, major cardiac	124–125	granular and vacuolated, 196
malformation, 28–29	not pregnant, 50–51	granular cells, 187, 189
oligozoospermia, ongoing	ongoing pregnancy, 94–95,	granular with some small vacuoles,
pregnancy, 174–175,	126–127	163, 209
200–201, 228–230	unknown outcome, 88–89,	granular, before and after
open vitrification method, 3, 5–7	118–119	vitrification, 205, 211
cases, 13–153	spindles, aseptically vitrified	loose granular, 192
ovariectomy, right, ongoing	blastocysts, 4	low quality, 33, 111
pregnancy, 206–207	storage, in liquid nitrogen (LN <sub>2</sub> ), 4	necrotic foci, 81

trophectoderm (TE) (cont.) partly granular, some with vacuoles, 207 poor, 89 poor and granular, with necrotic cells, 157 slightly granular, 182 suboptimal, 151 with loose cells, 187, 189 with vacuoles, 182	ongoing pregnancy after loss of one embryo, 194–196 ongoing twin pregnancy, 216–217 unknown outcome, 134–135	ventricular septal defect, 84–85
tubal infertility ectopic pregnancy, 36–37, 110–111 live birth, healthy boy, 54–55 live birth, healthy girl, 104–105 live birth, healthy twins after loss of one embryo, 224–226 live birth, twin girls, one with duodenal atresia, 38–39 missed abortion, 136–137, 144–145 not pregnant, 180–182, 198–199, 204–205 ongoing pregnancy, 52–53, 66–67, 202–203	unexplained infertility biochemical pregnancy, 120–121, 176–177 live birth, healthy boy, 70–71 uterine anomaly, healthy twin girls after loss of one embryo, 224–226 uterine polyps, ongoing twin pregnancy, 222–223	vitrification, 1–9 blastocyst selection for, 1–2 closed (aseptic) method, 3–4, 7–9, 155–230 open method, 3, 5–7, 13–153 steps, 1–5 vitrifying solution (VS), 2–3, 5, 7 VitriSafe carrier system, 8–9
	vacuoles blastomeres, 35, 87, 141 inner cell mass (ICM) cells, 57, 107, 219 morula with, 95 trophectoderm (TE) cells, 163, 182, 196, 207, 209 vasectomy, 146–147, 188–189, 220–221	warming process, 4 closed system, 8–9 open system, 6–7 warming rates, 4, 6, 8
		zona pellucida (ZP) artificial thinning, 21 excluded fragments attached to, 99, 165, 185 inhomogeneous, 97, 113 opening. <i>See</i> assisted hatching trophectoderm attached to, 179, 203