

Index

- * syntax, *see also* tuple packing and unpacking
- A New Kind of Science*, 130
- EcoRI*, 269
- Moby Dick*, 120
- Sequoia sempervirens*, 38
- The Wire*, 129
- `np.random.random`, 263
- `np.random.rand`, 263
- `np.random.sample`, 263
- `AssertionError` exception, 108
- Circle patch (Matplotlib), 312
- Ellipse patch (Matplotlib), 312
- `FileNotFoundError` exception, 105, 135
- `IndexError` exception, 105
- `KeyError` exception, 105, 112
- `LinAlgError` exception, 249, 251, 258
- `NameError` exception, 104
- `None`, 21, 112, 132
- Patch (Matplotlib), 311
- Polygon patch, 314
- `Polynomial.basis`, 239
- `Polynomial.cast`, 239
- `Polynomial.coef`, 233
- `Polynomial.convert`, 239
- `Polynomial.deriv`, 237
- `Polynomial.domain`, 241
- `Polynomial.fit`, 240, 242, 243
- `Polynomial.fromroots`, 235
- `Polynomial.integ`, 237
- `Polynomial.linspace`, 242
- `Polynomial.mapparms`, 241
- `Polynomial.roots`, 235
- `Polynomial.window`, 241
- `Polynomial`, 233
- `RankWarning` exception, 243
- Rectangle patch (Matplotlib), 313
- `SList.fields`, 171
- `SList.grep`, 172
- `SList.sort`, 172
- `SList` IPython object, 171
- `SystemExit` exception, 105, 170
- `TypeError` exception, 104
- `ValueError` exception, 104, 106
- `ZeroDivisionError` exception, 104, 107
- `%timeit` IPython cell magic, 168, 174
- `%alias_magic` IPython magic, 167
- `%automagic` IPython magic, 166
- `%bookmark` IPython magic, 168
- `%history` IPython magic, 164
- `%load` IPython magic, 170, 173
- `%lsmagic` IPython magic, 166
- `%macro` IPython magic, 169
- `%recall` IPython magic, 169
- `%rerun` IPython magic, 169
- `%run` IPython magic, 170, 173
- `%save` IPython magic, 170
- `%sx` IPython magic, 171
- `%timeit` IPython magic, 168, 174
- `abs` built-in, 13
- `add` (set method), 116
- `all` built-in, 48
- `any` built-in, 48
- `append` (list method), 44
- `append` (list method), 46
- `assert`, 108
- `ax.add_artist`, 312
- `ax.annotate`, 304
- `ax.axhline`, 309
- `ax.axhspan`, 310
- `ax.axvline`, 309
- `ax.axvspan`, 310
- `ax.barh`, 295
- `ax.bar`, 295
- `ax.clabel`, 318
- `ax.contourf`, 318
- `ax.fill_between`, 307
- `ax.grid`, 285
- `ax.hlines`, 308
- `ax.imshow`, 320
- `ax.invert_xaxis`, 282
- `ax.invert_yaxis`, 282
- `ax.legend`, 286, 298
- `ax.minorticks_on`, 291
- `ax.pcolormesh`, 323
- `ax.pcolor`, 323
- `ax.pie`, 299

- ax.plot_surface, 327
- ax.plot_wireframe, 327
- ax.plot, 281, 308, 329
- ax.scatter, 329
- ax.set_xlabel, 286
- ax.set_xlim, 281
- ax.set_xscale, 286, 315
- ax.set_xticklabels, 289
- ax.set_xticks, 289
- ax.set_ylabel, 286
- ax.set_ylim, 281
- ax.set_yscale, 286, 315
- ax.set_yticklabels, 289
- ax.set_yticks, 289
- ax.text, 304
- ax.tick_params, 291
- ax.title, 286
- ax.view_init, 328
- ax.vlines, 308
- ax.xaxis.grid, 285
- ax.xaxis.set_ticks_position, 291
- ax.yaxis.grid, 285
- ax.yaxis.set_ticks_position, 291
- clear (set method), 116
- close (file method), 66
- datetime.datetime, 146
- datetime.date, 145
- datetime.time, 145
- datetime module, 144
- discard (set method), 116
- dtype, 209
- else (for and while loops), 60
- else (exception handling), 107
- enumerate built-in, 52
- extend (list method), 45
- fig.add_subplot, 300
- fig.colorbar, 323
- fig.subplots_adjust, 302
- fig.suptitle, 286
- fig.tight_layout, 301
- filter (built-in method), 128
- finally (exception handling), 107
- float, 9
- global, 74
- if ... elif ... else, 56
- insert (list method), 45
- int, 9
- in operator, 42
- is operator, 22
- items (dict method), 112
- keys (dict method), 112
- lambda, 124, 187, 356
- len built-in, 32
- linspace, 87
- list, 41
- map (built-in method), 128
- math.fsum, 406
- math module, 13
- matplotlib.cm, 317
- nbconvert, 182
- ndarray, 184
- nonlocal, 74
- np.allclose, 212, 404
- np.all, 212
- np.amax, 225
- np.amin, 225
- np.any, 212
- np.arange, 186
- np.arctan2, 313
- np.argmax, 225
- np.argmin, 225
- np.argsort, 208
- np.array, 185
- np.asarray, 417
- np.corrcoef, 228
- np.cov, 227
- np.dot, 192, 247
- np.dsplit, 197
- np.dstack, 196
- np.dtype, 185, 188, 208
- np.empty_like, 186
- np.empty, 185
- np.eye, 248
- np.fft.fft2, 276
- np.fft.fftn, 276
- np.fft.fftshift, 273
- np.fft.fft, 273
- np.fft.ifft2, 276
- np.fft.ifftn, 276
- np.fft.ifftshift, 273
- np.fft.ifft, 276
- np.fft.irfft, 276
- np.fft.rfft, 276
- np.fft.rfft, 276
- np.fmax, 225
- np.fmin, 225
- np.fromfunction, 187
- np.genfromtxt, 220
- np.histogram, 229
- np.hsplit, 197
- np.hstack, 196
- np.inf, 192, 356
- np.inner, 248
- np.isclose, 212, 404
- np.iscomplex, 212
- np.isfinite, 193
- np.isinf, 193
- np.isnan, 193
- np.isreal, 212
- np.linalg.det, 249
- np.linalg.eigh, 250
- np.linalg.eigvalsh, 250
- np.linalg.eigvals, 250
- np.linalg.eig, 249

- np.linalg.inv, 249
- np.linalg.lstsq, 251
- np.linalg.matrix_power, 248
- np.linalg.matrix_rank, 249
- np.linalg.norm, 248
- np.linalg.solve, 251
- np.linalg.svd, 255
- np.linspace, 186
- np.loadtxt, 216
- np.load, 216
- np.matrix, 256
- np.maximum, 225
- np.mean, 226
- np.meshgrid, 202
- np.minimum, 225
- np.nanargmax, 225
- np.nanargmin, 225
- np.nanmax, 225
- np.nanmin, 225
- np.nanstd, 227
- np.nanvar, 227
- np.nan, 192
- np.ndarray.argmax, 205
- np.ndarray.argmin, 205
- np.ndarray.astype, 191
- np.ndarray.diagonal, 258
- np.ndarray.flatten, 194, 256
- np.ndarray.max, 205
- np.ndarray.min, 205
- np.ndarray.ndim, 188
- np.ndarray.ravel, 194, 211, 256
- np.ndarray.reshape, 195
- np.ndarray.resize, 195
- np.ndarray.shape, 188
- np.ndarray.size, 188
- np.ndarray.sort, 206
- np.ndarray.transpose, 196, 258
- np.newaxis, 204
- np.ones_like, 186
- np.ones, 186
- np.outer, 248
- np.percentile, 225
- np.random.binomial, 267
- np.random.choice, 269
- np.random.normal, 265
- np.random.permutation, 270
- np.random.poisson, 269
- np.random.randint, 264
- np.random.rand, 266
- np.random.random_integers, 264
- np.random.random_sample, 263
- np.random.rand, 263
- np.random.seed, 262
- np.random.shuffle, 270
- np.random, 262
- np.save, 216
- np.searchsorted, 208
- np.std, 226
- np.tile, 292
- np.trace, 249
- np.transpose, 247
- np.var, 227
- np.vsplit, 197
- np.vstack, 196
- np.zeros_like, 186
- np.zeros, 186
- open (file method), 66
- os.getenv, 133
- os.listdir, 134
- os.mkdir, 134
- os.path.basename, 135
- os.path.dirname, 135
- os.path.exists, 135
- os.path.getmtime, 135
- os.path.getsize, 135
- os.path.join, 135
- os.path.splitext, 135
- os.path.split, 135
- os.path module, 134
- os.remove, 134
- os.rename, 134
- os.rmdir, 134
- os.system, 134
- os.uname, 133
- os (module), 133
- pass, 59
- plt.Line2D, 281, 311
- plt.contour, 317
- plt.errorbars, 293
- plt.figure, 280
- plt.subplots, 301
- pop (set method), 116
- pop (list method), 46
- print (built-in method), 34, 67
- pylab.hist, 98, 231
- pylab.legend, 89
- pylab.plot, 84
- pylab.polar, 97
- pylab.savefig, 85
- pylab.scatter, 84
- pylab.title, 90
- pylab.twinx, 98
- pyplot.scatter, 284
- pyplot, 280
- random.choice, 141
- random.normalvariate, 141
- random.randint, 141
- random.random, 140
- random.sample, 141
- random.seed, 140
- random.shuffle, 141
- random.uniform, 141
- random module, 140
- range built-in, 51

- readlines (file method), 67
 - readline (file method), 67
 - read (file method), 67
 - remove (list method), 45
 - remove (set method), 116
 - reverse, 45
 - round built-in, 13
 - scipy.constants.
 - physical_constants, 334
 - scipy.integrate.dblquad, 358
 - scipy.integrate.nquad, 359
 - scipy.integrate.odeint, 361
 - scipy.integrate.ode, 366
 - scipy.integrate.quad, 356
 - scipy.integrate.tplquad, 359, 360
 - scipy.integrate, 355
 - scipy.interpolate.
 - RectBivariateSpline, 377
 - scipy.interpolate.griddata, 378
 - scipy.interpolate.interp1d, 374
 - scipy.interpolate.interp2d, 376
 - scipy.interpolate, 374
 - scipy.optimize.bisect, 397
 - scipy.optimize.brenth, 396
 - scipy.optimize.brentq, 396
 - scipy.optimize.curve_fit, 394
 - scipy.optimize.leastsq, 390
 - scipy.optimize.minimize_scalar, 387
 - scipy.optimize.minimize, 381
 - scipy.optimize.newton, 397
 - scipy.optimize.ridder, 397
 - scipy.optimize, 380
 - scipy.special.ai_zeros, 336
 - scipy.special.airy, 336
 - scipy.special.betaincinv, 344
 - scipy.special.betainc, 344
 - scipy.special.betaln, 344
 - scipy.special.beta, 344
 - scipy.special.binom, 349, 353
 - scipy.special.dawsn, 347
 - scipy.special.ellipeinc, 345
 - scipy.special.ellipe, 345
 - scipy.special.ellipkinc, 345
 - scipy.special.ellipk, 345
 - scipy.special.erfcinv, 347
 - scipy.special.erfcx, 347
 - scipy.special.erfc, 346
 - scipy.special.erfinv, 347
 - scipy.special.erf, 346
 - scipy.special.expl, 350
 - scipy.special.expi, 350
 - scipy.special.expn, 350
 - scipy.special.fresnel_zeros, 349
 - scipy.special.fresnel, 349
 - scipy.special.gammaln, 343
 - scipy.special.gamma, 343
 - scipy.special.sph_harm, 352
 - scipy.special.wofz, 347
 - scipy.special, 333
 - sorted built-in, 45, 125
 - sort, 45
 - split (str method), 46
 - str, 27
 - sys.argv, 132
 - sys.exit, 132
 - sys (module), 131
 - unittest, 420
 - urllib package, 143
 - values (dict method), 112
 - with, 126
 - write (file method), 66
 - 3D plot, 327, 352
-
- abstract class, 149
 - advection equation, 331
 - affine transformation, 321
 - airship, 388
 - Airy functions, 336
 - Airy pattern, 353
 - algorithm stability, 410
 - alias (IPython), 167
 - alkane, 63
 - Anaconda, 5
 - annotation, plot, 304
 - anonymous function, 124, 356
 - apodization, 278
 - argument, 14, 72
 - arithmetic-geometric mean, 63
 - assertion, 108, 421
 - attribute, 12, 147
 - augmented assignment, 23, 121
 - average (mean), 226
-
- banker's rounding, 13
 - Barnsley Fern, 321
 - Benford's Law, 55
 - Bernoulli trial, 267
 - Bessel function, 339, 354
 - beta function, 344
 - BFGS (optimization algorithm), 383
 - biased random walk, 272
 - Big Mac Index, 315
 - binary operator, 10
 - binomial coefficient, 349
 - binomial probability distribution, 267
 - bisection (root-finding), 397
 - body mass index (BMI), 316, 331
 - bool, 18
 - boolean, 18
 - boolean indexing (NumPy array), 200, 214
 - break, 59
 - break point, 356
 - broadcasting, 203, 250, 334

- Brown Corpus, 131
- Brusselator, 371
- buckminsterfullerene, 267
- Buffon's needle, 271
- built-in, 13, 16
- C, 2, 4
- CamelCase, 17, 149
- cardinality, 116
- catastrophic cancellation, 405
- cellular automata, 130
- Chapman cycle, 372
- chemotaxis, 272
- class, 147
- class inheritance, 148, 152
- class variable, 151
- clothoid, 349
- code cell (IPython), 176, 177
- code point, 30, 191
- codon, 55, 172
- Collatz conjecture, 65
- colormap, 317, 320
- colors, plot, 91
- command line, 6
- comment, 12, 415
- comparison operator, 18
- complementary error function, 346
- complex, 10
- complex number, 9
- conditional assignment, 122
- console, 6
- constrained optimization, 385
- constructor, 10
- context manager, 126
- continue, 59
- Continuum Anaconda, 160
- contour plot, 317
- copying a list, 48
- correlation coefficient, 228
- covariance, 227
- curve-fitting, 394
- Dawson's integral, 347
- de Polignac's formula, 64
- Debye theory, 369
- decimal expansion, 402
- default argument, 72
- denormalization (of floating point number), 406
- dictionary, 110
- diffusion equation, 301, 324
- discrete Fourier Transform, 272
- division, 10
- docstring, 29, 71, 149, 162, 416
- domain (of `Polynomial`), 240
- double factorial, 55
- double integral, 358
- duck-typing, 16
- EAFP, 106
- Earth Similarity Index, 69
- electromagnetic spectrum, 310
- electron configuration, 65
- ellipse, 345, 372, 392
- ellipsoid, 354
- elliptic integral, 345
- empty string, 27
- endianness, 189, 208
- Enthought Canopy, 5, 160
- environment variable, 133
- error function, 346
- escape sequence, 28
- Euclid's algorithm, 58
- Euclidean norm, 249
- Euler's totient function, 65
- Euler-Lotka equation, 398
- exception, 102, 103
- exponent (floating point number), 403
- exponent, floating point, 9
- exponential decay, 289
- factorial, 55, 79, 343
- Faddeeva function, 347, 348
- Fast Fourier Transform, 272
- Fibonacci sequence, 51, 261
- file input/output, 66
- fit quality, 242
- fit to straight line, 158, 243, 252
- fit, weighted least squares, 294
- fledging bird weight, 293
- floating point number, 9, 212, 403
- floating point numbers, comparing, 404
- font properties, plot, 288
- for loop, 49
- format specifiers, C-style, 37
- Fortran, 4
- forward Euler method, 410
- Fresnel integral, 349
- Frobenius norm, 249
- frozenset, 118
- function, 12, 70
- functional programming, 124
- gamma function, 343
- Gauss's constant, 63
- Gaussian function, 89, 216, 265, 347
- Gaussian integer, 96
- Gaussian prime, 96
- Gaussian prime spiral, 97
- gcd, 58
- generator, 126, 174
- generator comprehension, 127

- GET, 144
 Git (version control software), 419
 greenhouse gases, 299
 Gregorian calendar, 58, 145
 gridlines, plot, 285
 Gudermannian function, 370

 hailstone sequence, 64, 136
 Hamming distance, 55
 harmonic oscillator, 365
 Harshad number, 82
 hash table, 110
 Haversine formula, 136, 224
 heading cell (IPython), 176
 heatmap, 319
 heatsink, 355
 Hero's method, 64
 Heron's formula, 17, 409
 Hessian, 380, 384
 hidden bit (floating point number), 403
 highly composite number, 174
 Himmelblau's function, 381
 histogram, 98, 229, 266
 HTML, 179, 182
 HTTP, 143
 Hyperion, 372

 IBAN, 130
 ideal gas, 353
 identity (of objects), 22
 identity matrix, 248
 if statement, 56
 image processing, 276
 immutability, 21
 indenting code, 49
 indexing a sequence, 30, 41
 installing Python, 5
 instance, 151
 instance variable, 151
 integer, 9
 integrated development environment (IDE), 6, 419
 integration, 356
 interpolation, 374
 introspection, 162, 188, 191
 IPython help, 161
 IPython kernel, 175
 IPython Notebook, 174
 IPython shell, 160
 irrational number, 402
 isotopes of carbon, 267
 iterable object, 48
 iterative weak acid approximation, 63

 Jacobian, 380, 384, 391
 Julia set, 332

 keyword argument, 72, 115
 Kirchoff's Voltage Law, 260

 lambda function *see* anonymous function, 124
 L^AT_EX, 90, 181, 183
 Lazy Caterer's Sequence, 78
 least squares fitting, 251, 390
 LEGB, 74
 legend, location of, 89
 legend, plot, 89, 286
 Legendre polynomial, 238
 Lennard-Jones potential, 101
 limits, plot, 94
 line style, plot, 93, 282
 line width, plot, 93, 283
 linear equation solving, 251
 list, 42
 list comprehension, 123
 logarithmic scale, plot, 286
 logic operators, 19
 Lorentzian function, 347, 394
 loss of precision, 18, 405, 422
 lottery, 232, 271
 Luhn algorithm, 63, 157

 machine epsilon, 404
 macro (IPython), 169
 Madelung rule, 66
 Madhava series, 54
 magic (IPython), 166, 177, 183
 magic square, 193
 mantissa *see* significant (floating point number), 403
 map, 241
 markdown cell (IPython), 176, 178
 markers, plot, 91, 283
 MathJax, 181
 MATLAB, 256, 280
 matrix eigenvalues, 249
 matrix eigenvectors, 249
 matrix inverse, 249
 matrix product, 247
 matrix rank, 249
 matrix visualization, 320
 maximization, 380
 meander, 272
 median, 226
 Mercurial (version control software), 420
 Mersenne prime, 118
 Mersenne Twister, 140, 262
 mesh, 202
 mesh analysis (electrical circuit), 259
 method, 12, 147
 Michaelis-Menten equation, 89
 minimization, 380
 module, 138

- modulus, 11
- Monte Carlo method, 65
- Monty Hall problem, 142
- Moore's Law, 94
- Morse code, 121
- mutability, 42

- namespace, 15
- NaN (not a number), 88
- Nelder-Mead (optimization algorithm), 384
- Newton-Raphson algorithm, 397
- nonlinear least squares fitting, 390
- normal probability distribution, 141, 265
- nuclear explosion, 245
- NumPy, 184
- NumPy array indexing, 198, 213
- Nyquist frequency, 273

- object, 12
- object-oriented programming, 147
- Ohm's Law, 260
- operand, 10
- operating system command, 165
- operator precedence, 11
- optimization bounds, 385
- ordinary differential equation, 361
- orthogonal polynomial, 238, 351
- outer product, 204
- over-determined, 251
- over-fitting, 243
- overflow (of floating point number), 407
- ozone, 372

- palindrome, 39, 83
- pangram, 119
- Pascal's triangle, 55, 63
- Pauli matrix, 250, 254
- pendulum, 344, 372
- PEP8, 17, 417
- percentile, 225
- Perl, 3
- physical constants, 334
- pie chart, 299
- Planck function, 316, 400
- Planck units, 254
- Poisson probability distribution, 268
- polar plot, 97
- polygon, 215
- polymer, 154
- polymorphism, 13
- polynomial, 232
- positional argument, 72
- POST, 144
- power set, 131
- principal moments of inertia, 255
- procedural programming, 147

- pseudorandom number generator, 140, 262
- Pylab, 84, 177
- Python(x,y), 6
- Python2, 5

- quantum harmonic oscillator, 347
- quicksort, 207

- radioactive decay, 373
- random walks, 272
- rational number, 402
- raw cell (IPython), 176
- reaction rate, 361, 364
- real number, 9, 402
- record array, 208
- recursive function, 79
- reserved keywords, 17
- residual, 390
- resistor, 120
- Reverse Polish Notation, 121
- revision control *see* version control, 419
- Ridder's method (root-finding), 397
- root finding, 396
- ROT13, 129
- rotation matrix, 257
- rounding error, 404, 422
- Ruby, 3

- Saturn V rocket, 247
- scatterplot, 84, 284
- scientific notation, 37
- scope, 73
- scope, global, 73, 74
- scope, local, 73
- set, 115
- shark species, 121
- shell, 7, 8, 165
- Shewchuk algorithm, 406
- shoelace algorithm, 215
- short-circuit, 20
- sign bit (floating point number), 403
- significand (floating point number), 9, 403
- sinc function, 88
- singleton, 47
- singular value decomposition, 255
- singularity, 356
- slicing a sequence, 31, 44, 198
- Sophomore's dream, 369
- sort, 125
- sort (NumPy array), 206, 210
- spherical harmonic, 351
- square wave, 278
- stack, 46, 121
- stack traceback, 104, 105
- stacked bar chart, 297
- standard deviation, 226

- steady-state approximation, 372
- stiff ordinary differential equation, 361
- Stokes drag, 366
- Stokes' law, 367
- stride, 32, 50, 198
- string, 27
- string formatting, 35
- string literal, 27
- string methods, 33
- string, raw, 29
- string, triple-quoted, 29
- Stroop effect, 222
- structured array, 208, 217
- Subversion, SVN (version control software), 420
- sunflower, 101
- surface of revolution, 370
- surface plot, 327
- SVG (scalable vector graphics), 137, 158, 341
- swallow (African, unladen), 110
- swapping the values of two variables, 48, 122
- syntactic sugar, 121
- syntax error, 102

- tab completion, 163
- terminal, 6
- tetrahedron, 360
- tetration, 83
- Theis equation, 355
- tick labels, removing, 291
- tick marks, plot, 289
- ticker timer, 254
- timing code, 168
- title, plot, 90, 286
- torus, 328, 357, 370
- Tower of Hanoi, 79
- triangular number, 127
- triple integral, 359
- tunneling, 347

- tuple, 46, 70
- tuple packing and unpacking, 47, 49, 122
- turtle, 61
- two or more, 271

- unary minus, 24
- underflow (of floating point number), 406
- Unicode, 29, 191
- uniform random distribution, 263
- unit sphere, 359
- unit testing, 420
- universal function, 192, 334
- UTF-8 encoding, 30, 191, 418

- van der Waals equation, 246
- variable naming, 16
- variance, 227
- variational principle, 401
- vector, 210
- vectorization, 87, 192, 203, 334
- version control, 419
- video, 182
- Voigt line profile, 347

- weather, 229
- West Nile virus, 315
- WGS-84, 26
- Wien displacement law, 400
- Wilkinson's polynomial, 414
- window (of `Polynomial`), 240
- WinPython, 6

- X-ray diffraction, 341

- Yale Bright Star Catalog, 157

- Zipf's Law, 120