

## Index

- abundance, 481, 532  
*Accipter henstii*, 197  
 acoustic adaptation hypothesis, 408  
 acoustic communication, 10, 175  
 acoustic divergence, 405, 406, 408, 410, 411, 413, 415, 417  
   effects of maturation and learning on, 415  
   effects of neutral and adaptive processes on, 415  
 acquisition memory, 386  
 age at first reproduction, 178, 188  
 aggressive behavior, 308, 312, 313  
 alarm calls, 369  
 alarm/disturbance call, 412  
*Allocebus*, 14, 31, 55, 74  
   mitogenome sequence, 77  
*Allocebus trichotis*, 31  
 allocentric spatial learning, 389  
 allogrooming, 308  
 allopatric alarm/disturbance calls, 412  
 allopatric speciation, 498  
 allopatry, 408  
 altitudinal gradients, 335  
 Alzheimer's disease, 161, 384  
 ambient noise, 409  
 Ambohitra, 48  
 Ambositra–Vondrozo corridor, 117  
 Ampijoroa, 413, 415  
 analgesia, 156  
 ancestral diet, 94  
 ancestral lemur, 426  
 Andasibe, 29  
 Andohahela National Park, 256, 526  
 Andranomena Special Reserve, 526  
 anesthesia, 137, 210  
 anesthetic toxicity, 144  
 angiosperm, 100  
 animal activity, 195  
   lunar illumination, 196  
   predation risk, 196  
   rainfall, 196  
 Ankarafa Forest, 237  
 Ankarafantsika, 25, 28, 212, 282, 283, 284, 296, 297, 298, 300, 306, 431, 465, 481, 490, 492, 502, 504, 507  
 Ankarana, 28, 85  
 annual rainfall, 237, 281, 284  
 Antafondro Classified Forest, 30  
 anthropogenic disturbance, 210, 237, 284, 462, 463, 477, 479, 485, 502, 520  
   seed dispersal, 357  
 antipredation strategy  
   group size, 375  
   reduced activity, 372  
   vigilance, 372  
 antipredator behavior, 370  
   alarm calls, 373  
   evolution, 368  
   group size, 373  
   risk-sensitive foraging, 370  
   sleeping sites, 371  
   tactics, 366  
 antipredator strategies, 366, 385  
 antipredator tactics  
   alarm-calling, 367  
   mobbing, 367  
 area  
   effects on primate density, 479  
   species richness, 529  
 area under the curve, 452  
*Asio madagascariensis*, 198  
 audition, 406  
 autapomorphy, 512  
  
*Babakotia*  
   locomotion, 323  
 basal metabolic rate, 322  
 bats, 196  
 Berenty, 431  
 Betampona Integrated Nature Reserve, 526  
 Betsiboka River, 508  
 Beza-Mahafaly Special Reserve, 29, 256, 526  
 biogeography, 56, 57, 70, 78, 79, 85, 86, 87, 114, 115, 478, 480, 487, 498, 531, 534  
   centers of endemism, 57  
   chameleons, 57  
   character displacement hypothesis, 116, 120  
   Cope's rule, 106  
   Ecogeographic Constraint model, 57  
   hypotheses on divergent geographic ranges, 499  
   Island Biogeography Theory, 479

## 542 Index

- biogeography (*cont.*)  
 island rule, 319  
 lemur colonization of Madagascar, 58  
 mountain refuge hypothesis, 57, 85  
 mountain–river dispersal barrier hypothesis, 128  
 Pleistocene refugia, 115  
 Rapoport's rule, 499  
 riverine barrier hypothesis, 57  
 speciation mechanisms, 113  
 vicariance, 113, 114  
 watershed contraction hypothesis, 57, 85
- biomes, 335
- biotic domains, 114
- blood pressure, 153
- Boa manditra*, 367
- body mass, 239, 281, 283, 284, 288, 290, 291, 292, 294, 297, 298, 321, 458, 480  
 age of first reproduction, 179, 183  
 at first reproduction, 178
- body temperature, 151
- Brunoy, 386
- Buteo brachypterus*, 197
- C. adipicaudatus*, 32
- C. crossleyi*, 33, 39, 74, 116, 127, 336  
 allopatry, 118  
 capture, 118  
 contact zone, 115  
 distribution, 128, 338  
 energy conservation during hibernation, 345  
 female genital morphology, 119, 121  
 habitat, 115  
 habitat characteristics, 116  
 hibernation duration, 343  
 lice, 223  
 mate recognition, 127  
 pelage characteristics, 121  
 reproduction, 345  
 allopatry, 126  
 sympatry, 115  
 toleration, 127  
 torpor, 341
- C. lavasoensis*, 55  
 habitat, 115
- C. major*, 32, 74  
 DNA evidence for diversity, 44  
 edge effects, 464  
 fur mite, 225  
 habitat, 115  
 home range overlap, 249  
 hypothemy, 326
- C. medius*, 13, 32, 74, 321  
 distribution, 338  
 DNA evidence for diversity, 44  
 energy conservation during hibernation, 345  
 habitat, 115  
 hibernation duration, 343  
 hypothemy, 323  
 reproduction, 345  
 scab mite, 225  
 sympatry, 115  
 tree hollows and body temperature, 341
- C. minusculus*, 34
- C. ravus*, 33  
 morphometrics, 44
- C. sibreei*, 33, 39, 55, 74, 116, 127, 336  
 capture, 118  
 contact zone, 115  
 distribution, 128, 338  
 elevational range limits, 532  
 energy conservation during hibernation, 345  
 female genital morphology, 119, 121, 127  
 habitat, 115  
 habitat restrictions, 127  
 hibernation duration, 343  
 IUCN threat assessments, 523  
 lice, 223  
 mate recognition, 127  
 mitogenome sequence, 72  
 pelage characteristics, 121  
 reproduction, 345  
 sympatry, 115, 126, 127
- Canis lupus familiaris*, 367
- canopy cover, 202
- capture–mark–recapture, 199, 372
- capture–recapture, 258
- carbon dioxide production, 147
- cardiovascular arrest, 156
- Carpolestes simpsoni*, 424
- cerebral atrophy, 383
- character displacement, 116
- Cheirogaleidae, 22, 106, 318  
 anthropogenic disturbance, 521  
 antipredation strategies, 375  
 antipredator behavior, 366, 374  
 biogeographic hypotheses, 115  
 bird predators, 367  
 body size reduction, 318  
 carnivore predators, 367  
 carotid system, 22  
 characteristics, 317  
 divergence dates, 58, 69, 76, 77  
 dwarfing, 106, 425  
 ecophysiology, 319

- evolutionary relationships, 55
- heterothermy, 336
- history of genera designations, 23
- hunting pressures, 522
- impact of genetics on diversity, 54
- IUCN critically endangered, 523
- IUCN endangered, 523
- IUCN least concern, 523
- IUCN vulnerable, 523
- karyotype variation, 55
- metabolism, 318
- need for holistic studies of species richness, 526
- phylogenetic tree, 317
- phylogeny, 74, 84, 318
- physiological rhythms, 319
- polyandry, 328
- predation risk, 367
- predator alarm calls, 374
- predator mobbing, 374
- predator recognition, 375
- predators, 367, 375
- recommendations for conservation
  - biology, 534
- seasonal fattening, 319
- sleeping sites, 371
- snake predators, 367
- species richness in protected areas, 526
- taxonomy and phylogeny, 54
- vigilance, 373
- Cheirogaleus*, 417
  - capture issues, 118
  - changing hibernacula, 341
  - diet, 326
  - distribution, 115
  - ecological adaptation, 126
  - ecological convergence, 326
  - effects of body mass on hibernation, 344
  - extra-pair copulations, 128
  - fat stores, 336
  - genetic evidence for species diversity, 85
  - gestation, 320
  - hibernation, 196
  - hibernation duration, 343
  - hypothermy, 326
  - morphometrics, 39
  - oxygen consumption, 338
  - predation risk, 368
  - sleeping sites, 372
  - species diversity, 55
  - species richness, 115
  - sympatry, 115
  - taxonomic history, 21
  - variation in hibernacula, 340
- circannual rhythms
  - effects of body size, 319
- Circular Platform Test (CPT), 390
- climate
  - effect on distribution, 454
- coevolution, 210, 211
- cognitive abilities, 394
- cognitive aging, 163, 381
- cognitive capacity, 381
- cognitive flexibility, 395
- cognitive function, 384
- competitive exclusion, 457, 502
- conflict rates, 313
- conservation biogeography, 523
- conservation threats, 521
- contact zones, 113
- convergent evolution, 426
- cortical brain lesions, 164
- co-sleeping dyad, 431
- critically endangered, 116
- crypsis, 175, 366, 373, 374
- cryptic species, 9, 449
- Cryptoprocta ferox*, 197, 367
- Daubentoniidae, 318
- deciduous forest, 210
- declarative memory, 384, 389, 398
- dehydration, 155
- delayed matching to sample (DMS), 389
- delayed non-matching to sample (DNMS), 389
- delayed response (DR) task, 394
- dendrometrics, 490
- density, 481
  - effects of food availability on, 478
- density estimation, 484
- density-dependent seed predation, 355
- Diazepam, 137
- dichromatic, 359
- diet, 13, 175, 249, 282, 297, 298, 299, 464
  - seasonality, 288
- dietary syndrome, 99, 102
- discrimination task, 386
- dispersal, 12, 430, 464, 508
- dispersed serial polyandry, 328
- dispersed social systems, 423
- distribution, 417
- divergence date, 58, 69, 76
- DNMS task, 392
- domains, 56
- drift, 405, 415
- drinking hole, 313

## 544 Index

- dry deciduous forest, 406, 408, 410  
 dry season, 212  
 dry spiny forest, 11  
 dwarfing, 318, 328
- eastern rainforest, 340  
 ecogeographic constraint model, 57  
 ecological adaptations, 56  
 ecological convergence, 329  
 ecological factors, 212  
 ecological isolation, 114  
 ecological niche model, 450, 458  
 ecological plasticity, 502  
 ecological selection, 405, 410  
 ecotones, 113  
 ectoparasites  
   chewing louse, 224  
   chiggers, 227  
   direct effects on host, 229  
   fleas, 221, 227  
   fur mites on Cheirogaleidae, 225  
   indirect effects on host, 229  
   kinds of, 220  
   lice on Cheirogaleidae, 223  
   mites, 220  
   mites on Cheirogaleidae, 225  
   pathogen transmission, 229  
   sucking lice, 224  
   ticks, 220  
   ticks on Cheirogaleidae, 221
- edge effects, 479, 480, 490, 491, 521, 533  
   abiotics, 469  
   additivity, 472  
   area effects, 533  
   biotics, 464  
   dendrometrics, 463, 469  
   lemur responses to, 464, 465  
   matrix, 471  
   stable isotope, 463
- egg count, 214, 216, 217  
 egg sample, 213  
 El Niño Southern Oscillation, 109  
 electrocardiogram, 152  
 endangered, 235, 465, 472  
 endemism, 114  
 endoparasite, 210, 212, 216, 217  
 endozoochory, 353  
 environmental plasticity, 175, 187  
 Eocene angiosperm, 96  
 Eocene strepsirhines, 94  
 escape responses, 374  
*Eulemur fulvus*, 321  
*Euoticus*, 106  
 Evolutionary Species Concept, 9  
 executive dysfunction, 399  
 executive function, 394  
 exploratory behavior, 395  
 extinction rates, 531  
 extinction risk  
   correlates to in mammals, 531  
 exudativory, 99, 100
- faunivory, 99, 106  
 feces, 212, 214, 215, 216  
 female dispersal, 422  
 female dominance, 14, 297, 490  
 female philopatry, 14  
 Fiherenana, 48  
 Flatidae larva, 244, 249  
 fleas, 220  
 folivores, 96  
 folivory, 99, 100  
 forest fragmentation, 211, 478, 521, 533  
   area estimation, 484  
   deforestation, agricultural activities, 479  
   isolation, 484  
 forest loss, 533  
 Fort Dauphin, 44  
 fossil strepsirhines, 109  
 fragmentation genetics, 533  
 free object exploration task, 392  
 frugivorous, 94  
 frugivory, 99, 100, 356, 358, 492  
 fruit syndrome hypothesis, 356  
 full count method, 214, 217  
 functional morphology, 413  
 fundamental frequency, 410
- Galidia elegans*, 197, 367  
 gallery forest, 12  
 generalization task, 390  
 geographic range, 114, 455, 477, 498, 499, 513, 532  
 geographic range size, 501, 523, 531  
   area of occupancy, 532  
   extent of occurrence, 531  
 gigantism, 328  
 glacial maxima, 114  
 glaciation, 511  
 glycopyrronium, 137  
 go/no-go task, 386  
 granivory, 100  
 grouping effects, 367  
 gum, 97, 282, 299, 480  
 gummivory, 100, 106, 109, 243, 318

- habitat breadth, 532  
 habitat characteristics, 484  
   forest type, microhabitat structure, 480  
 habitat fragments, 482  
 habitat loss  
   deforestation, agricultural activities, 479  
 habitat specialization, 504  
 habitat structure  
   basal area, stem density, tree height and size, 477  
 habitat use, 250, 490  
 haplorhine  
   BMR, 322  
 heart rate, 136, 138, 152, 155  
 herbivorous, 96  
 heterothermy, 12, 326, 327  
 hibernaculum, 338  
 hibernation, 335  
   intersexual differences, 430  
   origins in lemurs, 345  
 home range, 240  
 host–parasite, 210  
 HP sequence, 74  
 hunting pressures, 523  
 hybridization, 11, 12, 34, 39, 113, 457, 511  
   fitness, 113  
   parasite loads, 12  
 hypometabolism, 319, 323  
 hypothermia, 195  
 hypothermy, 318, 323
- immigration, 113  
 inclusive fitness, 422  
 induced ovulation, 329  
 induction chamber, 145  
 infant survival  
   captive colony, 185  
 insect activity, 204  
 insectivorous, 94  
 instantaneous behaviour sampling, 239  
 insular dwarfism, 328  
 isoflurane, 144, 148  
 IUCN, 522  
   extinction probability, 522  
   geographic range, 522  
   population dynamics, 522  
   Red List, 522
- Janzen–Connell model, 354
- karyotype, 3, 47  
 ketamine, 137, 138, 139  
 kin dyads, 432  
 kin recognition, 433, 437  
   familiarity, 434  
   patrilineal kin, 435  
 kin selection, 313  
   cryptic kin model, 437  
 kin-based foraging groups, 423  
 Kirindy, 29, 236, 239, 282, 336, 372, 413, 430, 490,  
   508  
 Kirindy Mitea National Park, 526
- L. ruficaudatus*  
   antipredator strategy, 369  
*L. sahamalazensis*  
   antipredator strategy, 369  
 Lake Ravelobe, *See* Ankarafantsika  
 landscape ecology, 490  
 landscape genetics, 533  
 latexes, 97  
*Lemur catta*, 321  
 lemur hunting, 482  
 lemur phylogeny, 72  
 Lemuriformes, 106  
   metabolism, 324  
*Lepilemur*, 5, 328  
   mating season, 320  
   phylogeny, 318  
*Lepilemur–Cheirogaleidae*, 106  
*Lepilemur–Cheirogaleidae* origins  
   folivory, 106  
 lice, 228  
 life history, 174  
   photoperiod, 176  
   variation, 176  
 life–history traits, 531  
   aging, 187  
   phenotypic plasticity, 186  
   variation, 174, 186  
 lifespan  
   captive colony, 185  
 litter size, 178  
   captive colony, 184  
 littoral forest, 12, 210, 463, 464, 471  
 local anesthetic, 140  
 Lokobe Reserve, 30  
 longevity, 178, 188  
   sex difference, 186  
 louse  
   superspreaders, 229  
 louse flies, 221  
 luminosity, 240  
 lunar illumination, 201  
 lunar neutral, 197

## 546 Index

- lunar philia, 196  
 lunar phobia, 196, 197
- M. arnholdi*, 74  
 biogeography, 86
- M. berthae*, 5, 7, 13, 29, 74, 431, 436, 438, 501  
 breeding, 431  
 density and insect secretions, 432  
 diet and habitat, 430  
 feeding niche, 504  
 habitat partition, 127  
 heterothermy, 326  
 home range, 13  
 kin recognition, 434  
 opportunistic co-sleeping, 433  
 predation rates, 432  
 range, 282  
 reproduction, 175  
 sleeping groups, 430  
 sleeping groups of unrelated dyads, 432  
 sleeping habits, 506  
 stable isotope, 297  
 sympatry, 305  
 torpor, 13
- M. bongolavensis*, 5, 30, 74  
 biogeography, 86  
 protected area, 526
- M. coquereli*, 321
- M. danfossi*, 5, 30, 74, 490  
 biogeography, 86  
 effects of fragmentation on density, 480
- M. gerpi*, 30  
 absence from protected areas, 526  
 threat assessments, 523
- M. griseorufus*, 5, 29, 31, 74, 255, 276, 282, 436, 457, 501  
 abundance, 11  
 allonursing, 431  
 allopatric divergence, 11  
 capture rates, 264  
 diet, 266  
 diet and habitat, 430  
 distribution, 11  
 distribution and habitat preference, 256  
 feeding selectivity and gum trees, 273  
 female sleeping groups, 431  
 habitat, 11, 115  
 habitat variation on diet, 266  
 habitat variation on feeding height, 268  
 lice, 223  
 local habitat specialist, 502  
 mating, 329  
 morphometric variations related to habitat, 275  
 morphometrics, 265  
 mtDNA, 275  
 nesting trees, 269  
 peripatric speciation, 11  
 range, 282  
 regional distribution, 499  
 resource plants in mesic forest, 272  
 seasonal fattening, 321  
 seasonal variation in diet, 268  
 seasonal variation in sleeping sites, 269  
 seasonality and sleeping sites, 274  
 sleeping groups, 430  
 sleeping sites, 269  
 thermoregulation, 11  
 timing of vaginal swelling, 276  
 torpor, 11
- M. griseorufus* and *M. murinus*  
 hybridization, 256
- M. jollyae*, 29, 74
- M. lehilahytsara*, 29, 74, 408, 433, 501  
 age at first reproduction, 184  
 alarm calls, 369  
 body mass at weaning, 183  
 captive colony, 175  
 female sleeping groups, 432  
 gestation length, 184  
 life history traits, 188  
 neonate body mass, 183  
 solitary sleeping, 431, 432
- M. lokobensis*, 30
- M. macarthurii*, 30, 74
- M. mampiratra*, 30, 74, 86  
 threat assessments, 523
- M. margotmarshae*, 30, 74, 523  
 biogeography, 86
- M. marohita*, 30  
 absence from protected areas, 526  
 threat assessments, 523
- M. mittermeieri*, 29, 74
- M. murinus*, 5, 7, 25, 28, 74, 156, 162, 212, 297, 306, 309, 312, 313, 321, 326, 327, 381, 383, 384, 394, 396, 406, 410, 413, 433, 436, 454, 457, 458, 483, 486, 487, 490, 492, 502, 508  
 abundance, 11, 486  
 acoustic divergence and genetic distance, 413  
 aging, 382, 383, 393  
 allonursing, 431  
 anesthesia, 148  
 anesthetic dosage, 139, 140  
 annual cycle, 186  
 antipredation strategy, 370

- as a model for Parkinson's disease, 170  
 biogeography, 489, 491  
 body mass, 292, 306, 481  
 body temperature, 136  
 bovine spongiform encephalopathy, 166  
 cannibalism, 367  
 captive colony, 175  
 captive lifespan, 181  
 carbon isotope, 290  
 cognitive aging, 390, 392, 394, 395, 396, 398, 399  
 cognitive flexibility, 397  
 colonization ability, 507  
 colonization history, 508  
 competitive potential, 512  
 correlates to longevity, 163  
 density, 13, 487  
 diet, 282, 298, 299  
 dietary overlap, 312  
 dispersal dynamics, 508  
 distribution, 10, 480, 499  
 edge effects, 464  
 effects of habitat on torpor, 480  
 effects of insect secretions on ranging, 480  
 efficiency of torpor, 511  
 estrus, 179  
 exploratory behavior, 395  
 female sleeping groups, 431  
 fur mite, 225  
 genetic differentiation, 508  
 genetic similarity to humans, 162  
 genome, 169  
 gestation, 321  
 habitat, 115  
 habitat partition, 127  
 hearing range, 407  
 hibernation, 436  
 high competitive potential with congeners, 507  
 hybridization with *M. griseorufus*, 11  
 hypothermy, 323  
 infant care, 175  
 infant carrying, 434  
 intermediate-term memory, 393  
 life history traits, 188  
 litter size, 181  
 local habitat generalist, 502  
 long-day breeder, 320  
 mass, 321  
 maturation, 186  
 maximum lifespan, 175  
 median age of last common ancestor, 512  
 median survival time, 385  
 microhabitat, 127  
 monitoring behavior, 369  
 morphological identification, 481  
 motor capacities and coordination, 163  
 neonate body mass, 183  
 nitrogen isotope, 291  
 no paternal care, 435  
 owl predation, 256  
 patrilineal call signatures, 435  
 phenotypic plasticity, 186  
 photoperiods, 319  
 plaque deposits and tau aggregation, 165  
 population density, 480  
 population genetics, 507  
 predation risk, 202  
 predator mobbing, 374  
 prion-related neurotoxicity, 169  
 range, 282  
 resilience to habitat disturbance, 502  
 restricted regional distribution, 504  
 risk-sensitive foraging, 371  
 seasonal fattening, 321  
 seasonal plasticity in diet, 511  
 seasonal reproduction, 319  
 sensory cues, 359  
 sex differences in sleeping sites, 372  
 size, 382  
 sleeping groups, 14, 175, 306, 430  
 sleeping habits, 506  
 spatial memory performance, 165  
 spatial resource partitioning, 312  
 stable isotope, 297  
 survival curve, 189  
 sympatry, 10, 115, 282, 305, 313  
 thermoregulation, 382  
 thyroid regression, 327  
 torpor, 10, 372  
 vagility, 512  
 vigilance, 372  
 visual perception, 385  
*M. murinus* and *M. berthae*  
 sympatry, 13  
*M. murinus* and *M. griseorufus*  
 sympatry, 11  
*M. murinus* and *M. ravelobensis*  
 sympatry, 13  
*M. myoxinus*, 5, 7, 24, 29, 74  
 body temperature, 136  
 regional distribution, 499  
*M. ravelobensis*, 5, 7, 14, 28, 74, 212, 282, 284, 287,  
 288, 292, 294, 296, 297, 299, 306, 309, 312, 313,  
 433, 483, 486, 487, 490, 501, 502  
 abundance, 486

## 548 Index

- antipredation strategy, 370
- biogeography, 489
- body mass, 292, 481
- broad regional distribution, 504
- carbon isotope, 291
- density, 13, 487, 491
- diet, 282, 298, 299
- dietary overlap, 312
- dispersal, 430
- dispersal dynamics, 508
- distribution, 480
- edge effects, 464, 492
- evidence for philopatry, 432
- female dominance, 298
- geographic range, 464
- inbreeding, 436
- isotopic signature, *See* stable isotope
- maximum lifespan, 175
- microhabitat, 127
- morphological identification, 481
- nitrogen isotope, 292, 296
- sensory cues, 359
- sleeping group, 175
- sleeping groups, 14, 306
- sleeping habits, 506
- spatial resource partitioning, 312
- stable isotope, 298
- sympatry, 282
- visual cues, 360
- M. rufus*, 5, 7, 25, 74, 197, 198, 456, 501, 526
  - alarm calls, 368
  - antipredator behavior, 369
  - capture rates, 200
  - edge effects, 464
  - food chemistry, 360
  - habitat, 115
  - issues with correct scientific name, 26
  - lice, 223
  - mating season, 204
  - maximum lifespan, 176
  - mitogenome sequence, 72
  - owl predation, 197, 202
  - parasite–host coevolution, 228
  - predation, 197
  - predation rate, 197
  - predator detection, 202
  - rainfall, 203
  - thermoregulation, 204
  - torpor, 198, 203
  - trap rate, 200, 201, 203
- M. sambiranensis*, 28, 74
  - biogeography, 86
  - M. simmonsii*, 29
  - M. tanosi*, 30, 74, 523
  - M. tavaratra*, 28, 74
    - biogeography, 86
    - protected areas, 529
    - threat assessments, 523
  - maggots, 221
  - Mahajamba River, 508
  - Makira, 30
  - Makira National Park, 526
  - male dispersal, 14
  - Mandena, 431
  - Manongarivo Reserve, 28
  - Mantadia, 432
  - Marojejy, 55
  - Marolambo district, 30
  - Masoala, 48
  - mating partner, 407
  - matrilineal kin, 432, 438
  - matrilineal kin networks, 436, 439
  - matrix, 479
  - Maxent, 451
  - McMaster method, 212, 214, 217
  - mechanical ventilation, 150
  - Megaladapis*
    - locomotion, 323
  - mesic forest, 262
    - phenology, 264
  - Microcebus*, 127, 480, 490
    - acoustic divergence, 412
    - aging, 189
    - alarm calls, 437
    - anesthetic dosage, 145
    - biogeography, 85
    - call dialects, 413
    - captive management, 177
    - diet, 326, 480
    - encounter experiments, 507
    - feeding niche, 504
    - fitness, 187
    - freezing behavior, 369
    - frequency contour of calls, 412
    - genetic support for species diversity, 85
    - history of species designations, 24
    - hybrid zone, dispersal, 128
    - hypothermy, 326
    - induced ovulation, 329
    - interspecific competition, 506
    - interspecific variation in sleeping habits, 506
    - interspecific variations in body mass, 499
    - interspecific variations in call bandwidth, 410
    - kin networks, 426



- life history traits, 186
- lifespan, 174
- limited gene flow, 30
- longevity, 188
- maximum lifespan in captive and natural settings, 189
- microendemic, 115
- niche axes, 115
- pervasive matrilineal kin networks, 433
- polyandry, 329
- polyestry, 329
- predation as selective force, 409
- predation risk, 368
- reproduction, 501
- seed dispersal, 358
- species coexistence, 499
- species diversity, 28, 499
- species radiation, 426
- species richness, 115
- torpor, 196, 336
- vicariance, 115
- microchip, 176, 177, 199, 259
- microendemic, 114
- microhabitat, 250, 283, 408, 471
- migratory pathways, 511
- Mirza*, 31, 417
  - alarm calls, 374
  - predation risk, 368
  - sleeping sites, 372
- Mirza coquereli*, 31, 74, 242
  - diet, 249
  - home range, 236, 249
  - predation on *M. murinus*, 367
  - predator mobbing, 367
  - predators, 248
- Mirza zaza*, 74, 235, 242, 248, 249
  - activity budget, 242
  - behavior, 248
  - diet, 243
  - distribution, 236
  - home range overlap, 249
  - home range size, 244
  - lunar phobic, 248
  - mating season, 250
  - morphometrics, 242, 248
  - nest groups, 249
  - vertical ranging, 246
  - vocalizations, 250
- mites, 220, 225
- mitogenes, 59
- mitogenome
  - methods, 60
  - mitogenomes, 74
    - utility for phylogenetic research, 59
  - mitogenomic sequences, 84
  - molecular clocks, 58
  - monogamy, 328
  - monophyletic clade, 74
  - Montagne d'Ambre, 85, 526
  - montane habitats, 114
  - moon phases, 199
  - morphometrics, 119, 259
  - morphotypes, 119
  - Mt. d'Ambre, 44
  - mtDNA, 5, 12, 29, 31, 34, 39, 55, 56, 76, 85, 432, 457
    - phylogenetic relationships in lemurs, 58
  - multiple-species model, 34
  - Mungotictis decemlineata*, 367
  - nDNA, 5, 39, 55, 457
    - discordance with mtDNA results, 59
  - nematode, 212, 216
  - nest, 14
  - nest box, 385, 390
  - nest group, 242
  - nest site, 240
  - neural control, 413
  - niche overlap, 454
  - niche space, 458
  - non-shivering thermogenesis, 327
  - novel object recognition task (NOR), 393, 397
  - noyau social system, 317
  - Nycticebus*, 106
  - olfaction, 406
  - olfactory cues
    - effects on group dynamics and reproduction, 407
  - olfactory recognition, 370
  - olfactory signals, 175
  - ontogenetic acceleration, 330
  - Otus rutilus*, 198
  - owls, 197
  - oxygenation, 155
  - P. electromontis*
    - lack of threat assessments, 523
  - P. pallescens*, 321
  - Pagel's lambda, 101
  - palaeo-refugia, 511
  - Paleopropithecus*
    - locomotion, 323
  - parasite
    - collection protocol, 216
    - effects of sample method on results, 216

## 550 Index

- parasite (*cont.*)  
 egg count, 211  
 false negative results, 216  
 fragmentation, 211  
 full count methods, 217  
 issues with McMaster method, 217  
 life cycles, 221  
 McMaster method, 212  
 recommendations for methods, 217  
 seasonality, 210  
 sympatry, 211  
 vector-borne, 210
- parasite ecology, 229
- parasite–host coevolution, 228
- passive heating, 341
- pathogens, 230
- PCR, 60
- pelage coloration, 119
- Pentobarbital, 140
- Phaner*, 3, 4, 106, 417  
 mating season, 320  
*P. electromontis*, 48, 74  
*P. furcifer*, 60, 72, 249, 274  
*P. pallescens*, 48, 74  
*P. parienti*, 48, 74  
 predation risk, 368  
 sleeping site, 372
- phenotype matching, 435, 436  
 no paternal care, 435
- phenotypic plasticity, 186, 190
- pheromones, 437
- photoperiod, 186, 187, 189
- photoperiodic entrainment, 319
- phyletic dwarfism, 318
- phylogenetic diversity, 521
- phylogenetic plasticity, 175
- Phylogenetic Species Concept, 21  
 Diagnosability Criterion, 21
- phylogenetic variation, 186
- phylogeny, 69, 84, 85, 86
- phylogeography, 115
- plant exudates, 107
- playback experiments, 415  
 predation, 369
- Pleistocene–Pliocene speciation, 85
- Plesiadapiforms, 102
- plesiomorphic retentions, 317
- Pliocene, 318
- polyandry, 328
- Polyboroides radiatus*, 197, 367
- population size reduction, 523
- portable gas analyzers, 338
- predation, 175, 250, 366, 406, 407, 408, 409, 415, 417, 471
- predation risk, 375
- predator  
 hearing range, 409
- predator avoidance  
 acoustic cues, 369
- predator detection, 406
- predator recognition, 202
- predator responses, 369
- predator-specific escape responses, 369
- prefrontal lobe systems, 384
- perseverative error, 396
- primate order, 382
- primate origins, 425  
 angiosperm coevolution hypothesis, 96, 102, 107, 108, 424  
 body mass, 102  
 cheirogaleids, 95  
 exudativorous precursor to folivory hypothesis, 96  
 gummivory, 97  
*Microcebus* as a model of, 424, 425  
 modeling diversity of social systems, 426  
 synthetic model of primate dietary evolution, 109  
 Szalay and Dagosto, 94  
 visual predation hypothesis, 95, 102, 107, 317, 424
- procedural memory, 386, 398
- Propofol, 140
- prosimians, 381, 397
- $Q_{10}$  temperature coefficient, 345
- radiotracking, 260
- radio-collar, 239
- rainforest, 210, 406, 408, 417
- Ranomafana, 85, 116, 197, 198, 228, 360, 532
- rapid species radiation, 5
- recognition task, 389
- regional variation in deforestation  
 patterns, 521
- regressive error, 396
- resins, 97
- resource competition, 305
- resource use hypothesis, 504
- respiratory rate, 136, 154
- restricted gene flow hypothesis, 511
- risk-sensitive foraging  
 lunar phase, 371
- riverine barriers, 57, 85  
 dispersal dynamics, 508
- rRNA, 58
- Sahafina Forest, 30
- Sahamalaza, 237, 248
- Sambava, 35

- Sambirano, 28, 48, 237, 248, 249  
*Sanzinia madagascariensis*, 198, 367  
 scent marking, 423  
 scramble competition, 435  
 seasonal burning, 482  
 seasonal fattening, 321  
 seasonality, 335  
 seed dispersal, 358, 471, 492  
     secondary dispersal, 353  
 seed mortality, 354  
 seed predator, 354  
 seed shadow, 354  
 set-shifting task, 394, 395  
 sevoflurane, 144  
 sex-biased dispersal, 128  
 sexual selection, 405, 408, 410, 411, 412, 413, 415  
     habitat preference, 114  
     postzygotic fitness, 114  
     reproductive isolation, 114  
 Sherman live traps, 118, 199, 259  
 sister species, 29  
 sister taxa, 410  
 sleeping group associations, 426  
 sleeping groups, 283, 306, 406  
     intersexual differences, 432  
 sleeping sites, 407  
 social behaviour, 250  
 social encounters, 310  
 social flexibility, 433  
 social network model, 438  
 social networks, 423  
 sociality, 210, 417  
 socio-ecological model, 438  
 solitary foraging, 423  
 spatial good partitioning, 306  
 spatial memory, 175  
 spatial rule-guided discrimination task, 391  
 speciation, 408, 411, 413, 415  
 speciation mechanisms  
     adaptive models, 113  
     sexual selection, 114  
 species boundaries, 10  
 species divergence, 113  
 species recognition, 8  
 spiny forest, 12  
 spontaneous alteration, 395  
 stable isotope, 12, 13, 282, 300  
     plant samples, 289, 296  
     seasonality, 295, 299  
 stationary food resource, 307  
 step-wise models, 438  
 stereoscopic vision, 95  
 strepsirhine  
     BMR, 322  
 strepsirhine ancestor, 317  
 subfossil lemurs, 57  
 sucking lice, 228  
 surveys, 482  
 survival curves, 178  
     captive colony, 182  
 sympatry, 11, 29, 32, 39, 210, 282, 406, 408, 534  
 Talatakely, 198  
 taxonomic inflation, 55  
 taxonomy, 21  
 Telazol, 59, 259  
 temperature-sensitive collar transmitters, 337  
 temporal food partitioning, 306  
*Tenrec ecaudatus*, 328  
 testes recrudescence, 329  
 testis size, 239  
 tetrachromatic, 359  
 thermogenesis, 327  
 thermoregulation, 492  
 thiopental, 140  
 three-panel runway task, 395  
 ticks, 220  
     parasites of Cheirogaleidae, 230  
 Tiletamine, 139  
 Tolagnaro, 30  
 Tomahawk Live Traps, 239  
 tonal call, 408  
     types, 410  
 torpor, 12, 203, 210, 481  
     body temperature, 136  
     symplesiomorphic trait of mouse lemurs, 512  
 tracheal intubation, 147  
 transmissible spongiform encephalopathies, 166  
 transmission, 210  
 transponders  
     trapping, 337  
 trapping, 118, 195, 199, 239, 259, 287, 307, 337  
 tree hollow  
     seasonal variation in use, 346  
 trill call, 413  
 tRNA, 58  
 Tsingy de Namoroka National Park, 526  
 Tsinjoarivo, 39, 55, 336  
*Tyto alba*, 367  
*Tyto soumagnei*, 198  
  
*Vanga curvirostris*, 367  
 vicariance, 511  
 visual discrimination task, 397

**552**     **Index**

---

western dry forest, 339

working memory, 394, 397

xerophytic forest, 255

    phenology, 264

Zolazepam, 139

Zombitse Vohibasia National  
    Park, 526

zoonosis, 210, 211

Zürich Zoo, 432