

Index

- AAMS. *See* alignment and accuracy measurement system
- ABCS. *See* automated building construction system
- ACBT. *See* advanced construction and building technology
- actuators, 102–103
- advanced construction and building technology (ACBT), 9–11, 49–50
 for architecture, 10–11
 R&D for, 9
- advanced modular micro-production system (AMMS), 94
- agility, of a company, 78
- agricultural sector. *See* computer-aided farming
- AGV. *See* automated guided vehicle
- aircraft manufacturing, 139–143
 end-effectors in, 143
 final assembly strategies in, 152–153
 Ford production process for, 189
 robot technology in, 150
 ROD for, 143, 189–190
 strategies and systems in, 140–143
- airplanes, as products, 139–140
- alignment and accuracy measurement system (AAMS), xiii
- allocation efficiency, 56
- AMMS. *See* advanced modular micro-production system
- AMURAD. *See* automatic up-rising construction by advanced technique
- Andon* production system, 83
- android/humanoid robot technology, 118–119
- architectonic scales, in ROD, 184–185
- Architects Data*, 41
- assembly, xiii
 adaptive, 205
 in aircraft manufacturing, 152–153
 automatic, 204
 of building structures, 209–216
 components, 221
 factory approach to, 152–155
 flexible, 204
 joining mechanisms, 216–220
 manual, 204
 OEM approach to, 152–155
 reverse innovation and, 249
 in ROD, 204–225
 semi-automatic, 204
 in shipbuilding, 129, 152–153
 sub-operations for, 205
 systemization of, 152–155
 for TBMs, 152–153
 in tunneling industry, 152–153
 in various construction industries, 146
- assembly system logistics, 84
- automated building construction system (ABCS), 171
- automated construction. *See also* robot technology
 application and development of, 2
 applications for, 99–100
 assistance and, 15–17
 building maintenance and, 15–17
 conventional construction and, 6
 disruptive nature of, 5–9
 end-effectors in, 108
 growth phase of, 6, 8–9
 innovation phase of, 6, 7–8
 maturity of, 8–9
 maturity phase of, 6
 origins of, 5–9
 PME in, 150–151
 service and, 15–17
 thematic fields for, 5
- automated guided vehicle (AGV), xiii
- automated/robotic on-site factories, xiii
 capital intensity for, 62–63
 comparative analysis of, by industry, 144
 for construction and deconstruction, 14–15
 CS in, xiv
 development history for, 7–8
 economic performance of, 51
 efficiency of, 51
 MHSPY and, xviii–xix

- automated/robotic on-site factories (*cont.*)
 multilevel modularity in, 68
 productivity of, 51
 reverse innovation in, 249
 RTMMS in, xxi–xxii
 SF in, xiv
- automatic up-rising construction by advanced technique (AMURAD), 236–237
- automation technology, 49, 96–124. *See also* automated construction; robot technology
 actuators in, 102–103
 construction applications for, 99–100
 development of, 96–100
 end-effectors in, xvi, 103–104
 fixtures in, 105
 inbuilt dexterity levels in, 106–107, 108
 jigs in, 105
 Karakuri Ningyo technology, 98
 multi-move settings in, 105
 parallel processes in, 104–105
 PME by, 147–151
 reverse innovation and, 244–245, 249–250
 scales in, 105–106
 sensor systems in, 103
 serial processes in, 104–105
 system complexity in, 120
 tele-construction in, 110–116
 tele-control in, 110–116
 tele-existence in, 110–116
 in tunneling, 149–150
 work task complexity in, 120
- automotive industry
 capital intensity in, 61–62
 manufacturing in, 143–144
 product structure advances in, 257–258
 robot technology in, 150
 ROD in, 187–188
- batch size, xiii
- Bauordnungslehre* (Neufert), vi, 41
- Bauschiff* (ship frame construction), 39–40
- BCM. *See* building component manufacturing
- Benz, Karl, 38
- BIM. *See* building information modeling
- BMBF. *See* Bundesministerium für Bildung und Forschung
- Buckminster, Richard, 238
- building component manufacturing (BCM), xiii, 7, 12–13
- building industries. *See* aircraft manufacturing; automotive industry; construction; shipbuilding
- building information modeling (BIM), 32
- building integrated manufacturing technology, xiii
- Bundesministerium für Bildung und Forschung (BMBF), xiii
- CAD/CAM. *See* computer-aided design/computer-aided manufacturing
- CAE. *See* computer-aided engineering
- CAF. *See* computer-aided farming
- CAFM. *See* computer-aided management
- capital intensity, xiv. *See also* workplace costs
 for automated/robotic on-site factories, 62–63
 in automotive industry, 61–62
 low, in construction industry, 61–63
- capital productivity, 53
- CAQM. *See* computer-aided quality management
- chain-like organizations, xiv
- changeover ability, 78
- CIM. *See* computer integrated manufacturing
- climbing system (CS), xiv, xvi
- closed loop manufacturing, 251–253
- closed loop resource circulation, xiv
- Closed Sky Factory (CSF), xiv
- CNC. *See* computer numerical control
- components, xiv
 assembly-oriented, 221
 carriers, xiv, 87
 connector systems for, xv
 control mode adaptation in, 226
 disassembly requirements in, 224–225
 end-effectors and, 226–227
 handling requirements, 221
 industrialized components of, 12–13
 kinematic structure for, 226
 maintenance requirements in, 224
 manipulation of, in machine technology, 37–38
 manufacture of, 13
 modular systems, 25–26
 redesign of, 222
 robot modularity and, 226
 in ROD, 179–183, 184, 192
- computer integrated manufacturing (CIM), xv
 CAD/CAM and, xiv, 31
 in construction, 29, 32–33
 integration of macrosystems, 32
 purpose of, 30
- computer numerical control (CNC), 29
- computer-aided design/computer-aided manufacturing (CAD/CAM), 30, 31
 CIM and, xiv, 31
 construction with, 29
- computer-aided engineering (CAE), 29
- computer-aided farming (CAF), 149
- computer-aided management (CAFM), 32
- computer-aided quality management (CAQM), xiv
- connector systems, xv, 73–74, 77
- construction, xv. *See also* automated construction; defects, in construction; machine technology; reverse innovation
 adaptability of, 73–77
 assembly in, by specific industry, 146
 automated/robotic on-site factory for, 14–15
 with *Bauschiff*, 39–40
 BIM for, 32
 with CAD, 29
 CIM in, 29, 32–33

- comparative analysis to other industries, 144–146
- conventional, 6, 68
- defect costs in, 28
- defect rates in, 59–60
- digital sites, 28
- DOF for, 42
- of Elbphilharmonie complex, 65
- F&I strategies in, 69–70
- flexibility of, 73–77
- health and safety factors for, 58–59
- industry productivity, declines in, 1, 7
- informational aspects of, 29–33
- innovation science for, 235–239
- integration along value chain in, 63–66
- investment strategies for, 61
- job site installation in, 27
- labor-based nature of, 28
- lean, 28
- low capital intensity in, 61–63
- management in, 24–28
- of modular structures, 24
- on-site processes, 34, 35, 41–42
- organization in, 24–28
- PME in, 150–151
- product structures in, 24
- R&D spending, 1–2, 60–61
- robot technology for, 150–151
- ROD for, 24, 185–197, 201–204, 225–230
- with SCARA, 24
- 7-dimensional view in, 239–241
- Sommerfeld's influence on, 40
- technology and machines in, 22
- of Willy Brandt Airport, 64–65
- construction automation, 130, 186, 244
- construction robotics, i, 98
- conventional construction, 6, 68
- CS. *See* climbing system
- CSF. *See* Closed Sky Factory
- cycle time, xv

- Da Vinci, Leonardo, 38
- data acquisition technology, 28
- defects, in construction, 28, 59–60
- degree of freedom (DOF), xv
 - kinematic base body and, xvii–xviii
 - in kinematic body positioning and orientation, xx
 - manipulator kinematics for construction, 42
 - in robot kinematics, 101–102
 - rotation of kinematic structures and, xxii
- DEKRA. *See* Deutscher Kraftfahrzeug-Überwachungs-Verien
- Dematic, 123–124
- depth of added value, xv
- design for business model (DfBM), 160–161
- design for end-of-life (DfEL), 159–160
- design for function (DfF), 158–159
- design for manufacturing (DfM), 157–158
- design for production (DfP), 157–158
- design for X (DfX) strategies, xv
 - ROD and, xv, 156, 157, 161–163
 - in TPS, 83
- Deutscher Kraftfahrzeug-Überwachungs-Verien (DEKRA), xv
- DfBM. *See* design for business model
- DfEL. *See* design for end-of-life
- DfF. *See* design for function
- DfM. *See* design for manufacturing
- DfP. *See* design for production
- DfX strategies. *See* design for X strategies
- digital construction sites, 28
- distributed building production, 96
- DOF. *See* degree of freedom
- downstream processes, xxiv
- Dymaxion Car, 238

- economic efficiency, 51, 52–56
- economic performance, 49
 - analysis of, 50–51, 52
 - of automated/robotic on-site factories, 51
- economic productivity, 53
- efficiency, xv, 49
 - allocation, 56
 - analysis of, 50–51, 55–58
 - of automated/robotic on-site factories, 51
 - economic, 56
 - resource, 56–57
 - technical, 56
- Elbphilharmonie complex, construction of, 65
- end-effectors
 - in aircraft manufacturing, 143
 - in automated construction sites, 108
 - in automation technology, xvi, 103–104
 - complexity of, 172–174
 - component design and, 226–227
 - coupling strategies for, 104
 - modularity and, 109
 - in prefabrication, 107
 - in robot technology, xvi, 103–104, 108
 - in ROD, 172–174
 - TCP in, 103–104
 - types of, 105–106
- Engleberger, Joe, 2–3
- enterprise resource planning (ERP), 130
 - reverse innovation and, 248–249
- ERP. *See* enterprise resource planning
- evolutionary changeability, 78

- fab labs, 95–96
- factories. *See also* automated/robotic on-site factories; ghost factories; ground factory; Sky Factory
 - floating, 95
 - n-X floors in, xix
 - roof structure, xvi
 - systemization of final assembly in, 152–155
 - 24/7-mode in, xxiv
 - “zero-waste”, xxiv, 251–253
- factory external logistics (FEL), xvi, 85

- factory internal logistics (FIL), xvi, 85–91
 indoor, 84
 outdoor, 85
 types of, 85, 86
 FEC. *See* floor erection cycle
 FEL. *See* factory external logistics
 F&I. *See* frame and infill
 FIL. *See* factory internal logistics
 final integrator, xvi
 fixed-site manufacturing, xvi
 fixtures, in automation and robot technology,
 105
 flexibility. *See also* modular flexibility
 inbuilt, 78
 of manufacturing systems, 77–79, 91
 modular, 78
 of production systems, 78
 of workers, in production systems, 82–83
 floating factories, 95
 floor erection cycle (FEC), xvi
 flow line organization, xvi
 flow of material, xvi
 Ford, Henry, 24, 150
 aircraft manufacturing under, 189
 production system under, TPS compared to, 81
 shipbuilding under, 188
 frame and infill (F&I) strategies, xvi–xvii, 146
 allocation depth of, 73
 in construction industry, 69–70
 interfaces and, 75–77
 MC and, xviii
 full-body robot exoskeletons, 117–118
- Gates, Bill, 2
 GF. *See* ground factory
 ghost factories, 31, 46, 148–149, 151
 Gropius, Walter, 39–40, 41, 237
 ground factory (GF), xvii, xviii–xix
 group-like organization, xvii
- Habraken, N. J., 70–71
 Haller, Fritz, 70
 HDS. *See* horizontal delivery system
 health and safety issues, for construction, 58–59
 Helix tower prototypes, 43–44
 HER group. *See* human environment robot group
 horizontal delivery system (HDS), xvii
 factory roof structure and, xvi
 OMs and, xx
 RTMMS and, xxi–xxii
 horizontally moving TBMs, 125
 human environment robot (HER) group, 119
 human power amplification, 116–117
 human resources, production and, 51
 humanoid robot technology. *See*
 android/humanoid robot technology
 human-robot cooperative manipulation, 109–110
- IbC. *See* innovation by customer
 IbM. *See* innovation by modularity
 IbO. *See* innovation by overlay
 IbP. *See* innovation by performance
 IbPT. *See* innovation by production technology
 IbT. *See* innovation by transformation
 IbTT. *See* innovation by technology transfer
 idle time, xvii
 inbuilt flexibility, xvii, 78
 innovation by customer (IbC), 238–239
 innovation by modularity (IbM), 235–236, 242–243
 innovation by overlay (IbO), 238
 innovation by performance (IbP), 236
 innovation by production technology (IbPT), 235
 innovation by technology transfer (IbTT),
 235–236
 innovation by transformation (IbT), 237–238
 innovation science. *See also* reverse innovation
 application of methodologies, 241
 change management in, 232
 for construction, 235–239
 development of mechanisms, 231–232
 individual deployment of, 232
 novelty level viewpoint of, 234–235
 process viewpoint of, 234
 7-dimensional view in, 239–241
 shimbashira approach in, 237–238
 system viewpoint of, 233
 typologies, 232–233
 integrated STCR systems, 14
 interfaces, 73–77
 categories of, 74, 77
 F&I strategies and, 75–77
 motorized units and, 74
 International Association for Automation and
 Robotics in Construction, 32
 investment strategies, for construction industry, 61
 iPhone, 161
- jigs, in automation and robot technology, 105
 JIS. *See* just in sequence
 JIT. *See* just in time systems
 job site installation, 27
 joint of manipulator, xvii
 Junkers, Hugo, 38
 just in sequence (JIS), xvii
 just in time (JIT) systems, xvii, xxiii
- Kaizen* production system, 83–84
Kanban production system, 82
 Karakuri Ningyo technology, 98
 kinematic base body, xvii–xviii
 kinematic body positioning and orientation,
 xvii–xviii
 kinematic synthesis, 37–38
 kinematics, xviii
 base bodies, 102
 components and, 226
 DOFs in, 101–102
 location orientation manipulators, 42
 manipulators and, xviii
 modularity in, 109

- in robot technology, 100–102
 - ROD and, 168–169
 - rotation in, xxii
 - translation of, xxiv
- Kiva Systems, 123
- labor productivity, 53–55
- large scale prefabrication (LSP), xviii, 7, 12–13
- lead time, in manufacturing, xviii
- lean construction, 28
- life-cycle integrated manufacturing technology, 253–255
- lifting technology, 43
- link of manipulators, xviii
- location orientation manipulators (LOMs), 42
- logistics systems, xviii
 - assembly system, 84
 - embedding, 221
 - FEL, xvi, 85
 - FIL, xvi, 84, 85–86, 91
 - in manufacturing, 84–91
- LOMs. *See* location orientation manipulators
- low capital intensity, 61–63
- LSP. *See* large scale prefabrication
- machine productivity, 53
- machine technology, 21, 33–48. *See also*
 - automated construction; robot technology
 - Bauschiff* and, 39–40
 - component manipulation in, 37–38
 - conventional building machines, 34–35
 - development roots of, 36–38
 - evolution of, 39
 - focus of, vi, 44–48
 - helix tower prototypes, 43–44
 - industrialization of, 39–40
 - kinematic synthesis and, 37–38
 - lifting technology, 43
 - LOMs, 42
 - Neufert's influence on, vi, 41
 - for ONM, 41–42
 - for on-site construction, 41–42
 - prefabrication technology, 43
 - Sommerfeld's influence on, 40
 - Taylorism and, 39–40
- manipulators, xviii
- manufacturing systems, xviii. *See also* off-site manufacturing; on-site manufacturing
 - adaptability of, 77–79, 91
 - aircraft, 140–143
 - AMMS, 94
 - analysis of, 84
 - assembly in, xiii
 - BCM, xiii
 - closed loop, 251–253
 - comparison of, 145
 - downstream processes in, xxiv
 - fab labs and, 95–96
 - flexibility of, 77–79, 91
 - in floating factories, 95
 - future concepts in, 93–94
 - Kaizen* system, 83–84
 - lead time, xviii
 - logistics in, 84–91
 - OEM and, 84–85
 - organization in, 49, 79–96
 - pallets and, 87
 - parameters for, 79
 - personal fabricators and, 95–96
 - production in, xxi
 - robot technology and, 122–124
 - for ROD, 161–167, 198–200
 - RTE in, 93–94
 - for shipbuilding, 129–130
 - subsystems within, 146
 - supply chain design and, 84–85
 - sustainability in, xxiii, 92–93
 - for TBMs, 126–127
 - technology in, 49, 79–96
 - transition from craft-based systems, 154
 - upstream processes in, xxiv
- mass customization (MC), xviii, 31
- material handling, sorting and processing yard (MHSPY), xviii–xix
- material productivity, 53
- May, Ernst, 40
- MC. *See* mass customization
- means of production, xix
- MFF. *See* mobile field factory
- MHSPY. *See* material handling, sorting and processing yard
- Micro Compact Car GmbH, 91–92
- microsystem technology. *See* building integrated manufacturing technology
- mining. *See* urban mining
- mobile field factory (MFF), 95
- modular flexibility, xix, 78
- modularity, xix. *See also* multilevel modularity
 - end-effectors and, 109
 - end-effectors and, 109
 - in kinematic structures, 109
 - in robot technology, 107–109
 - system integration and, 109
 - types of, 69
- modules, xix, 66
 - in building component systems, 25–26
 - composition of, 66–67
 - construction of, 24
 - industrialized customization of, 12–13
 - in ROD, 179, 181–183
- Moravec, H., 120
- motorized units, interfaces and, 74
- multilevel modularity, 49, 66–79
 - applications of, 67–68
 - in automated/robotic on-site factories, 68
 - Habraken as influence on, 70–71
 - in ONM, 68
 - Open Building Approach in, 70–72
- multi-move settings, in automation and robot technology, 105

Cambridge University Press

978-1-107-07638-9 - Robot-Oriented Design: Design and Management Tools for the Deployment of Automation and Robotics in Construction

Thomas Bock and Thomas Linner

Index

[More information](#)

280

Index

- Neufert, Ernst, vi, 40, 41
no-failure design, 158
n-X floors, in factories, xix
- OEM. *See* original equipment manufacturer
OEM-like integration structure, xix, 146
off-site manufacturing (OFM), xix
 LSP and, xviii
 reverse innovation and, 246–247
 in Russia, 41–42
- OMs. *See* overhead manipulators
one-piece flow (OPF), xx
 reverse innovation and, 248–249
 in TPS, xxiii, 82
- ONM. *See* on-site manufacturing
on-site automation, 177–179
on-site construction processes, 34, 35, 41–42
on-site manufacturing (ONM), xx
 mechanized, 41–42
 MFF for, 95
 multilevel modularity in, 68
 reverse innovation and, 246–247
- Open Building Approach, 70–72
Open Sky Factory (OSF), xiv
open source, in robot technology, 120–122
- OPF. *See* one-piece flow
order fulfillment systems, 123
- organization
 chain-like, xiv
 in construction, 24–28
 flow line, xvi
 group-like, xvii
 in manufacturing, 49, 79–96
 workbench-like, xxiv
 workshop-like, xxiv
- original equipment manufacturer (OEM), xx
 depth of added value and, xv
 final integrator in, xiv
 JIS and, xvii
 JIT and, xvii
 manufacturing systems and, 84–85
 model, xix
 systemization of final assembly for, 152–155
- Ōsanbashi Pier, 238
- OSF. *See* Open Sky Factory
- outfitting, in shipbuilding, 129
- overhead manipulators (OMs), xx
 factory roof structure and, xvi
 FES and, xviii–xix
 HDS and, xx
 JIS for, xviii–xix
 JIT for, xviii–xix
 MHSPY and, xviii–xix
 ROD and, xx
- pallets. *See also* components
 in manufacturing systems, 87
 palletizing and de-palletizing sequencing, 87
- pantograph technology, 147–148
parallel processes, 104–105
- Partial robot exoskeletons, 117
- parts, xx
- performance multiplication effect (PME), xx, 27
 in automated tunneling, 149–150
 by automation, 147–151
 in CAF, 149
 in construction industry, 150–151
 in ghost factories, 148–149, 151
 by mechanization, 147–151
 with pantograph technology, 147–148
 by robot technology, 147–151
 in self-acting machine systems, 147
- personal fabricators, 95–96
- platform strategy, xx
- plug-and-play connectors, 74
- PME. *See* performance multiplication effect
- prefabrication technology, 43
 end-effectors in, 107
- principle of continuous flow of materials, 81
- principle of intelligent and adaptive automation, 81–82
- production, xxi. *See also* machine technology;
 Toyota Production System
 Andon system, 83
 distributed building, 96
 domestic investment ratio for, by nation, 62
 flexibility of, 78
 Kaizen system, 83–84
 principle of continuous flow of materials, 81
 principle of intelligent and adaptive automation, 81–82
 pulling system, xxi, xxiii, 82
 pushing system, xxi, 82
 representative systems, 80–84
 ROD and, 163–164, 177
 worker flexibility, 82–83
- production line organization, xxi
- productivity, xxi, 49
 analysis of, 50–51
 of automated/robotic on-site factories, 51
 capital, 53
 in construction industry, declines in, 1, 7
 economic, 53
 expressions of, 51, 52–55
 human resources for, 51
 labor, 53–55
 machine, 53
 material, 53
 means of, 51
 resource, 53
 technical, 53
 transformational process for, 51
 work, 53
- Project Better Place, 167
- pulling production, xxi
 TPS and, xxiii, 82
- pushing production, xxi, 82
- radio frequency identification (RFID) tags, xxi
- R&D. *See* research and development

- real-time economy (RTE), xxi, 93–94
- real-time monitoring & management system (RTMMS), xxi–xxii
- re-configurability, 78
- re-customization, xxii
- remanufactured, 159–160, 245–246, 251, 254–255
- research and development (R&D)
 - for ACBT, 9
 - for construction, 1–2, 60–61
 - information in, 29
 - for STCR systems, 7
- resource efficiency, 56–57
- resource productivity, 53
- reverse innovation, 241–253
 - advance customer integration and, 247
 - assembly and, 249
 - in automated/robotic on-site factories, 249
 - automation technology and, 244–245, 249–250
 - closed loop manufacturing strategies for, 251–253
 - as concept, 245–246
 - ERP and, 248–249
 - OFM and, 246–247
 - ONM and, 246–247
 - production-line based OPF and, 248–249
 - robot technology and, 244–245, 249–250
 - urban mining and, 251–252
 - in “zero-waste” factories, 251–253
- RFID tags. *See* radio frequency identification tags
- robot exoskeletons, 117–118
- robot-oriented design (ROD), 11–12
 - ABCS and, 171
 - accuracy systems, 207–209
 - for aircraft manufacturing, 143, 189–190
 - in architectonic scales, 184–185
 - assembly-oriented design in, 204–225
 - for automotive manufacturing, 187–188
 - on building scale, 184–185
 - for building structures, 209–216
 - business model aspects of, 166–167
 - checklist for, 223
 - components in, 179–183, 184, 192
 - computational complexity in, 174–175
 - conception redesign, 229
 - for construction, 24, 185–197, 201–204, 225–230
 - control complexity in, reduction of, 169–170
 - control of variation in, 192, 205–207
 - design subsystems, 157–161
 - development of, xxii, 8, 12, 156
 - DfBM, 160–161
 - DfEL, 159–160
 - DfF, 158–159
 - DfM, 157–158
 - DfP, 157–158
 - DfX strategies for, xv, 156, 157, 161–163
 - dimensions of, 167–183
 - disassembly requirements in, 224–225
 - elements of, 156
 - end-effector complexity in, 172–174
 - end-of-life aspects of, 165–166
 - functional aspects of, 164–165
 - geometric coordination in, 200–201
 - gripper complexity in, 172–174
 - informational complexity in, 174–175
 - joining mechanisms in, 216–220
 - kinematic/mechatronic complexity of, reduction of, 168–169
 - life cycle of, reduction of complexity throughout, 175–176
 - maintenance requirements, 224
 - by manufacturing phase, 198–200
 - manufacturing system capabilities for, 161–167
 - on master plan scale, 185
 - module assembly, 179, 181–183
 - OMs and, xx
 - on-site automation and, 177–179
 - organizational complexity of, 170–171
 - prefabrication/preassembly and, 177
 - process chains in, 228–229
 - process measuring in, reduction of, 169–170
 - product structure and, 192
 - production aspects for, 163–164
 - in pure production, 177
 - robot technology and, 177–179
 - in robotics, 177–179
 - SCARA and, 163–164
 - sensor complexity and, reduction of, 169–170
 - for shipbuilding, 139, 188
 - SMAS and, 173–174
 - in SMEs, 167
 - for specific building materials, 199–200
 - for specific manufacturing strategies, 200
 - for TBMs, 127–128
 - tolerance systems, 207–209
 - in TPS, 83
 - units in, 181
 - urban mining in, xxiv, 166
 - value chain in, reduction of complexity along, 176–183
- robot technology, 49, 96–124. *See also* building integrated manufacturing technology; robot exoskeletons
 - actuators in, 102–103
 - in aircraft industry, 150
 - android/humanoid, 118–119
 - assistance and, 15–17
 - in automotive industry, 150
 - building maintenance, 15–17
 - construction applications for, 99–100
 - in construction industry, 150–151
 - development of, 96–100
 - end-effectors in, xvi, 103–104, 108
 - evolution of research on, 3
 - fixtures in, 105
 - for human power amplification, 116–117
 - human-robot cooperative manipulation, 109–110
 - inbuilt dexterity levels in, 106–107, 108
 - industrialized customization of, 12–13
 - jigs in, 105
 - Karakuri Ningyo technology, 98

- robot technology (*cont.*)
 kinematics in, 100–102
 material handling in, 116–117
 modularity in, 107–109
 multi-move settings in, 105
 new manufacturing concepts in, 122–124
 open source in, 120–122
 order fulfillment systems with, 123
 parallel processes in, 104–105
 PME by, 147–151
 reverse innovation and, 244–245, 249–250
 ROD and, 177–179
 scales in, 105–106
 SDKs for, 121–122
 self-organization in, 122
 sensor systems in, 103
 serial processes in, 104–105
 service and, 15–17
 social robotics, 119, 120
 swarm, 123
 system complexity in, 120
 tele-construction in, 110–116
 tele-control in, 110–116
 tele-existence in, 110–116
 thematic fields for, 5
 ubiquity of, 2–5
 wearable, 117–118
 work task complexity in, 120
- robotic on-site factory. *See* automated/robotic on-site factories
- Robotic Service Wall, 75
- robotics. *See* robot technology
- ROD. *See* robot-oriented design
- rotation, of kinematic structures, xxii
 DOF and, xxii
- RTE. *See* real-time economy
- RTMMS. *See* real-time monitoring & management system
- Sass, L., 96
- scales, in automation and robot technology, 105–106
- SCARA. *See* selective compliance articulated robot
- SDKs. *See* software development kits
- SE. *See* structured environment
- Sekisui Heim, 72–73, 181
- selective compliance articulated robot (SCARA), xxii, 24, 163–164
- sensor systems technology. *See also* building integrated manufacturing technology
 in automation technology, 103
 in robot technology, 103
 in ROD, reduction of, 169–170
- serial processes, 104–105
- 7-dimensional view, innovation in construction by, 239–241
- SF. *See* Sky Factory
- shimbashira approach, in innovation science, 237–238
- ship frame construction. *See* Bauschiff
- shipbuilding, 128–139
 assembly strategies in, 129, 152–153
 Bauschiff in, 39–40
 ERP strategies in, 130
 under Ford production process, 188
 manufacturing strategy and systems for, 129–130
 outfitting in, 129
 ROD for, 139, 188
- ships, as products, 128–129
- single-task construction robot (STCR) systems, xxii
 development of, 13–14
 first generations of, 14
 flexibility of, 14
 integrated, 14
 R&D for, 7
- Sky Factory (SF), xxii
 climbing system and, xiv
 CSF in, xiv
 OSF, xx
 stilts in, xxii
- slip forming technology, xxii
- small and medium sized enterprises (SMEs), 167
- Smart Car. *See* Micro Compact Car GmbH
- SMAS. *See* solid material assembly system
- SMEs. *See* small and medium sized enterprises
- Smithwick, D., 96
- social robotics, 119, 120
- socially situated robot learning (SSRL), 119
- software development kits (SDKs), 121–122
- solid material assembly system (SMAS), 173–174, 190–197
- Sommerfeld, Adolf, 40, 41
- Sony Walkman, 163, 164
- SSRL. *See* socially situated robot learning
- STCR systems. *See* single-task construction robot systems
- stilts, in SFs, xxii
- storage facilities, 87–91
- structured environment (SE), xiv
- superstructure, xxiii
- supply chain, xxiii
 manufacturing and, 84–85
- sustainability, in manufacturing, xxiii, 92–93
- swarm robotics, 123
- Tachi, Susumu, 110
- Taylorism, machine technology and, 39–40
- TBM. *See* tunnel boring machine
- TCP. *See* tool centre point
- technical efficiency, 56
- technical productivity, 53
- Technische Universität München (TUM), 9–10, 258
- technology. *See specific technologies*
- technology diffusion, xxiii
- tele-construction, 110–116
- tele-control, 110–116

- tele-existence, 110–116
- textile industry, in England, 147
- tier-n suppliers, xxiii
- tool centre point (TCP), xxiii, 103–104
- tool makers, in TPS, 83
- Toyoda, Sakichi, 81–82
- Toyota Home, 72–73
- Toyota Loom Works, 81
- Toyota Production System (TPS), xxiii
 - design methodology for, 83
 - development of, 80–81
 - DfP in, 158
 - DFX strategies in, 83
 - Ford production system compared to, 81
 - Kaizen* system in, 83–84
 - Kanban* system in, 82
 - no-failure design in, 158
 - OPF and, xxiii, 82
 - principle of intelligent and adaptive automation in, 81–82
 - product fusion in, 83
 - pulling production in, xxiii, 82
 - pushing production in, xxi, 82
 - ROD in, 83
 - tool makers in, 83
 - worker flexibility in, 82–83
- TPS. *See* Toyota Production System
- transformability, of a company, xxiii
- transformational process, xxiii
- translation, of kinematic structure, xxiv
- TUM. *See* Technische Universität München
- tunnel boring machines (TBMs), xxiv, 125–128
 - development of, 150
 - final assembly strategies for, 152–153
 - horizontally moving, 125
 - manufacturing strategies and systems, 126–127
 - ROD for, 127–128
- tunneling industry
 - automation in, 149–150
 - development of, through mechanization, 149–150
 - final assembly strategies in, 152–153
- tunnels, as products, 126
- 24/7-mode, xxiv
- Ubiquitous Computing, 15–17
- Uhl, Oto Kar, 70
- unified robot description model (URDF), 122
- unit method, xxiv
- units, xxiv
 - in ROD, 181
- upstream processes, xxiv
- urban mining, xxiv, 166
 - reverse innovation and, 251–252
- URDF. *See* unified robot description model
- value chains, in construction industry, 63–66
- vertical delivery system (VDS), xxi–xxii, xxiv
- warehouse facilities, 87–91
- wearable robot technology, 117–118
- Wichita House, 238
- Willy Brandt Airport, in Berlin, construction of, 64–65
- woodcraft industry, 147–148
- work productivity, 53
- workbench-like organization, xxiv
- workplace costs, 62
- workshop-like organization, xxiv
- “zero-waste” factories, xxiv, 251–253
- Zuse, Konrad, 148–149