

# Contents

	<i>Preface and acknowledgments</i>	<i>page xiii</i>
<b>1</b>	<b>Our approach to modeling chromatographic processes</b>	<b>1</b>
	1.1 System description	3
	1.2 Adsorption equilibria	7
	1.2.1 Equal concentrations in fluid mobile phase and intragranular fluid	9
	1.2.2 Linear equilibria	9
	1.3 Mass balances: retention times	10
	1.4 Kinetics	14
	1.5 Hydrodynamics	14
	1.6 Modeling moving beds	15
	1.7 Terminology choices	16
	References	18
<b>2</b>	<b>Linear chromatography: the Russian Lego</b>	<b>20</b>
	2.1 Basic definitions	21
	2.2 Modeling hydrodynamic dispersion	27
	2.3 Adding adsorption at equilibrium to the hydrodynamic model	34
	2.4 Adding diffusional limitations to hydrodynamics and adsorption	37
	2.5 Dead volumes, injected volumes and sensors: a Lego approach	42
	2.6 Modeling: the Russian Lego	46
	2.7 A warning on modeling non-linear systems	49
	2.8 Conclusion	50
	2.9 Solutions of the exercises	51
	References	61
<b>3</b>	<b>Non-linear chromatography: equilibrium theory</b>	<b>62</b>
	3.1 Introduction	62
	3.2 Elementary definitions for adsorption isotherms	63
	3.3 Single-solute systems	66
	3.3.1 The equilibrium model	66
	3.3.1.1 Propagation of waves and shocks	68

3.3.1.2	Construction of breakthrough curves	71
3.3.1.3	Construction of chromatograms	75
3.3.1.4	Adsorption isotherms with inflection points	81
3.3.2	More realistic chromatograms: the MC- $\overline{\text{Equil}}$ model	83
3.4	Binary-solute systems: competition between solutes	84
3.4.1	The equilibrium model	85
3.4.2	More realistic chromatograms: the MC- $\overline{\text{Equil}}$ model	102
3.5	Multi-solute systems: competition between solutes	103
3.5.1	The equilibrium model	103
3.5.2	An orthogonalization procedure: the $\omega$ transform	106
3.5.3	Application of the $\omega$ transform to binary systems	108
3.5.4	More realistic chromatograms: the MC- $\overline{\text{Equil}}$ model	112
3.6	Similarities and differences between ion exchange and adsorption	113
3.7	Qualitative rules and complex multi-solute systems	115
3.8	Conclusion	120
3.9	Solutions of the exercises	121
	References	137
<b>4</b>	<b>Fluid–solid phase equilibria</b>	<b>139</b>
4.1	Introduction	139
4.2	Porosity	140
4.2.1	Total porosity	141
4.2.2	Extragranular porosity	142
4.2.3	Intragranular porosity	143
4.3	Modeling adsorption isotherms	144
4.3.1	General considerations	144
4.3.2	Single-solute systems	146
4.3.3	Multi-solute systems	152
4.4	The case of supercritical fluids	159
4.5	The case of ion exchange	161
4.5.1	General considerations	161
4.5.2	The lumped model: ideal situations	161
4.5.3	The lumped model: non-ideal situations	166
4.5.4	The porous model	167
4.6	The case of size exclusion	177
4.7	Phenomenological models	178
4.7.1	Introductory concepts	178
4.7.2	Some general properties of a phenomenological mechanism	181
4.7.3	Illustrative example: amino acids	185
4.7.4	Illustrative example: induced pH gradients on weak cationic resins	190
4.8	Experimental methods	192
4.8.1	General considerations	192
4.8.2	Single-solute systems	193

	4.8.2.1 Static methods	193
	4.8.2.2 Dynamic methods	194
	4.8.3 Multi-solute systems	198
	4.8.3.1 Static methods	199
	4.8.3.2 Dynamic methods	199
	4.8.4 The case of ion exchange	203
	4.8.5 Sensitivity	204
	4.9 Conclusion	206
	4.10 Solutions of the exercises	207
	References	213
<b>5</b>	<b>Mass transfer</b>	<b>216</b>
	5.1 External transfer	217
	5.2 Internal transfer: the lumped $\overline{\text{Fick}}$ model	221
	5.2.1 Using Fick's law	221
	5.2.2 The $\overline{\text{LDF}}$ approximation	225
	5.2.3 Typical experimental results	228
	5.2.3.1 Influence of Henry's coefficient	229
	5.2.3.2 Influence of solute concentration	231
	5.3 Internal transfer: the $\overline{\text{Fick}}$ model	234
	5.3.1 General description	235
	5.3.2 Linear adsorption	239
	5.3.3 Non-linear adsorption	241
	5.3.4 $\overline{\text{LDF}}$ approximations for the non-linear porous model	247
	5.3.5 Comparison of experimental results with the $\overline{\text{Fick}}$ model	250
	5.3.6 Special situation: the biporous model	253
	5.3.7 Special situation: internal convection	256
	5.3.8 Special situation: adsorption kinetics	257
	5.3.9 Special situation: size exclusion	258
	5.4 Mass transfer: multiple solutes	260
	5.4.1 General considerations on Fick's law	260
	5.4.2 External transfer	261
	5.4.3 Internal transfer	262
	5.4.4 The $\overline{\text{LDF}}$ and $\overline{\text{LDF}}^{\text{var}}$ approximations	265
	5.5 The case of ion exchange	266
	5.5.1 Internal transfer	266
	5.5.2 External transfer	270
	5.6 The rate-controlling step	271
	5.7 Expression of the column transfer function (linear adsorption isotherms)	276
	5.8 The Van Deemter equation (linear adsorption isotherms)	280
	5.9 Influence of particle size distributions	287
	5.10 Experimental methods	292
	5.10.1 Batch methods	292

5.10.2 Shallow-bed method (1)	294
5.10.3 Shallow-bed method (2)	294
5.10.4 The Van Deemter method	296
5.10.5 Curve fitting (the inverse method)	297
5.11 Influence of mass transfer on chromatograms	298
5.12 Perspectives: from Fick to Maxwell–Stefan?	301
5.13 Conclusion	304
5.14 Solutions of the exercises	306
References	314
<b>6 Hydrodynamics of chromatographic columns</b>	<b>317</b>
6.1 Ideal systems	317
6.1.1 Pressure-drop modeling	318
6.1.2 Hydrodynamic dispersion	321
6.1.3 Fluid compressibility	324
6.1.3.1 Gas chromatography	326
6.1.3.2 Supercritical fluid chromatography	327
6.2 Bed compressibility	330
6.2.1 General considerations	330
6.2.2 Simplistic model	332
6.2.3 Incompressible chromatographic media	342
6.2.4 Compressible chromatographic media	346
6.2.5 Swelling and shrinking media	350
6.2.6 Conclusion	351
6.3 Radial profiles	352
6.3.1 Temperature profiles	353
6.3.2 RTD in the presence of radial profiles	360
6.4 Particle size distribution	370
6.5 Viscosity and gravity effects	372
6.6 Conclusion	377
6.7 Solutions of the exercises	378
References	385
<b>7 Simulating chromatographic columns</b>	<b>388</b>
7.1 Introduction	388
7.2 Modeling hydrodynamics and mass transfer with a single parameter	396
7.3 Modeling mass transfer via the LDF approximation	402
7.4 Modeling mass transfer by solving Fick's law in spherical geometry	407
7.5 Influence of a non-uniform radial velocity profile	410
7.6 The case of ion exchange	416
7.7 Influence of reactions at equilibrium	419
7.8 Miscellaneous effects	422

7.8.1	Fluid compressibility	423
7.8.2	Bed compressibility	424
7.8.3	Heat effects	424
7.8.4	Viscous fingering and multi-phase effects	425
7.9	Numerical methods	425
7.9.1	The Craig model	426
7.9.2	Solving ordinary differential equations	427
7.9.3	Solving partial differential equations	429
7.9.3.1	Finite-difference methods	431
7.9.3.2	Weighted-residual methods	432
7.10	Conclusion	434
	References	435
<b>8</b>	<b>Counter-current systems</b>	<b>438</b>
8.1	Introduction	438
8.2	Single-zone counter-current systems: the equilibrium model	439
8.3	Single-zone counter-current systems: the MC and PD models	455
8.4	Two-zone counter-current systems: the equilibrium model	461
8.5	Four-zone counter-current systems: the equilibrium model	468
8.6	Four-zone counter-current systems: the MC and PD models	474
8.7	Simulated moving beds	476
8.8	Analogy between TMB/SMB and elution chromatography	481
8.9	Imperfect implementations of simulated moving beds	483
8.9.1	Asymmetry in the loop	483
8.9.2	Differences between the columns	483
8.10	Conclusion	485
8.11	Solutions of the exercises	486
	References	495
<b>9</b>	<b>Chromatographic modes and their optimization</b>	<b>497</b>
9.1	Introduction	497
9.2	Presentation of chromatographic modes	497
9.2.1	Single-column systems	497
9.2.1.1	Adapting piping and control	498
9.2.1.2	Recycling of partially purified fractions	499
9.2.1.3	Chemical modulation	500
9.2.1.4	Physical modulation	501
9.2.2	Multi-column systems	502
9.2.2.1	Adapting piping and control	503
9.2.2.2	Recycling of partially purified fractions and implementing gradients	504
9.2.2.3	Physical modulation	506

9.2.3	Combining different modes or steps	506
9.2.4	Conclusion	506
9.3	Presentation of the optimization problem	507
9.3.1	Variables, tuning parameters, constrained parameters and results	508
9.3.2	Objective function (simplified)	512
9.3.3	Objective function (detailed)	513
9.4	Algorithmic part of the optimization procedure	518
9.4.1	General considerations	518
9.4.2	Type I problems	520
9.4.2.1	Structure	520
9.4.2.2	Scaling the system	524
9.4.2.3	Reference to the equilibrium model	525
9.4.3	Type 0 shortcuts: estimating tuning parameters from scratch	528
9.4.3.1	Estimating all tuning parameters except column length and one velocity	529
9.4.3.2	Determining length and velocity	533
9.5	Application to elution chromatography	534
9.5.1	Type I problems	534
9.5.2	Type 0 shortcuts: influence of pressure drop and particle size	538
9.6	Application to TMB	541
9.6.1	Type I problems	541
9.6.2	Type 0 shortcuts: influence of pressure drop and particle size	545
9.7	Application to SMB and multi-column systems	547
9.7.1	Type I problems	547
9.7.2	Type 0 shortcuts: influence of pressure drop and particle size	548
9.8	Conclusion	549
9.9	Solutions of the exercises	550
	References	556
<b>10</b>	<b>Addressing a few industrial problems</b>	<b>561</b>
10.1	Sugar separation	561
10.1.1	Problem description	562
10.1.2	Laboratory data	562
10.1.3	Process design: linear	564
10.1.4	Process design: non-linear	568
10.1.5	Conclusion	572
10.2	Optical isomer separation	573
10.2.1	Problem description	574
10.2.2	Laboratory data	574
10.2.3	Equilibrium model analysis	575
10.2.4	MC–Equil model analysis	576
10.2.5	Comparison of elution and SMB: practical considerations	578
10.2.6	Conclusion	582

	<b>Contents</b>	xi
10.3 Chromatography as a Lego piece		584
10.3.1 Problem description		584
10.3.2 Process design: HFCS and by-pass strategy		584
10.3.3 Process design: elimination of radioactive pollutants		588
10.3.4 Conclusion		593
10.4 Complex mixtures		595
10.4.1 Gradient operations		595
10.4.2 Flow reversal		597
10.4.3 Multi-step strategies		599
10.5 Conclusion		602
References		602
<b>11 Conclusion</b>		<b>604</b>
<b>Appendix A Some important properties of the Laplace transform</b>		<b>606</b>
<b>Appendix B Inlet and outlet boundary conditions</b>		<b>614</b>
<b>Appendix C Equilibrium theory: single-solute chromatograms</b>		<b>618</b>
<b>Appendix D Equilibrium theory: binary chromatograms</b>		<b>622</b>
<b>Appendix E The influence of the porosity determination on chromatographic modeling</b>		<b>625</b>
<b>Appendix F Useful physico-chemical data and orders of magnitude</b>		<b>628</b>
<b>Appendix G Fick and Maxwell–Stefan approaches to diffusion</b>		<b>631</b>
<b>Appendix H Non-linear LDF for multi-solute systems</b>		<b>638</b>
<b>Appendix I Situations that make the use of the MC model problematic</b>		<b>640</b>
<b>Appendix J Typical industrial chromatographic processes</b>		<b>642</b>
<i>Notation</i>		644
<i>Index</i>		656