

Index

- A -equivalent elements of an étale algebra, 227
 A -equivalent elements of an étale K -algebra, 237
 A -equivalent integral elements, 83
 A -equivalent monic polynomials, 80, 227
 A -equivalent solutions, 81
 A -lattice, 27
 free, 27
 A -order, 16, 76
 maximal, 16
 A^* -coset, 84, 85
 absolute norm of a fractional ideal, 34
 absolute value, 37
 archimedean, 38
 Cauchy sequence with respect to, 38
 complete with respect to, 38
 equivalent absolute values, 38
 extension, 38
 non-archimedean, 38
 algebraic closure, 4

 basis transformation formula for
 discriminants, 12
 binary form associated with a K -algebra, 360

 canonical number system, 115, 258
 characteristic polynomial
 relative to finite étale K -algebra, 11
 relative to finite extension, 5
 Chinese Remainder Theorem for Dedekind
 domains, 19
 class group, 19
 of the ring of S -integers, 41
 class number, 35
 common index divisor, 178, 272
 complex conjugate embeddings, 35
 conjugates over K , 4
 cross ratio, 396

 decomposable form, 76, 333
 decomposable form equations, 76
 decomposable form of discriminant type, 81
 decomposition group, 295
 Dedekind domain, 18
 degree
 of algebra, 4, 6
 of element of algebra, 4
 of finite extension, 4
 degree of Ω -form, 377
 degree of a projective point over a field K , 360
 denominator of an algebraic number, 47
 different, 25
 discrete valuation, 19, 20, 22
 local parameter, 20
 local ring, 20, 22
 lying above another, 23
 lying below another, 23
 maximal ideal, 20, 22
 ramification index, 23
 residue class degree, 23
 residue class field, 20, 22
 discrete valuation domain, 20
 discriminant
 of étale \mathbb{Q} -algebra, 30
 minimal discriminant of hyperelliptic curve, 427
 of \mathbb{Z} -lattice, 30
 of binary form, 275
 of number field, 35
 of Ω -form, 377
 of basis, 5
 of basis of étale algebra, 12

- of element, 5
- of element of étale algebra, 12
- of hyperelliptic equation, 426
- of polynomial, 10
- primitive S -semi-discriminant, 334
- relative discriminant of extension of number fields, 35
- S -discriminant of an element of an étale K -algebra, 310
- \mathbb{Z} -semi-discriminant of a decomposable form, 336
- discriminant equation, 198
 - over a finitely generated domain, 222
- discriminant equations, 73
 - over \mathbb{Z} , 87
- discriminant form, 76
- discriminant form equation
 - over \mathbb{Z} , 89, 199
 - over \mathbb{Z}_S , 150
- discriminant form equations, 85
 - over \mathbb{Z} , 87, 117
- discriminant form, 76
- discriminant ideal, 25
 - of A -lattice, 31
 - of order, 78
- divisor, 406
- divisor class group, 406
- effectively computable, 51
- effectively given, 51
 - A -order, 224
 - algebraic closure of \mathbb{Q} , 51
 - algebraic number field, 52
 - binary form, 307
 - element of étale K -algebra, 236
 - element of a finitely generated domain, 251
 - element of a finitely generated field, 246
 - finite étale K -algebra, 56, 223
 - finite extension field, 56
 - finite generated domain, 223
 - finite set of places, 55
 - finitely generated domain, 65
 - finitely generated field, 246
 - fractional ideal, 54
 - fractional ideal of O_S , 55
 - O_S -order, 57
 - order, 54
- exceptional over, 271
- field index, 113
- finite étale K -algebra, 6
 - finite étale K -algebra associated with a binary form, 276, 305
- finitely generated domain, 64, 74
- fractional ideal, 17
 - generated by a finite set, 17
 - greatest common divisor, 18
 - inverse, 18
 - principal, 17
 - product, 18
 - sum, 18
- fractional ideals, 19
- free A -lattice, 27
- full lattice of a real vector space, 35
- fundamental system of S -units., 43
- fundamental system of units, 36
- $GL(2, A)$ -equivalent Ω -forms, 377
- $GL(2, A)$ -equivalent binary forms, 275
- $GL(2, A)$ -equivalent elements of an étale K -algebra, 363
- $GL(2, O_S)$ -equivalent binary forms, 306, 319, 340, 374
- $GL(2, O_S)$ -equivalent elements of an étale K -algebra, 310
- $GL(2, O_S)$ -equivalent elements of a finite étale K -algebra, 375
- $GL(2, \mathbb{Z})$ equivalent binary forms, 372
- $GL(2, \mathbb{Z})$ -equivalent elements of a finite étale \mathbb{Q} -algebra, 372
- Gauss' Lemma, 46
- Gauss' Lemma for Dedekind domains, 23
- Gauss' Lemma for discrete valuations, 23
- good reduction
 - of a binary form, 404
 - of a hyperelliptic curve, 427
- height
 - absolute logarithmic height of algebraic number, 44
 - absolute multiplicative height of algebraic number, 44
 - homogeneous logarithmic height of a polynomial, 46
 - homogeneous logarithmic height of a vector, 45
 - homogeneous multiplicative height of a polynomial, 46
 - homogeneous multiplicative height of a vector, 45
 - logarithmic height of a polynomial, 46, 293

- height (*cont.*)
 logarithmic height of a vector, 45
 multiplicative height of a polynomial, 153
 multiplicative height of a polynomial, 46, 149, 293
 multiplicative height of a vector, 45
- house, 47
- hyperelliptic curve, 426
- hyperelliptic equation, 426
- ideal membership algorithm, 65
- ideal representation for a finitely generated domain, 251
- ideal representation for a finitely generated field, 246
- index, 29
 minimal, 113
 of integral element, 79
- index equation, 198
 over \mathbb{Z} , 93
- index form, 77
- index form equation, 86
 over O_S , 175
 over \mathbb{Z} , 91, 117
- index ideal, 29
 of integral element, 80
- index polynomial, 370
- integral closure, 4, 15, 17
- integral domain, 3
- integral element, 4, 15
- integrally closed, 4
- invariant A -order of a binary form, 276, 364, 367
- invariant A -order of an (Ω, A) -form, 377
- invariant \mathbb{Z} -order of a binary form, 372
- K_v -symmetric set of linear forms, 286
- K -homomorphism
 of finite étale K -algebra, 7
- K -isomorphism, 4
- k times monogenic order, 199
- KANT, 133, 136
- Krull domain, 209
- LLL-algorithm, 125
- LLL-reduced basis, 125, 126
- local parameter, 20
- local ring, 20
 at a prime ideal, 20
 of discrete valuation, 20
- localization, 17, 21
 at a prime ideal, 20
- MAGMA, 138, 140, 142
- Mahler measure, 45
- MAPLE, 133, 142
- minimal v -adic root distance, 411
 of a binary form, 413
- minimal binary form, 373
- minimal binary form of a projective point over a field K , 360
- minimal polynomial, 4
 monic, 4
- minimal root distance, 409
- module, 3
- monic minimal polynomial, 5
- monogenic A -algebra, 73
- monogenic number field, 93
- monogenic order, 93
- monogenic order, 78
- Mordell equation, 115
- multiplicative subset, 17, 21
- Noetherian domain, 18
- norm
 relative to finite étale K -algebra, 11
 relative to finite extension, 5
- norm of ideal, 24
- Northcott's Theorem, 45
- (Ω, A) -form, 377
- O_S -minimal binary form, 376
- O_K -equivalent algebraic numbers, 172
- Ω -form, 377
- O_S -equivalent algebraic numbers, 172
- O_S -equivalent monic polynomials, 152
- PARI, 138, 140, 142
- place, 39
 completion at a place, 39
 complex, 40
 conjugate places, 41
 finite, 39
 infinite, 39
 lying above another place, 39
 lying below another place, 39
 real, 40
- power A -basis, 79
- power integral basis, 79, 93
- primitive, 308

- primitive S -discriminant
 - minimal, 308
- primitive element, 7
 - of algebra, 7
- principal divisor, 406
- principal order, 78
- Product Formula, 39, 40
- projective line over an algebra, 359

- quotient field, 3

- radix representation, 257
- ramification index, 23
- real embedding, 35
- reduced index, 177
- regulator, 36
- representative for an element of a finitely
 - generated domain, 65
- residue class degree, 21, 23
- residue class field, 20
- resultant
 - of two polynomials, 9
- ring, 3
 - additive group, 3
 - homomorphism, 3
 - subring, 3
 - unit group, 3

- S -regulator, 43
- S -conductor of a binary form, 308
- S -content of a polynomial, 290, 307, 334
- S -convex body, 284
- S -discriminant, 310
- S -norm, 42
- S -norm of a polynomial, 290
- S -integer, 41
 - ring of S -integers, 41

- S -unit, 41
 - group of S -units, 41
- separable polynomial, 6
- shift radix systems, 267
- size of a polynomial, 65
- Smith Normal Form, 389
- Strong Approximation Theorem, 19
- strongly A -equivalent elements of an étale
 - algebra, 225
- strongly A -equivalent elements of an étale
 - K -algebra, 237
- strongly A -equivalent integral elements, 83
- strongly A -equivalent monic polynomials, 80,
 - 222, 224
- strongly A -equivalent solutions, 81
- strongly \mathbb{Z} -equivalent algebraic integers, 92
- strongly \mathbb{Z} -equivalent monic polynomials, 87
- successive minimum of an S -convex body,
 - 284
- symmetric v -adic convex body, 284

- Thue equation, 118
- tower of finite extensions, 4
- trace
 - relative to finite étale K -algebra, 11
 - relative to finite extension, 5

- ultrametric inequality, 38
- uniformizer, 20
- unit rank, 36

- v -adic norm of a polynomial, 46
- v -adic norm of a vector, 45
- \mathbb{Z} -equivalent algebraic integers, 92
- \mathbb{Z} -equivalent monic polynomials, 197
- \mathbb{Z}_S -equivalent algebraic numbers, 150
- \mathbb{Z}_S -equivalent monic polynomials, 149