

Index

- Acceptor (A) bond 157, 161–162
 Adhesion of polymer 208, 216, 217
 Adsorbate dynamics 104, 129, 282
 Adsorption configuration 236
 Adsorption isotherm 5, 111–112, 164–165, 178, 296–297
 Adsorption kinetics 4, 234, 297
 Adsorption reaction 281
 Alcohol 93, 113, 115, 128, 130, 147–151, 169–170, 186, 188, 192, 196, 207, 210, 299
 Alkyl chains 6, 12, 73, 106–109, 113–117, 129, 163, 188–189, 207, 227, 230–236, 279–280, 291
 All-trans configuration 106, 108–109, 113, 116–118, 129, 189
 Alpha-quartz 62, 65, 85–88, 93, 101, 137–139, 144, 157, 180–181, 195, 243, 293
 Alumina interface 182–186
 Amino acids 225, 234, 237, 248, 253–254, 267
 Anisotropy of surface monolayer 6
 Antiferromagnetic ordering 77–79, 96
 Aqueous solution 167, 177, 193–194, 226, 228, 236, 270, 296, 299, 304, 307
 Atomic force microscopy 197, 289
 Azimuthal anisotropy 110
 Azimuthal isotropy 106

 Benzene 91, 94–95, 147, 152, 153, 236
 Benzene/vapor interface 147, 152–153
 Binaphthol (BN) 248–252, 257–263
 Biological interface Ch. 10
 Biological membrane 171, 245, 268, 297, 305, Sec. 10.2
 Biomolecule adsorption 225, 234–240
 Biomolecule at interface Sec. 10.3
 Bonded OH 89–90, 140, 142, 155, 157–161, 166, 169–171, 178–179, 183–184, 283–286
 Boundary conditions 23, 29, 43–44, 46, 48, 191, 302
 Broadband multiplex scheme 56–58, 63–64, 69, 72, 274, 292, Appendix III, Ch. 4.

 Bulk contribution 2–8, 10, 23–24, 36, 47, 50, 53, 91–93, 128, 133–151, 171, 198, 200, 215, 269, 282, 300, 302, 309, 310, Sec. 3.4, Sec. 3.7
 electric dipole 128
 electric quadrupole 128, 148, 152, 155
 Buried interface 6–9, 40, 102, 106, 115, 127, 196, 198–199, 205, 213, 217–218, 221–223, 224, 287, Sec. 6.4, Sec. 7.6, Sec. 8.7, Sec. 9.5

 Carrier transfer dynamics 220–221
 Catalysis, catalytic reactions 102, 113, 122–127, 129, 173
 Chain conformation or configuration 106, 116–118, 163, 189
 Chain-chain interaction 130, 151, 188
 Charge current 80, 83, Sec 5.1.3,
 Charge transfer 2, 133, 164, 218, 221, 223, 271, 276, 304
 Charge-transfer exciton 221, 223
 Charging and reaction Sec. 8.7
 Chiral conformation change 262, 268
 Chiral dynamics 262
 Chiral environment 253–254, 256, 259, 266
 Chiral liquid crystal film 260–261
 Chiral microscopy 267, Sec. 11.7
 Chiral monolayer 245, 251–252, 256–263, 267
 Chiral spectra 249–263
 Chiral spectroscopy 244, Ch.11
 electronic transition Sec. 11.3
 electronic-vibrational double resonance Sec. 11.5
 vibrational transition Sec. 11.4
 Circular dichroism 7, 84, 243, 261, 266, 267
 CO adsorption 4, 123, 131
 CO reaction 123–127
 Co-adsorption 113–115, Sec 6.5
 Coherent excitation 66, 69, 286
 Collinear, noncollinear beam geometry 61, 73, 245, 249
 Competitive adsorption 113–115, 130, 186, 297, Sec. 6.5

- Continuum resonance 60, 155
 Current: charge, spin, spin-polarized 80–84, 101, 287, Sec. 5.1.3
 Coupled-oscillator model Appendix I, Ch. 11
 Cyclic-voltammetry (CV) 268
- Dangling OH 89, 90, 111, 140–142, 150, 155–160, 169, 177–179, 185, 285–286, 305
 Dephasing 67–68, 286
 Diffuse layer 173–176, 181, 183
 DNA 171–173, 195, 225, 262
 Domains 96–97, 100, 211, 213, 232, 287, 289, 308
 Donor (D) bond 157, 161–162
 Double resonance 6, 10, 41, 61, 103, 218–219, Sec. 11.5, Appendix II, Ch. 11
 Dynamic coupling model 254, 267
- E Coli cell 297–299
 Electrochemical (EC) cycling 268
 Electric-dipole (ED) approximation 3, 15–20, 23, 31, 40, 52, 75–76, 151, 244, 309
 Electric double layer (EDL) 6, 61, 164, 173, 190, 269, 284
 Electric-quadrupole (EQ) and magnetic-dipole (MD) contribution 24, 31, 34, 77, 91, 135, 244, 295, 302
 Electric-quadrupole sum-frequency spectroscopy Sec. 5.2
 Electrochemical (EC) reaction 113, 127, 268, 271, 275–277
 Electron distribution 80–81
 Energy transfer 174, 239–240, 268, 276, 279–281, 304, 305
 Environment effect 7, 106, 115, 199, 236, 245, 259, 294, Sec. 9.3,
 Excess ions 164
 Excitation transfer 239, 279
 Experimental arrangement and setup 3, 6, 51, 56, 58, 61, 292, 295–296
- Far-field radiation 294–295, 301
 Fatty acid monolayer 130, 170–171, 173–175, 233, 240
 Fatty alcohol monolayer 130, 169–170
 Fermi resonance 108, 113, 116, 148, 150, 159, 185, 188, 206, 230, 232, 235, 292
 Field-induced molecular reorientation 166, 179
 Flash heating 280–282
 Flip-flop 12, 73, 193, 228, 230–234, 240, 241
 Forward/backward 36, 182–183, 185, 210
 Fourier transform 58–59, 63–68, 70, 72–73, Sec. 4.2.3, Appendix I, Ch. 4
 Free induction decay 66–67, 73, 286, 306
 Fresnel Coefficient 29–30, 32–33, 48, 87, 106, 109, 215, 273, 311
- Gauche defects 90, 114–117, 151, 163, 188, 236, 240, 286
 Gouy-Chapman model 166, 171, Appendix A1, Ch. 8 modified 174, 178, Appendix A.2, Ch. 8
- Head Group 109–110, 119–120, 129, 130, 169–171, 175, 187–188, 198, 224, 228, 230–234, 236
 Heterodyne technique 12, 64, 68, 73–74, 193, 194, 305
 Hexagonal ice 17, 88–90, 130, 155, 157
 Hydrogen bond 88, 115, 139, 146–147, 150, 155–158, 161, 171–174, 185, 193, 195, 213, 238, 283, 286
- Ice films 88–91, 101, 102
 Imaging of biological sample 262, 288–289, 293, 306
 Incoherent hyper-Rayleigh scattering 294–295, 299
 Induced chirality 248, 253–254, 256, 262
 Interfacial layer 26–27, 29, 33–35, 37, 41–48, 93, 131–132, 151–153, 179, 187, 196, 259, 309, Appendix I, Ch.3,
 Interference fringes 62, 71
 Intermolecular coupling 159, 161
 Intramolecular coupling 159, 193
 Ionic liquid 186–189, 196, Sec. 8.9
 Ions at water/vapor interface Sec. 8.3
 IR-active, Raman-active 152–153
 Isotopically diluted water 159, 171, 193
- Langmuir-Blodgett technique 116, 221
 Langmuir monolayer 5, 116–120, 130, 169–171, 179, 224, 287
 charged 171, 175–176
 water structure underneath Sec. 8.4
 Laser-induced melting 77
 Laser-induced phase transition 11, 77
 Limone 254–255
 Lipid bilayer 7, 225, 226, 228, 230–234, 238–242
 Lipid leaflet 224, 228, 230–234
 Lipid monolayer, surfactant monolayer 113–118, 130, 171, 194–195, 238–239, 281, 284
 Liposome 11, 226–228, 240, 297, 308
 Liquid Crystal 6, 9, 10, 11, 87, 91, 93, 94, 130, 210, 227, 232–234, 260–261
 Local field correction 18, 29, 35, 109, 110, 158
 Local-field enhancement 2, 3, 29–30, 268, 276
- Macromolecule 179, 222, 236, 237, 243
 Magnetic crystals 39, 77, 100, 135, Sec.5.1.2
 Magnetic point symmetry 77, 79
 Material Characterization 13, 23, 131, Sec. 3.8, Ch. 5,
 Maxwell's equations 13, 14, 43
 Membrane of Liposomes 6, 227–228, 297, 308
 Membrane structure 225, 227–229, 232, 234, 241, 299
 Metal surface 90, 122–130, 135, 143, 215, 271, 275, 279, 303, 304
 Microscopic expression of nonlinear polarizability 20, 38, 60, 94, 99–100, 190, 247, 254, 263, Sec. 2.6
 Microscopy
 label-free 7
 phase-sensitive SFVS 292–293
 SFVS 240, 262, 290–293
 SHG 4, 7, 83, 143, 220, 261, 286–291, Sec. 12.3
 Mode-locked laser 5, 55–56

- Molecular adsorbates 4, 9–10, 42, 54, 102, 104–106, 127–129, 132, 145, 271, 280, 282, Secs. 6.2, 6.3, 6.4, 6.8
- Molecular adsorption 3–6, 142, 145, 240, 106, 236, 280, Ch 6
- at air/water interface 169, 304
 - at buried interfaces 102, 111
 - at electrochemical interface 271, 273–275, 303
 - on metal 122, 126
 - at solid/liquid interface 180
 - on particles 294, 296–299, 307
- Molecular chirality 7, 243, 245, 251
- Molecular chirality 7, 243, 245, 247–249, 266, 267
- Molecular dynamic simulation 147, 166, 188
- Molecular orientation and arrangement 39, 104, 158, 185, 198–199, 201, 205, 217, 234, 236, 238, 268, 311
- Monolayer polymerization 5, 11, 221
- Multiplex scheme 56–58, 63–64, 69, 72, Appendix III, Ch. 4
- Multipole expansion 15, 36, 46, 295, 302, Sec. 2.3, Appendix, Ch 2,
- Near-field scanning SH microscopy 289–290, 292, 306
- Neat water, liquid 5, 121, 147, 154, 156, 167–171, 177–178, 283
- Nonlinear Polarizability 18, 92, 99, 103, 108, 141, 148, 151, 190, 246, 265, 296, Appendix II, Ch.5
- electric-dipole 99, 103
 - electric-quadrupole Appendix II, Ch. 5
- Nonlinear polarization 15, 21–27, 31, 43, 77, 81, 96, 246, 295, 309, Sec. 2.3,
- Nonlinear susceptibilities 16, 18, 35, 41, 60
- accessible electric-quadrupole Sec. 5.2.1, Appendix II, Ch. 5
 - bulk 77, 91, 181, 190, Appendix II, Ch. 5
 - bulk electric-quadrupole Sec. 5.2.1, Appendix II, Ch. 5
 - chiral 245–247, 251, 259, 263
 - current-induced 81, 82
 - effective surface 33, 145, 164–166, 190
 - electric-dipole 21, 38, 99, 151
 - electric-quadrupole 21, 91, 98
 - particles 299, 301
 - second-order 14, 75
 - structural symmetry 17, 23, sec. 2.4
 - surface 33–36, 39–41, 52, 102, 164–166, 171, 174, 302, Sec. 3.6, Appendix II, Ch. 3
 - third-order 166
 - true bulk 41, appendix III, ch. 3
 - true surface 36
- Nonpolar liquid/vapor interface Sec 8.2.2
- Nonresonant background 73, 101, 135, 273, 303
- Nonvanishing susceptibility element 35, 40, 75–79, 81, 91, 98, 110, 137, 245–246, 263
- Nylon 211–213, 222
- Optical activity 243, 254, 263, 266, 267
- Optical damage 8, 55, 288
- Optical parametric system 4–6, 53–58, 105
- Optoelectronic devices 197, 199, 217, 221
- Order parameter 78–79, 96, 100
- Ordered monolayer 115, 20, 188
- Organic electronic device 199, 217–221, 288, Sec. 9.6
- Organic/metal interface 218
- Orientation average 19, 35, 39, 41, 99, 141, 201, 234, 246, 247, 253, 256
- Orientation distribution 18, 103, 106–109, 111, 140–142, 155, 185, 207, 277, 296
- Orientation dynamics, orientation relaxation 277–278, 280, 285–286, 305
- Orientation of alkyl chain 106, 116, 187, 234, 236
- OTS monolayer 40, 58–59, 105–109, 111, 163
- Paraelectric-to-ferroelectric transition 2, 76, 79, 88
- Paramagnetic-antiferromagnetic transition 79
- Partial wave expansion 302
- Peptides 225, 231, 234, 238–239, 241, 242
- Phase coexistence 116, 232
- Phase diagram 116, 130, 132–133, 279
- Phase match 260
- Phase mismatch 32, 90, 91
- Phase transitions 76–78, 100, 116, 118, 120, 129
- Phase-sensitive SFVS 7, 12, 73, 146, 156, 175, 194, 199, 213, 234, 246, 250, 273, 292–293, 311, Sec. 4.3,
- Phenoxy (PHE) 204, 222
- Phonon:
- bulk 85, 87, 146, 280, Sec. 5.1.4
 - surface 133, 136–139
- Phospholipid 118, 193, 224, 228, 230, 240, 241
- Photoisomerization 228, 277, 289
- Photon echo 73, 286, 306
- Physical model for the water/vapor interface 157
- Plasmon resonance 3, 135, 304
- Polymer/polymer interface 217
- Polar ordering 11, 50, 88–90, 150, 192, 212, 213, 222, Sec. 5.1.
- Polar orientation 4–5, 41, 111, 150, 164, 192, 228, 288
- Polarization dependence 138–139, 146, 155, 187, 200, 211–212, 214, 235, 238–239, 296
- Polarization-modulated IR absorption spectroscopy (PM-IRAS, or PM-IRRAS) 121, 125, 128–129, 131, Sec. 6.8
- Poly (2-hydroxyethyl methacrylate) (PHEMA) 205–207
- Polyethylene-glycol (PEG) 203
- Polyvinyl cinnamate (PVCi) 209
- Polydimethylsiloxane (PDMS) 204–206
- Polyethylene (PE) 200, 221
- Polyimide (PI) 208, 222
- Polymethyl-methacrylate (PMMA) 202, 203, 205, 207, 222
- Polyvinyl alcohol (PVA) 207, 210–212
- Polyurethane 204
- Polymer interface Ch. 9
- polymer/air 206, 213, 214–216, 218, Sec. 9.2

- polymer/metal 215, 222
 polymer/oxide 213, 215
 polymer/solid 218, Sec. 9.5
 polymer/water 206
 Propagation phase 31, 302
 Proteins 173, 225, 231, 234, 236–238, 241, 242, 245, 259, 262, 288, 306
 Protonation, deprotonation 144, 171, 179–183
 Pump/probe 68–69, 82, 220, 227, 270, 280, 282–284

 Q-switched laser 5, 54

 Radiation from a polarization sheet Sec. 3.3
 Rayleigh-Gann-Debye (RGD) approximation 295
 Relaxation pathway 280, 286
 Resonance parameters 103
 Resonant enhancement 41, 218–219, 249, 256–258, 266
 Rhodamine 104–105, 148, 110, 278, 287

 Second harmonic generation as a chiral probe 248, Sec. 11.6
 Second-harmonic Rayleigh scattering (SHRS) 294–302, 307, Appendix, Ch. 12
 Mie scattering 294–296, 298
 theory Appendix, Ch. 12
 Sensitivity 2–4, 7–8, 53, 59, 73, 129, 164, 169, 243–246, 251, 257, 259, 287, 310
 submonolayer 2, 3, 13, 53, 245, 287, 310
 Si(111) and Si(100) surface 134
 Signal strength 3, 29, 51–52, 57, 68, 84, 90–91, 287, 292
 Spectra of adsorbates 129, Sec. 6.2
 at liquid interfaces 146
 Spectral analysis 64, 65, 87, 91, 95, 106, 109, 151, 153, 179, 188, 198, 200, 210, 215, 225, 235, 239, 271, 274, 311
 Spectral diffusion 280, 283, 286
 Spin ordering 77–79, 96–97
 Static and dynamic behavior 225
 Stretch modes
 CH₃ 106, 108, 109, 111, 113, 115, 129, 148, 150, 163, 188, 202, 203, 205, 235–236, 279
 C-C 136–137, 209
 CH 94, 106, 122, 148, 151, 153, 188, 192, 201, 202, 214, 229, 235–236, 238, 279
 CH₂ 106, 115, 116, 129, 151, 163, 200, 203, 205, 209, 211
 CN 120, 270, 274
 CO 106, 125, 175, 208, 212, 216, 238–240, 275, 279, 282, 305
 COO⁻ 118–120, 274
 COOH 118–120
 NH 212, 216
 OD 161
 OH 89–90, 111, 139–141, 146, 149, 154, 155, 157–159, 166, 169, 171, 176, 178, 184, 239, 255, 283, 285

 Structural information on adsorbates 105
 Structural symmetry 1–3, 10, 16–17, 20, 23–24, 35, 39–41, 75–76, 81, 87, 132, 133, 143, 185, 309
 Sublayer 137, 173–174, 176
 Sum-frequency (SF) output 5, 8, 25–26, 29–30, 33, 37, 41, 43, 51–52, 63, 67, 70–72, 121, 184, 190, 261, 274, 291–292, 309, 310
 output intensity 30, 33
 output power 31, 33, 41, 71
 Suppression of background 73, 288, 303
 Surface and interfacial structure 24–25, 35, 41–42, 93, 120
 alcohol/vapor interface 15
 benzene/vapor interface 147, 152–153
 charged water interface 12, 73, 171–184, 193, 195, 284–285, 305, Sec. 8.5, Sec. 8.7
 colloidal particle interface Sec. 12.4
 electrochemical interface Sec. 12.1
 hydrophilic water/solid interface Sec. 8.7
 hydrophobic water interface Sec. 8.6
 ice interface Sec. 7.5
 liquid interface Ch. 8
 liquid/liquid interface 11, 195
 liquid/vapor interface Sec. 8.2
 membrane interface Sec. 10.2
 methanol interface 5, 106, 112–113, 147–151, 185
 organic and polymer interface Ch. 9
 solid interface Ch. 7
 water/vapor interface Sec. 8.2.3
 Surface charge density 166, 171, 174–175, 183–184, 191, 240, 284
 Surface contribution 3, 8, 23–24, 47, 84, 134, 148, 153, 295
 Surface dynamics 4, 7, 53, 68–69, 100, 129, 197, 276, 277–285, 294, 305, Sec. 12.2
 of neat water 283–285
 Surface electronic transitions 41, 104, 105, 132, 134, 198, 227, 269, 280
 Surface excitation 69, 279–286
 Surface freezing 226–227
 Surface functionality 7, 173, 197–198, 234
 Surface Hydrogen (H)-bonding 88, 139, 146, 150, 155, 157–158, 161, 171, 173–174, 185, 193, 195, 238, 283
 Surface magnetization 6, 11, 135–136, 143
 Surface melting Sec. 7.5
 Surface modification sec 9.4
 Surface modification of polymer:
 mechanical rubbing Sec. 9.4.3
 plasma etching and UV irradiation Sec. 9.4.2
 wet etching Sec. 9.4.1
 Surface phonon 9, 133, 136–139
 Surface plasmon 2, 3, 276, 303, 304
 Surface propensity of ions 167
 Surface reactions 6, 9, 277, 281, 294, 297, Sec. 6.7, Sec. 8.7
 Surface reconstruction 142
 Surface structure of polymer 7, 197–216

- Surface versus bulk contribution 6, 8, 41, 136, 145–148, 283
- Surface-enhanced Raman scattering (SERS) 2, 3, 29, 218, 268, 304
- Surface-enhanced SHG 3, 268, 303
- Surface-induced ordering 88, 90–91, 186, Sec. 5.1.5
- Surface-induced structural change 87, 174
- Surfactant 6, 113–116, 118, 130, 179, 195, 217, 285, 299, 305, 307
- Symmetry classes 17, 75, 85, 91, 245
- Symmetry operation 16, 18, 81
- Terminal group 108, 178, 183, 185, 235, 236, 291, 279, 280, 281
- Thermalization 283
- Three-layer model 46
- Time-domain spectroscopy 64, 73, 74, Sec. 4.4
- Time-resolved (TR) 2D vibrational spectrum 283–285
- Time-resolved (TR) SHG or SFVS 4, 5, 7, 10, 12, 41, 68–69, 74, 76–77, 82, 100, 104, 220, 223, 276–290, 298–299, 304, 305, 306, 308, Sec. 4.5
- Top monolayer 155–158
- Topological insulator 87, 136, 143, 144
- Total internal reflection 29
- Transport of molecules across membrane 225, 227, 240, 268, 297, 299, 308
- Tuning range, Tunability 6, 53, 54, 310
- Two-photon fluorescence microscopy 286–288
- Ultrafast carrier dynamics at interface 221
- Ultrafast dynamics 7, 12, 68–69, 74, 129, 221, 239, 262, 276–277, Sec. 12.2
- Ultrafast surface dynamics 7, 68–69, 239, Sec. 12.2
- Ultrahigh vacuum (UHV) 2, 4, 89, 120, 131
- Vibrational relaxation 279–280, 283–286, 304, 305
- Water structure underneath a Langmuir monolayer Sec. 8.4
- X-ray spectroscopy 13, 39, 76, 102, 116, 121, 132, 133, 139, 143, 144, 173, 174, 195, 197, 268