

Index

- A. ramidus*, 224–225, 228, 235, 248
- Aberdare Mountains, 8
- Aberdares, 8
- abraded during transport, 181
- abrasion, 181, 210, 274, 290
- abundance of climbing plants, 141
- Acomys*, 11
- adaptations for upright posture, 31
- aerial pathways, xiv
- aerial roots, 202–203
- affinities with the Central African forests, 139
- African eagle owls, 233
- African grasslands, xi, 271
- Afropithecinae, 48–49, 150, 157
- Afropithecus turkanensis*, 54, 150, 152
- age of weaning, 35
- Aiello, Leslie, xiv, 35, 48, 200
- airorhynch, 23, 251
- Alba, David, 189–190, 194, 269, 271, 282–283, 287–291, 294, 297–298
- Allia Bay, 229, 234, 296
- alpha diversity, 105, 107
- An Introduction to Human Evolutionary Anatomy*, 48
- ancestral hominoid morphotypes, 16
- ancestral morphotypes, 16
- ancestral retentions, 13
- animal predation on plants, 72
- Ankarapithecus*, 241
- Ankarapithecus metei*, 57, 213–214, 221, 291–292
- Anoiapithecus*, 240
- Anoiapithecus brevirostris*, 57, 184, 189, 191
- anoxic conditions, 201
- Anthropini, 3
- anthropoids, 5, 16
- Anthropomorpha, 3
- ape diversity, xi, 60, 65
- Apocynaceae, 141
- aquatic animals, 178
- Aramis, 232, 243
- arboreal, 221
- arboreal monkeys, 129
- arboreal species, 100, 105, 110, 148, 170, 174, 210
- Ardipithecus kadabba*, 58, 77, 225, 230, 235, 245, 248, 255
- Ardipithecus ramidus*, 224–225, 227–230, 232–235, 242–245, 248, 256–257, 271, 296–297
- arm length, 24, 99, 196, 229
- ascorbate
 - vitamin C, 64
- astronomy, 1
- Athi Plain, 73
- Australopithecus afarensis*, 63, 229, 234, 243, 245–247, 255, 257–258, 273, 299
- Australopithecus anamensis*, ix, 229, 234, 243–245, 248, 296, 299
- Awash, 77
- Axelrod, Dan, 207, 269–270, 286, 290
- barn owls, 233
- behaviour, 258
- behaviour of the last common ancestor, 33
- behavioural evidence**, 258
- below-branch suspension, 31
- benthic $\delta^{18}\text{O}$ record, 79
- Begun, David, 56, 156, 194, 220, 245
- Bernor, Ray, xv, 55, 187, 194, 268, 276, 282–283, 286, 288, 290, 295
- beta diversity, 107
- Beticha, 211, 219
- bipedal, 229
- bipedal locomotion, xiv
- bipedalism, ix
- birth cohort, 38, 176, 251, 285–286
- body mass dimorphism, 29
- body size dimorphism, 244
- bonobos, 23, *See Pan paniscus*
- bovid tribes, 94
- bovids, 220
- brachiating adaptations, 22
- brachiating characters, 32
- brachiation, 31, 128

Index

- brain size and diet, 36
- broad chest, 22, 193, 196, 241
- browsing herbivores, 105–106, 111, 170, 174, 202, 220–221, 232, 234
- Budapest, 186
- Budongo, 23, 36, 264, 300
- bushland, 72
- C₃, 70, 86, 88, 102, 139, 148, 173, 177, 179, 181, 220, 222, 232–233
- C₃ diets, 88
- C₃ plants, 86
- C₄, 72, 77, 86, 88, 139, 173, 220, 222, 232–233
- C₄ diets, 88
- C₄ grasses, 77, 86
- calcareous horizons, 139
- calcareous horizons or nodules, 83
- calcareous nodules, 78, 171, 177, 208–209
- calcareous palaeosols, 171, 232, 281
- calcareous silts, 78, 171, 177
- calcretes or hard pans, 83
- calibration points, 253
- Cambridge, 11
- camphor forests, 8
- Can Llobateres, 56–57, 185–186, 194, 207–210, 269, 271, 288–289, 291
- Can Mata, 188, 191, 193, 210, 289
- Can Ponsic, 56–57
- Can Vila, 189, 191, 209–210
- Çandır, 54, 155, 282–283
- canine size, 250
- canine/premolar honing, 245
- cannibalism in chimpanzees, 36
- Caprotragoides stehlini*, 173
- carbon isotopes, 26, 139, 173, 177, 181, 183, 232–233, 250
- carnivore diversity, 94
- carnivore guilds, 174
- catarrhines, 16
- cedar forests, 8
- Celtis*, 202, 233
- Centre for Prehistory and Palaeontology, 11
- Cercopithecus ascanius*, 97, 128
- Cheboit, 212
- chimpanzee, 23
 - inter-group rivalries, 38
- chimpanzee ancestors, 12
- chimpanzee as a model, 5
- chimpanzee carnivory, 33
- chimpanzee hunt, 34
- chimpanzee Y-chromosome, 43
- chimpanzee–human common ancestor, 5
- chimpanzees and gorillas are sympatric, 12, 252
- chimpanzees, coexistence with humans, 51
- China, 51, 207, 211, 216, 221, 294–295
- Chlorideae, 179
- Chogo and Onuria palaeosols, 179
- Chogo palaeosol, 181
- Chorora Formation, 211, 219
- Chororapithecus abyssinicus*, 58, 211, 219
- Cinnamomum*, 208
- Clark Howell, F., x, xvi
- clavicle, 21, 193, 196
- closest living relatives, 2
- colobus monkeys, 34, 231, 233
- common ancestor, 4
- common ancestor of chimpanzees and humans, 13
- common chimpanzee. *See Pan troglodytes*
- community structure, 113
- convergent, 15
- convergent evolution, 110
- convergent morphological adaptations, 110
- coprolites, 91
- cranial evidence**, 255
- Crusafont, Miquel, 185–186, 188, 287–289, 291
- cuboid, 129, 228
- cursorial, 101, 221
- cyclical events, 201, 204
- dambo grasslands, 71
- dambo, 9
- Darwin, Charles, ix, 1, 3, 6, 14, 40–41, 50, 110, 260–261, 266, 274, 288
- date of the common ancestor, 253
- debris flow, 171, 177
- deciduous woodland, 71
- deciduous woodland habitats, 254
- Delson, Eric, xvi, 198, 299
- dental arcade, 165, 166
- dental evidence**, 255
- departure from forest to savanna, xiv
- descent with modification, ix
- desert biome**, 73

Index

- development of bipedal locomotion, 254
- developmental stages, 176
- diet of hard objects, 244
- digestion, 91
- digit ratio, 245
- Dikika, 88, 228, 273, 294
- Diospyros*, 204
- disjunct distribution, 11, 139
- distance measures, 41
- distinction between woodland and forest, xiii
- divergence of the orang utan, 45
- divergent big toe, 229
- DNA
 - mitochondrial, 42
 - nuclear DNA, 42
 - Y-chromosome, 42
- DNA sequencing, 41
- DNA studies, 14
- DNA–DNA hybridization, 42
- Dreyer, Stephen, xiv
- dryopithecines, 54
- Dryopithecus*, 5–6, 14, 241
- Dryopithecus fontani*, 50, 57, 184, 188–189, 192, 194, 210, 289
- Dubois, Eugene, 4
- ecological apes, ix, xi
- ecological diversity, 108–109, 111, 113, 170, 174
- ecological diversity spectra, 174
- ecological reconstruction, 169
- ecomorphology, 97, 99, 101, 111, 174, 182, 202, 234
- Ekembo heseloni*, 52, 54, 121–122, 125–126, 128–129, 135, 147–149, 157, 193, 225, 229, 231, 243, 246, 251
- Ekembo nyanzae*, 124–125, 129, 131–132, 257
- elongated hands, 25, 31, 184, 226, 240, 246–247, 257–258
- enamel thickness, 103
- encephalization quotient, 123
- Engelhardtia*, 202
- Engelswies, 56, 154, 169–170, 174–175, 177, 282
- Entandophragma*, 141
- environment, 7
- environment of the last common ancestor**, 254
- environments of apes, xiii
- Eocene, 78
- equability, 107
- Equatorius*, 244
- Equatorius africanus*, 54, 150–151, 153, 157, 160, 167, 224, 246, 283–285
- ericaceous vegetation, 8
- evenness of the fauna, 173
- evergreen woodland, 206
- evolutionary relationships of living taxa, 8
- expensive tissue hypothesis, 35–36
- fall-back foods, 62, 175
- faunal mixtures, 116
- femoral neck, 224, 280, 297
- Fernández-Jalvo, Yolanda, 34
- fig trees, 28, 252, 254
- fig wasps, 28, 254
- figs, 24, 28, 75, 209–210, 252, 254, 263
- fire, 72
- flood plain, 139
- fluid escape structures, 171
- folivory, 134
- Fongoli, 252
- footprints, 90, 234
- foramen magnum, 33, 223, 225, 230, 256
- forelimb suspension, 198
- forest
 - edaphic, 70
 - evergreen, 70
 - montane, 70
 - semi-deciduous, 70
 - swamp, 70
- forest biome**, 70
- forestry, xi, 8, 11, 121
- forestry department, 11
- Fort Ternan, 53, 55, 161–163, 167, 170, 179–183, 275, 284–287
- fossil apes, 2, 239
- fossil chimpanzees, 44, 51, 65, 245
- fossil fauna, 182
- fossil monkey, 45
- fossil soils, 86, 137, 139, 145, 172, 179–180, 183, 207
- fossilized ecosystems, 114
- fossilized leaves, 93
- fructose, 63–64, 135

Index

- frugivores, 105–106, 111, 134–136, 170, 177, 216, 223, 234
- frugivorous species, 174
- fruit and nut bed, 141
- fruit diet, 2
- function and morphology, 97
- functional relationship with the environment, 17
- gastropods, 93, 117, 143, 146, 148–149, 232–233
- generation times, 46
- genetic divergence, 41
- genetic markers, 40
- genetic variation, 12
- Georgia, 200
- gibbon radiation, 22
- gibbons, 21–22
- Gigantopithecus blacki*, 211
- gleying, 172, 177
- global cooling, 78
- Gombe, 23, 26, 33–34, 36–38
- Gona, 58, 224, 232–233
- gorilla, 28
- grade concept, 14
- Graecopithecus*, 241
- Graecopithecus freybergi*, 57, 213, 215, 293
- grassland
 - animal-induced, 73
- grassland biome**, 72
- grasslands
 - edaphic, 73
 - fire-induced, 72
- great ape and human clade, 17
- great habitat range of chimpanzees, 26
- Greece, 212–213, 220, 292, 296
- Gregory, W.K., 6
- Griphopithecus*, 240
- Griphopithecus alpani*, 56, 59, 150, 155–157, 160, 163, 167, 173, 175, 177, 251, 275, 283–286
- grit, 104
- Groves, Colin, xi, xv, 11
- Guinea–Congolian lowland rainforest, 9
- habitat heterogeneity, 59–60, 62, 75, 81, 95, 105, 117
- habitat spectra, 95, 110
- Hadar, 234, 296
- hand, xii, 4, 7, 22, 24–25, 31, 37, 47–48, 83, 121, 125–128, 136, 154, 157, 193, 196–197, 199, 214, 217, 226, 231, 235, 239, 241, 243, 246–248, 257, 259, 279, 287, 289–290, 298–299
- Harrison, Terry, xi, xiv, xvi, 15, 32, 48, 91, 110, 132, 198, 260–262, 265–266, 268–269, 272–273, 275–277, 279–283, 286, 288, 291–293, 295, 297–300
- head of the femur, 100, 125, 152, 182, 193, 196, 240
- Heliopithecus leakeyi*, 56
- Hernyak, Gabor, 58, 186
- high water-table (edaphic) forests, 59
- hinge joint, 239
- Hippotherium*, 204, 208
- Hispanopithecus*, 241
- Hispanopithecus laietanus*, 57, 184–186, 188, 194, 197, 208, 226, 231, 240–241, 243, 253, 257, 271, 287, 289, 291
- Hiwegi Formation, 137, 139, 141, 143–144, 276, 281
- home of mankind, 3
- Hominidae, 6, 14, 52
- hominins, 13, 15
- Hominoidea, xiii
- Homo*, 222, 229
- Homo floresiensis*, 47
- Homo habilis*, 111
- Homo neanderthalensis*, 5, 47
- Homo sapiens*, 32, 47
- homologous, 42
- homologous characters, 14–15
- homology, 41, 292, 295, 298
- hooked beaks, 99
- Hostalets de Pierola, 57, 188–189, 191, 200
- human intelligence, x
- Hungary, 55, 58, 61, 156, 184, 186–187, 194, 200, 221, 268, 278, 287–288, 290–291
- hunting, 251
- Hürzeler, Johannes, 50, 184, 198, 268, 287–288, 296, 298
- Huxley, T.H., 3, 5–6, 14, 260–261
- hybridization, 47
- Hylobatidae, xiii, 52
- hypercarnivores, 174

Index

- hypoplasias, 38, 176, 209
hypsodonty, 101
hypsodonty and rainfall, 102
hypsodonty index, 102
- Iberian Peninsula, 206
immunological divergence, 40
incisor shape, 135
increases in brain size, xiv
insectivorous carnivores, 174
Iridina, 231
Italy, 198, 200, 212, 241, 288, 295
- Kakamega, xi, 9, 17
Kakamega Forest, 9
Kanapoi, 229, 234, 243, 296
Kapsomin, 212
Kapthurin, 51
Kelley, Jay, 165, 169, 177, 178
Kenya Forestry Department, 52
Kenya Miocene expeditions, 121
Kenyapithecus, 240, 244
Kenyapithecus africanus, 150, 283
Kenyapithecus kizili, 38, 53, 56, 59, 161, 163,
166–168, 175–177, 251, 285–286
Kenyapithecus wickeri, 53, 56, 155, 161–164,
167–168, 181–183
Khoratpithecus, 49, 216–217, 241, 253
Kiandangoro Forest Station, 8
Kibale, 26, 33, 36, 173, 177, 233, 252, 262, 264,
271, 300,
Kikorongo Crater, 51
King, William, 5
Kingdon, Jonathan, 9, 12, 26
Kipsaramon, 150–151, 153, 160, 183, 283
Klein Hadersdorf, 193
klinorhynch, 23, 194, 255, 259
knuckle-walking, 25–26, 31, 215, 242, 246,
248–249, 258, 265
knuckle-walking adaptations, 26
Köhler, Meike, xvi, 101, 185–186, 196–197,
209, 269, 272, 275, 283, 287–290, 298
Kovarovic, Kristin, xvi, 234, 271, 276, 296
Kretzoi, Miklos, 58, 186–187, 195, 289, 291
Kurten, Björn 6
- Laetoli, xi, 84, 88, 90–91, 101, 109, 116, 229,
234, 243, 269, 271–273, 275–277, 296
- Laetolil Beds, 116
Lake Manyara, 232
land bridge, 75
land gastropods, 93
Langhian transgression, 75–76, 154, 282
large brain, 3
last common ancestor of apes and humans, 8,
17, 259
latitudinal and longitudinal gradients, 105
laurel forests, 210
laurels, 208, 210
laurophyllous flora, 169
Leakey, L.S.B., xiv, 11
Leakey, Louis, 7
leopard, 233
life cycle, 206
lignite, 83, 155, 201, 221
Linnaeus, Karl, 3
log series distribution, 173
loss of the tail, 13
lower molar cingulum, 166, 192
Lufengpithecus, 241
Lufengpithecus lufengensis, 216, 221
Lukeino, 212, 223, 231, 293, 296
lumbar vertebrae, 21, 48, 124, 133, 152, 196,
257–258
- Maboko Island, 11, 56, 150–151, 153, 160,
167, 178, 183, 193, 282, 285–286
Maesopsis eminii, 9
Mahale, 23, 34, 36–37
Maka Sands, 228
mammalian fossils, 172
Man's Place in Nature, 5
mangabey, 139
Mara grasslands, 73
Martin, Lawrence, xiv, 187
McGrew, Bill, ix, xvi, 27, 252, 258, 262, 264,
300
McNulty, Kieran, xvi, 139, 143
meat-eating, 251
megadonty, 240
mesowear, 104, 202, 234
Meswa Bridge, 132
metabolic constraints, 111
Mfwangano Island, 54, 138, 140, 144, 149
microwear, 175, 182,
microwear and diet, 104

Index

- mid-Vallesian crisis, 77
- Miocene apes, xi, 239
- Miocene apes, woodland-adapted, 80
- Miocene Lady*, 151
- Miombo woodland, 23, 27
- missing link, 1–2, 4
- modern flora of Rusinga, 11
- modification, 182
- molecular and morphological evidence, 41
- molecular clock, 43, 253
- monkey-like adaptations, 2
- monsoonal climates, 169
- montane forests, 8, 59
- Moroto, 132
- Morotopithecus*, 239
- Morotopithecus bishopi*, 132, 135, 242–243
- morphological adaptations, 7
- morphological diversity, xi
- morphology and molecules, 41
- morphology of the last common ancestor, 255
- mosaic of habitats, 59, 146
- Mount Kenya, 8
- Moyà Solà, Salvador, 56, 185, 190–193
- Mt Assirik, 26
- multidisciplinary approach, x
- multivariate analysis, 31
- mutation rates per generation, 46
- Nachola, 183
- Nacholapithecus*, 240
- Nacholapithecus kerioi*, 54, 56, 150–153, 160, 283–284
- Nakali, 219
- Nakali valley, 212
- Nakalipithecus nakayamai*, 58, 212, 219
- Napak, 45, 132
- Natural History Museum, x, xiv–xv, 121, 156, 262, 272
- natural selection, 1
- Nature*, 161
- Ndolanya Beds, 234
- Neandertal skull, 5
- Neandertals, 4
- nearest living relatives, 12
- nest distributions, 39
- New World monkeys, 126, 129, 133, 256
- Ngorora, 75, 212, 269–270, 292
- Ngorora flora, 75
- nitrogen isotope, 89, 250
- numbers of species per unit area, 95
- Nyanzapithecus vancouveringorum*, 54, 56, 136
- Nyeri, 8
- oak-laurel-palm forests, 169
- Oioceros*, 182
- Okapi, 26
- Okoko palaeosols, 141
- Olduvai faunas, 112
- Olduvai Gorge
 - OLAPP, 84
- Oligocene, 78
- Omo, 94
- Omo-Turkana Basin, 77
- orang utan, 22, 24, 216, *See Pongo abelii*
- orang utan divergence, 45
- Oreopithecus bambolii*, 57, 198, 241, 243, 288–289, 295, 298–299
- orientations, 181
- Origin of Species*, 1–2, 50, 110, 261, 274
- Orrorin tugenensis*, 46, 58, 223–224, 229–231, 248, 255, 295
- orthograde, 21, 198
- orthograde (upright) posture, 15
- os centrale, 26, 126, 195
- Ouranopithecus*, 240, 244
- Ouranopithecus macedoniensis*, 57, 213, 215, 223, 256, 292–293
- Ouranopithecus turkae*, 57
- Out of Africa, xv
- outgroup comparison, 13
- oxygen isotope, 26, 88–89, 215
- Pakistan, 161, 212, 220, 273, 277, 284, 291–294, 297, 299
- Palaeoanthropology, 14
- palaeosol, 201
- palms, 194, 200, 208, 210, 232, 290
- Pan verus*, 23
- Panicoideae, 179
- Pannonian Lake, 200
- Pannonian Plain, 200
- Paranthropus blacki*, 234
- paraphyletic, 48
- Parapithecus grangeri*, 45

Index

- parsimony, 41, 247
- Paşalar, 78, 154–156, 170–172, 174, 183,
- Paşalar fauna, 173
- Paşalar sediments, 172
- past range of chimpanzees, 27
- phalanges, 24–25, 98–100, 121, 126–127, 152–153, 157, 167, 193, 195–197, 199, 213–214, 231, 235, 241, 257–258, 279, 283, 287, 290
- phenetic evidence, 42
- phenetic similarity, 14
- Phragmites*, 143, 208
- phylogenetic constraints, 111
- phylogenetic equivalence, 97
- phylogenetically informative characters, 15
- phylogeny, 14
- phylogeny of the apes, 44
- phytoliths, 232, 277
- Pierolapithecus*, 241
- Pierolapithecus catalaunicus*, 57, 184, 189, 242, 257, 283, 289–290
- Pilbeam, David, xv, 50, 161, 184, 217, 251, 260–261, 265, 267, 269, 273, 276–277, 282, 284–286, 289, 292–295, 297–300
- Pithecanthropus erectus*, 5
- Pliopithecidae, 50
- Pliopithecus*, 6
- point assemblages, 113
- pollen, 93
- polygynous societies, 250
- Pongidae, 14
- Pongo pygmaeus*, *See* orang utan
- postcranial evidence, 257
- potholes, 171
- power of speech, 3
- precision grip, 243
- preferred habitat, 17
- primitive catarrhines, 200
- Proconsul*, 16
- Proconsul gitongai*, 56
- Proconsul major*, 129–130, 132, 148–149
- Proconsul meswae*, 52
- proconsulid, 228
- Proconsulidae, 52
- prognathism
 - mid-facial, 23, 122, 124, 154, 160, 188, 191–192, 224, 239, 241, 250, 256
- pronghorn
 - Antilocapra americana*, 101
- pronograde, 239
- Pruetz, Jill, 256
- Ramapithecus*, *See* *Sivapithecus*
- Ramapithecus punjabicus*, 161
- Ramapithecus wickeri*, *See* *Kenyapithecus wickeri*
- randomizing the faunas, 112
- Rangwapithecus gordonii*, 54, 130–131, 134–136, 148–149, 279
- reconstruction of the lower face, 162
- red colobus, 139
- reduced P₃ honing, 230
- relative proportions of apes and monkeys, 61
- Rose, Mike, 7
- Rudabánya, 55, 57–58, 62, 186–187, 194–195, 200, 202–203, 205, 209–210, 221, 268, 278, 287–288, 290–292
- Rudapithecus*, 241
- Rudapithecus hungaricus*, 57, 184
- Rukwa, 45
- Rusinga Island, 11, 52, 54, 90, 93, 109, 121–124, 134, 137–138, 140, 143–151, 260, 276–282
- sabre-tooth cats, 101
- Sahelanthropus tchadensis*, 46, 58, 223–224, 230, 248, 255
- Saint Gaudens, 192
- Samburu Hills, 58, 212, 219
- Samburupithecus kiptalami*, 58, 212, 256
- sample composition, 111
- sample size, 111
- sampling, 108
- Sardinia, 198
- savanna biome**, 71
- scanning electron microscopy, 104
- scaphoid, 26, 126, 195, 226
- scavenging, 222
- sclerophyllous woodland, 71
- seasonal (wet–dry) climate, 173, 239
- seasonal climate, 254
- seasonal habitat, 177
- seasonal woodlands, 136, 174
- seasonality, 80

Index

- Seo d'Urgell, 209
- Sequoia*, 77, 169
- Serengeti, xi, 73, 87, 94, 108, 113, 269–271
- sexual dimorphism, 2, 39, 244, 250
- sexually dimorphic, 29
- shearing quotient, 103, 134
- short base of skull, 231
- shrub savanna, 72
- Simons, Elwyn, x, xvi, 50, 161, 163, 184, 264, 269, 285, 289, 299–300
- simulations, 114
- Sinap Formation, 188, 221, 291–292, 295
- single species per site, 61
- Sivapithecus*, 15, 241
- Sivapithecus africanus*, 282, *See Equatorius africanus*
- Sivapithecus alpani*, *See Griphopithecus alpani*
- Sivapithecus* femur, 214
- Sivapithecus indicus*, 213–214, 253, 255–256, 293
- Siwalik Hills, 86
- Siwalik succession, 220
- small mammal species richness, 95
- soft-tissue morphology, 23
- Southeast Asia, 22, 52, 212
- specializations of the foot, 16
- species richness, xiii, 59–60, 73–74, 80, 94–95, 105–108, 144, 269, 272, 274–276
- species richness of mammals, 105
- spider monkey, 25, 31–32
- spring deposits, 171
- St Gaudens, 55
- Sterculia*, 141
- Stringer, Chris, xv
- structure of sediments, 82
- subsistence farming, 9
- substitution rates in mitochondrial DNA, 47
- subtropical conditions, 169
- subtropical deciduous woodlands, 174
- subtropical flora, 202
- subtropical monsoon, 174
- subtropical swamp forest, 206
- subtropical woodland, 240
- Sudano-Zambezian woodland, 141
- summer rainfall, *See* monsoon
- summer-rainfall woodland, 240
- surface sheet wash, 181
- suspensory, 192
- suspensory characters, 25
- suspensory locomotion, 25
- swamp cypress, 206, *See Taxodium*
- Swartkrans, 88
- sympatry of chimpanzees and gorillas, 63
- synapomorphies, 15
- Tai forest, 23, 24, 89
- Tana River, xi, 11, 113, 138, 143, 146, 260, 272, 281
- taphonomic analysis, 202, 264, 271, 300
- Taxodium*, 77, 206
- taxon-free, 109, 234
- taxonomic diversity, 98
- taxonomic habitat index, 95, 110
- taxonomic ordination, 115–116
- taxonomy, 48
- temperate woodlands, 174, 200
- termites, 72
- terrestrial, 12, 221
- terrestrial species, 96, 99, 105, 107, 157, 170, 174, 177
- Tethys Sea, 75, 78
- Thailand, 51, 216, 253, 263, 292, 298
- thick enamel, 240
- thumb, 226, 231, 239, 246
- Tinderet volcano, 140
- tool maker, 259
- tool making, 38
- tool use, 37, 259
- Toros-Menalla, 223
- trace fossils, 89
- tragelaphine antelopes, 232
- transverse processes, 21, 124, 133, 152, 193, 196
- tropical deciduous woodland, 28
- tropical evergreen forest, 27
- tropical forest, xiv
- tropical woodlands, xiv, 27
- Tugen Hills, 58, 93, 150–151, 178, 270, 275, 283, 285–286, 295
- Turkey, 53, 59, 61, 77, 88, 92, 109, 154–157, 160–161, 171, 177, 183, 188, 211, 213–214, 221, 275, 277, 281–286, 292, 295, 298

Index

- Udabnopithecus garedziensis*, 57

Ugalla, 23, 27

upright posture, 25, 152, 225, 248

upright walking, 3

uric acid, 22, 62, 64, 135

uricase

urate oxidase, 62

uricase gene, 22, 135, 268

Vallès-Penedès region, 77, 206, 208, 210

vegetation types, xiii

vermiform appendix, 13

Vietnam, 51, 211, 217, 291

Walker, Alan, 53, 91, 122, 132, 148, 164, 181, 255

Washburn, Sherwood, x, 33, 260, 265–266

water-table, 139
- weaning, 176

wear gradient, 135

weathered, 181

weathering, xvi, 109, 172, 177, 181, 210, 295

White, Tim, 23, 69, 226, 234, 262, 265,

268–269, 271, 273–274, 291, 294,

296–297

woodland

open canopy, 2

woodland savanna, 71

Yala River, 9

Yunnan, 207, 216, 268, 294

Zelkova, 77, 202

Zinjanthropus, 84

Zinjanthropus boisei, 111