

Index

- Abbott, Andrew, 33, 38, 39, 40, 41, 42, 44, 138
- Abell, Peter, 35
- activity sequences. *See also* microsequence analysis
- American Time Use Survey, 80, 118
 - boundary specification, 69
 - directed sequence networks, 171
 - element subsets in directed sequence networks, 193–94
 - Multinational Time Use Study, 79
 - recurrence, 63
 - routine, 247–51
 - sequence subset evolution, 206
 - structural measures for sequence networks, 188–89
 - synchrony, 232–34
 - ties, 65
 - time warping, 118
 - transformation costs, 43–44
 - two-mode recurrent sequences, 176–79
- activity space, 26–27
- Acton, Ryan M., 213
- adjacency matrices, 163–64
- affiliation matrices, 165, 168, 170–71, 191
- affiliation network analysis (“two-mode” network analysis), 50, 162
- agglomerative hierarchical clustering, 131–32, 270
- criteria for identifying clusters, 270–71, 272
 - distinction from divisive clustering, 131–32
 - partitional clustering versus, 131n2
- Aisenbrey, Silke, 36, 45, 119–20, 122
- alphabet expansion, 65, 145–46
- alternative sequence-comparison techniques, 33
- American Time Use Survey (ATUS), 6, 80–82, 80n11, 80n12, 81n13, 81n14
- microsequence analysis, 217–18, 217n2, 217n3, 218n4, 218n5, 218n6, 218n7
 - optimal matching sequence classification, 220–22, 220n10, 220n8, 220n9
 - subset identification, 193
 - tempograms, 140, 141f. 5.4
 - temporal granularity, 216
 - time warping, 118
 - transition and switching analysis, 225
- arbitrary operation costs, 120–22
- fixed substitution costs, 121
 - static costs, 121–22
- archival research, 72
- arcs, 164
- asymmetric network matrices, 164
- ATUS. *See* American Time Use Survey
- average linkage (clustering criteria), 272
- Bakeman, Roger, 64, 91, 95, 99–100
- Bales, Robert F., 28, 53
- base rate problem, 85
- Batagelj, Vladimir, 191
- Bearman, Peter S., 30, 43, 120–21, 157, 158, 194
- Becker, Gary, 213
- Berger, Clarence Q., 213, 244
- β (logit transform) statistic (measure of sequential connection), 92–93, 94
- betweenness centrality, 187n6–88, 188n7
- two-mode sequence networks, 188

304 *Index*

- bicomponent approach, 194
- Biemann, Torsten, 42n4, 148, 223
- biological sequence processes, 4, 39–40, 41–43, 120
- bipartite networks. *See* two-mode networks
- Bison, Ivano, 158–60
- blockmodeling, 152, 191–92, 192n8, 196
- blocks (equivalence sets), 190
- boundary specification, 69–70
 - nominalist versus realist approaches, 69
- Bourdieu, Pierre, 24, 229, 243
- bridging, 185–89, 188n7
- British Household Panel Survey (BHPS), 6
- brokerage, 52
- Brown, Cliff, 197–99
- Brueggemann, John, 198
- Bry, Xavier, 149, 150
- Brzinsky-Fay, Christian, 119–20
- Bureau of Labor Statistics (BLS), 6
- Burgess, Ernest W., 29–30
- Butts, Carter T., 100, 213, 260

- Calinski and Harabasz (*CH*) index, 135–36, 220
- career trajectories, 27–28, 40, 43, 51
 - fixed substitution costs, 121
 - social classes and, 158–60
 - transition sequence analysis, 147–48
- centrality, 185–89
- Centre for Time Use Research (CTUR), 6. *See also* Multinational Time Use Study
- centroid linkage (clustering criteria), 272
- chaining, 271
- Chapman-Kolmogorov equations, 91
- Chase-Dunn, Christopher, 77n8–78
- CHESA program, 149
- Chinese agrarian revolt, research into, 30, 157, 194
- chi-square (χ^2) statistic (measure of sequential connection), 92, 99
 - homogeneity, 99
 - stationarity, 95
 - validity assessment, 137
- cluster analysis, 44
 - defined, 130
 - hierarchical, 130–33, 270
 - partitional, 131n2
 - reliability, 139
 - sequence classes
 - describing, 139–43
 - identifying, 133–36
 - validity, 136–39
 - coding schemes, 69, 71, 81n13
 - cohesive subsets, 190–93, 195, 206
 - methods of identifying, 190–96
 - bicomponent approach, 194–95
 - blockmodeling, 196
 - “frequent set” approach, 195
 - sequence motifs, 195–96
 - color
 - of lines in directed sequence network visualization, 181
 - use of in visualization, 105–8
 - combinatorial (NMS) approach, 127, 148–49
 - complete linkage (clustering criteria), 272
 - concentric zone model of urban structure, 29–30, 29n1
 - conditional probability, 84–85, 92–93
 - continuous data capture approaches, 71
 - conversation analysis (CA), 36, 37, 255
 - cophenetic correlation coefficient, 136–37, 139n5
 - Cornwell, Benjamin, 40–41, 188–89, 212–13, 214, 225
 - Correlates of War Project, 76–78
 - correspondence analysis (CA), 150
 - Critical Path Method (CPM), 197n9
 - Current Population Study (CPS), 80

 - data collection, sampling, and measure, 70–74
 - archival research, 72
 - direct observation, 71
 - element-position sampling, 73–74
 - future research directions, 261
 - online data capture, 72
 - real-time data capture, 71–72, 72n3
 - survey research, 70n2–71
 - units of measure, 74
 - datasets, 75–82
 - American Time Use Survey, 6, 80–82, 80n11, 80n12, 81n13, 81n14
 - microsequence analysis, 217–18, 217n2, 217n3, 218n4, 218n5, 218n6, 218n7
 - optimal matching sequence classification, 220–22, 220n10, 220n8, 220n9
 - subset identification, 193
 - tempograms, 140, 141f. 5.4
 - temporal granularity, 216
 - time warping, 118
 - transition and switching analysis, 225

- Correlates of War Project, 76–78
- Deep South* study, 78–79
 - betweenness centrality, 187n6–88
 - nonrecurrent sequence networks, 167–70, 169n3
 - relationships among subjects, 173–74
 - sequence motifs, 196
 - subset identification, 191
 - two-mode networks, 174–75
- Multinational Time Use Study, 6–7, 79–80, 79n10, 79n9, 176–79, 217, 217n2, 232n16, 232n17, 247–51, 258
- SHARE survey, 75–76, 75n4, 190–91
 - first-position report, 85–86
 - gender differences in
 - parenthood-stress link, 93–94, 93n1
 - sequence index plots, 103f. 4.7–4, 106f. 4.9, 107f. 4.10
 - sequential connection, 93–94, 93n1
 - state distribution graph, 104
 - state transition diagram, 102f. 4.6
 - stress and life course in Europe, 89–91
 - transition bubble graph, 101f. 4.5.
 - unordered nonrecurrent sequence affiliation networks, 170
- Davis, Allison, 78–79, 167–69
- degree centrality
 - one-mode directed sequence networks, 189
- dendrograms, 132
 - cophenetic correlation coefficient, 136–37
 - identifying sequence classes, 134
- descriptive analysis, 83–86
 - element frequencies, 84–85
 - n*-grams, 85
 - position reports, 85–86
 - sequence length, 84
- deviation scores, 151
- Dewey, John, 243
- diagonals in transition matrices, 88
- dimensionality, 65–66
 - multidimensional sequences, 65–66
 - ties, 65
 - unidimensional sequences, 65
- directed sequence networks, 164, 171
 - subject/element subset identification in, 190–93, 193n8
 - bicomponent approach, 194
 - “frequent set” approach, 194–95
 - visualization, 179–84
 - line color adjustment, 181
 - line thickness adjustment, 179–81
 - spring-embedded
 - position-elements, 181–84
 - tiled position-elements, 184
 - direct observation, 71
- discrete data capture approaches, 71, 72n3
- distance normalization, 124–25
- division of labor, 49, 213, 228, 257
- divisive hierarchical clustering, 131–32
- Doreian, Patrick, 192
- DT coefficients, 148
- duration-adjusted OM (OM_v), 127
- Durkheim, Émile, 22, 53, 242
- dyadic withdrawal, 233n19, 235n21
- dynamic Hamming distance, 127–29, 231n13
- dynamic sequence networks, 201–8
 - interest in, 202–8
 - sequence subset evolution, 206–7
 - subject- and element-level change, 203–6, 204n10
 - whole sequence-network evolution, 207–8
- ecological momentary assessment (EMA), 5, 71, 216
- edges, 164
- eigenvector centrality
 - one-mode sequence networks, 188
 - two-mode sequence networks, 187–88
- element frequencies (relative frequency; unconditional probability), 84–85
- element overlap matrices, 165–67, 166n1, 166n2, 192n8
- element-positions, 61, 73–74
 - interval versus selected-interval recording, 73–74
 - timed- versus untimed-event recording, 73
- elements in sequences, 60–61, 80–82
 - adjacency of, 47
 - designation of missing, 67, 67n1
 - element-positions, 61
 - element universe
 - defined, 60
 - size of, 60
 - imputation of, 66
 - order of, 22, 60
 - symbols used to represent, 61
- element-transitions, 148
- Elzinga, Cees H., 125, 127, 148, 149
- Emirbayer, Mustafa, 36–37

306 *Index*

- English Longitudinal Study of Ageing (ELSA), 75
- episodes (spells), 62, 97–98
- equivalence sets (blocks), 190
- ETHNO software, 200
- event history analysis, 124–25
- event sequence data, 64–65
- event stream analysis, 100, 260
- event structure analysis (ESA; prerequisite analysis), 33, 36, 196–200, 197n9
- experience sampling, 5, 71, 216
- exponential random graph (p^*) models (ERGMs), 34, 200–2, 207–8, 260
- factor analysis, 132n3
- Faris, Robert, 30, 157, 194
- Fasang, Anette E., 36, 45, 119–20, 122
- Faust, Katherine, 59–62
- Ferligoj, Anuška, 192
- first-order Markov models (“memoryless” models), 90, 99
- first-position reports, 85–86
- fixed substitution costs, 121
- flipbook (snapshot) visualization approach, 205–6
- flow betweenness, 188n7
- Forrest, John, 41
- frequency state transition matrices, 87
SHARELIFE sample, 89–90
ties in, 88–89
- “frequent set” approach, 194–95
- fsQCA program, 152
- fuzzy set analysis, 151–52
- G^2 measure of stationarity, 95, 96, 98
- game theory, 26, 37
- gaps, 66–67
element imputation, 66
missing element designation, 67, 67n1
position deletion, 66–67
- Gardner, Burleigh, 78–79, 167–69
- Gardner, Mary, 78–79, 167–69
- Gauthier, Jacques-Antoine, 146
- generalized synchrony defined, 227, 228–29
interpersonal synchrony versus, 227
measurement of, 230–35
visualization of, 236–38
- general linear model (GLM), 33–35
- geometric comparison, 149–50
- Gershuny, Jonathan, 214, 214n1. *See also* Centre for Time Use Research; Multinational Time Use Study
- Geyer-Schulz, Andreas, 100
- Gibson, David R., 227
- Giddens, Anthony, 23–24, 185, 243
- Glorieux, Ignace, 214
- Goffman, Erving, 223
- “gold standard” cluster classification schema, 139
- Gottman, John Mordechai, 85, 91, 95, 99–100
- grayscale, use of in visual aids, 105–8
- H^2 measure of homogeneity, 98–99, 225–26
- habitus* concept, 24, 55, 229, 243
- Halpin, Brendan, 127
- Hamming, Richard, 116
- Hamming distance, 116, 118t. 5.1, 119.
See also dynamic Hamming distance
- Han, Shin-Kap, 40
- Health and Retirement Study (HRS), 75
- higher-order Markov models (semi-Markov models), 91
- historical social science, 30
- Hollister, Matissa, 127
- homogeneity, 98–99, 225–26
 H^2 measure of, 98–99, 225–26
- homophily, 48
- Huisman, Mark, 77n7
- Hyrcaak, Alex, 138
- identity formation, 158, 224n12
- individuality in modern society, 48–50
- informR package for R, 260
- insertion/deletion operations (indels), 110, 112, 115–16. *See also* operation costs; operation distance
- interactional field theories, 51
- interaction process analysis (IPA), 28, 53, 255
- International Social Survey Programme (ISSP), 7
- interpersonal synchrony defined, 227
generalized synchrony versus, 227, 228–29
importance of, 227–28
measurement of, 230–35
visualization of, 236–38
- Inter-university Consortium for Political and Social Research (ICPSR), 7
- interval recording, 73–74
- interviewer-assisted recall method (IARM), 70n2–71

- involuntary (reluctant) switches, 224–25
- Kan, Man Yee, 147
- Knoke, David, 31, 167
- Kohler, Ulrich, 119–20
- Laumann, Edward O., 24, 29, 31, 50–51, 69, 152, 161, 162, 167, 193
- Lausanne Conference on Sequence Analysis (2012), 5
- leave-behind diary method (LBDM), 70n2–71
- Lesnard, Laurent, 128, 129, 147, 213–14
- Levinshtein, Vladimir, 115
- Levinshtein distance, 115, 118t. 5.1
- Levinshtein II distance, 115–16, 118t. 5.1, 119
- life-course studies, 36. *See also* SHARELIFE sample
- distance normalization, 124–25
 - network-analytic approaches, 157, 158–60
 - position reports, 85–86
 - sequence index plots, 102–4
 - transition bubble graphs, 100
 - transition matrices, 89–91
- life history calendar (LHC) method, 76, 89
- linear stage theories, 29–30
- line graphs, 134–35
- localized OM (LOM), 127
- logit transform (β) statistic, 92–93, 94
- Marcum, Christopher Steve, 260
- Markovian analysis, 50, 91, 162–63
- first-order Markov models, 91
 - homogeneity testing, 99
 - stationarity, 94
- Marsden, Peter V., 69
- Martin, Peter, 137–38
- Mayer, Karl Ulrich, 36
- medoid sequence, 126, 141
- “memoryless” models (first-order Markov models), 90, 99
- microsequence analysis, 8–9, 10–11, 17–18, 33, 43–44, 52–55, 210
- defined, 210
 - elements of, 214–17
 - data collection and availability, 216–17
 - elements and positions, 215–16
 - relationship to microinteraction sequences, 215
 - implications of, 212–14
 - micro-time scale context, 211–14, 214n1
 - network sequence approaches
 - to, 226–51
 - routine, 55, 241–51
 - synchrony, 54, 227–41
 - non-network sequence approaches to, 217–26, 217n2
 - optimal matching sequence classification, 220–22, 220n10, 220n8, 220n9
 - transition and switching analysis, 222–26, 223n11, 224n12
 - switching, 54
- modal sequence, 126, 140–41
- Moen, Phyllis, 40
- momentary sampling (selected-interval recording), 73–74
- Moody, James, 30, 157, 194
- moving time windows, 87
- multi-channel sequence analysis (MCSA), 65–66, 146
- MultiDendrograms software, 138, 139n5
- multidimensional scaling (MDS), 137, 152, 192–93
- multidimensional sequence analysis, 65–66, 144–46, 172
- alphabet expansion, 145–46
 - multi-channel sequence analysis, 146
 - sequence dimension
 - cross-tabulation, 145
- Multinational Time Use Study (MTUS), 6–7, 79–80, 79n10, 79n9, 176–79, 217, 217n2, 232n16, 232n17, 247–51, 258. *See also* American Time Use Survey; Centre for Time Use Research
- Myrdal, Jan, 157
- narrative positivism, 33–36
- National Longitudinal Study of Adolescent Health (AddHealth) project, 63, 67n1
- element positions, 85
 - subsets, 190
- Needleman-Wunsch algorithm, 114–15
- Netherlands time use survey, 247–51, 248n26, 248n27, 250n28
- network-analytic approaches, 8, 17, 33, 46–52, 105, 155–209
- affiliation through sequential phenomena, 48–51
 - concepts and terminology, 163–67
 - directed networks, 164

308 *Index*

- network-analytic approaches (*cont.*)
 - element overlap matrices, 165–67, 166n1, 166n2
 - network matrices, 163–64
 - one-mode networks, 165
 - subject co-membership matrices, 165–67
 - two-mode networks, 165
 - undirected networks, 164
- dynamic sequence networks, 201–8
 - interest in, 201–8
 - sequence subset evolution, 206
 - subject- and element-level change, 202–6, 204n10
 - whole sequence-network evolution, 207–8
- emergent and fleeting opportunities, 52
- event structure analysis, 196–200, 197n9
- microsequence analysis, 226–51
 - routine, 241–51
 - synchrony, 227–41
- sequence-network construction, 167–72
 - directed sequence networks, 171
 - multidimensional sequence networks, 172
 - nonrecurrent sequence networks, 167–70
 - recurrent sequence affiliation networks, 170–71
- sequences of network phenomena, 51–52
- Simmel, Georg, 48–50, 160–61, 162, 184–85, 187n6–88, 243
- statistical network models for sequential events, 200–1
 - exponential random graph models, 200
- structural measures for sequence networks, 184–89, 188n6, 188n7
- subject/element subset
 - identification, 189–96
 - in directed sequence networks, 193–95
 - in sequence affiliation networks, 190–93, 192n8
 - sequence motifs, 195–96
- theory behind, 156–63
 - affiliations among subjects, 160–63
 - conceptualizing and modeling sequenced phenomena, 156–60
 - utility of, 155
 - vacancy chain approach, 51
 - visualization, 172–84
 - directed sequence networks, 179–84
 - one-mode networks, 173–74
 - two-mode ordered event networks, 174–75
 - two-mode recurrent sequences, 176–79
- network drawing algorithms, 173
- network matrices, 163–64
- n*-grams, 62, 85
- NMS (combinatorial) approach, 127, 148–49
- non-alignment sequence comparison methods, 148–50
 - combinatorial approach, 148–49
 - DT coefficients, 148
 - geometric comparison, 149–50
- nonrecurrent sequence networks, 167–70
 - ordered nonrecurrent event networks, 167–70, 169n3
 - unordered nonrecurrent sequence affiliation networks, 170
- nonrecurrent sequences, 63
- OM analysis. *See* optimal matching analysis
- OMv (duration-adjusted OM), 127
- one-mode networks, 165
 - centrality and bridging, 186–88
 - visualization, 173–74
- online data capture, 72
- operation costs, 113, 116–19
 - arbitrary, 120–22
 - fixed substitution costs, 121
 - static costs, 121–22
- order versus timing, 116–18
- regimes, 115–16
 - dynamic Hamming distance, 127–29
 - Hamming distance, 116, 118t. 5.1, 119
 - Levenshtein distance, 115, 118t. 5.1
 - Levenshtein II distance, 115–16, 118t. 5.1, 119
- time warping, 118–19
- variable substitution costs, 122–24
 - complications from variable costs, 124
 - raw differences as costs, 123–24
- operation distance, 113
 - distance normalization, 124–25
 - reference sequence comparison, 125–26
 - spell-adjusted distances, 126–27
 - duration-adjusted OM, 127
 - localized OM, 127

- time warp edit distance, 127
- optimal matching (OM) analysis, 33, 40, 41, 47–48, 109–10, 111–15
- criticisms of, 41–44, 119–22, 212
- arbitrary operation costs, 120–22
- theory/method fit, 120
- finding optimal solution, 113–14
- improvements on classical, 122–29
- microsequence classification, 220–22
- Needleman-Wunsch algorithm, 114–15
- operation costs, 113, 116–19
- arbitrary, 120–22
- order versus timing, 116–18
- regimes, 115–16, 127–29
- time warping, 118–19
- variable substitution costs, 122–24
- operation distance, 113
- distance normalization, 124–25
- reference sequence
- comparison, 125–26
- spell-adjusted distances, 126–27
- position deletion, 66
- secondary activities, 172
- sequence alignment operations
- insertion/deletion operations, 112
- substitutions, 112
- sequence pattern studies using, 264t.A.1–69
- symmetric transition matrices, 88
- transformations in, 42–44, 42n4
- ordered nonrecurrent event networks, 167–70, 169n3
- ordered nonrecurrent sequence networks, 201–2
- ordered recurrence, 63–64
- oversaturation, 236
- p^* (exponential random graph models [ERGMs]), 34, 200–2, 207–8, 260
- Pajek network analysis program, 184, 192, 257
- Panel Study of Income Dynamics (PSID), 6
- Park, Robert E., 39n3
- Parsons, Talcott, 23
- partitional clustering, 131n2. *See also* agglomerative hierarchical clustering
- Pnet software, 201
- position reports, 85–86
- positions, 60
- deletion of, 66–67
- position universe, 69
- preference orders, 26, 32n2
- as nonrecurrent sequences, 63
- sequence universe size, 68
- Prensky, David, 69
- prerequisite analysis (event structure analysis [ESA]), 33, 36, 196–200, 197n9
- principal component analysis (PCA), 150
- probabilistic patterns. *See* stochastic patterns
- probability state transition matrices, 87
- SHARELIFE sample, 90
- ties in, 89
- Program Evaluation and Review Technique (PERT), 197n9
- “publics”, 185, 238–39. *See also* switching
- Qualitative Harmonic Analysis (QHA), 150
- “race-relations cycle”, 39n3
- Rahmann, Sven, 149
- real-time data capture, 71–72, 72n3
- recall bias, 70n2–71, 193–94
- “recombinant-property” network structures, 51–52
- reconstructed network approach, 77n7, 77n8–78
- recurrence, 63–65
- defined, 63
- first-position reports, 85–86
- nonrecurrent sequences, 63
- ordered and unordered, 63–64
- repeat observation versus, 64–65
- sequence universe size and, 68
- transition matrix shape, 88
- recurrent sequence affiliation networks, 170–71
- reference sequence comparison, 125–26
- regression analysis methods, 34–35, 36, 83, 99, 100
- regularized action, 22, 53
- relational events framework
- informR package for R, 260
- relative frequency (element frequencies), 84–85
- reliability, 139. *See also* validity
- reluctant (involuntary) switches, 224–25
- repeat observation, 64–65, 73
- reversals, 110, 120
- Robette, Nicolas, 149, 150

310 *Index*

- routine, 55, 241–51
 defined, 241
 future research directions, 257–58
 measurement of, 244–51, 246n25
 distribution of routine, 248–51
 illustration of, 247–51, 248n26,
 248n27, 250n28
 theoretical foundations for, 242–44
 visualization of, 247
 routinization, 23–24, 202–3, 257–58
 Roy, Anup Kumar, 85, 91
 runs (spells), 62, 97–98
- Savage, Michael, 43, 120–21
 “scraping” technology, 5
 script theory, 24, 55
 selected-interval recording (momentary
 sampling), 73–74
 semi-Markov models (higher-order
 Markov models), 91
 sensory sequences (stimulus
 sequences), 25–26
 sequence affiliation networks
 recurrent, 170–71
 subject/element subset identification in,
 190–93, 193n8
 unordered nonrecurrent, 170
 sequence alignment operations. *See also*
 whole-sequence comparison
 methods
 insertion/deletion operations, 110, 112
 reversals, 110, 120
 substitutions, 110, 112
 swaps, 110, 120
 symmetry of, 112, 112n1
 sequence description techniques, 3, 16
 sequence dimension cross-tabulation, 145
 sequence index plots, 102–4, 140
 sequence learning, 25–26
 sequence length (t), 84
 sequence motifs, 195–96, 239n24
 sequence-network methods.
See network-analytic approaches
 sequences, 16. *See also* social sequences
 data collection, sampling and
 measure, 70–74
 archival research, 72
 direct observation, 71
 element-position sampling, 73–74
 online data capture, 72
 real-time data capture, 71–72, 72n3
 survey research, 70n2–71
 units of measure, 74
 dimensionality, 65–66
 multidimensional sequences, 65–66
 ties, 65
 unidimensional sequences, 65
 gaps, 66–67
 element imputation, 66
 missing element designation, 67, 67n1
 position deletion, 66–67
 outside of the social sciences, 4,
 39–40, 41–43
 properties of, 59–62
 elements, 60–61
 n -grams, 62
 positions, 60
 spells, 62
 subjects, 62
 subsequences, 61
 substrings, 62
 recurrence, 63–65
 defined, 63
 nonrecurrent sequences, 63
 ordered and unordered, 63–64
 repeat observation versus, 64–65
 sequence universe, 67–70
 boundary specification, 69–70
 size of, 67–69
 sequence structure detection, 16, 83
 descriptive analysis, 83–86
 element frequencies, 84–85
 n -grams, 85
 position reports, 85–86
 sequence length, 84
 homogeneity, 98–99
 sequential connection, 91–94
 illustration of, 93–94, 93n1
 spells, 97–98
 stationarity, 94–97
 defined, 94
 illustration of, 96–97
 lack of, 95
 tests for detecting, 95
 stochastic patterns, 86–91
 defined, 86
 Markov chains, 91
 transition matrices, 86–91
 using summary statistics and
 tests, 99–100
 visual aids, 100–8
 sequence index plots, 102–4
 sequence-network diagrams, 105
 state distribution graphs, 104

- state transition diagrams, 101–2
- tempograms, 104
- transition bubble graphs, 100
- use of color and grayscale, 105–8
- sequential connection, 91–94
 - illustration of, 93–94, 93n1
 - measures of
 - β (logit transform) statistic, 92–93, 94
 - chi-square (χ^2) statistic, 92, 95, 99, 137
 - z-statistic, 92, 93–94, 99
- sequential statistical inference, 259–61
- sexual script theory, 29
- SHARELIFE sample, 75–76, 75n4, 190–91
 - first-position report, 85–86
 - gender differences in parenthood-stress link, 93–94, 93n1
 - sequence index plots, 103f. 4.7.–4, 106f. 4.9., 107f. 4.10.
 - sequential connection, 93–94, 93n1
 - state distribution graph, 104
 - state transition diagram, 102f. 4.6.
 - stress and life course in Europe, 89–91
 - transition bubble graph, 101f. 4.5.
 - unordered nonrecurrent sequence
 - affiliation networks, 170
- SIENA software, 208
- Simmel, Georg, 48–50, 160–61, 162, 184–85, 187n6–88, 243
- single linkage (clustering criteria), 270–71
- sleep diaries, 195
- snapshot (flipbook) visualization
 - approach, 205–6
- social network analysis (SNA), 36, 37, 78–79, 156, 202, 203, 258–59
- social network change detection
 - algorithms, 207
- social sequence analysis, 16, 18, 21, 255
 - future research directions, 257–61
 - data collection, 261
 - routine and routinization, 257–58
 - sequential statistical inference, 259–61
 - social networks, 258–59
 - growth of interest in, 4–7
 - increasing availability of datasets, 6–7
 - limitations of, 256–57
 - origins of, 32–44
 - development of whole-sequence analysis methods, 38–41
 - narrative positivism, 33–36
 - pivotal criticisms, 41–44
 - relational nature of social phenomena, 36–38
 - structural assumptions, 32
 - recent developments in, 4–7
 - second wave of, 4–5, 45–55, 122–29
 - distance normalization, 124–25
 - dynamic Hamming method, 127–29
 - microsequence analysis, 52–55
 - network-analytic approach, 46–52
 - reference sequence
 - comparison, 125–26
 - spell-adjusted distances, 126–27
 - variable substitution costs, 122–24
 - use of term, 5, 46, 51–52
- social sequences
 - adjacency of elements within, 47
 - defined, 21–22
 - forms of order, 22
 - significance of, 25–31
 - ecological psychology, 28
 - economics, 26
 - economic sociology and organization, 31
 - emergent networks, 28–29
 - historical social science, 30
 - linear stage theories, 29–30
 - political science, 31
 - psychology, 25–26
 - small-group research, 28–29
 - social exchange, 28–29
 - sociology, 27
 - symbolic interaction, 29
 - time geography, 26–27, 28
 - urban ecology, 29–30, 29n1
 - work histories, 27–28
- structural origins of, 22–25
 - habitus* concept, 24
 - institutionalization of social action, 23
 - regularized action, 22
 - script theory, 24
 - social integration, 22–23
 - structuration theory, 23–24
- Sociological Methods & Research* special issues on sequence analysis, 4–5, 45
- Sorokin, Pitrim A., 213, 242–43, 244, 257–58
- Spanish Time Use Survey (STUS), 232–34, 232n15, 233n18, 233n19, 236–38, 239–41
- spell-adjusted distances, 126–27
 - duration-adjusted OM, 127
 - localized OM, 127
 - time warp edit distance, 127
- spells (runs; episodes), 62, 97–98

312 *Index*

- Spiro, Emma S., 213
- spring-embedded
 position-elements, 181–84
- square matrices, 87, 163–64
- Stadtfeld, Christoph, 100
- Stark, David, 40, 203–5, 207
- Stata SQ sequence analysis
 package, 6, 84
 advantages and limitations of, 256–57
 cluster analysis, 273
 cophenetic correlation coefficient, 138
 optimal matching algorithm, 114
 raw differences as costs, 124
 SEQCOMP plug-in, 129
 “sqegen” and “sqfirstpos” commands, 86
 “sqegen” and “sqfreq” commands, 85
- state distribution graphs, 104, 140
- state transition diagrams, 101–2
- static costs, 121–22
- stationarity, 94–97
 defined, 94
 illustration of, 96–97
 lack of, 95
 tests for detecting, 95
- step-by-step (stochastic) methods,
 38–39, 50
- stimulus sequences (sensory
 sequences), 25–26
- stochastic (probabilistic) patterns, 86–91
 defined, 86
 Markov chains, 91
 transition matrices, 86–91
 defined, 86–87
 diagonals, 88
 frequency state, 87
 illustration of, 89–91
 probability state, 87
 symmetric, 88
 ties in, 88–89
- stochastic (step-by-step) methods,
 38–39, 50
- stochastic actor-based models
 (SAOMs), 207–8
- Stovel, Katherine, 43, 120–21, 158
- Strauss, Anselm L., 24, 244
- stress measure, 137–38
- structural equivalence, 161, 191
- structuration theory, 23–24, 55, 242
- subject co-membership matrices, 165–67,
 169, 192n8
- subjects, 62
- subsequences, 61
- substitutions, 110, 112. *See also* operation
 costs; operation distance
- substrings, 62
- Survey of Health, Ageing, and Retirement
 in Europe (SHARE), 75–76, 75n4.
 See also SHARELIFE sample
- survey research, 70n2–71
- survival analysis, 14
- swaps, 110, 120
- Swiss Household Panel study, 146
- switching, 54, 222–26, 223n11, 224n12.
 See also microsequence analysis;
 “publics”
- symbolic interaction, 53, 215
- symmetric network matrices, 164
- symmetric transition matrices, 88
- synchronization, 202, 235n21
- synchrony, 54, 176–79, 227–41, 258–59
 defined, 227
 identifying sources of, 238–41, 239n24
 measurement of, 230–35, 231n13,
 231n14
 caveats on, 234–35, 235n20
 illustration of, 232–34, 232n15,
 232n16, 232n17, 233n18, 233n19
 theoretical foundations for, 227–30
 visualization of, 236–38, 236n22,
 236n23
- t* (sequence length), 84
- TEMPO (Time-by-Event-by-Member
 Pattern Observation) system, 28
- tempograms, 104, 140
- ties
 dimensionality, 65
 in transition matrices, 88–89
- tiled position-elements, 184
- timed-event recording, 73
- timed event sequence data, 64
- time diaries, 70, 72n3
 directed sequence networks, 171
 indels versus substitutions, 117
 measuring synchrony, 230–31
 missing element designation, 67
 routine, 247–48
 sequence length, 84
- time geography, 26–27, 28
- time-use research, 37, 211. *See also*
 microsequence analysis
- time warp edit distance (TWED), 127
- time warping, 118–19
- TraMineR package for R

Index

313

- advantages and limitations of, 256–57
- cluster analysis, 273
- cophenetic correlation coefficient, 137, 138
- optimal matching algorithm, 114
- raw differences as costs, 124
- transformation costs, 43–44
- transition bubble graphs, 100
- transition matrices, 86–91
 - defined, 86–87
 - diagonals, 88
 - frequency state, 87
 - illustration of, 89–91
 - probability state, 87
 - symmetric, 88
 - ties in, 88–89
- transition plots, 100
- transitions, 86
- transition sequence analysis approach, 42n4, 147–48, 222–26
- transitivity theories, 200
- Tsay, Angela, 40, 44
- Tufte, Edward R., 9
- two-mode (bipartite) networks, 165, 174–75
 - centrality and bridging, 186–88
 - ordered event networks, 174–75
 - recurrent sequences, 176–79, 176n4, 177n5
- “two-mode” network analysis (affiliation network analysis), 50, 162
- two-stage optimal matching (2SOM) analysis, 146–47
- typical-sequences and/or families-of-sequences (TSFS), 15
- Ucinet network analysis program, 192, 257
- UK Time Use Survey
 - directed sequence networks, 179–84
 - dynamic sequence networks, 205–6
 - two-mode networks, 176–79, 176n4, 177n5
 - two-mode recurrent sequences, 176–79, 176n4, 177n5
- unconditional probability (element frequencies), 84–85
- undirected networks, 164
- unexpected transitions, 224–25
- unidimensional sequences, 65
- units of measure, 74
- unordered nonrecurrent sequence affiliation networks, 170
- unordered recurrence, 63–64
- untimed-event recording, 73
- urban ecology, 29–30, 29n1, 38
- vacancy chains, 51
- validity. *See also* reliability
 - assessing in sequence classification, 136–39
 - cophenetic correlation coefficient, 136–37, 139n5
 - stress measure, 137
 - concerns in sequence analysis, 44, 256
- variable substitution costs, 122–24
 - complications from, 124
 - raw differences as costs, 123–24
- Vedres, Balázs, 40, 203–5, 207
- visualization, 9, 100–8, 172–84
 - directed sequence networks, 179–84
 - line color adjustment, 181
 - line thickness adjustment, 179–81
 - spring-embedded
 - position-elements, 181–84
 - tiled position-elements, 184
 - one-mode networks, 173–74
 - routine, 247
 - sequence index plots, 102–4
 - sequence-network diagrams, 105
 - state distribution graphs, 104
 - state transition diagrams, 101–2
 - synchrony, 236–38, 236n22, 236n23
 - tempograms, 104
 - transition bubble graphs, 100
 - Tufte, Edward R., 9
 - two-mode ordered event networks, 174–75
 - two-mode recurrent sequences, 176–79, 176n4, 177n5
 - use of color and grayscale, 105–8
 - voluntary switches, 224–25
- Wallerstein, Immanuel, 76n5–77
- Wang, Hui, 149
- Warburton, Elizabeth, 40–41
- Ward’s linkage (clustering criteria), 272
- Wasserman, Stanley, 59–62
- Watkins, Kate, 188–89, 214
- Weber, Max, 22–23, 242
- weighted average (clustering criteria), 272
- White, Harrison C., 51, 185, 223–24, 224n12, 238–39

314 *Index*

- whole-sequence comparison methods, 16–17, 109–52
 - classical optimal matching, 111–15
 - considerations in setting operation costs, 116–19
 - criticisms of, 119–22
 - finding optimal solution, 113–14
 - improvements on, 122–29
 - Needleman-Wunsch algorithm, 114–15
 - operation cost regimes, 115–16
- operation costs, 111, 113
- operation distance, 111, 113
- recent advances in, 143–52
 - deviation scores, 151
 - fuzzy set analysis, 151–52
 - multidimensional sequence analysis, 144–46
 - non-alignment techniques, 148–50
 - sequence-network methods, 152
 - transition sequence analysis, 147–48
 - two-stage optimal matching analysis, 146–47
- sequence alignment, 110–11
- sequence alignment operations, 110–11
 - insertion/deletion operations, 110, 112
 - substitutions, 110, 112
 - symmetry of, 112, 112n1
- whole-sequence pattern
 - detection, 129–43
 - describing sequence classes, 139–43
 - hierarchical cluster analysis, 130–33
 - identifying sequence classes, 133–36
 - reliability, 139
 - validity, 136–39
 - whole-sequence pattern detection, 129–43
 - describing sequence classes, 139–43
 - illustration of, 142–43
 - hierarchical cluster analysis, 130–33
 - identifying sequence classes, 133–36
 - reliability, 139
 - studies using OM and related methods, 264t. A.1–69
 - validity, 136–39
- Wiggins, Richard D., 137–38
- “working backwards” technique, 81n13
- world-system theory, 76–78, 76n5, 77n8
 - cluster analysis, 132, 132n4, 135f. 5.3., 142–43
 - cophenetic correlation coefficient, 139n5
 - stationarity in world system, 96–97
 - variable substitution costs, 122–23
- World Values Survey (WVS), 7
- Wu, Lawrence L., 43, 121
- WVS (World Values Survey), 7
- z-statistic (measure of sequential connection), 92, 99
- SHARELIFE sample, 93–94