

Index

- o-separable, *see* separable
- ⊗-separable, *see* separable
- abstract tensor system, 75, 146
- adjacency matrix, 165
- adjoint, 103
 - ‘good’ adjoints, 106
 - interpretation, 104
 - linear algebraic, 108
 - matrix, 165
- algebra, 43, 434, 498
 - associativity, 434
 - commutative, 501
 - commutativity, 434
 - semi-simple, 501
 - unitality, 434
- algebraic vs. diagrammatic language, 50
- algorithm, 679
- antipode, 616
- anti spider, 778, 801
- anti-unitary, 353
- automated reasoning, 790
 - proof strategy, 795
- baby, xvi, 29
- balanced function, 706
- ‘bang-box’, 798
- basis, 157
 - of singletons, 158
- Bayesian inversion, 436
- Bayesian updating, 364, 397
- Bell basis, 218
- Bell correction, 332
- Bell inequality, 552
- Bell–Kochen–Specker theorem, 398
- Bell maps, 220
- Bell matrices, 220
- Bell measurement, 332, 362
 - non-demolition, 367
- Bell state/effect, 92, 464
- bialgebra, 565, 616
 - path matrix, 620
- bipartite state, 85
- bit, 2, 443
- bit strings, 53, 443
- Bloch ball, 302
- Bloch sphere, 259
- Born rule, 62
 - generalised, 62
- boxes and wires, 29
- broadcasting, 306, 432
- C*-algebra, 502
 - quantum, 502
- canonical commutation relations, 573
- Cartesian product, 53
- causal structure, 49
- causality
 - causal cq-map, 421
 - causal quantum map, 292
 - causal quantum state, 283
 - causal structure, 311
 - quantum process, 319
- Choi’s theorem, 326
- Choi–Jamiołkowski isomorphism, 90
- circle group $U(1)$, 524
- circuit diagram, 46
 - characterisation, 48
- circuit model, 212
- classical correlation, 473
- classical data copying, 330
- classical map, 424
- classical process, 424
 - deterministic, 426
- classical state
 - copiability of, 427
 - deterministic, 426
 - full support, 437
 - inverse, 436
- classical subgroup, 568
 - closure, 568
- classical wire, 253, 331

- Clifford diagram, 586
 - graph-form, 603
- Clifford maps**, 581
- Clifford+T diagram, 609
 - approximate universality, 609
- coalgebra, 43, 499
 - coassociative, 432
 - cocommutative, 432
 - comonoid homomorphism, 432
 - comultiplication, 432
 - counit, 432
- coarse graining, 374
- cobordism, 508
- commutative diagram, 245
- commutative group, 522
- complementary, 529
- complete bipartite diagram, 563
- completely positive map, 291
- completeness
 - of spek ZX-calculus for **spek**, 674
 - of spider diagrams for **linear maps**, 453
 - of string diagrams for **linear maps**, 223
 - of ZX-calculus for **Clifford maps**, 608
 - of ZX-calculus for **single qubit Clifford+T maps**, 609
- complex number, 201
 - conjugation, 201
 - polar form, 202
 - positive definiteness, 203
- composition
 - parallel, 44
 - sequential, 45
- computation, 679
- conjecture synthesis, 800
- conjugate, 108
- constant function, 702
- control qubit, 684
- conversion rate, 743
- convex combination, *see* mixture
- copy spider, 215
- correlations, 657
- cosine-sine decomposition, 696
- covariance, 316
- CP***, 505
- CPM-construction, 339, 344
- criss-cross cups/caps, 100
- cups and caps, 90
 - matrix form, 194
- de Broglie–Bohm theory, 398, 656
- decoherence, 368, 459
 - decoherent state, 461
 - partial, 463
 - time, 463
- decomposition, 47
- dense coding, 485
- density operator, 257
- depolarizing channel, 748
- derivation, 792
- Deutsch–Jozsa algorithm, 702
- diagonalisation, 182; *see also* spectral theorem
- diagram, 30
 - equation, 38
 - formula, 37
 - only connectivity matters, 35
 - substitution, 42
- dilation, Naimark, 327, 383
- dimension, 157
 - dimension theorem, 157, 209
 - is the circle, 176
- Dirac notation, 70
- direct sum, 622
- directed acyclic, 48
- discarding process, 253, 274, 276
- discarding structure, 340
- disentangled state, 473
- dodo
 - classical, 15
 - quantum, 2
- double slit experiment, 359
- doubling, 253, 338
- doubly stochastic map, 751
- dual type, 146
- Eckmann–Hilton argument, 62
- effect, 60
- eigenstate, 182, 356
- Einstein, Podolsky, and Rosen (EPR) paper, 7
- empty system, 45
- enriched category, 240
- ensembles, 304
- entangled state, 265, 473
- entanglement resource, 602
- entanglement swapping, 370, 486
- entropy, 745
 - Shannon, 756
 - von Neumann, 756
- epistemic state, 675
- EPR, *see* Einstein, Podolsky, and Rosen paper
- equal up to a number, \approx , 68
- equivalence of categories, 200, 243
- equivalent resources, 741
- Euler angles, 584
- Euler decomposition, 584
- expectation value, 380
- folding diagrams, 466
- foliation, 49, 316
- Fourier basis, 517
- free process, 740
- free process theory, 39

824

Frobenius algebra, 499
 dagger special, 500
 pants algebra, 502
 symmetric, 502
 full (Schmidt) rank, 128
functions, 40, 52
 are separable, 85
 states, effects, and numbers, 63

gates
 AND, 211
 CNOT, 212, 264
 $CX(\alpha)$, 689
 $CZ(\alpha)$, 687
 CZ-gate, 685
 Hadamard, 217, 264, 600
 NOT, 212, 264, 571
 phase, 264, 525
 quantum, 264, 525
 T, 609
 Toffoli, 691
 XOR, 212

generalised copy rule, 439
 generalised probabilistic theory, 662
 GHZ-state, 465
 generalised, 465
 global phase, 253, 257
 grammar, 342
 graph state, 601, 719
 brickwork state, 731
 cluster state, 721
 quantum, 721
 in **spek**, 674
 graphical calculus, 581
 group, 522
 action, 574
 commutative, 522
 cyclic, 579
 generators, 717
 group-sum, 522
 homomorphism, 574, 713
 inverse, 522
 unit, 522
 group algebra, 617
 groupoid, 505
 Grover's algorithm, 712

Hadamard product, 434
 Heisenberg picture, 355
 hidden subgroup problem, 580, 712
 hidden variable, 398, 656
 hidden variable model, *see* refinement
 high-level language, 9
 Hilbert space, 201
 infinite dimensional, 238
 set-theoretic definition, 226
 Hopf algebra, 616

Index

identity, 46
 identity matrix, 174
 impurity, 281, 757
 incompatible measurements, 547
 inner product, 113
 Hilbert–Schmidt, 222
 interactive theorem prover, *see* proof assistant
 interpretation $\llbracket \cdot \rrbracket$, 224, 407
 interpretations of quantum theory, 397
 many-worlds, 397
 isometry, 117

joint system-type, 44

knot theory, 242
 Jones polynomial, 243
 Kraus decomposition, 299

lattice
 distributive, 399
 orthomodular, 401
 LCF paradigm, 803
 light cone, 311
linear maps, 201
 local Clifford unitaries, 602
 local complementation, 603
 local exchangeability axiom, 789
 local states, 315
 LOCC maximal, 129, 759, 770
 logic, of interaction, 12
 logic gate, 211
 low-level language, 9

majorization order, 750
 marginal distribution, 428
 marginalisation, 428
 matrix, 163
 columns, 177
 of an isometry, 178
 Kronecker product, 192
 process theories of matrices, 198
 product, 187
 of a unitary, 179
 matrix calculus, 59, 187
 maximally entangled state, 129
 maximally mixed state, 279
 meaning in context (Wittgenstein), 398
 measure
 additive, 745
 supremal, 746
 measurement, 273
 backaction, 364
 collapse, 367
 commuting von Neumann, 379
 demolition, 350
 non-demolition, 355
 ONB, 322, 350

- outcome, 350
- POVM, 380
- von Neumann, 372
- measurement-based quantum computation, 366, 601
 - feed-forward, 720, 724
 - universality, 730
- measurement problem, 397
- measurement scenario, 657
 - GHZ-Mermin, 658
- mixing, 298, 301
- mixture, 301
- models, of quantum computation, 680
- modular law, 404
- monoidal category, 77
 - circuit diagrams, 80
 - coherence, 79
 - compact closed, 150
 - dagger compact closed, 151
 - strict, 54, 77
 - symmetric, 78
 - traced, 80
- mutually unbiased ONBs, 535
 - maximal sets, 538
- natural isomorphism, 245
- no-go theorem, 125
 - cloning, 129
 - cloning (by unitary), 131
 - separability, 125
- noise map, 304, 748
- non-contextuality, 398
- non-determinism, 5
- non-locality, 7, 312, 656
 - GHZ-Mermin, 661
 - local realism, 656
- non-signalling, 312
- normal form, 558, 620
- normalised, 114
- number, 61
 - commutative monoid, 62, 240
- odd-parity function, 577
- one-time pad, 140
- one-way model, *see* measurement-based quantum computation
- ontic state, 675
- ontological model, *see* refinement
- orthonormal basis, 158
 - characterisation, 175
 - non-unique, 159
 - self-conjugate, 165
- parity
 - even-parity function, 577
 - even-parity state, 577
 - generalised parity map, 579
 - map, 577
 - odd-parity state, 578
- partial order, 311, 741
 - antisymmetry, 741
- partial trace, 101
- path counting, 566
- Pauli matrices, *see* Bell matrices
- perfect correlation, 437
- period, of a function, 718
- phase, 515
- phase state, 514
- plain wire, 46
- Planck's constant, 343
- Planck's law, 343
- positive, 118
 - \otimes -positive, 121
- positive number, 203
- positive super-operator, 292
- preorder, 741
- preordered monoid, 742
- probability distribution, 176
 - conditional, 435
 - joint, 435
 - point distribution, 177
 - prior, 435
 - uniform, 427
- process, definition, 29
 - equation, 39
- process theory, 12, 32
 - examples, 33
- process–state duality, 88
- product basis, 189
- projector, 122
 - orthogonal, 374
- promise problem, 703
- proof assistant, 790
- PROP, 622, 623
- pure quantum effect, 256
- pure quantum maps**, 261
- pure quantum state, 256
- purification, 289, 340
 - joint, 325
- purity, 757
- Pusey–Barrett–Rudolph theorem, 397
- quanta, 343
- quantum Bayesianism, 403
- quantum circuit, 264
- quantum circuit model, 680
 - universality, 691
- quantum graph state, 601
- quantum gravity, 13
- quantum group, 617
- quantum information theory, 757
- quantum instrument, 344
- quantum interference, 359

826

quantum key distribution, 549
 quantum logic, 380, 399
quantum maps, 62, 287
 states, effects, and numbers, 65
 quantum non-locality, 655
 quantum oracle, 543, 702
 query, 706
 quantum pictorialism, 14, 83
 quantum process, 318, 331
 branches and outcomes, 319
 controlled, 329
 non-deterministic, 319
 quantum repeater, *see* entanglement swapping
 quantum state, 280
 quantum Turing machine, 736
 quartets, of boxes, 110
 qubit, 2, 210, 258
 quotient group, 713
 quotient map, 713

rank, 773
 reduced map, 307, 458
 reduced state, 277
 refinement, 656
 Reichenbach's principle, 657
 relational converse, 107
 relationalism, 399
relations, 52
 are non-separable, 85
 notation, 56
 parallel composition, 57
 sequential composition, 57
 states, effects, and numbers, 63
 sums (union), 170

relativity, 7
 relativity theory/special relativity, 310
 representation theory, 445
 resource, 738
 convertibility diagram, 774
 equivalence class, 774
 resource conversion, 738
 resource theory, 305, 738
 catalysis-free, 744
 non-interacting, 744
 quantity-like, 744

satisfiability problem, 699
 Schmidt decomposition, *see* singular value decomposition
 Schmidt rank, *see* rank
 Schrödinger picture, 355
 Schrödinger's cat, 397
 Schur product, 434
 search problem, 708
 self-conjugate process, 111
 self-transposed process, 99

Index

separable, 85
 set, 53
 SIC-POVM measurement, 389
 signalling, 312
 simplifier, 794
 singular value decomposition, 448
 SLOCC, 771
 SLOCC-maximal, 128
 space monkeys, 11
 spacetime, 309
 spatial separation, 310
 specification language, 406
 spectral decomposition, 446
 spectral theorem, 204
 spectrum, 206
spek, 664
 spek ZX-calculus, 672

spider, 439
 bastard, 466
 classical, 464
 copying, 437
 deleting, 421, 437
 diagram, 451
 encode, 416
 equations, 445
 fusion, 442
 isomorphic, 782
 matching, 437
 measure, 415
 phase, 517
 quantum, 464

spin, 348
 squared-norm, 114
 impurity, 285

state, 60
 Stern–Gerlach device, 347
 stochastic map, *see* classical process
 stochastic matrix, 425
 string diagram, 92
 logical reading, 135

strong complementarity, 560
 generalised rule, 564, 800
 κ -copy rule, 570
 κ -eliminate rule, 573
 κ -map-copy rule, 571
 κ - κ' -commute rule, 572

subgroup
 annihilator of, 717
 inclusion map, 712

subtraction, 171
 sums, 167
 closure of **quantum maps**, 300
 distributivity, 168, 784
 superposition, 272, 356
 supplementary angles, 596
 swap, 46

- symmetric informationally complete measurement, 388
- system-type, 29
- teleportation, 6
 - classical, 139
 - with classical wires, 482
 - with complementary measurements, 552
 - quantum, 327
 - with string diagrams, 137
- temporal flow, 49
- tensor-style notation, 164
- time-reversal, 134
- tomography, 273, 385
 - local, 390
 - process, 391
 - state, 385
- total order, 744
- trace, 101
 - cyclicity, 102
 - of a matrix, 185
- transpose, 95
 - algebraic, 101
 - involution, 96
 - joint system, 100
 - matrix, 165
 - operator, 149
 - sliding boxes, 98
- trivial system, 45
- type, 29
- unbiased state, 512
- unitary, 117
 - controlled, 690
 - multiplexed, 690
 - universal set of gates, 525, 691
- von Neumann, John, 6
- von Neumann algebra, 403
- von Neumann's quantum formalism, 377
- W-state, 775
- weakest precondition semantics, 404
- Wedderburn's theorem, 501
- weight, 283
- Wigner's friend, 397
- Wigner's theorem, 353
- X-basis, 214
- X_α -measurement, 722
- yanking equations, 90
- Z-basis, 210
- Z-measurement, 722
- zero process, 67
- zero relation, 66
- ZX-calculus, 589
 - colour change, 601
 - equivalent presentation, 600
 - general supplementarity, 610
 - local complementation rule, 606
 - Y-rule, 589
 - $\frac{\pi}{2}$ -supplementarity, 595
 - π -commute, 592
 - π -copy, 596
- ZX-diagram, 582