

Index

- accelerometers, v, 18, 37, 45, 47, 48, 238, 240
 acoustic damper, 208
 acoustic feedback, 202, 216, 225
 acoustic sensors, vi, 19, 53
 action potentials, 6, 24, 26, 27, 28, 144, 147, 166, 170, 171
 active electrodes, 177
 active filters, vi, 62, 89
 acute decompensated heart failure, 250
 adaptive gain reduction, 216
 adaptive notch filters, 216
 adenosine triphosphate (ATP), xvi, 25, 162
 alpha waves, 181
 amplitude shift keying, 247
 analogue-to-digital converter (ADC), vii, xiii, xvi, xix, 6, 15, 19, 96, 98, 99, 101, 106, 107, 108, 109, 110, 111, 112, 113, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 127, 128, 130, 136, 137, 138, 139, 151, 155, 156, 179, 180, 193, 202, 204, 213, 247, 248
 anaesthesia, viii, xiii, 24, 31, 168, 169, 171, 175, 182, 183, 184, 185, 186, 194, 195, 257, 272, 298
 antennas, xix, 22, 150, 244, 245, 246, 247, 248, 249, 250, 251, 256, 258, 264, 267, 268, 300
 application-specific integrated circuit, xvi, 22, 242, 264
 atrial fibrillation (AF), 6, 8, 159, 252, 256, 259
 atrioventricular nodal block, 159
 atrioventricular node, 27, 143, 144, 146, 159
 attack times, 223
 automatic blood pressure measurement, 44
 automatic gain control, xvi, 222, 223
 automatic volume control, xvi, 222, 223, 232

 balanced magnetic armatures, 225
 band-pass filter, vi, 62, 69, 71, 73, 74, 77, 78, 89, 90, 91, 95, 102, 104, 163
 band-stop filter, vi, 62, 71, 73, 77, 199, 303
 basilar membrane, 199, 200
 bass increase at low level, viii, xvi, 196, 224
 beam forming, xiii, 211, 232
 Beer–Lambert law, 33
 behind the ear (BTE) hearing aid, xvi, 202, 219, 228
 beta waves, 181
 binaural hearing aid, 229, 230, 233

 biocompatibility, xi, xiv, 8, 14, 37, 266, 273, 274, 293, 294, 295, 296, 299, 306
 biopotentials, 5, 28, 30, 84
 bispectral index, viii, xiii, 169, 171, 183, 185, 194
 blood glucose level, 49, 51
 blood oxygenation, v, 18, 31, 32, 33
 blood pressure (BP), xii, 3, 5, 18, 21, 44, 45, 138, 237, 239, 240, 241, 242, 287
 Bluetooth, 202, 229, 242
 Bode plot, 63, 64, 65, 66, 67, 68, 69, 70, 73, 104
 body protected areas, 285
 bradycardia, 161, 252, 254, 256
 brain–computer interface, xvi, 171, 188, 190, 194
 bridge circuits, 18, 40
 Bruce protocol, 162
 buffer amplifier, 83, 84
 burst mode sampling, 179, 180
 burst suppression ratio, 184
 Butterworth filter, 71

 capacitive sensors, 18, 45, 47, 240
 carcinogenicity, 298
 cardiac defibrillators, 243
 cardiac protected areas, 285
 cardiac resynchronization therapy, xvi, 235, 254
 cardiac vector, 144, 145, 146, 162
 cardiovascular implantable electronic device, 250, 251, 258, 265
 CE mark, 9
 ceramics, 294, 296
 Chebyshev filter, 71, 74
 circuit-breaker, 280, 281
 Class I equipment, 286
 Class II equipment, 286
 Class III equipment, 286
 cobalt–chromium alloys, 296
 cochlea, 197, 199, 200
 common-mode rejection ratio, xvi, 86, 87, 153, 166, 242
 comparator circuit, 115, 138
 completely in canal (CIC) hearing aid, xvi, 202, 204
 compression, viii, 196, 220, 221, 224, 234
 computer-aided diagnosis, 182
 conduction paths, 272
 continuous glucose monitor, ix, 236, 261

- cross-correlation, vii, 106, 108, 133, 134, 139, 157, 185, 216, 219, 233
 current-of-injury mechanism, 162
 cytotoxicity, 297
- delta waves, 181
 delta-sigma analogue-to-digital converter, xiii, 112, 117, 120, 124, 139
 deterministic signals, 128, 129
 diabetes, 7, 49, 238, 261, 263, 268, 270
 differential amplifier, 85, 86, 87, 152
 differential non-linearity, xvii, 111, 137
 differentiating amplifiers, 62, 82
 digital filters, 6, 107, 126, 136
 digital signal processing, xvii, 19, 202, 211, 213, 214, 215, 216, 218, 219, 220, 225, 227
 digital word, 107, 111, 118, 119, 138
 digital-to-analogue converter (DAC), xvi, 99, 119, 120, 122, 124, 125, 202, 204, 225
 digitization, 6, 107, 123, 163, 179, 211
 directional microphone, 54, 196, 207, 209, 210, 211, 212, 213, 216, 217, 218, 219, 232
 directivity factor, 209
 double-chamber pacemaker, 253, 259, 304
 driven right leg circuit, 153
 dynamic range, xix, xx, 6, 7, 107, 108, 110, 121, 127, 175, 201, 213, 220, 221, 223, 225, 229, 232, 234
- ear canal, 199, 200, 202, 204, 205, 206, 207, 216, 232
 ear canal resonance, 206
 earmould, 202, 203, 204, 206
 earth leakage current, 289
 earthbond testing, x, 272, 292
 effective number of bits, 111
 e-health, 238
 Einthoven's triangle, vii, 140, 145, 146
 electret, 54, 56, 207
 electrical insulation, 272
 electrical outlets, 277, 288
 electrical source imaging, xviii, 169, 191, 195
 electrocardiogram (ECG), vii, xiii, xv, xvii, 6, 7, 8, 21, 24, 28, 29, 30, 31, 57, 63, 84, 86, 128, 129, 136, 140, 141, 142, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 170, 175, 176, 178, 185, 239, 240, 242, 256, 274, 284, 285
 electroencephalogram (EEG), xviii, xiii, xvii, 24, 28, 29, 30, 60, 63, 84, 102, 128, 129, 130, 132, 133, 161, 169, 170, 171, 172, 173, 175, 176, 177, 178, 179, 180, 181, 182, 183, 185, 186, 187, 188, 190, 191, 192, 193, 194, 195, 241, 242, 272, 274
 electromagnetic safety, x, 272, 300
- electromyogram (EMG), xvii, 21, 24, 28, 31, 151, 178, 179
 electrooculogram (EOG), xvii, 24, 28, 31, 63, 178, 185
 emergency power, 277
 epidermis, 29, 30
 epilepsy, viii, xiii, 169, 171, 175, 182, 191, 193, 194, 195
 equipotential bonding bars, 277, 280
 ergodic signals, 130
- field-effect transistor, xvii, 55, 56
 filters, vi, xiii, xvii, xviii, 6, 62, 63, 68, 69, 71, 72, 74, 75, 76, 77, 78, 89, 90, 91, 92, 93, 94, 95, 97, 98, 99, 100, 101, 102, 104, 105, 112, 122, 123, 124, 125, 126, 128, 130, 136, 138, 139, 150, 154, 155, 166, 178, 188, 199, 212, 213, 216, 217, 225, 226, 233, 233, 303
 flash analogue-to-digital converter, 117, 118, 119, 120, 121, 125, 138, 188
 Food and Drug Administration (FDA), xvii, 2, 8, 9, 10, 16, 50, 185, 239, 293, 297, 298, 299, 300, 301
 Fourier transform, vii, xvii, 106, 108, 131, 132, 133
 frequency-hopping spread spectrum, 242
 frequency lowering, 202, 225
 frequency shift keying, 247
 functional electrical stimulation, viii, 169, 190, 195
- gain–bandwidth product, 79
 Galinstan, 21
 galvanic sensors, 240
 Gaussian noise, 131
 glaucoma, ix, xiv, 22, 236, 264, 265
 glucose monitoring, vi, 15, 18, 19, 49, 50, 52, 243, 263, 270, 299
 glucose monitors, vi, xii, xiii, xvi, 10, 18, 49, 127, 128, 261, 262, 300
 glucose oxidase, xvii, 50, 52, 261
 glucose-1-dehydrogenase, xvii, 51, 52
 Goldman–Hodgkin–Katz equation, 25
 ground fault, 281, 282, 283
 ground fault circuit interrupters, 271, 282
 ground loop, 284
- haemocompatibility, 297, 299
 haemoglobin, 32
 half-cell potential, 7, 29, 30, 150
 hearing aids, vi, viii, ix, xii, xiii, 5, 19, 53, 54, 56, 124, 134, 196, 197, 201, 202, 204, 206, 209, 215, 220, 224, 227, 229, 230, 231, 233, 234
 Helmholtz double layer, 28
 Helmholtz resonance, 227
 high-frequency ECG, xiii, 163
 high-pass filter, vi, 62, 71, 72, 73, 89, 90, 91, 92, 95, 100, 150, 155, 185, 186, 212

- hospital-grade receptacle, 279
 hypercardioid, 212
- implantable cardioverter defibrillator, 252
 implantable haemodynamic monitor, xviii, 256
 implantable loop recorder, xviii, 256
 implantation effects, 298
 implanted pulmonary artery pressure, 257, 296
 in the canal (ITC) hearing aid, xviii, 202, 204
 in the ear (ITE) hearing aid, xviii, 202, 204, 206
 inductive transducers, 48
 industrial, scientific and medical frequency bands, 245
 instrumentation amplifier, vi, 62, 84, 87, 88, 151, 152, 153, 155
 integrated non-linearity, xviii, 111
 integrating amplifier, 82, 98
 intensive care unit (ICU), xvii, 21, 177, 183, 186, 279
 International Electrotechnical Commission (IEC), v, xviii, 1, 8, 10, 11, 13, 14, 17, 231, 266, 267, 272, 291, 300, 301, 304
 International Electrotechnical Commission (IEC) standards, 10
 International Organization for Standardization (ISO), v, xviii, 1, 8, 10, 11, 12, 13, 14, 17, 50, 266, 267, 294, 297, 298, 299, 300
 intraocular pressure (IOP), xviii, 21, 22, 264
 intrathoracic impedance, 254
 inverting amplifier, 80, 81
 ionic currents, 6, 24, 28, 29, 30, 141, 144, 170, 174
 isolation transformers, 280, 285
- Knowles Electronics Manikin for Acoustic Research, ix, xviii, 197, 231
 Korotkoff sounds, 44
- lead-off circuitry, vii, 140, 154
 lead voltages, 141, 145, 147, 148, 150
 leadless pacemaker, 260, 305
 leakage current, ix, 114, 150, 271, 275, 280, 281, 282, 283, 284, 285, 287, 288, 289, 290, 291, 292, 305
 least significant bit, xviii, 108, 111
 let-go limit, 275, 276
 light-emitting diodes (LEDs), 33, 35, 98, 100, 243
 line isolation monitor, 282
 listening in the dips, 223
 low-pass filter, 63, 100, 155, 166
- macroshock, ix, xiv, 271, 274, 275, 280, 281, 282, 284, 305
 magnetic resonance imaging (MRI) scanner, 302, 303, 306
 material degradation, 274, 298
- medical device radiocommunication service, xviii, 245
 membrane potential, 25, 26, 27, 144, 162
 m-health, xi, xiii, 10, 238, 239
 micro-electro-mechanical systems, v, xii, xviii, 18, 19, 20, 21, 22, 23, 38, 40, 44, 46, 52, 56, 59, 60, 265, 303
 microphone, vi, xii, 19, 53, 54, 55, 56, 60, 63, 102, 196, 202, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 216, 218, 219, 220, 224, 227, 228, 229, 230, 231, 233, 234
 microshocks, 275
 most significant bit, xviii, 109, 119
 moving average, 107, 136
 myocardial ischaemia, 160
- nitinol, 294
 noise figure, 97
 noise-shaping, 125
 non-inverting op-amp, 62, 80, 81, 82, 85, 87, 104
 non-ST elevation myocardial infarction, 164, 165
 Nyquist–Shannon sampling theory, 108
- occlusion effect, 204, 216, 234
 omnidirectional microphones, 207
 op-amps, vi, xiii, 62, 79, 80, 87, 113, 114, 115, 153
 optical sensors, v, 18, 31, 242
 oversampling, xiii, 106, 107, 112, 122, 123, 124, 125, 126, 127, 139, 155, 163
- P300 evoked potentials, 187
 pacemaker cells, 27, 57, 143, 144, 254, 305
 pacemakers, 18, 47, 237, 243, 250, 251, 252, 253, 260, 265, 266, 267, 269, 272, 286, 293, 294, 296, 302, 303, 304, 306
 Parkes error grid, 15, 263, 270
 patient leakage current, 290
 phase cancellation, 199, 216, 217
 phase shift keying, 247, 248
 photodiode, 31, 33, 34, 35, 36, 37, 100
 photovoltaic effect, 35
 piezoelectric sensors, v, 18, 43
 piezoresistive sensor, 40
 piezoresistors, 39, 40, 42
 pinna, 198, 199, 200, 206, 214
 pipelined analogue-to-digital converters, 118, 120, 121, 122
 Poisson's equation, 173
 Poisson's ratio, 39, 40
 polar plot, 209, 210
 postsynaptic potential, xvii, xviii, 171
 power lines, 7, 22, 30, 136, 141, 150, 151, 152, 178, 282
 precision, 15, 19, 122

- pressure sensor, v, ix, xii, 5, 18, 21, 37, 41, 42, 43, 45, 46, 57, 61, 236, 248, 256, 257, 264, 265, 296
 pressure-sensitive capacitor, 257
 probability density function, xix, 129, 130
 pulse oximeter, v, vi, vii, xii, xiii, 18, 31, 33, 35, 36, 58, 62, 97, 98, 99, 100, 104, 106, 127, 239, 242
 pulse-width modulation, 225
 Purkinje fibres, 27
 P-wave, 141, 142, 156, 157, 158, 159, 160, 166
 pyramidal cells, 172
- QRS-complex, 141, 142, 146, 155, 156, 157, 159, 160, 163, 164, 165
 QT interval, 156, 157, 161
 quantization noise, 109, 110, 111, 123, 124
- receiver operating characteristic, 15, 16
 receivers, viii, 15, 16, 22, 77, 96, 178, 197, 202, 204, 205, 214, 216, 225, 227, 228, 229, 242, 244, 245, 248, 251, 254, 261, 264, 301
 reduced amplitude zones, 164, 165
 refractory period, xix, xx, 26, 253
 release time, 222, 224, 232
 remote monitoring, 239, 245, 251
 remote patient monitoring, xix, 240
 reproducibility, 15, 156
 residual current devices (RCDs), 284
 resonant frequency, 78, 103, 200, 246, 248, 258, 264
- Sallen–Key, vi, 62, 89, 92, 93, 94, 95, 104, 178
 sample-and-hold circuit, 113, 114, 115, 117, 118, 119
 scalp electrodes, 170, 173, 174, 176, 177
 second-order filter, 95
 sensorineural hearing loss, 201
 shift register, 116, 117, 119, 121
 signal averaging, 107, 135
 signal pressure level, xx, 201, 211, 213, 218, 221, 222, 224, 227
 silver/silver chloride electrode, 29
 sinoatrial block, 158, 159
 sinoatrial node, 27, 144, 158, 159, 254
 skin–electrode impedance, 84, 152
 slow cortical potentials, 187, 188, 194
- smart textiles, 242
 sodium–potassium pump, 25
 specific absorption rate, xix, 117, 119, 120, 121, 122, 128, 138, 244, 247, 300
 speech recognition, 220
 SpO₂, xx, 32, 33, 34, 35, 51, 127, 242
 ST-segment, 155, 157, 160, 161, 162, 163
 stationary signal, 129, 130
 stochastic signals, vii, 106, 128, 129, 130
 strain gauge, 22, 38, 40, 41, 43
 summing amplifier, 84, 85
 Swan–Ganz catheter, xiii, 133, 134
- tachycardia, 161, 252, 254, 256, 259, 260, 303
 T-wave, 141, 142, 146, 150, 156, 157, 160, 161, 166
 telecoil, 228, 229, 233
 theta waves, 181
 time-domain multiplexing, 179, 180
 transfer function, 40, 64, 65, 66, 67, 68, 69, 70, 71, 72, 74, 76, 77, 78, 89, 91, 92, 93, 94, 98, 102, 104, 216, 217, 249, 267
 transimpedance amplifier, 37, 98, 99, 100, 101, 128
 treble increase at low level, viii, xx, 196, 224
 tympanic membrane, 200, 204, 205, 225
 Type B (body) equipment, 287
 Type BF (body floating), 287
 Type CF (cardiac floating), 287
- ultra-wideband frequency range, 245
 University of Glasgow algorithm, 141, 157, 158
- venous occlusion plethysmography, 18, 41, 43
 vent, 204, 205, 206, 207, 215, 216, 232, 233
 visual evoked potentials, 171, 187
 V-model, 13
 voltage sensors, xii, 24
 volume conductor, 28, 60, 170, 174, 175, 191
- wearable sensors, ix, 235, 240
 Wheatstone bridge circuit, 40, 41, 58
 Wilson’s central terminal, xx, 147, 148
 wind noise, 202, 211, 219, 230
- ZigBee, 242