

---

# INDEX

- Almansi strain, 5
  - physical interpretation of, 105
  - tensor, 103, 111
- alternating tensor, 40
- angular velocity vector, 127
- arc length method, 256
- area change, 116
- area ratio, 147
- assembly process, 240, 250
- augmented Lagrangian method, 302
  
- backward Euler time integration, 84, 205
- bifurcation point, 3, 4
- Biot stress tensor, 152
- body forces, 139, 142, 147
  - linearization of, 219
- buckling, 4
- bulk modulus, 173, 182, 266
  
- cantilever
  - elasto-plastic, 303
  - simple, 2
- Cartesian coordinates, 22, 96
- Cauchy stress, 6
  - uniaxial, 59
- Cauchy stress tensor, 140, *see* stress tensor
  - in principal directions, 141
  - objectivity of, 141
  - symmetry of, 145
- Cauchy–Green tensor, *see* right and left
  - Cauchy–Green tensor
- column
  - simple, 3
- compressible neo-Hookean material, 165
- computer implementation, 260–306
  - constitutive equations, 266, 309–315
  - element numbering, 272
  - element types, 265, 272
  - Gauss point numbering, 272
  - internet address, 260, 276
  - main variables, 306
  - output file, 269
  - program structure, 277–298
  - solution algorithm, 261
  - solver, 274
  - user instructions, 263
- computer program
  - FLagSHyP, xviii
  - simple, xv, 18–19
- conservation of mass, 113
  - rate form, 130
- consistency condition, 80
- consistency parameter, 79, 198
  - incremental, 205, 208
- constitutive
  - equation summaries, 309–315
  - equations, 158
  - matrix, 245
  - tangent matrix, 244
- continuity equation, 113, 130
- convective
  - derivative, 121
  - stress rate, 155
- cross product, *see* vector product
  
- deformation gradient, 100
  - discretized, 235
  - distortional, 114
  - elastic component, 189
  - in principal directions, 110
  - incremental, 134
  - linearized, 117
  - mean, 230
  - plastic component, 189
  - polar decomposition, 106–112
  - time derivative of, 122
- density, 98
- determinant of a tensor, 38
  - linearization of, 15, 52
- deviatoric stress tensor, 153

## INDEX

319

- deviatoric tensor, 43
- dilatation
  - pure, 167, 174
- directional derivative, 12–15, 45–51, 54
  - function minimization, 51
  - linearity of, 48
  - of a determinant, 15, 52
  - of inverse of a tensor, 52
  - of volume element, 119
  - properties of, 48
  - relation to time rates, 121
- discretized equilibrium equations
  - matrix-vector form, 241
  - tensor form, 239
- distortional
  - deformation gradient, 114
  - stretches, 182
- distortional strain energy, 170, 171, 182
- divergence, 55
  - discretized average, 252
  - properties of, 55
- divergence theorem, 57
- dot product, *see* vectors
- double contraction, 37
  - properties of, 37, 41, 42
- double product, *see* double contraction
- dyadic product, *see* tensor product
  
- eigenvectors and eigenvalues
  - of second-order tensor, 38
- Einstein summation convention, 22
- elastic potential
  - compressible neo-Hookean, 165
  - general, 159
  - incompressible neo-Hookean, 170
  - Mooney–Rivlin, 172
  - nearly incompressible, 172
  - St. Venant–Kirchhoff, 161
- elastic potential in principal directions, 175
  - nearly incompressible, 182
  - plane strain, 184
  - plane stress, 184
  - simple stretch-based, 180
  - uniaxial, 185
- elasticity tensor, 42, 44, *see* isotropic elasticity tensor
  - Eulerian (spatial), 162, 166, 174, 179, 183
  - Lagrangian (material), 160, 165, 179
- element numbering, 272
- email addresses, 260
- engineering strain, 5
- equilibrium equations
  - differential, 144, 148
  - discretized, 239–242
  - linearized, 215
  - rotational, 144
  - translational, 142
  - truss, 66
- equivalent nodal forces
  - external, 239
  - internal, 239, 242
  - internal truss, 64
- equivalent stress, *see* Von Mises equivalent stress
- Euler buckling load, 4
- Eulerian (spatial) elasticity tensor, 161, 172, 179
- Eulerian description, 98
- Eulerian strain tensor, *see* Almansi strain
- examples, *see* finite element analysis
  - trusses, 89
- Finger tensor, *see* left Cauchy–Green tensor, 103
- finite deformation analysis, 96, 97
- finite element analysis
  - twisting column, 302
- finite element analysis
  - elasto-plastic cantilever, 303
  - elasto-plastic single element, 299, 300
  - hyperelastic single element, 299
  - plane strain strip, 301
  - simple patch test, 298
  - strip with a hole, 300
- finite element method
  - summary, 2
- first Piola–Kirchhoff stress tensor, *see* stress tensor
- FLagSHyP, 61
- flow rule, 193
  - in principal directions, 201
  - incremental, 205
  - uniaxial, 79
- fourth-order tensor, 41–45
  - deviatoric, 43
  - identity, 42
  - isotropic, 43
  - skew, 43
  - symmetric, 43
- frame indifference, *see* objectivity, 154
- inelastic aspects of, 191
- function minimization, *see* directional derivative
  
- Gauss point numbering, 272
- Gauss theorem, 57
- generalized strain measures, 111
- geometric stiffness, *see* initial stress stiffness
- gradient, 54
  - properties of, 55
- Green (or Green's) strain, 5, 11
  - linearized, 118
  - physical interpretation of, 105
  - tensor, 103, 111
  - time derivative, 123, 128
- Green–Naghdi stress rate, 155
  
- hardening parameter, 79, 197
- homogeneous potential, 170
- Hu–Washizu variational principle
  - six-field, 233
  - three-field, 227
- hydrostatic pressure, *see* pressure
- hyperelasticity
  - definition, 159
  - incompressible and nearly incompressible, 168–175

- isotropic, 162–168
- isotropic in principal directions, 175–186
- simple stretch-based, 180
- uniaxial, 64, 66, 185
- identity tensor, 27
- incompressibility
  - Lagrange multiplier approach, 223
  - mean dilatation technique, 229, 251
  - penalty method, 226
- incompressible materials, 168–175
- incremental kinematics
  - in plasticity, 203
  - uniaxial, 81
- incremental plastic multiplier, 84, 86, 208
- inelastic behavior
  - three-dimensional, 188–209
    - algorithm, 210
  - three-dimensional truss, 75–88
    - algorithm, 88
  - two-dimensional, 209
- initial stress stiffness, 9, 247, 259
- integration theorems, 56
- internal equivalent nodal forces, *see* equivalent forces
- internal virtual work, 146
- invariants
  - of left Cauchy–Green tensor, 164
  - of right Cauchy–Green tensor, 162
  - second-order tensor, 36–39
  - vector, 36
- inverse of second-order tensor, 27
- isochoric, *see* distortional
- isoparametric element
  - geometry interpolation, 234
- isotropic elasticity tensor
  - compressible neo-Hookean, 166
  - nearly incompressible hyperelastic, 174
  - nearly incompressible hyperelastic in principal directions, 183
- isotropic material
  - definition, 162
- isotropic tensors, 35, 40, 43
- Jacobian, 113, 116
- Jaumann stress rate, 155
- Kelvin effect, 168
- kinematics
  - definition, 96
  - discretized, 234
  - uniaxial, 61
- Kirchhoff stress
  - uniaxial, 59, 65
- Kirchhoff stress tensor, 147
- Lagrange multipliers (for incompressibility), 223
- Lagrangian description, 98
- Lagrangian (material) elasticity tensor, 160, 171, 174, 179
- Lagrangian strain tensor, *see* Green strain
- Lamé coefficients, 44, 166, 266
  - effective, 166, 184
- left Cauchy–Green tensor, 103, 108
  - discretized, 236
  - elastic, 191
    - in principal directions, 199
    - rate, 193
  - trial elastic, 204
  - updated elastic, 206
- Lie derivative, 125, 155, 162
- limit points, 7, 256
- line search method, 254
- linear stability analysis, 4
- linearization, 12–15
  - function minimization, 51
  - of a determinant, 15, 52
  - of algebraic equations, 15, 49
  - of inverse of tensor, 52
  - uniaxial kinematics, 63
- linearized
  - deformation gradient, 117
  - Eulerian external virtual work, 219–221
  - Eulerian internal virtual work, 218
  - Lagrangian (Green’s) strain, 118
  - Lagrangian internal virtual work, 216
  - left Cauchy–Green tensor, 118
  - right Cauchy–Green tensor, 118
  - virtual work, 215
  - volume change, 119
- load correction matrix, 70
- load increments, 16, 253
- load stiffness matrix, 70
- loading/unloading conditions, 80
- locking
  - shear (Example 8.4), 230
  - volumetric, 227, 230, 251
- logarithmic strain, 5
  - additive decomposition, 77
  - material, 112
  - spatial, 112
  - uniaxial, 62
- mass conservation, *see* conservation of mass
- material description, 98
  - uniaxial motion illustration, 98
- material elasticity tensor, *see* Lagrangian elasticity tensor
- material strain rate tensor, 123, *see* Green strain
- material time derivative, 120
- material vector triad, 109
- material virtual work equation, *see* virtual work equation
- maximum plastic dissipation principle, 79
- mean dilatation technique, 228, 229
  - discretization of, 251
- multiplicative decomposition
  - of deformation gradient, 190
  - uniaxial stretch, 76
- natural strain, *see* logarithmic strain, 5

## INDEX

321

- nearly incompressible materials, 172
  - in principal directions, 181
- neo-Hookean material
  - compressible, 165
  - incompressible, 170
- Newton–Raphson method, 12, 15, 45–48, 48, 50, 67, 88, 253
  - convergence, 17
  - modified, 17
  - solution algorithm, 17, 253
- nodes, 234
  - numbering of, 272, 273
- nonlinear computational mechanics
  - definition, 1
- nonlinear equations, 15
  - general solution, 46–48
- objectivity, 130
  - Cauchy stress, 141
  - second Piola–Kirchhoff tensor, 154
  - stress rates, 154
- Ogden material (Exercise 6.6), 187
- Oldroyd stress rate, 155
- orthogonal tensor, 28
- out-of-balance force, *see* residual force
- patch test, 298
- path-dependent material, 60
- penalty method
  - for incompressibility, 226
- penalty number, 173, 182
- perturbed Lagrangian functional, 226
- Piola transformation, 151, 154
- Piola–Kirchhoff stress tensors, *see* stress tensor
  - first, 158
  - second, 9, 160
- planar deformation (Exercise 4.7), 135
- plane strain, 184
- plane stress, 184
- plastic
  - modulus, 79
  - multiplier, *see* consistency parameter
  - rate of deformation, 195
  - uniaxial strain, 80
  - uniaxial strain rate, 79
- plasticity, 60, *see* rate-independent plasticity
- Poisson’s ratio, 44, 181, 185
- polar decomposition, 29, 106–112
- pressure, 153, 169, 173
  - uniform element, 251
- pressure force
  - enclosed boundary case, 221
  - linearization of, 219
- principal Cauchy stress, 141, 177, 180, 184
- principal directions, 106–112, 127, 141
  - isotropic elasticity, 175–186
  - nearly incompressible material, 181
- principle of maximum plastic dissipation, 196, 198
- principle of virtual work, 60, 72, 145–151, 222
  - material, 151
  - spatial, 146
- pull back, 101, 106, 124, 125, 150, 151, 155, 161, 217
- pure dilatation, *see* dilatation
- push forward, 101, 106, 109, 124, 151, 155, 161, 172, 174, 217
- rate-independent plasticity
  - general, 197
  - in principal directions, 199–203
  - uniaxial, 77
- rate of deformation tensor, 124
  - physical interpretation, 124
- rate of volume change, 129
- residual force, 6, 144, 239–241
- return mapping, 60, 206
  - general, 193
  - uniaxial, 85, 86
- right Cauchy–Green tensor, 103, 106
  - discretized, 236
  - distortional, 114
  - elastic component, 190
  - plane stress, 186
  - plastic component, 190
  - updated plastic component, 206
- rigid body motion, 125, 130
- rotation tensor, 106
- rotational equilibrium, 144
- second-order tensor, 26–39
  - inverse, 27
  - isotropic, 35
  - linearity of, 27
  - orthogonal, 28
  - skew, 28
  - symmetric, 28
  - trace, 36
  - transpose, 27
  - two-point, 100
- second Piola–Kirchhoff stress tensor, *see* stress tensors
- shape functions, 235
- shear
  - simple, 115, 167, 173
- shear locking, *see* locking
- simply supported beam, 51
- skew tensor, 28, 31
- small strain tensor, 10, 118
- snap-back behavior, 256
- snap-through behavior, 7
- spatial description, 98
  - uniaxial motion illustration, 98
- spatial elasticity tensor, *see* Eulerian elasticity tensor, *see* elasticity tensor
- spatial vector triad, 109
- spatial virtual work equation, *see* virtual work equation
- spin tensor, 126
- St. Venant–Kirchhoff material, 161
- stationary condition, 71
- stiffness, *see* tangent stiffness matrix

- one degree of freedom, 8
- strain energy function, *see* elastic potential and volumetric strain energy
  - elastic, 191
  - general, 159
  - uniaxial, 64, 65
- strain measures, *see* Almansi, engineering, Green, logarithmic
  - one-dimensional nonlinear, 4
- stress rates
  - convective, 155
  - Green–Naghdi, 155
  - Jaumann, 155
  - Oldroyd, 155
  - Truesdell, 154
- stress tensor, 35
  - Cauchy, 6, 137–142, 164, 165, 171, 180, 184
  - deviatoric, 153
  - first Piola–Kirchhoff, 148, 158
  - Kirchhoff, 147, 191
    - in principal directions, 199
  - physical interpretations, 148, 151
  - second Piola–Kirchhoff, 9, 150, 151, 160, 163, 165, 170, 173, 176, 191
  - trial deviatoric Kirchhoff, 204
  - updated trial deviatoric Kirchhoff, 206, 208
- stress update
  - uniaxial, 84
- stress vector, 241
- stretch
  - elastic, 199
- stretch (uniaxial), 59, 61
  - elastic, 76
  - plastic, 76
- stretch tensor
  - material, 107
  - spatial, 108
- stretches
  - in principal directions, 109
- surface forces, *see* pressure force
  - linearization of, 219
- symmetric tensor, 28, 43
  
- tangent (stiffness) matrix, 16, 87, 243
  - constitutive component
    - indicial form, 244
    - matrix form, 246
  - dilatational component, 252
  - external force (pressure) component, 248
  - initial stress component, 247
  - source of, 215, 243
  - truss (elastic), 68
- tangent matrix, 50
- tangent modulus, *see* elasticity tensor
  - algorithmic, 208
  - continuum
    - elastic, 209
    - elasto-plastic, 209
  - uniaxial (definition), 59
  - uniaxial (elastic), 69
  - uniaxial (elasto-plastic), 87, 88
- Taylor’s series expansion, 47
- tensor analysis, *see* gradient, divergence, integration theorems
- tensor product, 29
  - components of, 31
  - properties of, 29
- third-order tensor, 39–41
- time integration, 83
- total potential energy, 13, 51, 60, 71, 222
- trace of second-order tensor
  - definition, 36
  - properties, 37
- traction vector, 137, 140, 147
- transformation tensor, 28
- translational equilibrium, 142
- transpose of second-order tensor, 27
- trial
  - deviatoric Kirchhoff stress, 204
  - elastic left Cauchy–Green tensor, 204
  - uniaxial elastic stretch, 82, 84
  - uniaxial Kirchhoff stress, 84
- Truesdell stress rate, 154
- truss member
  - analysis, *see* examples
  - general elasto-plastic, 59
  - simple one-degree-of-freedom, 6
- twisting column, 302
- two-point tensor, 100, 107, 110, 148
  
- user instructions for computer program FLagSHyP, 263
  
- variational formulation, 60, 71, 222
- variational statement, *see* Hu–Washizu, *see* total potential energy
- vectors, 22–26
  - modulus (magnitude) of, 36
  - scalar product, 22
  - transformation of, 23–26
  - vector (cross) product, 26
- velocity, 119
- velocity gradient tensor, 122
- virtual displacement, 71
- virtual velocity, 74
- virtual work
  - for trusses, 72
  - principle of, 145
- virtual work equation
  - association with directional derivative, 14, 75, 223
  - discretized, 241
  - linearization, 215
  - material, 151
  - spatial, 146
- Voigt notation, 241
- volume change, 113
  - linearized, 119
  - rate of, 129
  - uniaxial, 62, 65
- volumetric locking, *see* locking

## INDEX

323

- volumetric strain energy, 173, 182
- Von Mises
  - equivalent plastic strain, 199, *see* incremental plastic multiplier, 208
  - equivalent stress, 197, 198
  - plasticity, 197
- work conjugacy, 147, 194
- yield condition
  - uniaxial, 79
- yield surface, 197
  - vector normal to, 202, 207
- Young's modulus, 6, 44, 181, 185