

## Index

- 2-isopropyl-3-methoxy-pyrazine, 238  
 2-phenylethylamine, 237
- abdomen, 17, 20, 22, 24, 28–9, 32, 38, 42, 110,  
 114, 125, 128, 172, 186, 189, 209–10,  
 218
- Acacia, 197, 199
- acaricides, 316
- Acaridae, 217
- Acarina, 205, 217
- Acer pseudoplatanus*, 50, 68, 121
- Acraea, 228, 297, 302
- Acraea encedana*, 302
- Acraea encedon*, 297, 302
- Acyrtosiphon nipponicum*, 101
- Acyrtosiphon pisum*, 75, 77, 90, 92, 97–101,  
 116, 239
- Adalia, 5–6, 10, 22, 34, 44, 64, 70, 78, 80, 86,  
 123, 125, 128, 130, 132, 140, 143, 147,  
 159–60, 166–7, 171, 180–1, 218, 222,  
 234, 237, 239, 241, 255, 259–60, 262,  
 269, 279, 281, 284, 286, 298, 311, 325,  
 327, 335
- Adalia 10-punctata*, 22, 70, 80, 86, 98–100,  
 104, 108, 116, 132, 146–7, 149,  
 154, 156, 160, 174, 181–3, 188,  
 208, 219, 241, 259–60, 262, 266,  
 268, 273, 276, 279, 281, 283, 285–6,  
 294–5, 302
- Adalia 2-punctata*, 5–6, 11, 34, 48, 64, 70–2, 75,  
 80–1, 83, 86, 88, 90, 92, 97–104, 108,  
 111, 113, 116, 123–38, 140, 142–7,  
 149, 151–2, 154, 156–7, 159, 161,  
 166–7, 170–1, 173–5, 180–2, 184–6,  
 188, 207–8, 210, 216, 218–22, 224,  
 226–30, 232, 237–9, 241, 259, 262,  
 264, 266, 271–2, 274, 276, 279,  
 281, 283, 285, 287–9, 291–5, 297–8,  
 301–3, 311, 314, 316, 319, 325, 327,  
 329, 335
- Adalia 4-spilota*, 80
- Adalia conglomerata*, 255
- adaline, 108, 237, 241
- adalinine, 237
- adelgids, 29, 49, 62, 65, 86, 91, 176, 199, 308,  
 310, 322
- Adonia, 44, 71
- aggregations, 163, 165, 168, 170, 178, 184,  
 221, 312, 324
- Aiolocaria, 78, 93, 133, 276
- Aiolocaria hexaspilota*, 78
- Aiolocaria mirabilis*, 133, 276
- albino, 273
- Alces alces*, 94
- Aleyrodidae, 91, 310
- alfalfa, 119, 308, 316, 319, 325
- alimentary canal, 29, 35, 221
- alkaloids, x, 99–100, 195–7, 202, 236–9, 241–2,  
 245–6
- Allantonematidae, 220
- anal cremaster, 38, 40
- Anatis, 4, 17, 23, 41, 44, 66, 76, 89, 102, 131,  
 148, 165, 186, 191, 193, 209, 215, 255,  
 267, 271–2, 326
- Anatis 15-punctata*, 4, 215–16
- Anatis halonis*, 255
- Anatis labiculata*, 17, 22, 66, 148
- Anatis mali*, 76, 271–2
- Anatis ocellata*, 41, 66, 76, 78, 89, 102, 131–3,  
 148, 165, 186, 191, 193, 209, 214, 216,  
 255, 271, 276, 326
- Anatis rathvoni*, 267
- Anisosticta, 22, 51, 56, 64, 67, 71, 97, 153, 159,  
 176, 244, 252–3, 265, 336

- Anisosticta 19-punctata*, 22, 56, 64, 67, 153, 176, 244, 252–3, 265  
*Anisosticta bitriangularis*, 64, 71, 97, 153, 159  
*Anisosticta borealis*, 51, 252  
*Anisosticta strigata*, 56  
*Anser coerulescens*, 144  
 antennae, 16, 18, 24, 34, 37, 44, 106, 124, 189, 194, 210  
 Anthoridae, 187  
 ants, 36, 47, 52, 78–9, 81–3, 149, 189–91, 193–8, 201–2, 204, 216, 234, 238, 240, 336–7  
*Aonidiella aurantii*, 190  
*Aphidecta obliterated*, 49, 68, 70, 165–6, 176, 185, 209, 237, 259, 269, 309  
 aphicides, 312, 317  
 aphids, 2, 9–10, 29, 35, 43, 61, 65, 67, 69, 72, 75–9, 81, 84, 86, 90–2, 94, 96–105, 107, 110, 112–13, 116–20, 134, 150–6, 160–1, 164, 172, 176, 180, 187–91, 194, 196, 201–4, 212, 216, 219, 229, 238, 240, 242, 253, 307–8, 310–19, 321–5, 328, 332–4  
*Aphis citricida*, 100  
*Aphis craccivora*, 100, 311  
*Aphis fabae*, 75, 83, 90, 92, 99–100, 103, 204, 311  
*Aphis gossypii*, 313–14  
*Aphis jacobaeae*, 238  
*Aphis nerii*, 98, 238  
*Aphis proletella*, 92  
*Aphis sambuci*, 90, 100  
 Apocryaneae, 99  
 aposematism, x, 224, 234, 241, 243–5, 248–51, 274–5, 287–8, 292, 301–3, 324  
 apple, 308, 324  
*Aprostocetus*, 215–16  
*Aprostocetus neglectus*, 216  
*Arachis lypogaea*, 311  
 Archaioneda, 92  
 arctic skua, 144  
 army worm moth, 233  
 Asclepiadaceae, 99  
 Ascomycota, 221–2  
 ash, *see* *Fraxinus*  
 asparagus, 83  
 Aspidimerini, 36, 91  
 Aspidiotus, 91  
 Attenborough, David, 11–12  
 axillae, 24, 26  
 Azyini, 92  
 bacteria, 20, 115, 138, 150, 157, 205, 221, 223, 226–9, 231–3, 235, 292, 296, 298–9, 301–3  
 banded land snail, 274  
 barley, 73  
*Baryscapus*, 215–16  
*Baryscapus thanasini*, 216  
 Batesian mimicry, 244, 288–9  
 bats, 26, 181  
 Beauvaria, 221  
*Beauvaria bassiana*, 221  
*Beauvaria tenella*, 222  
 bees, 90  
*Bemisia tabaci*, 99  
 Betula, 166  
 biological control, xi, 88, 217, 305–15, 318, 320–1, 323–4, 331–3, 336  
 Biological Records Centre, 50  
 bird of paradise, 138, 143, 236  
*Biston betularia*, 274  
 black robin, 317  
 blue tit, 182  
*Bothrocalvia albolineata*, 65  
*Bothrocalvia lewisi*, 65  
*Brachiacantha 4-punctata*, 197, 199  
*Brachiacantha bollii*, 268  
*Brachiacantha felina*, 250, 267  
*Brachiacantha rotunda*, 266

 Index

- Brachiacantha ursina*, 197, 199, 268, 324  
*Brevicoryne brassicae*, 90  
 broad bean, 75, 92, 103  
*Brumus 8-signatus*, 308  
*Bryonia dioica*, 55  
 buddleia, 335  
*Bulaea*, 93, 119  
*Bulaea lichatschovi*, 38, 93  
 bursa copulatrix, 30–1, 127, 129, 132  
 butterflies, 54, 59, 84, 153, 168, 203, 228, 257,  
 288, 297, 302, 318–19, 321, 334–7,  
 See also Lepidoptera  
 butterfly effect, 168
- Caenorhabditis elegans*, 224  
*Callimorpha dominula*, 144, 274  
*Calluna*, 73, 177  
*Calotropis procera*, 99  
*Calvia 10-guttata*, 55, 174, 255  
*Calvia 14-guttata*, 33, 64, 70, 86, 93–4, 174,  
 188, 208, 214, 219, 239, 262, 265, 270,  
 275, 326  
 Cambridge Ladybird Survey, 11–12, 50, 69,  
 165, 176, 182, 291  
 Canadian Nature Federation, 50  
 cane toad, 184, 317  
 cannibalism, 35, 43, 61, 87, 107–10,  
 112–18, 154, 157, 187, 206, 229–31,  
 235, 295  
 carotenoids, 286  
 carrion crow, 183  
 cats, 317  
*Cepaea hortensis*, 274  
*Cepaea nemoralis*, 274  
*Ceratomegilla 11-notata*, 156, 220–1  
*Ceratomegilla ulkei*, 56, 71  
*Ceratovacuna*, 188  
 cerci, 34  
*Certhia familiaris*, 182  
 chaffinch, 183  
 cheetah, 180
- Cheilomenes 6-maculatus*, 32, 43, 100, 131–3,  
 151, 160, 174, 220, 262, 294–5,  
 298–300, 302  
*Cheilomenes lunata*, 59, 311  
*Cheilomenes vicina*, 311  
 chemical defences, 81, 100, 153, 196, 204, 234,  
 239  
 Chilocorinae, 41, 47, 91, 170, 194, 200, 207,  
 237  
 chilocorine, 237  
 Chilocorini, 27, 33, 36, 39, 90–1, 196, 215–16,  
 251, 266  
*Chilocorus*, 21, 24, 33, 39, 45, 55, 80, 86, 98,  
 130, 132, 153, 161, 166, 172, 190,  
 216–17, 237, 251, 266, 288, 302, 307,  
 309, 324  
*Chilocorus 2-pustulatus*, 39, 153, 161, 177, 216,  
 266, 309  
*Chilocorus cacti*, 266, 307  
*Chilocorus distigma*, 307  
*Chilocorus kuwanae*, 309  
*Chilocorus nigrinus*, 98, 101–2, 302, 307  
*Chilocorus orbus*, 266  
*Chilocorus politus*, 307  
*Chilocorus renipustulatus*, 21, 24, 86, 132, 166,  
 170, 172, 176, 251, 288  
*Chilocorus rubidus*, 33, 98, 172, 174  
*Chilocorus stigma*, 266, 324  
 Chionaspis, 91  
*Chionaspis salicis*, 98  
 chitin, 22  
 chitinase, 40  
*Chnootriba elaterii*, 119  
 chorion, 31, 33–4, 36, 106  
*Choristoneura pinus*, 102  
 chromosomes, 145, 231, 233, 259, 283, 286  
 chrysanthemum, 313  
 Chrysomelidae, 90, 93, 96, 148, 206  
*Chrysopa 7-punctata*, 188  
*Chrysopa formosa*, 188  
 Chrysoperla, 188, 216

- Chrysoperla carnea*, 188  
 Cinara, 65, 191  
*Cionura erecta*, 99  
*Cirsium arvense*, 83, 204  
 citrus, 2, 69, 100, 138, 190, 305, 308, 312, 324  
 classification, ix, 44–5, 47, 63, 89  
*Cleidostethus meliponae*, 71, 90  
 Cleridae, 216  
 Clitostethus, 91, 106  
*Clitostethus arcuatus*, 106  
 coccids, 2, 29, 33, 35, 38, 59, 62–3, 65, 69, 73,  
 80, 86, 90–3, 98–9, 107, 116, 151, 153,  
 155, 172, 176, 189–91, 195, 197, 199,  
 217, 242, 249, 305, 307–10, 312–14,  
 322, 324–5, 328  
 Coccidula, 10, 18, 41, 336  
*Coccidula rufa*, 19  
 Coccidulinae, 41, 47, 92, 198  
 Coccidulini, 39, 90, 92, 237  
 Coccinae, 90–1  
*Coccinella 11-punctata*, 56–7, 70, 79, 92,  
 146, 154, 169, 176, 181–2, 214, 238,  
 271, 307  
*Coccinella 3-fasciata*, 73, 246, 271  
*Coccinella 5-punctata*, 71–2, 74, 76, 83–4, 146,  
 173, 176, 214, 216, 251, 267  
*Coccinella 7-punctata*, 2, 8, 16, 30, 38, 40, 43,  
 52, 56, 60, 68–9, 71–2, 74–6, 78, 81,  
 83–4, 88, 90, 93, 97–102, 104, 107–8,  
 112–13, 116, 123, 131–2, 148–9, 152–4,  
 156, 159–60, 162, 165–7, 170–6, 178,  
 180–6, 188, 191–2, 201–2, 205, 207–10,  
 212–16, 219–21, 237–41, 244, 250,  
 260–3, 267, 275, 288, 311, 314, 316–19,  
 324–5, 327, 329, 332  
*Coccinella 7-punctata brucki*, 98, 175, 178  
*Coccinella 8-punctata*, 100  
*Coccinella 9-notata*, 73, 161, 175, 319  
*Coccinella alta*, 65–6, 71, 251  
*Coccinella californica*, 72, 216, 246, 329  
*Coccinella hieroglyphica*, 71–2, 90, 93, 177  
*Coccinella magnifica*, 52, 70–2, 78–9, 81–3, 108,  
 131, 149, 191, 197, 200–2, 204–5, 214,  
 219, 251, 264, 337  
*Coccinella miranda*, 131  
*Coccinella reitteri*, 66, 71  
*Coccinella repanda*, 99–100, 161  
*Coccinella transversalis*, 220  
*Coccinella transversoguttata*, 71, 73, 75–6, 79,  
 240, 250, 319, 325  
 Coccinellidae Recording Scheme, 12  
 Coccinellinae, 15, 38, 41–2, 45, 47, 92, 119–20,  
 170, 194, 207, 237, 266  
 coccinelline, 108, 203, 236–9, 241  
 Coccinellini, 36, 47, 90, 210, 215–16  
 Coccinula, 32, 71, 104, 151, 174, 230, 241,  
 251, 299, 326  
*Coccinula 14-pustulata*, 241  
*Coccinula crotchi*, 71, 251, 326  
*Coccinula sinensis*, 32, 71, 104, 116, 151, 174,  
 230, 241, 299, 302  
 Coccipolipus, 150, 218–20, 292  
*Coccipolipus epilachnae*, 220  
*Coccipolipus hippodamiae*, 150, 153, 218–20,  
 292, 298  
*Coccus pseudmagnoliarum*, 308  
*Coccus viridis*, 195  
*Coelophora inaequalis*, 294, 302  
 Coelophorini, 210  
 cold tolerance, 173–4  
*Coleomegilla fisilabris*, 165  
*Coleomegilla maculata*, 64, 71, 73, 75, 78, 80,  
 94, 113, 116, 119, 165, 329, 332  
*Commidendum robustum*, 308  
 conifers, 55, 65, 70, 76, 81, 176, 191, 202, 250,  
 253–4, 322  
 conservation, 58–9, 305, 308, 311, 314–15,  
 332–4, 337  
 Convention on Biological Diversity, 318  
 convergine, 203, 237  
 copulation, 28, 31–2, 67, 122–7, 130–4, 136–7,  
 149, 188, 297

 Index

- Corvus corone*, 183  
 Corylophidae, 16  
 Corylus, 73  
 cotton, 186, 308, 312, 314  
 cottony cushion scale, 2, 69, 305, 307  
*Coturnix coturnix*, 238  
 cowpea, 311  
 cowpea aphid, 311  
 coxa, *see* coxae  
 coxae, 27  
 craneflies, 96  
 crown crane, 145  
 crypsis, 253, 255–6  
 cryptic colouration, 237, 253  
*Cryptochaetum icerya*, 99  
*Cryptognatha nodiceps*, 307  
 Cryptolaemus, 59, 91, 102, 132, 194,  
 307, 312  
*Cryptolaemus montrouzieri*, 59, 102–3, 132, 194,  
 307–8, 312  
 Cucurbitaceae, 119  
 cuticle, 22, 24, 26, 28–9, 32, 40, 110, 212, 263  
 cuticular plates, 22  
 cuticulin, 22  
*Cycloneda limbifer*, 156  
*Cycloneda munda*, 324  
*Cycloneda polita*, 17–18, 131, 133, 265  
*Cycloneda sanguinea*, 75, 100, 324  
*Cynegetis impunctata*, 55  
*Cynonchum acutum*, 99
- Dactylopius, 116, 238  
*Dactylopius opuntiae*, 116  
*Dactynotus aeneus*, 97  
*Danaus chrysippus*, 302  
*Danaus plexippus*, 324  
 dance fly, 297  
 Darwin, Charles, 14, 19, 108, 124, 138, 143,  
 145, 180, 224–6, 273, 334  
 Darwinian evolution, 52, 231, 256  
 DDT, 316
- defensive chemicals, 99–100, 108, 153, 196,  
 237–8, 240, 242, 245, 247, 288, 321,  
 324, 329  
*Delichon urbica*, 181  
*Delphastus pusillus*, 75, 99  
*Deraeocoris ruber*, 186  
 Dermaptera, 186  
 Dialeurodes citri, 308  
 diapause, 159–61, 163–4, 172, 174–5, 178, 219  
 diaspidids, 217  
 Diaspidinae, 91, 92  
 digestive tract, 29  
*Dinocampus coccinellae*, 81, 210–13, 215, 234,  
 240–1, 307  
 Diomus, 90–1, 104, 308  
*Diomus flavifrons*, 308  
 Diptera, 19, 96, 187, 205  
 Dispidae, 92  
 DNA, 46–7, 135, 226–7, 300  
*Dolichoderus bidens*, 197  
 dormancy, x, 77, 86, 96, 104, 158–66, 169–70,  
 172–5, 177–9, 181, 212, 232, 235, 309,  
 311, 313, 323–4  
 dragonflies, 334  
 Drosophila, 224, 233  
*Drosophila melanogaster*, 233  
*Dysaphis plantaginea*, 314
- earwigs, 186  
 ecdysis, 36, 40, 110, 114, 187, 215, 230  
*Echinochloa crus-galli*, 76  
 eclosion, 20, 130, 160–1, 164  
 egg-bursters, 36  
 elytra, 15, 17, 20–1, 24, 26, 28–9, 44, 57, 114,  
 124, 130, 186, 194, 202, 211, 218, 245,  
 252, 262, 267, 269, 272, 275, 277, 282,  
 287, 289  
 elytron, *see* elytra  
 embryo, 33–6, 150, 153, 233  
 embryogenesis, 44, 227  
*Empis borealis*, 297

- Encarsia, 99
- Endomychidae, 16
- Endomychus coccineus*, 18
- Eocaria muiri*, 64, 71, 255, 326
- Ephestia kuehniella*, 96, 313
- epidermis, 40–1, 275
- Epilachna admirabilis*, 132
- Epilachna varivestis*, 196–7, 217, 220, 237
- epilachnene, 237
- Epilachninae, 23, 45, 47, 92, 119–20, 170, 216–17, 237
- Epilachnini, 36, 90, 92
- Episyrphus balteatus*, 188
- Erebia, 54
- Eriococcus coriaceus*, 308
- Eriopsis connexa*, 59
- Erisiphaceae, 92
- Erithacus rubecula*, 182
- Erysiphaceae, 93, 120
- Erythraeidae, 218
- essential prey, 77, 89, 96, 99
- eucalyptus, 178, 308
- euphococcinine, 237
- European quail, 237
- European robin, 182
- evolutionary arms race, 234, 292
- exochemine, 237
- Exochomus, 104
- Exochomus 4-pustulatus*, 39, 63, 74, 76, 86, 139, 170, 173–4, 176, 182, 237, 239, 241, 266, 288, 309
- Exochomus flavipes*, 116
- Exoplectrini, 92
- exoskeleton, 20, 22, 98, 107, 196, 208, 211
- extinction, 54, 109, 242–3, 308, 317, 334
- femur, 27, 238–9
- Flatidae, 91
- Flavobacterium, 228, 232
- flight, ix, 17, 20, 24, 26–8, 44, 60, 164, 213, 312, 314
- flightless parrot, 317
- flightlessness, 314
- flour moth, 96, 313
- foregut, 40
- forestry, 49, 331
- forewings, *see* elytra
- formic acid, 83, 192
- Formica, 78–9, 81–3, 191–2, 194, 198, 201, 337
- Formica fusca*, 192
- Formica polyctena*, 79, 194
- Formica rufa*, 78–9, 82, 191, 198, 201–2, 337
- Formica subpolita*, 199
- fossil material, 52
- founder effects, 249
- four-spotted milkweed beetle, 144
- Fraxinus, 69, 73, 166
- Fraxinus excelsior*, 69, 166
- Fringilla coelebs*, 183
- frog-hoppers, 96
- fruit flies, 224, 233
- fungal disease, 165, 213
- fungi, 33, 62, 86, 92, 94, 119–20, 153, 205, 221, 292, 298, 325
- fungicides, 316
- Galerucella sagittariae*, 90
- galls, 102, 188
- gel electrophoresis, 45
- gene flow, 149, 174, 301
- genetic drift, 145, 249, 274
- genetic variation, 54, 134, 249
- Genista, 99
- genitalia, 28, 30, 46, 125, 153
- geotaxis, 163, 165
- glaciation, 55–6
- glycogen, 92, 96, 163, 172
- gonads, 30, 35, 159–60
- gorse, 165, 255
- grapes, 321, 329
- grasshoppers, 96
- great crested grebe, 145

 Index

- great tit, 236  
 Gregarinidae, 221  
 ground beetles, 186  
 groundnut, 311  
 gum tree scale, 308  
 gumwood, 308
- habitat destruction, 305, 332, 337  
 haemolymph, 20, 26, 195, 218, 227  
 Haldane, John, 20  
*Halmus chalybeus*, 308  
 Halyzia, 22, 37, 42, 44, 50, 68, 71, 86, 120, 131, 159, 168, 255, 265  
*Halyzia 16-guttata*, 22, 37, 42, 50, 68, 71, 86, 121, 131–2, 152, 159, 167–8, 177, 255, 265, 267  
 Halyziini, 119–20  
 harlequin ladybird, *see* *Harmonia axyridis*  
 Harmonia, x, 11, 17, 32, 36, 41, 44, 55, 71, 88, 93, 96, 98, 100, 106, 111–12, 115, 131, 159, 171, 181–2, 184, 191, 207, 237, 239, 250, 254, 259, 262, 264–6, 308, 314, 320–1, 323–6, 328, 330–1, 335  
*Harmonia 4-punctata*, 55, 76, 78, 131, 133, 148, 159, 171, 182, 191, 214–15, 239, 253–4, 265, 267, 302, 326  
*Harmonia axyridis*, x–xi, 11–12, 17, 36, 41, 55, 64–5, 69, 71, 84, 88, 96, 98, 100–1, 104, 106, 108, 111–13, 115–16, 119, 131–2, 137, 142–3, 148, 153, 155–6, 159–60, 170, 173–4, 181, 186, 207, 214, 221, 223, 232, 237, 240, 245, 259, 262, 264, 276, 282–3, 285, 291, 293–5, 297, 299, 302, 308–9, 311, 313, 317, 320–6, 328–32, 335  
*Harmonia conformis*, 93, 184, 250, 262, 266  
*Harmonia dimidiata*, 100, 266  
*Harmonia testudinaria*, 32, 71, 262  
 harmonine, 108, 237  
 harvest-men, 334  
 hedgehogs, 181, 334  
*Heliconius erato*, 288  
*Heliconius melpomene*, 288  
 Hemiptera, 15, 17, 29, 33, 96, 186, 228  
 Hemisarcoptes, 217  
 Hemisarcoptidae, 217  
*Henosepilachna 28-maculata*, 119, 131–2  
*Henosepilachna argus*, 55  
*Henosepilachna chrysomelina*, 37  
*Heracleum sphondylium*, 121  
 herbicides, 316  
 heritability, 261–2, 267  
 Hesperomyces, 222  
*Hesperomyces virescens*, 223  
 hexane, 154  
 hindgut, 29, 40  
 hippocasine, 237  
 Hippodamia, 4, 17, 25, 39, 53, 56, 64, 71, 73–4, 98, 101, 131, 158, 165, 173, 184, 208, 220, 237–8, 251, 265, 267, 311, 329  
*Hippodamia 11-notata*, 99  
*Hippodamia 13-punctata*, 39, 56, 71, 73, 131, 153  
*Hippodamia 15-maculata*, 267  
*Hippodamia 5-signata*, 268  
*Hippodamia 7-maculata*, 25  
*Hippodamia 15-signata*, 4, 165  
*Hippodamia arctica*, 53, 56, 71, 173, 251  
*Hippodamia convergens*, 4, 17, 71, 73–5, 101, 108, 131, 158–9, 161, 164–5, 172, 177, 184–5, 237, 250, 311–13, 319, 325, 329, 332  
*Hippodamia sinuata*, 74, 267, 329  
*Hippodamia variegata*, 64, 84, 98, 172, 208, 220, 238, 267  
 hippodamine, 108, 203, 237  
 histamine, 238  
 Homalotylus, 81, 215  
*Homalotylus eytelweini*, 215  
*Homalotylus flaminius*, 215  
*Homalotylus platynaspidis*, 81, 215–16  
 honeybees, 109

- honeydew, 80, 86, 96, 99, 102, 121, 156, 189, 226, 313
- house martin, 181
- hoverflies, 61, 96, 187, 203, 333
- Hyalopterus pruni*, 98
- hybridisation, 146, 148–9
- hygrotaxis, 163, 165
- Hylobittacus apicalis*, 188
- Hymenoptera, 19, 205, 210
- Hyperaspidini, 18, 37, 39, 41, 91, 266
- Hyperaspis, 97, 197, 199, 238, 250, 266, 308
- Hyperaspis 2-notata*, 266
- Hyperaspis 3-furcata*, 238
- Hyperaspis acanthicola*, 197, 199
- Hyperaspis pantherina*, 308
- Hyperaspis proba*, 266
- Hyperaspis pseudopustulatus*, 250
- Hyperaspis raynevali*, 308
- Hyperaspis reppensis*, 197, 199
- Hypoclinea bidens*, 199
- Icerya, 2, 69, 92, 99, 305, 307
- Icerya purchasi*, 2, 69, 99, 305, 308, 316
- Ilex, 84, 335
- Ilex europeus*, 84
- Illeis, 94, 96, 120, 130, 132, 220, 251–2, 265
- Illeis galbula*, 94, 96, 119, 130, 251–2
- Illeis indica*, 220
- Illeis koebelei*, 132, 251, 265
- inbreeding depression, 118, 135–6, 155, 228, 295
- infundibulum, 29, 31–2, 147
- insecticides, 2, 233, 306, 309, 313, 315–16
- integrated pest management, 315, 317
- intraguild predation, x, 87–8, 324–7, 331
- Iridomyrmex humilis*, 190, 192
- Isaria farinosus*, 222
- Isaria fumosoroseus*, 222
- jacana, 297
- juvenile hormone, 172
- Jynx torquilla*, 183
- labium, 16, 34
- Laboulbeniales, 153, 222, 292, 298
- labrum, 17
- lacewings, 10, 61, 96, 187, 216, 321, 334
- Larix decidua*, 166
- larval tracks, 156
- Lasius niger*, 83, 192, 194, 200, 204
- Lasius umbratus*, 199
- leafhoppers, 312
- Lecanicillium, 222
- Lecaniinae, 92
- legislation, 291, 331
- legumes, 134, 311, 316
- Leis dimidiata*, 99
- Lepidoptera, 19, 96, 224, 233, 258, 312
- Lepidosaphes ulmi*, 98
- Leptothorax longispinosus*, 197
- Leptus ignotus*, 217
- lime, 134, 313
- Linnaeus, Carl, 44
- Lioscymnus, 91
- Lithophilinae, 45
- Lithophilus, 45
- lizards, 181
- Lochmaea suturalis*, 93
- Lost Ladybug Project, 50
- lucerne, 308, 315
- lupins, 100, 319
- Lupinus albus*, 100
- Lupinus angustifolius*, 100
- Lupinus mutabilis*, 100
- Lycaena melissa samuelis*, 319
- Macronaemia, 64, 71, 252, 336
- Macronaemia episcopalis*, 64, 252
- Macrosiphum, 100, 313
- Macrosiphum albifrons*, 100
- Macrosiphum rosae*, 313–14
- Maculinea arion*, 336–7



 Index

- magnetic resonance microscopy, 212  
 magpie, 182  
 maize, 63, 73–4, 76, 308, 316  
 Malathion, 316  
 male-killing, x, 118, 138, 150, 153, 155, 223–4,  
 227–35, 292, 295–6, 298–304  
 Malus, 73  
 mandibles, 16, 23, 34, 38, 46, 57, 98, 102, 105,  
 111, 119–20, 212–13, 325  
*Maniola jurtina*, 274  
 martins, 182, 234  
 maxillary palps, 16–17, 38, 156  
 meadow brown butterfly, 274  
 mealybugs, 104, 194, 308, 312–13  
*Medina luctuosa*, 206–7  
*Medina separata*, 206  
 Megaselia, 208  
*Megoura viciae*, 100  
 meiosis, 122, 145, 225, 283  
 melanin, 271, 286  
 melanism, 141, 260, 263–4, 269, 271,  
 275–6, 282–3, 286–7, 289, 291–4,  
 302–4, 323  
*Melipona alinderi*, 90  
 melon, 313  
 Mendel, Gregor, 258, 299  
 Mermithidae, 220  
 mesothorax, 24, 28  
 metamorphosis, 218, 221  
*Metarrhizium anisopliae*, 222  
 metathorax, 24  
*Metopeurum fuscoviride*, 204  
 mice, 181, 258, 317  
*Micraspis frenata*, 71, 131, 133, 159, 177–8  
 microclimate, 53, 171  
 Microdon, 203  
 microhabitat, 49  
*Microlophium carnosum*, 97  
 Microsporidia, 221, 223  
 Microweiseini, 91  
 midgut, 29  
 mildew, 23, 59, 68–9, 86, 90, 92, 96, 120–1,  
 152, 177, 251–3, 256  
 milkweed bugs, 228  
 milkweeds, 99  
 mimicry, 17, 194, 197, 199, 201–2, 204, 234,  
 241, 243, 246–7, 256, 274, 287–8, 292,  
 301  
 Miocene, 52  
 mites, 90–1, 94, 96, 106, 150, 153, 205,  
 217–19, 222, 227, 298, 305, 308, 310  
 mitochondria, 123, 226, 300–1  
 monarch butterfly, 324  
 Monocorynini, 197  
 monoculture, 58, 316–17, 332–3  
*Monophlebulus pilosior*, 195  
 mosquitoes, 336  
 moths, 96, 319, *see also* Lepidoptera  
 moulting fluid, 40  
 Müllerian mimicry, 246–7, 287–9  
*Mulsantina hudsonica*, 87  
*Mulsantina luteodorsa*, 265  
*Mulsantina picta*, 76  
*Muscicapa striata*, 183  
 mutation, 109, 116, 119, 123, 145, 242, 245,  
 247–8, 272–3, 276, 284  
 mycophagy, 29, 38, 86, 90, 120–1, 152, 251–2  
 myrmecophily, 72, 78–9, 81, 149, 151, 189–91,  
 196–7, 199, 203–5, 216, 337  
 Myrmica, 192, 200, 204, 336  
*Myrmica ruginodis*, 192  
*Myrmica rugulosa*, 200  
 Myrrha, 44, 71, 75, 170, 191, 211, 237  
*Myrrha 18-guttata*, 71, 75, 77–8, 170, 191, 211,  
 237, 255  
 myrrhine, 237  
 myxoma, 109, 336  
*Myzia oblongoguttata*, 65, 70, 76, 78, 83, 131,  
 148, 176, 191, 255, 259–60, 265, 275  
*Myzia pullata*, 71, 76, 159, 255  
*Myzia subvittata*, 255  
*Myzus persicae*, 75, 90

- Nabidae, 187  
*Naemia seriata*, 267  
 natural selection, 67, 108, 133, 138, 145, 180,  
 224–5, 273, 295  
 nectar, 80, 86, 92, 94, 96, 119–20, 164,  
 333–5  
 Neda, 92  
 nematodes, 205, 220, 224  
 Nematomorpha, 220  
 Neocalvia, 93  
 Nephus, 17, 90–1, 313  
*Nephus 4-maculatus*, 313  
*Nephus anomus*, 313  
*Nephus reunioni*, 313  
*Nerium oleander*, 99  
 nettle, 73, 134, 180  
 Neuroptera, *see* lacewings  
 n-octylamide, 237  
 Nosema, 223  
 Noviini, 38, 41, 92  
 N-oxide, 236–7  
 Nx-quinaldyl-L-arginine, 237  
 Nymphalidae, 228
- oak, 62  
 Oeneis, 54  
*Oenopia conglobata*, 55, 131, 133, 219–20  
 oil seed rape, 73  
 oleanders, 99  
 oligopause, 159  
 olive, 63, 308–9  
 Olla v-nigrum, 93, 302  
 Oomyzus, 215–16  
*Oomyzus ovulorum*, 216  
*Oomyzus scaposus*, 216  
*Oomyzus sempronius*, 216  
 orchards, 308, 315, 324  
*Ortalia pallens*, 197, 199  
 Ortaliini, 36–7, 39, 91  
*Orthezia insignis*, 308  
 Ortheziinae, 91
- ovaries, 30, 80, 113, 126, 152, 160–1, 172, 212,  
 220, 310  
 ovarioles, 30–1, 151  
 overwintering, x, 1, 61, 67, 84, 159–60, 163,  
 166–70, 173–4, 176, 182, 184, 190, 214,  
 219, 221–2, 239, 253, 262, 290, 312–13,  
 316, 324, 328, 332–3, 335  
 oviduct, 30–1  
 oviposition, 67, 84, 89, 112–13, 124, 150–1,  
 153, 155–7, 160, 176, 194, 207, 210,  
 212, 231–2, 234, 310, 325  
 ovipositor, 28, 130, 209–10
- Paederia scandens*, 101  
 palps, 17, 38, 98  
 pampas, 335  
*Pandora neoaphidis*, 98  
*Papilio dardanus*, 274  
*Papilio machaon*, 84  
 papyrus, 63  
 parameres, 28–9, 130  
 Parasidis, 91  
 parasites, x, 61, 76, 81–2, 112, 140, 180–1, 189,  
 196, 205, 216–17, 220, 234–5, 247, 250,  
 292, 306, 311, 315–16, 332–3  
*Parasitlenchus coccinellinae*, 220  
 parasitoids, 44, 61, 76, 80–1, 84–5, 87, 93, 112,  
 180, 188–9, 194, 196, 205, 210, 212,  
 216–17, 233–4, 306–7, 325, 332–3  
 parental care, 150  
 parthenogenesis, 161, 210  
*Parus caeruleus*, 182, 288  
*Parus major*, 181, 236  
*Parus montanus*, 183  
*Passer montanus*, 182  
 peacock, 138–9, 143, 236  
 Pediobius, 215, 217  
*Pediobius foveolatus*, 217  
 pelargonium, 333  
*Pemphigus spirothecae*, 102  
 peppered moth, 274

 Index

- pest control, 2, 59, 69, 138, 224, 233, 305, 313, 324, 331, 333
- pesticide, 305, 316, 335
- Peucedanum palustre*, 84
- Phalacrotophora, 207–8
- Phalacrotophora berolinensis*, 207–8
- Phalacrotophora fasciata*, 207–8, 210
- Phaseolus coccineus*, 75
- pheasant, 138, 143, 236
- Pheidole megacephala*, 194
- Pheidole punctulata*, 199
- Phenacoccus, 91
- Phenacoccus manihoti*, 308
- pheromones, x, 123, 130, 145, 155–6, 170, 201
- Phidippus audax*, 185
- Phoridae, 207–9
- Phorodon humuli*, 103, 314
- photoperiod, 161
- phototaxis, 163, 165
- Phyllacotes, 90
- Phylloxera glabra*, 65
- phylogeny, 35, 45–7, 78, 133, 251, 301
- Phytonotus posticus*, 308
- Pica pica*, 182
- Picea sitchensis*, 166
- Pieris brassicae*, 153
- pigment production, 263–4
- pine, 4, 15, 17, 63, 66, 78, 170, 176, 191, 250, 254
- Pinus, 73, 78, 166, 255
- Pinus sylvestris*, 73, 78, 255
- piperidine, 237
- Pisum sativa*, 75
- Planococcus citri*, 308, 312
- Platynaspidini, 36–7, 91
- Platynaspis, 34, 45, 47, 71, 78, 106, 151, 197, 200, 203–4, 337
- Platynaspis luteorubra*, 34, 47, 71, 78, 81, 106, 151, 197, 200, 203–5, 215–16, 234, 337
- Platyorus, 91
- Podapolipidae, 218
- Pogonomyrmex subnitidus*, 198
- Poinsettia, 75
- pollen, 23, 29, 80, 86, 92, 94, 96, 119–20, 164, 251, 333
- pollution, 58, 291, 305, 313, 332
- polyandry, 207
- polygenes, 248, 261, 267–8, 286, 300
- polymorphism, x, 136, 138, 140, 142–3, 257, 270, 273–6, 283, 287–8, 291–4, 296, 301–4, 323
- Populus, 102, 166
- Populus italica*, 102
- potato, 119, 313, 322
- precocinelline, 203, 237–8
- pre-pupa, 42, 111, 207, 209
- prickly pear cactus, 317
- Procula douie*, 59
- promiscuity, 5, 48, 111, 116, 123, 130, 133–5, 140, 150, 157, 219–20, 296–7
- pronotum, 17, 20, 24, 114, 211, 266, 272, 276
- Propylea, 10, 32, 44, 71–2, 96, 100, 131, 135, 160, 173, 182, 237, 260, 262, 267, 269, 302, 311
- Propylea 14-punctata*, 71–2, 74–6, 96, 99, 104, 173–4, 176, 182, 185–6, 220, 237, 239, 241, 260, 267, 311, 325
- Propylea dissecta*, 135, 142
- Propylea japonica*, 32, 71, 100, 116, 131–2, 160, 174, 262, 294–5, 302
- propyleine, 237, 241
- protease, 40
- prothorax, 24, 28
- protists, 227
- protozoa, 205, 221, 226
- Pseudococcinae, 90–1
- Pseudococcus, 91
- Pseudomyrmex ferruginea*, 199
- Pseudoregma, 188
- Pseudoscymnus, 91, 188
- Pseudoscymnus kurohime*, 188
- Pseudotsuga menziesii*, 166

- psyllids, 29, 65, 86, 91–2, 94, 310, 322  
 Psyllobora, 5, 38, 68, 120–1, 170, 182, 251, 266  
*Psyllobora 22-punctata*, 5, 38, 68, 121, 170, 174,  
 182, 209, 251–2, 266  
 Psylloborini, 15, 39, 90, 92, 215, 251  
 Pullus, 91  
 pupation, 41, 43–4, 151, 283  
 pyrazines, 195, 202, 238  
 pyrrolidine, 237
- Quaternary, 52–4  
 Quercus, 65, 73  
 quiescence, 40, 159, 162, 167, 175, 178  
 quinolene, 238
- rabbits, 109, 317, 336  
 radish, 75  
 rainbow trout, 185  
 rats, 317  
 Red Queen hypothesis, 234  
 Reduviidae, 187  
 reed, 64, 67, 73, 83, 176, 252–3, 255, 336  
 reedbeds, 322, 329  
 reflex bleeding, 181–3, 195–6, 201, 209, 213,  
 238–40, 329  
 reproductive hormones, 163  
 reproductive isolation mechanisms, 144–5  
 Rhyzobiini, 92  
*Rhyzobius*, 47, 94–5, 151, 170, 190, 250, 307–8  
*Rhyzobius forestieri*, 308, 313  
*Rhyzobius litura*, 94–5, 119, 151, 153, 170, 250  
*Rhyzobius lophanthae*, 190  
*Rhyzobius ventralis*, 307–8  
 ribosomes, 123  
 Rickettsia, 227–8, 232  
*Rickettsia prowazekii*, 227  
*Rickettsia rickettsia*, 227  
*Rickettsia typhi*, 227  
 Ripersia, 91  
 risk assessment, 331  
 roaches, 96
- Robina pseudoacacia*, 100  
*Rodatus major*, 195  
*Rodolia cardinalis*, 2, 69, 99, 138, 216, 306–7,  
 316  
*Rodolia limbata*, 308  
*Rodolia pumilla*, 307  
 roses, 134, 313–14, 333  
 roundworms, 205  
 rove beetles, 186
- Saint Barnabas, 7  
*Saissetia oleae*, 308  
 Salix, 84, 166  
*Salmo irideus*, 185  
 scale insects, *see* coccids  
 scarlet tiger moth, 144, 274  
 scent mimicry, 82  
*Schizolachnus*, 65, 97  
*Schizolachnus pineti*, 191  
*Schizolachnus piniradiatae*, 97  
 scutellum, 24  
 scuttle-flies, 194, 207, 209, 234  
 Scymnillini, 91  
 Scymninae, 47, 91, 170, 198, 237  
 Scymnini, 18, 33, 36–7, 39, 41, 91, 215–16,  
 237  
*Scymnodes lividigaster*, 195  
*Scymnus*, 16–17, 38, 56, 65, 71, 75–6, 91, 98,  
 130, 170, 194, 197–8, 239  
*Scymnus auritus*, 65  
*Scymnus fenderi*, 197  
*Scymnus formicarius*, 197–8  
*Scymnus frontalis*, 56, 98  
*Scymnus interruptus*, 38, 194  
*Scymnus lacustris*, 76  
*Scymnus marginicollis*, 75  
*Scymnus nigrinus*, 76, 170, 194  
*Scymnus suturalis*, 16–17, 71, 76, 170, 239, 250  
*Semiadalia 11-notata*, 100, 131, 159, 161, 165,  
 172–5, 184, 308, 314  
 semiochemicals, 156, 170

 Index

- Seranginii, 91  
*Serangium parcesetosum*, 308  
 sex ratio, 122, 130, 133, 137, 149, 157, 216–17,  
 223–7, 233, 296–8, 300  
 sexual selection, 12, 124, 138–40, 143, 224  
 sexually transmitted disease, 133, 150, 157,  
 220, 298  
 Shakespeare, William, 6  
 sheep, 336  
 shield bugs, 96  
 Sidis, 91  
 siphon, 28, 31, 47, 125, 127, 129, 132, 272  
*Sitobion avenae*, 102  
*Sitotroga cerealella*, 96  
 snow goose, 144  
 Solanaceae, 119  
 soldier beetles, 186  
 soybean, 220, 308, 322  
 Spartium, 99  
 sperm duct, 29–32  
 spermatheca, 29–32, 127, 129, 132–3, 135–7  
 spermatophore, 28, 31–2, 127–9, 131–4,  
 136–7, 297–8  
 spider mites, 62, 73, 161, 315  
 spiders, 9, 81, 96, 185–6  
*Spiladelphia barovskii kiritschenkoi*, 66  
 spiracles, 29, 38  
 Spiroplasma, 153, 228, 232–3, 302  
*Spodoptera littoralis*, 233  
 spotted flycatcher, 183  
 stag beetles, 186  
 starling, 182  
 stenotopic, 52  
*Stercorarius parasiticus*, 144  
 Stethorini, 18, 33, 90–1  
*Stethorus picipes*, 161  
*Stethorus pusillus*, 30, 75, 90, 102, 106, 133  
 Sticholotidinae, 91  
 Sticholotidini, 36, 91  
 stomata, 98  
 strawberry, 308  
*Sturnus vulgaris*, 182  
*Subcoccinella 24-punctata*, 119, 170, 237, 276  
 sugar beet, 73, 75, 92, 103, 311  
 Sukunahikonini, 91  
 super-parasitism, 212, 217  
 swallows, 182  
 swallowtail, 84, 274  
 swifts, 182  
 sycamore, 50, 86  
*Synonycha grandis*, 100  
 Synonychini, 92  
 Syrphidae, 187  
*Syrphus corollae*, 188  
 Tachinidae, 206–7  
*Tapinoma nigerrimum*, 199  
 tarsal claw, 27  
 tarsi, 17, 27  
 taxonomy, ix–x, 29, 44, 47, 301  
 tegmen, 28–9  
*Telsimia nitida*, 307  
 Telsimiini, 91  
 temperature regulation, 24  
 termites, 205  
 terrapins, 181  
 testes, 31, 147, 212  
 tetracycline, 227  
*Tetramorium caespitum*, 200, 204  
 Tetranychidae, 90–1  
*Tetraopes tetrophthalmus*, 144  
 Tetrastichinae, 216  
 Tetrastichus, 215–16  
*Tetrastichus epilachnae*, 216  
*Tetrastichus ovicida*, 216  
*Thalassa saginata*, 197, 199  
*Therioaphis maculata*, 315  
 thermal melanism, 291  
 thermoregulation, 243–4, 248  
 thermotaxis, 163  
 thigmotaxis, 164  
 thistle, 182

- Thompson's gazelle, 180  
 thoracic muscles, 26  
 thorax, 17, 22, 24, 27–8, 36, 38, 42, 186, 194,  
 209, 211  
 thrips, 94  
 tibia, 27, 238–9  
 tiger beetles, 186  
 Tilia, 134, 152, 166, 313  
 Tilia x europaea, 166, 313  
 toads, 181, 184  
 tobacco, 75, 103, 308  
 tomato, 103  
 trabes, 28  
 tracheae, 26, 29  
 tracheal system, 29, 35, 40  
 tree sparrow, 182–3  
 treecreeper, 182  
 trochanter, 27  
 trophic eggs, 155  
 Typha, 73  
*Tytthaspis 16-punctata*, 38, 71, 87,  
 93–5, 119–20, 164, 170, 183,  
 214, 239, 241, 255, 265–7,  
 272, 276  
*Tytthaspis gebleri*, 255  
 UK Ladybird Survey, ix, 11–12, 59,  
 186, 330  
 umbellifers, 84  
 University of Cambridge, 45  
*Ursus arctos horribilis*, 184  
 Urtica, 73, 134, 185  
*Urtica dioica*, 134, 185  
 vasa deferentia, 31  
 vertical looking radar, ix, 60  
*Vespa germanica*, 188  
 Vibidia, x, 44, 59, 120, 174, 255  
*Vibidia 12-guttata*, 59, 174, 255  
*Vicia faba*, 73, 75  
*Vicia sativa*, 100  
*Vigna catiang*, 100  
*Vigna unguiculata*, 311  
 Virgin Mary, 2–3, 8  
 viruses, 205, 221, 223, 226, 256  
 voles, 181  
 voltinism, 322, 324  
 wasps, 61, 81, 180, 186, 188, 205, 210, 212–14,  
 216–17, 233, 240–1, 307, 333  
 water loss, 22, 24, 29  
 weevils, 308  
 wheat, 73, 102, 308, 314, 316, 322  
 whitefly, 75, 308, 312  
 wildlife corridors, 58, 333  
 Winterschmidtidae, 217  
 Wolbachia, 228, 297, 302  
 wood ant, 78  
 worms, 96, 220  
 wryneck, 183