

Index

- abduction, 26
- abductive inference 26
 - see* abductive reasoning
- abductive learning, 223
- abductive reasoning, 5–8, 26, 57
 - Doyle’s interpretation, 8
 - Peirce’s interpretation, 7
- abstract task, 399
- abstraction
 - pattern, 330
 - of probabilistic solution, 330
 - of reasoning, 329–31
 - of reasoning tree, 330–1
 - of statement, 329–30
- access, 135
- accuracy, 49
 - of demonstrative tangible evidence, 134
- action, 395
 - add effects, 395
 - delete effects, 395
 - example, 395
 - resources, 395
- Adam, Federic, 32
- agent
 - cognitive, 31
 - cognitive assistant, 33–4
 - intelligent, 30, 34
 - knowledge-based, 30, 33–4
- agent development
 - ontology, 106
 - optimization, 107
 - rapid prototyping, 105
 - rule learning and ontology refinement, 106
 - specification, 105
 - use and personalization, 106
- agent teaching and learning
 - for center of gravity analysis, 380–3
 - for course of action critiquing, 355–60
 - for emergency response planning, 403–17
 - for workaround planning, 345–6
- Allemang, Dean, 33, 40, 89
- Allen, James, 391, 425
- analogical problem solving
 - based on explanation similarity, 265
- analogy criterion, 266–70
- analogy-based generalization, 265–70
- analysis
 - definition, 35
- analysis and synthesis, 113–24
 - inquiry-driven, 113–22
 - for center of gravity determination, 116
 - for evidence-based reasoning, 122
 - problem solving, 113–15
 - symbolic integration, 113
- analytic task, 36
 - classification, 36
 - critiquing, 36
 - diagnosis, 36
 - intelligence analysis, 36
 - interpretation, 36
 - monitoring, 36
 - prediction, 36
- Anderson, Terence, 5
- Apple, 35
- approximate reasoning, 21
- arch of knowledge, 5, 26
- argument
 - direction, 54
 - force, 54
- Aristotle, 6
- artificial intelligence, 29–33
 - definition, 29
- assumption, 18
- assumption-based reasoning, 143
- authenticity, 49
 - of demonstrative tangible evidence, 134
 - of real tangible evidence, 134
- authoritative record, 137
- Awad, Elias M., 88, 178–9, 389, 418
- Bacon, Francis, 16
- Baconian inference
 - different tests of hypotheses, 16
 - eliminating hypotheses, 16
- Baconian probability system, 16–20, 55
 - compared with others, 23–5
 - intersection, 20
 - negation, 20
 - union, 20
- Bayes, Thomas, 10

- Bayes' rule, 10
 - and assumptions, 18
- Bayesian network learning, 223
- Bayesian probability system, 11–13, 55
 - and assumptions, 18
 - compared with others, 23–5
- Belief Functions, 11–16, 55
 - and assumptions, 18
 - compared with others, 23–5
- believability, 61
 - versus credibility, 135
 - of evidence, 48
 - example, 49
 - of source, 48, 54
- believability assessment, 133–9
- believing as if. *See* assumption
- benefit of the doubt, 19
- Betham, Jeremy, 27
- BFO, 90
- big data problem, 50
- Boicu, Cristina, 41, 338
- Boicu, Mihai, 39, 41, 338, 352, 364, 407
- Bowman, Michael, 41, 338, 352, 396
- Bresina, John L., 34
- Breuker, Joost, 35
- browsing of reasoning tree, 331
- BRU generalization, 246
- Buchanan, Bruce G., 83–4, 87, 389, 418

- candidate elimination algorithm, 298
- Carbonell, Jaime G., 225
- card sort method, 179
- case-based reasoning and learning, 223
- causal network of relations, 225, 265
- certification, 88
- chain of custody, 138–9
- chain of reasoning, 4
- Chaudhri, Vinay K., 90
- Chipman, Michael A., 34
- Clancey, William, 35
- class. *See* concept
- clause generalization, 245
- Clausewitz, Carl von, 365
- CLIPS, 88
- clustering, 223
- Cohen, Jonathan L., 16–18
- Cohen, Morris R., 6
- Cohen, Paul, 346, 349
- collaborative autonomous agents, 70
- combinatorial explosion, 51
- Comello, Jerome, 376
- COMINT, 133–4
- CommonKADS, 89
- competence, 3, 49, 135
- competing hypotheses, 59
- computational theory of evidence-based reasoning, 64
- concept
 - definition, 156
 - as feature value, 163
 - formal representation language, 243–5
 - representation, 203
- concept elicitation, 176–9
- conditional probability, 11
- connecting the dots, 46–55
 - definition, 47
 - example, 47
- Cooper, Thomas A., 88
- credibility, 135
 - versus believability, 135
- critical reasoning, 48
- Cross, Stephen E., 34
- customer, 55
- cyber insider threat, 64–7
 - definition, 64
- Cyc, 88, 90

- Dale, Andrew I., 10
- DARP, 34
- data, 1
- David, F. N., 10
- David, Paul A., 33
- Davies, Todd R., 225
- decision trees induction, 223
- deduction, 25
- deduction, induction, and abduction, 50
- deductive inference 26
 - see* deductive reasoning
- deductive reasoning, 26
- Deep Blue, 34
- defensible argument, 54
- DeJong, Gerald, 258, 406
- DENDRAL, 34
- Desai, Mita, 68
- design principle, 426–32
 - complete life cycle, 431
 - employ learning technology, 426
 - knowledge adaptation, 429
 - knowledge reuse, 427
 - mixed-initiative, 429
 - multi-agent and multidomain problem solving, 427
 - multistrategy learning, 428
 - plausible reasoning, 430
 - problem solving for collaboration, 427
 - rapid development, 430
 - teaching and learning, 428
 - user tutoring, 430
- direct subconcept of
 - definition, 157
- disbelief. *See* lack of belief
- Disciple agent, 426
- Disciple-CD, 35–6, 41
- Disciple-COA, 36, 89, 348–64
- Disciple-COG, 34, 91, 364–85, 427
 - Script Editor, 377
- Disciple-EBR, 41, 49, 53, 55, 91, 257, 309, 427
 - Association Browser, 165
 - Expression Editor, 282
 - Feature Browser, 167, 175, 189
 - Feature Editor, 175
 - Hierarchical Browser, 165, 182

- Object Browser, 165, 175, 180
- Object Editor, 192–3
- Object Viewer, 165
- Rule Browser, 254
- Disciple-LTA, 36
- Disciple-VE, 390–4
 - Reasoning Hierarchy Browser, 396
 - Reasoning Step Editor, 396
- Disciple-VPT, 37, 387–425, 427
 - architecture, 388–9
 - VE Assistant, 388
 - VE Library, 388, 416–20
 - VE Team, 388
- Disciple-WA, 37, 89, 338–48
- divide-and-conquer. *See* analysis and synthesis
- DOLCE, 90
- domain understanding, 83–5, 94, 176–9
- dots
 - evidential, 47–8
 - combinations of, 50
 - idea, 48, 50, 52, 54
- Doyle, Arthur Conan, 6
- drill-down analysis, 143
- Drucker, Peter, 33
- Durham, Susan, 391
- Durkin, John, 34, 389, 418
- Dybala, Tom, 40, 338

- Echevarria, Antulio J., 365
- Eco, Umberto, 8
- Eikmeier, Dale C., 365
- Einstein, Albert, 21
- elicitation script, 376–9
 - for feature, 377
 - illustration, 367–9
- EMYCIN, 89
- enumerative probability, 9–11
 - aleatory, 9
- epistemology, 2
- equivocal testimonial evidence, 136
- evaluation
 - of Disciple-COA, 360–4
 - of Disciple-COG, 383–5
 - of Disciple-VPT, 422
 - of Disciple-WA, 346–8
- event, 2
- evidence, 1, 5
 - ambiguity, 23
 - dissonance, 23
 - imperfect believability, 23
 - incompleteness, 23
 - inconclusiveness, 23
 - versus
 - event, 48
 - fact, 2
 - information, 2
 - knowledge, 2
- evidence collection task, 60
- evidence in search of hypotheses, 56–7
- evidence-based assessment, 122–4
- evidence-based reasoning, 25–9, 46–76
 - in cybersecurity, 27
 - in forensics, 27
 - in intelligence analysis, 27
 - in law, 27
 - in medicine, 27
 - in natural sciences, 27
- evidential synergism, 52
 - example, 50–1
- Except-When plausible version space condition, 215, 251, 254–5, 300
- EXPECT, 88
- expert problem
 - center of gravity analysis, 364–7
 - course of action critiquing, 348–51
 - emergency response planning, 389–90
 - workaround planning, 338–41
- expert system, 33–5
 - definition, 33–4
 - vs knowledge-based system, 34
- expert system shell, 88–9
 - definition, 88
- explanation, 266
 - with comparison, 283
 - with fixed value, 280
 - with function, 280
 - generation, 262–4
 - incompleteness, 263
- explanation piece, 261
 - association, 261
 - correlation, 261
 - generalization, 261
 - property, 261
 - relation, 261
 - specific value, 261
- explanation-based learning, 223–5

- fact, 2
- failure explanation, 254
- Farquhar, Adam, 90
- Feigenbaum, Edward A., 38
- Fellbaum, Christiane D., 90
- Ferrucci, David, 34
- Filip, Florin G., 32–3
- flash of insight, 7
- FOAF, 90
- Foray, Dominique, 33
- Forbes*, 34
- Forbus, Kenneth D., 225
- foundational ontology. *See* upper ontology
- frame, 15
- frame of discernment, 15
- Friedman-Hill, Ernest, 90
- Fuzzy probability system, 20–3, 55
 - compared with others, 23–5
 - conjunction, 22
 - disjunction, 22
 - negation, 22

- Galilei, Galileo, 6
- Galvin, T. P., 365
- game of chance, 9

- Gammack, J.G., 176, 180
 Ganascia, Jean-Gabriel, 237, 265, 298
 Gates, Bill, 40
 generalization, 18
 of concepts with negation, 247
 definition, 234
 formal definition, 243–7
 inductive, 18
 maximal, 266–7, 300
 minimal, 268, 298, 300
 definition, 234
 of two concepts, 236
 of two concepts
 definition, 236
 generalization hierarchy, 157–8
 generalization rule, 229–33
 climbing generalization hierarchies, 231
 definition, 229
 dropping conditions, 231
 extending discrete sets, 232
 extending intervals, 231
 extending ordered sets of intervals, 231
 extending symbolic probabilities, 232
 turning constants into variables, 230
 turning occurrences of a variable into different variables, 230
 using feature definitions, 233
 using inference rules, 233
 using substitutions, 247
 generic instance, 104, 183, 188
 and explanation selection, 263
 genetic algorithms and evolutionary computation, 223
 Gentner, Dendre, 225
 Geonames, 90
 GFO, 90
 Ghallab, Malik, 387, 394, 396, 425
 Ghaziri, Hassan M., 389, 418
 Giarratano, Joseph, 34, 88
 Gil, Yolanda, 90, 360
 Giles, P. K., 365
 giving benefit of the doubt. *See* assumption
 goal, 396
 Goodman, David, 34
 Gruber, Tom R., 155
 guideline
 abstraction
 define context-dependent names, 334
 knowledge base
 one KB in memory, 111
 save successive KB versions, 111
 modeling
 define reduction considering future changes, 149
 identify instances and constants, 148
 learn and reuse patterns, 149
 reduction tree development, 148
 use specification to structure modeling, 147
 ontology development
 categories as concepts, 195
 concept naming, 189
 define feature-specific names, 196
 define similar siblings, 186
 group similar siblings, 187
 naming conventions, 188
 n-ary relations, 196
 single subconcepts, 187
 planning
 goal specification, 400
 plausible task ordering, 398
 preconditions specification, 399
 top-down, left-to-right specification, 399
 rule and hypothesis learning
 avoid learning from overly specific examples, 286
 avoid learning without explanations, 288
 domains and ranges of features, 286
 extend ontology before learning, 286
 guide explanation generation, 288
 identify entities before learning, 285
 recognize concepts in tree, 288
 rule refinement
 assess similar hypotheses, 321
 extend ontology for failure explanations, 321
 Guizzardi, G., 90
 hands-on exercise
 abstraction of reasoning, 331–4
 argumentation browsing, 76–81
 believability analysis, 140–3
 evidence search, 130–3
 feature hierarchy development, 189–92
 hypothesis analysis, 124–30
 instance definition, 192–5
 modeling and formalization, 144–6
 object hierarchy development, 180–6
 ontology browsing, 165–8
 pattern reuse, 146–7
 rule and hypothesis learning, 275–9
 rule refinement, 319–21
 Hayes-Roth, Frederick, 202
 Hendler, Jim, 33, 40, 89
 heuristic, 62
 Hieb, Michael R., 41, 338
 hierarchical task network planning, 394–403
 integration with inference, 403
 Hobbs, Jerry R., 90
 Holmes, Sherlock, 6, 8, 47, 51
 Horvitz, Eric, 32
 HUMINT, 48–9, 139
 Humphreys, B.L., 90
 hypothesis
 examples, 29
 learning, 271–6
 basic steps, 273
 refinement, 316–17
 testing, 59
 hypothesis-driven evidence collection, 59
 IBM, 34
 imaginative reasoning, 48, 57
 IMINT, 48, 133–4

- Incident Command System, 390
- incremental inductive generalization, 299
- indicator
 - almost certain indicator, 121
 - likely indicator, 121
 - probability computation, 121
 - very likely indicator, 121
- individual. *See* instance
- induction, 25
- inductive inference 26
 - see* inductive reasoning
- inductive learning from examples, 223–4, 238–42
 - problem definition, 239
- inductive reasoning, 26
- inference
 - action, 401
 - engine, 207
 - network, 53
 - task, 401
- inferential catastrophes, 49
- inferential force or weight, 61
- information, 2
- inheritance, 162–3
 - default, 162
 - multiple, 162
- input variable, 408
- inquiry-based learning in science, 70–6
- instance
 - definition, 157
- instance of, 157
- instance-based learning, 223
- integrated teaching and learning, 39
- intelligence analysis, 56–64
- intelligent agent, 30–2
- interview with expert
 - structured, 177
 - unstructured, 84, 177
 - dichotomous questions, 177
 - multiple-choice questions, 177
 - ranking scale questions, 177
- Intuit, 34
- Iron, Richard, 365
- isa. *See* subconcept of

- Jackson, Peter, 389, 418
- Java, 41
- Jena, 89–90
- JESS, 89
- Jones, Eric, 338, 347, 349–50, 361–2

- Kant, Immanuel, 35
- Keeling, Harry, 39, 41, 338
- Keene, Raymond, 34
- Kent, Sherman, 23
- Kim, Jihie, 360
- Kipling, Rudyard, 113, 427
- Kneale, W., 6
- knowledge
 - as justified true belief, 2–4
 - repository, 104–5
 - reuse, 418, 427
- knowledge base
 - development, 257
 - Domain KB, 104, 270, 420, 428
 - maintenance, 257
 - Scenario KB, 104, 270, 420, 428
 - Shared KB, 104, 420, 428
 - State KB, 420
- knowledge engineer, 256, 426
 - definition, 83
- knowledge engineering, 33–41, 426
 - definition, 33
- knowledge society, 40
- Kodratoff, Yves, 39, 237, 265, 298
- Kolmogorov, Andrey N., 10, 14
- Kolmogorov's axioms of probability, 10
- Krogh, Georg von., 39

- lack of belief, 15
- Langley, Patrick W., 31
- Laplace, Pierre, 9
- law, 5
 - Anglo-American, 5
- laws of large numbers, 10
- Le, Vu, 41, 338
- learner
 - aggressive, 241, 266
 - cautious, 240, 268
 - dual-strategy, 241
- learning
 - with evolving ontology, 309–20
 - with incomplete representation language, 242
- learning agent shell, 90–1, 390
 - definition, 90
- learning agent shell for evidence-based reasoning, 91–3
 - definition, 91
- learning apprentice, 223
- learning by analogy, 39, 223, 225–6
- learning from examples, 39
- learning from explanations, 39
- learning planning rules, 417
 - action concretion rules, 415–17
 - correlated rules, 409–13
 - difficulty, 409
 - method, 413
 - problem definition, 413
 - task concretion rules, 414–15
 - task reduction rules, 413–14
- Lempert, R. O., 134
- Lenat, Douglas B., 90, 360
- likelihood
 - versus likeliness, 122
- likelihood ratio, 12
- likeliness
 - versus likelihood, 122
- Lindberg, D. A. B., 90
- Locke, John, 6
- Loom, 90, 343
- lower bound condition
 - as analogy criterion, 268–70

- MacGregor, Robert, 90, 343, 360
 machine learning
 definition, 223
 main plausible version space condition, 215, 251
 MAPGEN, 34
 Marcu, Dorin, 41, 338
 Marcus, Sandra, 37, 89
 MASINT, 48, 133
 Masolo, C., 90
 McDermott, John, 34
 McGuinness, Deborah L., 174
 Meckl, Steven, 29
 Michalski, Ryszard S., 39, 222, 227
 Minsky, Marvin, 222
 missing evidence, 137
 versus negative evidence, 137
 Mitchell, Tom M., 212, 222, 238, 258, 298, 318, 407
 mixed evidence, 14, 138
 example, 138
 mixed-initiative
 interaction, 252
 problem solving, 39
 reasoning, 32–3, 262
 definition, 32
 in explanation generation, 264
 modeling the problem-solving process, 113–22
 center of gravity analysis, 369–74
 course of action critiquing, 351–74
 emergency response planning, 394–6
 workaround planning, 341–3
 modeling-based ontology specification, 100–1,
 179–81, 286
 Mooney, Ray, 258, 406
 more general than
 definition, 157
 Morris, Jon, 25
 Morris, Paul H., 34
 multi-INT fusion, 61
 multistrategy learning, 39, 223, 226–7
 Murphy, Peter, 5
 Musen, Mark A., 89
 MYCIN, 34

 Nagle, Ernest, 6
 naïve Bayes learning, 223
 narrative, 55
 n-ary feature, 160–1
 NASA, 34
 National Science Education Standards, 70
 Nau, Dana, 366, 425
 negative evidence, 136
 versus missing evidence, 137
 negative example, 223
 definition, 227
 negative exception
 definition, 228
 Negoita, Constantin V., 21
 neural networks, 223
 Newton, Isaac, 6
 Nilsson, Nils J., 391
 Nonaka, Ikujiro, 39

 Norvig, Peter, 30
 Noy, Natalya F., 174

 O’Keefe, R. M., 88
 object feature, 158–60
 domain, 158
 generalization hierarchy, 160
 partially learned, 159
 range, 158
 objectivity, 4, 49, 135
 Obrst, Leo, 90, 174
 observational sensitivity, 49, 135
 OCHRE, 90
 odds, 10
 OKBC, 90
 Oldroyd, David, 5, 26
 Ontolingua, 90
 ontological commitment, 155
 ontology, 155–65
 definition, 155
 of evidence, 134
 maintenance, 197
 matching, 163–5
 of problem-solving tasks, 35–7
 version, 311
 ontology design and development, 174–81
 for center of gravity analysis, 376–8
 for course of action critiquing, 352–5
 for emergency response planning, 357–90
 for workaround planning, 343–4
 operation with assumption
 define, 146
 define with justification, 146
 delete, 146
 operation with case study
 end, 80
 run, 78
 operation with explanation
 define with comparison, 284
 define with function, 283
 generate with fixed value, 280
 guide generation, 279
 operation with hypothesis
 associate search criteria, 132
 browse analysis of hypothesis, 78
 convert between modeled and formalized, 146
 define explanations, 275
 display with problem viewer, 279
 insert intermediary hypothesis, 145
 introduce into abstract reasoning tree, 334
 modify abstraction, 334
 move hypotheses, 145
 remove from abstract reasoning tree, 334
 specify, 145
 specify by instantiating pattern, 147
 specify reduction by reusing pattern, 147
 update name of elementary hypothesis, 129
 operation with item of evidence
 assess, 127
 associate to hypothesis, 127
 define, 143

- operation with knowledge base
 - close, 110
 - create, 110
 - load and select, 108
 - save, 109
- operation with ontology
 - add direct subconcept or instance, 194
 - add direct superconcept, 194
 - change feature domain, 190
 - change feature range, 190
 - define concept or instance, 182
 - define feature, 189, 193
 - define generic instance, 183
 - define specific instance, 182
 - delete concept or instance, 186
 - rename concept or instance, 186
 - view feature definition, 167
 - view object, 167
- operation with reasoning tree
 - define instances and constants, 145
 - delete node, 145
 - recognize concepts, 289
 - replace generated step with modeling step, 320
 - select synthesis function, 129
 - specify node, 145
- operation with rule
 - delete with Rule Browser, 321
 - display with Rule Viewer, 278
 - learning steps, 278
 - refine with negative example, 320
 - refine with positive example, 319
 - view with Rule Browser, 320
- OPS, 88
- ordered symbolic probability scale, 61
- output variable, 408
- overgeneralization, 242
- OWLIM, 90

- Pan, Feng, 90
- Paris, Cecile, 88
- partially learned knowledge, 212–16
 - reasoning, 215–16
 - representation, 212–15
 - concepts, 212–13
 - features, 159, 213
 - hypotheses, 214
 - rules, 214
- pattern learning, 95–8
 - versus rule learning, 102
- Peirce, Charles S., 6–8
- Pellet, 89–90
- personalized learning, 430
- planning, 387
 - collaborative, 420–1
 - multidomain, 420–1
- plausible explanation, 262
- plausible lower bound condition, 298, 406
- plausible upper bound condition, 405
- plausible version space, 213, 300
- Plotkin, G. D., 237
- Pomerol, Jean-Charles, 32

- positive example, 223
 - definition, 227
- positive exception
 - definition, 227
- possibility function, 21
- posterior odds, 12
- posterior probability, 11
- Powell, Gerald M., 391
- prior probability, 11
- probabilistic reasoning, 25
- probabilistically equivocal testimonial
 - evidence, 136
- probability scale
 - Baconian, 17
 - conventional, 15
 - degree of support or belief, 15
- problem reduction rule, 204
- production system architecture, 202–3
- propose-and-revise, 89
- Protégé, 89–90
- protocol analysis, 178
- pure evidence, 13–14

- R1, 34
- Ralescu, Dan A., 21
- rapid prototyping, 93–100
- Rationale system, 23
- reduction
 - indicator, 121
 - necessary and sufficient condition, 120
 - scenario, 120
 - sufficient condition, 120
- reduction example
 - generalized, 270–1
 - reformulation, 264–5
 - understanding, 260–2
- reduction rule, 204–7, 394
- reformulation rule
 - definition, 229
- relative frequency, 9
- relevance, 53, 61
 - argument, 4, 54
 - of event, 50
- reliability
 - of demonstrative tangible evidence, 134
- repeatable process, 9
- report generation, 374, 430
- requirements specification, 85, 93
- Ressler, J., 90
- Riley, Gary, 34, 88
- Rooney, David, 32
- Roosevelt, Franklin D., 21
- rote learning, 223
- rule analysis, 270
- rule and ontology matching, 207–12
- rule induction, 223
- rule learning, 252–71
 - basic steps, 260
 - features, 317
 - illustration, 253–7
 - for inference tasks, 403–9

- rule learning (cont.)
 - method overview, 258–60
 - versus pattern learning, 102
 - problem definition, 257–8
- rule refinement, 294–309
 - through condition specialization
 - illustration, 305–8
 - method, 307
 - with Except-When conditions
 - basic steps, 305
 - illustration, 300–5
 - features, 317
 - illustration, 253–7
 - method overview, 295–6
 - with negative examples, 300–9
 - summary, 308
 - with positive examples, 296–300
 - illustration, 296–9
 - method, 298–300
 - summary, 300
 - problem definition, 294
- rule regeneration
 - on demand, 310–12
 - illustration, 312–16
 - method, 316–20
 - problem definition, 309–11
- Russell, Stuart J., 30, 225

- SALT, 89
- Schmidt, C.F., 391
- Schneider, Luc, 90
- Schreiber, Guus, 33, 35–6, 89
- Schum, David A., 6, 11, 16, 20, 22, 25, 29, 46, 55, 61, 133, 135, 138
- Sebeok, Thomas, 8
- Semantic Web, 40, 90, 174
- Shafer, Glenn, 13–14, 23
- Shortliffe, Edward H., 34
- siblings, 186–7
 - definition, 186
- SIGINT, 48, 133–4
- Simon, Herbert, 222
- Simonite, T., 40
- Siri, 35
- software assistant, 40
- solution synthesis rule
 - problem-level, 206–7
 - reduction-level, 205, 207
- specialization
 - minimal
 - definition, 235
 - of two concepts, 237
 - of two concepts
 - definition, 237
- specialization rule, 229–34
 - definition, 229
- specific instance, 104, 183, 188
- statistical process, 9
- Stavrou, Angelos, 64
- Strange, Joseph, 365, 369
- subclass of. *See* subconcept of
 - subconcept of, 157
 - subject matter expert, 83, 256, 426
 - Subjective Bayesian. *See* Bayesian probability system
 - substance-blind, 133
 - SUMO, 90
 - support vector machines, 223
 - synthesis
 - definition, 35
 - problem-level, 116
 - reduction-level, 116
 - synthesis function
 - almost certain indicator, 207
 - likely indicator, 207
 - max, 120, 207
 - min, 120, 207
 - on balance, 124, 207
 - very likely indicator, 207
 - synthesis rule, 204–7, 394
 - synthetic task, 36–7
 - assignment, 37
 - debugging, 37
 - design, 37
 - planning, 37
 - scheduling, 37

 - tacit knowledge, 39
 - taking for granted. *See* assumption
 - tangible evidence, 48, 133–5
 - types, 134
 - task, 396
 - decomposition, 394
 - goal, 400
 - specialization, 394
 - Tate, Austin, 391, 424
 - TECHINT, 133
 - Tecuci, Gheorghe, 29–30, 32–4, 36–7, 39–40, 64, 91–2, 116, 148, 155, 171–2, 212, 227, 237, 262, 338, 346, 360, 362, 374, 384, 387, 391, 420–1, 430
 - term generalization, 245
 - testimonial evidence, 48, 135–7
 - based on opinion, 136
 - completely equivocal, 136
 - obtained at second hand, 136
 - unequivocal based upon direct observation, 136
 - testing, 256–7
 - TIACRITIS, 35–6, 41
 - Toffler, Alvin, 120, 427
 - TopBraid Composer, 89–90
 - Toulmin, Stephen E., 23
 - transitivity, 161
 - trifles, 47
 - truthfulness. *See* veracity
 - Turing, Alan, 39
 - Turoff, Murray, 32
 - type. *See* subconcept of

 - U.S. National Academy of Engineering, 40
 - U.S. National Incident Management System, 390
 - U.S. National Research Council, 71–2, 75–6

- U.S. National Response Plan, 387
- UFO, 90
- UMLS, 90
- underspecialization, 242
- understandability, 135
- unequivocal testimonial evidence, 136
- UNESCO, 33
- universal ontology. *See* upper ontology
- upper bound condition
 - as analogy criterion, 266–8
- upper ontology, 90
- user instance, 176
- utility ontology, 90

- validation, 88
- Van Gelder, Tim, 23
- Van Melle, W., 89
- Veloso, Manuela, 225
- veracity, 4, 49, 135
- verbal assessments of probability, 22–3
 - versus numerical, 22
- verification, 88
- virtual planning expert
 - definition, 387
 - illustration, 422

- W3C, 33, 40
- Wagner, G., 90
- Walker, E., 34
- Walton, Douglas, 43
- Warden III, John A., 365
- Waterman, Donald A., 202
- Watson, 34
- weight of evidence
 - as degree of support, 13
- what-if scenario, 143
- Whewell, William, 6
- wide-area motion imagery, 68–70
 - forensic analysis, 68–9
 - real-time analysis, 68
- Wielinga, Bob, 35
- Wigmore, John H., 23, 53
- Wilkins, David C., 389, 418
- Winston, Patrick H., 225, 265
- Wogrin, Nancy, 88
- WordNet, 90
- world state
 - definition, 395

- Zadeh, Lotfi, 8, 20