

Index

Note: “*f*” and “*t*” next to the page numbers refers to the figures and tables, respectively, in the page number mentioned.

- Adams-Gear integration algorithm, 457, 477
- advanced nonlinear shell theories
 - composite materials, 90–91, 91*f*
 - functionally graded materials and thermal effects, 99–102
 - introduction, 90
 - laminated under plane stress, 92–96
 - nonlinear shear deformation theories, 103
 - sandwich plates and shells, 98–99*f*, 98–99
- Almansi strain tensor, 13, 154, 220–222
- amplitude-modulated response, 471
- amplitude-modulated responses, 420
- anisotropic body, 3, 90
- anisotropic hyperelastic materials
 - composite material with two families of fibers, 199–201
 - introduction to, 197
 - transversely isotropic incompressible materials, 199
 - transversely isotropic materials, 197–199
 - with two orthogonal families of fibers, 201
- anisotropic laminated shells, 10
- aorta. *See* human aorta
- arclength continuation, 244–245, 245*f*
- artery wall model
 - introduction to, 213–215, 214*f*
 - residual stresses, 215–223, 216*f*, 218–219*f*, 220*t*, 221*f*
 - strain energy, 215
- artificial spring method, 347, 487
- asymmetric laminates, 465
- autonomous system, 226, 233, 240, 244, 252–253, 298
- autoparametric resonances, 419
- axial half-waves, 486
- axial load
 - circular cylindrical shells, 9, 543–544
 - nonlinear stability and response, 461–463, 462–464*f*
 - numerical results for laminated composite shells, 553–556, 555*f*, 556*t*
- axial residual stresses, 502–503, 505
- axisymmetric deformation, 85, 145, 463, 494–495
- axisymmetric imperfections, 419–420, 437
- axisymmetric load, 140
- axisymmetric natural modes of vibration, 140
- axisymmetric oscillation, 445
- axisymmetric radial displacement, 87
- backbone curve, 226, 410, 490
- Bernoulli’s equation, 431
- Bessel function, 211, 430, 501
- bifurcation. *See also* pitchfork bifurcation
 - chaotic vibrations, 250–251
 - discontinuous bifurcations, 233
 - dynamic bifurcations, 233
 - global bifurcations, 232
 - Hopf bifurcation, 233, 235–237, 237*f*
 - introduction to, 232–233
 - Neimark-Sacker bifurcation, 243–244, 400, 443, 445, 477
 - Neimark-Sacker (torus) bifurcations (TR), 471, 476*f*, 477–478
 - overview of, 232–237, 234–237*f*
 - period-doubling bifurcation, 243, 392, 396, 542
 - periodic solution bifurcation, 239–244
 - periodic solutions, 239–244
 - Poincaré map, 237–239, 238–239*f*
 - saddle-node bifurcation, 233, 234*f*
 - static bifurcations, 547–549*f*, 547–549, 550*t*
 - supercritical bifurcation, 243
 - transcritical bifurcation, 233, 235, 236*f*
- bifurcation diagram, 233–235, 381, 392–400, 394*f*
- biharmonic operator, 26
- biomaterial
 - hyperelasticity, 151–154, 152–154*f*, 167, 199–201
- blood flow, 214–215, 492, 512
- blue sky catastrophe, 233
- boundary conditions
 - geometric boundary conditions, 139, 345–348
 - Rayleigh-Ritz method, 433
 - simply supported, isotropic circular cylindrical shells, 437–439
- buckling, 387, 388*t*, 389–392, 390–391*f*
 - numerical results for laminated composite shells, 553–556, 555*f*, 555–556*t*
 - pitchfork bifurcation associated with, 542
 - space shuttle liquid oxygen tank, 536–541, 537*f*, 539–540*f*
 - static bifurcations, 547–549*f*, 547–549, 550*t*
- burst-random excitation, 351–355

- cantilever rectangular plates, 1
 Carbon/Epoxy composite, 371
 carbon matrix composites, 91
 Cartesian coordinate system, 14–15, 64–71, 65–67*f*
 Cauchy-Green deformation tensor, 155–157,
 159–160, 164, 197
 aortic wall model, 222
 compressible isotropic materials, 172
 human aorta, 494–495
 isotropic hyperelastic materials, 166
 simple shear, 177–178
 tensors for strain rate in QLV theory, 327–328
 Cauchy stress tensor, 17, 19, 160–163
 Cayley-Hamilton equation for tensors, 166
 chaos, 233, 250–251, 400, 457, 516. *See also*
 hyperchaos
 chaotic motion, 239, 243, 251, 397, 419
 chaotic vibration, 225, 230, 250–251, 308, 380–381, 545
 Chebyshev polynomials, 366
 circular cylindrical panel, 309–310, 310*f*
 circular cylindrical shells, 8–9
 Donnell's nonlinear theory, 53
 initial axial stress on vibrating circular cylindrical
 shell, 119–120
 loaded by pressure, 139–142
 nonlinear shell theory with thickness deformation,
 136–138
 nonlinear third-order shear deformation theory for,
 107, 114–116
 orthotropic circular cylindrical shells, 544
 pressure load for large displacements, 82, 85–88,
 87–89*f*
 stresses on infinitesimal element of, 43*f*
 circular plates, 8
 circumferential residual stresses, 501–502, 505, 506*f*
 clamped laminated shells, 531–536, 534–535*f*,
 536*f*
 classical plate theory, 8, 339–341, 341–342*f*
 CLT models, 368–371, 369*t*, 370*f*
 Codazzi condition, 70, 73
 Coleman-Noll procedure, 329–330
 collagen fibers, 213–214, 492
 companion mode
 circular cylindrical shells, 85
 effect of imperfections, 250, 448, 449*f*, 451*f*, 454,
 455*f*, 457, 457*t*, 459
 empty shell, 443–444, 444–446*f*
 large-amplitude vibrations of circular cylindrical
 shells, 484, 488–490, 488*f*
 nonlinear vibrations of simply supported circular
 cylindrical shells, 417
 simply supported, isotropic circular cylindrical
 shells, 437
 travelling wave response, 442
 water-filled shells, 250, 448, 449*f*, 451*f*, 454, 455*f*,
 457, 457*t*
 composite material, 90–91, 91*f*, 199–201
 compressible hyperelastic materials, 170–173
 compressible isotropic materials, 172–173
 conical shells, 120–122, 121*f*
 connective tissue, 151–152, 153*f*
 constitutive equations linearly elastic materials, 1–3,
 4–7
 continuous fibers, 90–91
 continuous spectrum of relaxation for living tissues,
 316–320, 318–319*f*
 convexity, 205
 Coulomb damping, 258
 creep, 268, 280
 critical load, 538, 542, 547–549, 550*t*, 551, 554,
 555–556*t*
 cross-ply shells, 90–91, 94–96, 96*f*
 crystallographic planes, 258
 cubic nonlinearity, 226, 243, 296
 curvature
 Donnell's nonlinear shallow-shell theory,
 529–530*f*
 doubly curved shells of constant curvature, 60–64,
 61*f*, 103–106
 Gaussian curvature, 70–71
 introduction to, 9–10, 35
 nonlinear theories of doubly curved shells, 60–64,
 61*f*
 nonlinear vibrations and stability of doubly curved
 shallow-shells, 528–530, 529–530*f*
 principal radii of, 69, 71–72
 curvilinear coordinates, 65–66
 cylindrical coordinates, 28, 31–34, 31*f*, 203, 216*f*,
 216–217
 damping. *See also* nonlinear damping; viscoelasticity
 and damping
 Coulomb damping, 258
 hysteretic damping, 258, 264–266
 loss tangent vs. viscous damping, 291
 medium damping, 311–312, 311*f*
 modal damping, 261–265, 263*f*, 265*f*
 proportional damping, 261
 viscous damping, 225, 258–260, 259–260*f*, 291,
 339–340
 damping capacity, 291–293, 293*f*, 296
 deformation gradient tensor, 154–155, 158,
 162–217, 220–221, 221*f*, 328
 derivatives of vectors, 69
 deviatoric operator in Lagrangian description,
 170–221
 discontinuous bifurcations, 233
 discretization, 255–256, 495–500
 dissipation experiments in human aorta, 512
 dissipation of energy in harmonic oscillations,
 286–287
 dissipative systems, long-term behavior, 254–255
 divergence, 235
 DOF, 142
 Donnell-Mushtari-Vlasov theory, 9
 Donnell's equation of motion, 54–55
 Donnell's nonlinear kinematics for shell
 deformation, 485

- Donnell's nonlinear shallow-shell theory, 255
- doubly curved shells of constant curvature, 60–64, 61*f*, 103–116
- driven mode, 417, 459
- Duffing equation, 232, 243, 297
- dynamic bifurcations, 233
- dynamic instability by in-plane harmonic load, 392–400, 393–399*f*
- dynamic modulus, 282, 283, 283*f*, 287–289, 288*f*, 296, 315–317, 316*f*, 317–318, 318*f*, 320, 335
- dynamic response under pulsating pressure, 509–512, 510–512*f*
- dynamic stiffness, 280–312, 281*f*
- elastic bodies, 8
- elastic rotational constraint, 347
- elastic strain energy, 21–22, 40–41
- elastin fibers, 213–214, 492
- endothelial cells, 214
- energy density function, 5
- energy storage/dissipation in harmonic oscillations, 286–287
- epithelium, 151–152, 153*f*
- equibiaxial extension
 - Fung-Demiray model, 191–192
 - Gent model, 189–190
 - Mooney-Rivlin model, 182
 - neo-Hookian model, 176–179, 177*f*
 - Ogden model, 184–185
- equivalent single layer (ESL) theories, 124
- Euclidean metric tensor, 27–29, 49
- Eulerian description, 8, 13
- Eulerian stress tensor, 17–21, 18*f*, 160–162
 - compressible isotropic materials, 172
 - equibiaxial extension, 178, 189–192
 - incompressible isotropic materials, 169
 - isotropic hyperelastic materials, 167–168
 - Mooney-Rivlin model, 180
 - neo-Hookian compressible model, 193–194
 - neo-Hookian model, 174
 - pure shear, 179, 183, 186
 - simple shear, 180–181, 185, 190, 192–193
 - strain energy density function, 163
 - uniaxial extension, 175, 191
- evolution equations, 332–334
- fading memory, 271
- fiber dispersion, 207–213, 215, 504
- fiber-reinforced composites, 91, 199–201
- finite deformations, 154
- finite element model (FEM), 412
- first-order differential equations, 230
- first-order shear deformation theory, 9
 - conical shells, 120–122, 121*f*
 - nonlinear stability and vibration of FGM plates, 381
 - nonlinear vibrations and post-buckling of composite circular cylindrical shells, 463–466
 - nonlinear vibrations and stability of doubly curved shallow-shells, 516
 - vibrations of composite circular cylindrical shells, 421
- first Piola-Kirchhoff stress tensor, 19, 161, 163, 186
- fixed points, 244–245, 245–246*f*, 245–247
- Floquet multiplier, 240, 242*f*, 242, 243
- Floquet theory, 225, 239–243, 242*f*
- flow, blood, 214–215, 492, 512
- Flügge-Lur'e-Byrne nonlinear theory of shells
 - circular cylindrical shells, 417
 - empty shell, 443, 445–447
 - overview of, 10, 37–38, 55–56, 417, 425–428, 428–429*f*
 - simply supported, isotropic circular cylindrical shells, 437, 439
- fluid
 - empty and fluid-filled simply supported, isotropic circular cylindrical shells, 434
 - still fluid and circular cylindrical shells, 429–431
- fluid-structure interaction, 439, 500–501
- flutter, 237
- foam, polymeric, 151–154, 152–154*f*, 167
- Fourier series, 511–512, 512*f*
- fractional derivative models, 275–276, 283–284
- free energy density function, 329
- frequency domain, 247
- frequency-response curve, 226, 227*f*, 369, 444*f*, 470, 477, 478–479*f*
- Frequency Response Functions (FRFs), 341, 411–412
- functionally graded (FGM) material
 - advanced nonlinear shell theories, 99–102
 - introduction to, 99–101, 100*r*
 - kinetic energy with rotary inertia for, 113–114
 - in plane stress, 101–102
 - with shear deformation, 101–102
- Fung-Demiray model
 - equibiaxial extension, 191–192
 - introduction to, 191
 - overview of, 173–174, 191–193
 - simple shear, 192–193
 - uniaxial extension, 191
- Galerkin method, 255–256, 380, 419, 484
- Gauss condition, 70
- Gaussian curvature, 70–71
- Gear's backward differentiation formula (BDF), 229–230, 381, 392, 477
- general theory of doubly curved shells
 - elastic strain energy, 78–79
 - Green's strain tensor in curvilinear coordinates, 71–74, 71–72*f*
 - introduction to, 64
 - kinetic strain energy, 79
 - overview of, 64–79
 - simplified strain-displacement relationships, 78

- general theory of doubly curved shells (cont.)
 strain-displacement relationships Novozhilov's
 nonlinear shell theory, 63–78
 theory of surfaces, 64–71, 65–67*f*
- generalized Maxwell model, 274–275, 274*f*,
 330–332, 331*f*, 334–335
- Gent, Alan, 187
- Gent model
 equibiaxial extension, 189–190
 introduction to, 187–188
 overview of, 173–174, 187–191
 simple shear, 190–191
 uniaxial extension, 188–189
- geometric boundary conditions, 139, 345–348
- geometric imperfections, 17, 36, 47–48, 140. *See also* imperfection
 circular cylindrical shells under load, 542–543
 liquid oxygen tank buckling, 537*f*, 539–540*f*, 538,
 539–541
 nonlinear vibrations and stability of doubly curved
 shallow-shells, 516
 nonlinear vibrations of isotropic plates, 352, 352*f*,
 355, 357*f*
 static bifurcations, 549*f*, 549, 550*r*
 unstretched rubber plate, 413
 vibrations of composite circular cylindrical shells,
 419–421, 458–461, 460*f*
- glass transition temperature, 151
- global bifurcations, 232
- Gram-Schmidt orthonormalization, 254
- graphite/epoxy composite layers, 466
- Green's strain tensor, 12–16, 21
 Cauchy-Green deformation tensor, 155–157,
 159–160
 for circular cylindrical shells, 54
 for circular plates, 48*f*, 48–49
 constant curvature, 104–105
 in curvilinear coordinates, 71–74, 71–72*f*,
 107–108, 127–128
 in cylindrical coordinates, 31–33, 31*f*
 elastic strain energy, 22, 50, 128–129
 finite deformations, 154–155
 in generic coordinate system, 29–31
 instantaneous elastic stress, 321
 in Lagrangian description, 34, 35*f*
 nonlinear materials, 295–296
 quadratic distribution of, 129
 in spherical coordinates, 52–53
 strain energy density function, 164
 tensors for strain rate in QLV theory, 328
 three-dimensional elasticity, 108
 uniaxial extension, 176
- Hamiltonian dynamics, 419
- hardening behavior, 225–228, 227–228*f*, 350,
 355–378, 410, 413, 479, 484
- harmonic balance, 247, 304–308
- harmonic radial excitation, 461, 463, 465, 522
- heated, functionally graded shells, 112–113
- Heaviside step function, 315, 317
- Helmholtz equation, 428
- heterogeneous material, 3, 162
- higher-order shear deformation theory (HSDT), 142,
 368–371, 369*r*, 370*f*, 495–500
- Holzappel-Gasser-Ogden (H-G-O) model
 experimental data for human aorta, 205–209, 207*f*,
 209–210*r*
 introduction to, 202–204, 204*f*
 overview of, 202–207, 204*f*, 208–210*f*, 209–210*r*
 static bending of pressurized plate in biological
 material, 413–414, 416*f*
 uniaxial extension and deformation without shear
 strains, 204–205
- Holzappel-Ogden model, 207–213, 208–210*f*, 213*f*,
 493–494
- Hooke's law, 4
- Hooke's stress-strain relations, 21
- Hopf bifurcation, 233, 235–237, 237*f*
- Horgan-Saccomandi model for Transversely
 Isotropic Incompressible Materials, 202
- human anterior cruciate ligament, 325
- human aorta
 Cauchy-Green deformation tensor, 494–495
 dissipation experiments in, 512
 external forces on, 503–504
 fluid-structure interaction in, 500–501
 free-edge boundary conditions of, 499
 Holzappel-Ogden model, 493–494
 kinetic energy, 499–500
 Lagrange equations of motion, 499, 502–503
 neo-Hookian model, 494
 nonlinear viscoelasticity with internal variables,
 335, 336*r*
 obtaining experimental data, 205–209, 207*f*,
 209–210*r*
 in QLV theory, 323–326, 324–325*f*
 vibration experiments in, 512
- hydrostatic pressure, 167
- hyperbolic paraboloidal shell, 527–528, 528*f*
- hyperchaos, 254, 255*f*
- hyperelastic materials, 80, 301
- hyperelastic models of anisotropic materials
 artery wall model, 213–223, 214*f*, 216*f*,
 218–219*f*, 220*r*, 221*f*
 Holzappel-Gasser-Ogden model for two families
 of fibers, 202–207, 204*f*, 207*f*,
 207–210*r*
 Holzappel-Ogden model for fiber dispersion,
 207–213, 208*f*, 213*f*
 introduction to, 201
 transversely isotropic incompressible materials,
 201–202
- hyperelastic models of compressible isotropic
 materials
 introduction to, 193
 linearly elastic material, 196

- Mooney-Rivlin compressible model, 195–196
- neo-Hookean compressible model, 193–195
- Ogden compressible model, 196
- hyperelastic models of incompressible isotropic materials
 - Fung-Demiray model, 173–174, 191–193
 - Gent model, 173–174, 187–191
 - introduction to, 173–174
 - Mooney-Rivlin model, 173–174, 179–183, 181*f*
 - neo-Hookean model, 173–179
 - Ogden model, 173–174, 183
 - overview of, 173–193
- hyperelastic regime, 124
- hyperelasticity of soft biological and rubber materials
 - compressible hyperelastic materials, 170–173
 - compressible isotropic materials, 172–173
 - incompressible hyperelastic materials, 167
 - incompressible isotropic materials, 168–170, 173–193
 - invariants of strain tensors, 159–160
 - isotropic hyperelastic materials, 164–167
 - representation theorem for invariants, 165–168
 - representation theorem for principal stretches, 166–167
 - soft materials, 151–154, 152–153*f*
 - strain energy density function, 162–164
 - strain tensors and principal stretches, 154–159, 157*f*
 - stress tensors, 160–162, 161*f*
- hyperellipsoid, 242
- hysteresis loop, 284–286, 284*f*, 286*f*, 316
- hysteretic damping, 258, 264–266
- hysteretic effect, 226
- imperfection. *See also* geometric imperfections
 - axisymmetric imperfections, 419–420, 437
 - effect of, 250, 448, 449*f*, 451*f*, 454, 455*f*, 457, 457*t*, 459
- in-plane inertia, 9, 22, 41
- in-plane static load, 389–392, 390–391*f*
- incompressibility assumption, 492
- incompressible hyperelastic materials, 167
- incompressible isotropic materials, 168–170. *See also* hyperelastic models of incompressible isotropic materials
- inertial coupling, 349, 356–358, 441, 503
- inhomogeneous composites, 380
- initial axial stress on vibrating circular cylindrical shell, 119–120
- internal resonances, 249–250, 250*f*
- invariants of isotropic hyperelastic materials, 164–167
- invariants of strain tensors, 159–160
- inverse quality factor, 293–295, 294*f*
- Jacobian determinant, 11
- Jacobian matrix, 231, 247
- jump phenomenon, 226, 227*f*
- Kelvin-Voigt model, 272–273, 283, 297–301
- Kirchhoff hypotheses, 10, 13–14, 21–22
- Kirchhoff-Love hypotheses, 33–34, 78–79, 103
- Koiter. *See* Sanders-Koiter nonlinear shell theory
- Lagrange equations of motion, 21, 255–256, 322–323
- Lagrangian stress tensors, 17–21, 18*f*, 160–161, 161*f*
- Lamé parameters, 69, 72, 81, 83, 104, 128, 256
- laminated, doubly curved shells, 107–116
- laminated shells
 - of arbitrary shape, 126–127*f*, 126–134
 - clamped laminated shells, theoretical approach, 531–533
 - constituted equations, 4–6
 - elastic strain energy, 94, 95*f*, 98, 105–106, 111–112, 134–136, 135*f*
 - kinetic energy, 111–112
 - numerical results for laminated composite shells, 553–556, 555*f*, 556*t*
 - rotary inertia for, 106
- Laplace transform operator, 276
- layer wise model (LWM), 124
- ligament, 2, 325–326, 325*f*
- linear viscoelasticity
 - arbitrary strain history, 268–270, 269*f*
 - effect of temperature, 276–277
 - experimental data for relaxation, 277–279, 277–278*f*, 279*t*
 - fading memory, 271
 - fractional derivatives, 275–276
 - generalized Maxwell model, 274–275, 274*f*
 - harmonic oscillations, 280–295
 - introduction to, 266–268, 267–268*f*
 - Kelvin-Voigt model, 272–273
 - Maxwell model, 271–272
 - relaxation modulus, 271–275
 - standard linear solid model, 272–274, 273*f*
 - three-dimensional linear constitutive equations, 279
- liquid oxygen tank buckling, 536–541, 537*f*, 539–540*f*
- local geometric theory, 230–231, 232*f*
- local models (LMM), 402
- longitudinal half-waves, 486
- loss factor, 265–266, 287, 297, 411, 412*f*, 512
- loss modulus, 281, 284, 288*f*, 289, 319–320, 323, 335, 411*f*, 411
- loss tangent vs. viscous damping, 291
- lumped masses, 358, 432
- Lyapunov dimension, 254–255
- Lyapunov exponents, 251–254, 253*f*, 255*f*, 400, 457, 469–470, 545
- Lyapunov spectrum, 253–255, 253*f*, 255*f*
- material principal coordinates, 134–136, 135*f*
- Mathieu equation, 544
- Mathieu-type instability, 550
- matrix phase, 90–91

- maximum Lyapunov exponent, 251–253
 Maxwell model, 271–272, 493
 Mindlin. *See* Reissner-Mindlin theory
 modal damping, 261–265, 263*f*, 265*f*, 522
 Mooney-Rivlin compressible model, 195–196
 Mooney-Rivlin model
 equibiaxial extension, 182
 introduction to, 179–180
 overview of, 173–174, 179–183, 181*f*
 pressurized rubber plate, 406
 pure shear, 182–183
 simple shear, 182
 uniaxial extension, 180–181, 181*f*
 Mori-Tanaka micromechanics scheme, 381
 multidirectional continuous fiber composites, 90–91
 multiplicative decomposition, 157, 160, 170, 221*f*,
 221
 muscle tissue, 151–152, 153*f*
 muscular arteries, 213–214

 nano plates, 1
 natural frequencies and modes, 365–367
 Neimark-Sacker bifurcation, 243–244, 400, 443,
 445, 477
 Neimark-Sacker (torus) bifurcations (TR), 471, 476*f*,
 477–478
 neo-Hookean model
 equibiaxial extension, 176–179, 177*f*
 human aorta, 494
 introduction to, 173–175, 193–194
 overview of, 174–179
 pressurized rubber plate, 406
 pure shear, 179*f*, 179–182
 simple shear, 177–182, 178*f*
 uniaxial extension, 175–176, 175–176*f*, 194–195
 nervous tissue, 151–152, 153*f*
 Newton-Raphson method, 245–246, 406
 non-dimensional nonlinear stiffness parameters, 307
 non-polynomial strain energy density functions, 402
 non-symmetric laminate, skew modes, 470*t*,
 473–480, 474–476*f*, 477*t*, 478*f*, 479*f*
 nonhomogenous material, 22
 nonisotropic material, 22
 nonlinear damping
 experimental and numerical results, 309–310*f*,
 309–311, 310*t*
 harmonic balance solution, 304–308
 introduction to, 301–304, 302*f*
 numerical results in medium damping, 311–312,
 311*f*
 viscoelasticity and, 301–312
 nonlinear shear deformation theories, 103
 nonlinear shell theory with thickness deformation
 circular cylindrical shells, 136–138
 circular cylindrical shells loaded by pressure,
 139–142
 elastic strain energy for isotropic and laminated
 shells, 134–136, 135*f*
 introduction to, 124–126
 kinetic energy in, 136
 numerical results for circular cylindrical shells
 loaded by pressure, 142–147
 third-order thickness and shear deformation,
 126–127*f*, 126–134
 nonlinear third-order shear deformation theory, 107,
 114–116
 nonlinear viscoelastic material, 493
 nonlinear viscoelasticity with internal variables
 evolution equations, 332–334
 experimental data for human aorta, 335, 336*t*
 generalized Maxwell model, 330–332, 331*f*
 generalized Maxwell model for harmonic
 oscillations, 334–335
 introduction to, 329–330
 quasi-linear viscoelasticity, 329–335, 331*f*,
 336*t*
 nonlinear viscoelasticity with multiple variables,
 335–336
 Novozhilov nonlinear plate theory, 402
 Novozhilov nonlinear shell theory, 38–40, 61–63
 distributed radial forces, 142
 empty shell, 445–447
 improved version of, 63–78
 nonlinear vibrations and stability of doubly curved
 shallow-shells, 517
 pressure load for large displacements, 85
 simply supported, isotropic circular cylindrical
 shells, 437–439
 simply supported, isotropic shells, 517–518,
 520–521
 spherical shallow shell, 522, 523–524*f*
 strain-displacement relationships, 63–78
 vibrations of composite circular cylindrical shells,
 417
 water-filled shells, 448–449
 zero curvature of, 402

 Ogden model, 196
 equibiaxial extension, 184–185
 fitting different experimental tests, 186, 187*f*,
 188*t*
 introduction to, 183
 overview of, 173–174, 183
 pressurized rubber plate, 406
 pure shear, 185–186
 simple shear, 185
 uniaxial extension, 183–184
 one-to-one internal resonance, 27
 orthogonal families of fibers, 201
 orthotropic and cross-ply shells, 94–96, 94–96*f*
 orthotropic material, 5, 494
 out-of-plane displacements, 351, 516
 out-of-plane fiber dispersion, 207–211, 494

 panel, 309–310, 310*f*
 parabolic shear strain distribution, 9

- parametric instability, 380, 542, 544–545, 551–553
- penalty method, 347, 487
- period-doubling bifurcation, 243, 392, 396, 542
- phase plane, 230–231, 237, 243, 527, 528*f*
- Piola-Kirchhoff stresses
- first Piola-Kirchhoff stress tensor, 19, 161, 163, 186
 - second Piola-Kirchhoff stress tensors, 17–21, 18*f*, 23
 - stress tensors, 161–162, 161*f*
- pitchfork bifurcation
- associated with buckling, 542
 - buckling, 548
 - overview of, 87, 233–235, 234*f*
- plane stress, 7
- Poincaré map, 237–239, 238–239*f*, 247, 392, 394–396*f*, 400, 457, 458*f*
- Poisson ratios, 5, 174, 422, 522
- polyconvex strain energy density function, 162
- polymeric foams, hyperelasticity, 151–154, 152–154*f*, 167. *See also* neo-Hookian model
- Polytec Scanning Laser Doppler Vibrometer, 373
- post-buckling, 87, 88*f*, 387, 389–392, 390–391*f*
- potential fluid, 420, 500
- pressure load for large displacements
- applied to shell surface, 82–84
 - circular cylindrical shells, 85–88, 87–89*f*
 - introduction to, 79
 - overview, 79–89
 - virtual work by, 79–82, 80*f*
- pressure pulsation, 493
- principal radii of curvature, 69, 71–72
- principal stretches. *See also* stretches
- Holzappel-Ogden model for fiber dispersion, 212–213, 213*f*
 - hyperelasticity of soft biological and rubber materials, 154–159, 157*f*
 - in nonlinear model, 403–404
 - representation theorem for principal stretches, 166–167
- probability distribution, 207–208, 210*f*, 211
- Prony series, 274–275
- proportional damping, 261
- pseudo-arclength continuation, 245–248, 246*f*, 475
- pseudo-invariant, 198, 200–205, 208–210, 212, 215, 495
- pure shear, 179–183, 179*f*, 185–186
- quadratic nonlinearity, 226, 296
- quality factor, 293–295
- quasi-linear viscoelasticity (QLV) of soft biological tissues
- continuous spectrum of relaxation for living tissues, 316–320, 318–319*f*
 - experimental results and data, 323–326, 324–325*f*
 - instantaneous elastic response, 314
 - introduction to, 312–313
 - nonlinear viscoelasticity with internal variables, 329–335, 331*f*, 336*t*
 - nonlinear viscoelasticity with multiple variables, 335–336
 - oscillatory strain, 320
 - reduced relaxation function, 314
 - standard linear solid model, 314–316, 316*f*
 - strain energy density function, 322–323, 323*f*
 - tensors for strain rate, 326–329
 - three-dimensional QLV theory, 320–322
- quasi-periodic solution, 243, 397
- radial displacements, 41, 145, 453
- randomly oriented discontinuous fiber composites, 90–91
- Rayleigh dissipation function, 504
- Rayleigh-Ritz method, 417, 432–434, 533
- reduced-order model, 262, 368, 370–371, 375, 480, 487, 499, 506, 516–517
- reduced relaxation function, 314
- Reimann-Louisville left and right hand formulations, 303
- Reissner-Mindlin theory, 9
- relaxation experimental data, 277–279, 277–278*f*, 279*t*
- relaxation modulus, 271–275
- residual stresses
- artery wall model, 215–223, 216*f*, 218–219*f*, 220*t*, 221*f*, 492
 - blood-filled, pressurized human aorta, 501–503
- retardation time constant, 276
- rheological phenomena, 258
- Rodrigues theorem, 67
- rotary inertia
- classical shell theories and, 124
 - kinetic energy for functionally graded shells, 113–114
 - for laminated shells, 106
 - nonlinear vibrations and stability of doubly curved shallow-shells, 516
 - nonlinear vibrations of laminated plates, 358–377
 - overview of, 9, 103
- rubbers. *See also* neo-Hookian model
- hyperelasticity of, 151–154, 152–154*f*
 - pressurized rubber plate, 406–410, 407, 408*t*, 407–410*f*
 - unstretched rubber plate, 411–413, 411–412*f*, 413*t*
- Runge-Kutta methods, 230
- saddle-node bifurcation, 233, 234*f*, 531
- saddle point, 231
- Sanders-Koiter nonlinear shell theory
- axial load and pressure on nonlinear stability and response, 461–463, 462–463*f*
 - buckling of circular cylindrical shells, 542, 545
 - dynamic loads, 549–553, 551–553*f*
 - isotropic shells, 546–547

- Sanders-Koiter nonlinear shell theory (cont.)
 overview of, 9–10, 40
 vibrations of composite circular cylindrical shells, 458–461, 460*f*
 water-filled shells, 448–453, 449*f*, 452–453*f*
 sandwich plates, 98–99, 98–99*f*, 363–368
 second Piola-Kirchhoff stress tensors
 instantaneous elastic response, 314
 introduction to, 17–21, 18*f*, 23
 nonlinear viscoelasticity with internal variables, 330
 nonlinear viscoelasticity with multiple variables, 335–336
 in quasi-linear viscoelasticity, 313
 transversely isotropic incompressible materials, 199–201
 uniaxial state of stress, 320
 shallow spherical caps, 54–55
 shear correction factor, 9, 469
 shear deformation theories. *See also* advanced
 nonlinear shell theories
 classical shell theories and, 124
 first order shear deformation theory for conical shells, 120–122, 121*f*
 functionally graded materials with, 101–102
 higher-order shear deformation theory, 142, 368–371, 369*t*, 370*f*, 495–500
 third-order shear deformation theory, 119
 shear stresses, 4
 simple shear
 Fung-Demiray model, 192–193
 Gent model, 190–191
 Mooney-Rivlin model, 182
 neo-Hookian model, 177–182, 178*f*
 Ogden model, 185
 sink, 231
 snap-through instability, 516, 531, 532*f*, 540–541, 548–549
 soft biological tissues, 151–154, 152–154*f*, 312–326
 softening, 225–228, 227–228*f*, 299, 484
 solid-rocket-booster (SRB), 536
 space shuttle liquid oxygen tank buckling, 536–541, 537*f*, 539–540*f*
 spherical coordinates, 29
 spherical shells, 8
 standard linear solid model, 272–274, 273*f*, 282–283, 283*f*, 301–304, 302*f*, 314–316, 316*f*
 state-space, 466, 504
 stepped-sine tests, 454
 storage of energy in harmonic oscillations, 286–287
 strain energy density function, 5, 162–164, 169
 artery wall model, 215
 Gent model, 188
 human aorta, 494, 503–504
 local expansion in nonlinear model, 404–406
 non-polynomial strain energy density functions, 402
 nonlinear viscoelasticity with multiple variables, 335–336
 QLV theory and, 322–323, 323*f*
 transversely isotropic hyperelastic material, 197–198
 strain invariants, 403–404
 strain tensors. *See also* Green's strain tensor
 for finite deformation, 10–13, 11*f*
 first Piola-Kirchhoff stress tensor, 19, 161, 163, 186
 hyperelasticity of soft biological and rubber materials, 154–159, 157*f*
 invariants of, 159–160
 Lagrangian stress tensors, 17–21, 18*f*, 160–161, 161*f*
 tensors for strain rate in QLV theory, 326–329
 strains for finite deflection, 33*f*, 33–36, 35*f*
 strange attractor, 233, 239, 250
 stress resultants, 22
 stress-strain relations. *See also* Green's strain tensor;
 Piola-Kirchhoff stresses
 fluid component, 266, 267*f*, 268
 functionally graded materials, 101–102
 introduction to, 5
 for a layer within a laminate, 94*f*, 94
 for a thin lamina, 92–93, 92–93*f*
 stress tensor, 160–162, 161*f*
 stretch tensor, 156–157, 166
 stretches. *See also* principal stretches
 first-order thickness stretching theory, 125
 second-order thickness stretching theory, 125
 unstretched rubber plate, 411–413, 411–412*f*, 413*t*
 styrene-butadiene rubber (SBR), 287
 sub-superharmonic resonance, 249
 subcritical bifurcation, 243
 subharmonic vibration, 226, 249
 supercritical bifurcation, 243
 superharmonic vibration, 226, 239, 249, 264
 superposition theorem, 225
 surfaces, theory of, 64–71, 65–67*f*
 symmetric angle-ply laminated shallow shells, 534
 symmetric laminates, 465, 466–473, 467–469*f*, 470*t*, 471–473*f*
 synchronous vibrations, 365–367
 tangential displacements, 34
 tangential stress, 15
 temperature effect, 276–277, 282
 tensors for strain rate, 326–329
 theory of surfaces, 64–71, 65–67*f*
 thermal effects, 99–102, 116–118
 thermal stress, 90, 116, 380
 thin lamina, stress-strain relations for, 92–93, 92–93*f*
 thin plates, 1
 third-order shear deformation theory, 119, 358–377, 381–386, 382*f*, 463–466

- third-order thickness and shear deformation, 126–127*f*, 126–134
- three-dimensional linear constitutive equations, 279
- three-dimensional QLV theory, 320–322
- time-temperature superposition, 277
- transcritical bifurcation, 233, 235, 236*f*
- transverse isotropy assumption, 5, 97
- transverse normal stress, 6
- transverse shear deformation, 9
- transverse shear strains, 40
- transversely isotropic materials, 197–199, 201–202
- traveling-wave responses, 420, 442, 479*f*
- true stress tensor, 17
- tunica
 - adventitia, 154*f*, 210*f*, 212, 212*t*, 213*f*, 213–215
 - intima, 205, 214–215
 - media, 214, 492
- uniaxial extension
 - Fung-Demiray model, 191
 - Gent model, 188–189
 - Holzappel-Gasser-Ogden model for two families of fibers, 204–205
 - Mooney-Rivlin model, 180–181, 181*f*
 - neo-Hookian compressible model, 194–195
 - neo-Hookian model, 175–176, 175–176*f*
 - Ogden model, 183–184
- uniaxial state of stress, 320
- virtual work by pressure load, 79–82, 80*f*
- viscoelastic materials, 258, 411
- viscoelastic properties of soft tissue, 153
- viscoelasticity and damping
 - geometrically nonlinear rectangular plate, 300–301, 309*f*
 - geometrically nonlinear vibrations, 297–301
 - hysteretic damping, 264–266
 - introduction to, 258
 - inverse quality factor, 293–295, 294*f*
 - Kelvin-Voigt model, 272–273, 283, 297–301
 - linear multi-degree-of-freedom systems, 295
 - linear single-degree-of-freedom systems, 291–293, 293*f*
 - linear viscoelasticity, 266–279, 267–269*f*, 272–274*f*, 277–278*f*, 279*t*
 - modal damping, 261–264, 263*f*, 265*f*
 - nonlinear damping, 301–312
 - nonlinear materials for, 295–296
 - quasi-linear viscoelasticity, 312–326
 - viscous and modal damping, 258–264, 259–260*f*, 263*f*, 265*f*
 - viscous damping, 258–260, 259–260*f*
 - viscous damping, 225, 258–260, 259–260*f*, 291, 339–340
- Voigt model, 100
- Von Kármán plate theory, 13–16, 14–15*f*
 - boundary conditions, kinetic energy, external loads and mode expansion, 343–345
 - introduction to, 342–343
 - Lagrange equations of motion, 347–349
 - nonlinear vibrations of laminated plates, 361, 361*t*, 362, 362–364*f*
 - nonlinear vibrations of rectangular plates, 341–349
 - satisfaction of boundary conditions, 345–348
- Von Mises in-plane probability distribution, 211
- WLF (Williams, Landel and Ferry) equation, 277
- Young's modulus, 422, 522
- zero-order terms, 305