

---

# Index

---

- active set, 103, 281
  - candidate, 281
- active set strategy, 102, 103, 244, 281
  - extended, 423
  - global, 280
  - local, 237, 280, 281
  - LP, 248, 251
  - NLP, 251
  - pre-assigned, 298
- activity, 27, 38, 100, 101, 113, 114, 143
  - continuous global definitions, 144, 281
  - discrete definitions, 146
  - local definitions, 146
  - strong, 143
  - weak, 143
- activity theorem, 102, 103
- AIO, *see* all-in-one formulation
- ALC, *see* coordination, augmented Lagrangian
- airflow sensor design, 376, 396
- air tank design, 96, 97, 124
  - problem statement, 99, 127
- algorithm, 50, 259
  - back-propagation, 56
  - invariant, 434
  - iterative, 153, 259, 260
  - numerical, 259
  - robustness, 261, 441
- all-in-one formulation, 365, 374
- American Society of Mechanical Engineers, 44, 98, 443
- analytical target cascading, 356, 365, 374, 387, 389
  - hierarchical, 389, 398
  - nonhierarchical, 398, 399
- Armijo–Goldstein criteria, 275, 280, 313, 435
- ASME, *see* American Society of Mechanical Engineers
- asymptotically bounded function, 94
- asymptotic substitution, 84, 85
- ATC, *see* analytical target cascading
- attainable set, 15
- augmented Lagrangian, 266, 292, 294, 298, 316, 333, 395
  - algorithm, 293, 396
  - coordination, *see* coordination, augmented Lagrangian
  - function, 293, 395
  - method, 292
  - multiplier update, 293
- automatic differentiation, 421, 426, 431, 443
- auxiliary function, 339, 342
- barrier function, 288, 322, 350
  - algorithm, 289
  - extended, 290
  - inverse, 288
  - logarithmic, 288
- belt drive problem, 27
- best-fit curve, 51
- BFGS formula, 278
  - self-scaling, *see* scaling, BFGS self-scaling
- bisection, 267
- black-box method, 318, 319, 338, 350
- block-angular structure, 367, 368
- block diagram, 2
- bound, 26
  - greatest lower, 93, 95
  - least upper, 95
  - lower, 26, 93, 95

## 478 *Index*

- bound (*cont.*)  
 simple, 26, 83  
 upper, 26, 95
- boundary  
 of feasible space, 26  
 mutation, *see* mutation, boundary  
 optimum, 32, 205, 232  
 system boundary, 3
- bounded from below, 26, 27
- bracketing, 266, 310, 314
- branch-and-bound method, 142, 352
- branching, 128, 136
- Broyden–Fletcher–Goldfarb–Shanno, *see* BFGS  
 formula
- CA, *see* convex approximation
- CAE, *see* computer-aided engineering
- calculus of variations, 18
- case  
 optimum, 103  
 relaxed, 149
- case analysis, 85, 103
- case decomposition, 103
- central processing unit, 440
- checklist, 444
- children designs, 331, 390
- Cholesky factorization, 191  
 modified, 192
- chromosome, 330
- cluster point, 164, 260
- COCO, *see* comparing continuous optimizers
- co-design, 356, 405
- combinatorial optimization, 18, 42
- combined design and control system problem,  
*see* co-design
- compact set, 164, 165
- comparing continuous optimizers, 441
- complementary slackness condition, 229  
 strict, 241
- computer-aided engineering, 441
- concave function, 123, 179
- concurrent design, 21
- condition number, 261, 435  
 lower bound, 263
- conjugate direction method, 311
- CONLIN, *see* convex linearization
- consistent constraint set, 97, 104
- consistent system, *see* system, consistency
- constrained derivatives, 211
- constrained variable-metric method, 311
- constraint, 12  
 active, 27, 100  
 critical, 105  
 equality, 13  
 functional, 15, 25  
 functionally independent, 206, 207  
 inactive, 30, 100  
 inequality, 13  
 model validity, 64, 84  
 natural, 83  
 physical, *see* constraint, natural  
 practical, 83  
 redundant, 37, 38  
 semiactive, 100, 102  
 tight, 27, 132, 144, 146, 209, 281  
 uncritical, 113, 114, 129
- constraint activity, 27, *see also* constraint, active
- constraint addition, 281, 287
- constraint interaction, 36, 85
- constraint propagation, *see* constraint  
 interaction
- constraint qualification, 207, 252
- constraint set, 15, 97
- constraint tolerance, 265, 328, 334, 347, 424
- continuation method, 41
- control volume, 3
- convergence, 51, 187, 258, 259, 319, 355, 365,  
 390  
 asymptotic, 260  
 finite, 261, 274  
 global, 260  
 linear, 260  
 local, 260  
 quadratic, 260  
 rate of, 260  
 superlinear, 260
- convergence ratio, 260
- convex approximation, 305, 306, 308
- convex approximation algorithm, 305, 440
- convex function, 177, 178
- convex linearization, 305
- convex linearization algorithm, 305
- convex set, 177, 178, 240
- coordinate search, 319, 351  
 multilevel, 343
- coordination, 22, 355, 356, 357, 360  
 augmented Lagrangian, 399  
 bilevel, 414  
 hierarchical, 22, 357, 369, 370  
 hierarchical overlapping, 390  
 method, *see* coordination, strategy  
 multilevel, 389  
 nonhierarchical, 22, 357  
 strategy, 22, 356, 357, 374, 414, 417

- ATC, 393, 396
  - system, 355
- coordination algorithm, 365
- coupling, 357, 361, 363, 370
  - high, 370, 371
  - low, 370, 371
  - matrix, 407
  - measures of, 407
  - strength, 379, 407
  - variable, *see* variable, coupling
  - vector, 407
- CPU, *see* central processing unit
- criterion, 8, 9, 16
  - termination, *see* termination criterion
- criticality, 39, 104, 105
  - conditional, 110
  - multiple, 110
- crossover, 330
  - arithmetic, 332
  - heuristic, 332, 333
- curvature, 177, 263
  - at the boundary, 214
  - negative direction of, 193
- curve fitting, 17, 47, 428
  
- Dantzig's simplex method, 236, 252, 324
- Davidon–Fletcher–Powell formula, *see* DFP formula
- Davies, Swann, and Campey method, *see* DSC method
- decision-making model, 9, 11
- decision-making process, 1, 41
- decision variables, 210, 214, 220, 224
- decomposition, 22, 191, 355
- decomposition-based optimization, 22, 23, 355, 356
- decreasing function, 104
- degeneracy, 229, 242, 244, 438
- degree(s) of freedom, 29, 101, 132, 209, 210, 440
- derivative-free method, 40, 318, 440
- descent direction, 183, 184, 188, 193, 233, 243, 274, 280, 321
- design, 1, 6
  - analysis, 6
  - configuration, 6, 10, 18
  - constants, *see* system, constants
  - constraints, 12
  - parameters, *see* system, parameters
  - projects, 40
  - synthesis, 6
  - variables, *see* system, variables
- design structure matrix, 360
- DFP formula, 278, 279, 297
- DIRECT, *see* dividing rectangles algorithm
- direct elimination, 65, 202, 209
- directed equality, 116, 117, 236
- direction theorem, 116, 117
- directional derivative, 274
- direct search method, 318, 319
- discrete activity definitions, 146
- discrete constraint, 141
- discrete local optimum, 145, 147, 148
- discrete optimization, 145, *see also* discrete programming
  - programming, 18
- discrete programming, 18
- discrete variable, 140
- dividing rectangles algorithm, 338, 350
- dominance, 39, 110
- dominance theorem, 112
- dominant constraint, 39
- DSC method, 271, 313
- DSM, *see* design structure matrix
- dual-angular structure, 370
- dual decomposition, 372
- dual function, 308
- duality theory, 307, 418
- dual problem, 293, 307
- dual variable, 307
  
- efficient global optimization, 344, 350
- EGO, *see* efficient global optimization
- elevator design, 409
- equality constraints, 13, 114, 209, 386, 425
- equality subproblem, 284
- equivalent models, 13, 14
- error, 55, 88, 91, 260
  - absolute, 428
  - condition (cancellation), 428
  - prediction, 346
  - random, 57
  - rounding, 428
  - training, 57
  - truncation, 427
  - validation, 57
- exhaustive enumeration, 141
- existence, 24, 163
- expected improvement function, 346
- explicit algebraic elimination, 92
- extreme point, 241
  - nondegenerate, 241
- extremum, 95

---

480     **Index**

---

- FDT, *see* functional dependence table  
 feasible descent, 233, 316  
 feasible design, 11, 12  
 feasible direction, 202, 232, 286  
 feasible domain, 13, 25  
   reduction, 85  
 feasible perturbation, 202, 209  
 feasible set, 97, 99, *see also* feasible domain  
 feasible space, *see* feasible domain  
 filter algorithm, 322, 350  
 finite difference, 48, 276, 421, 426, 427  
   approximation of Hessian, 428  
   central, 428  
   forward, 427  
   interval, 427, 428, 430  
 First Monotonicity Principle, 105, 114, 203  
 fitness function, 330  
 free-body diagram, 3  
 fully stressed design, 31  
 function  
   linking, 370  
   not defined, 425  
   perturbation, 167  
 functional dependence table, 361  
 functional independence, 147, 206, 424  
 functional representation, 5, 12, 14
- GA, *see* genetic algorithm  
 game theory, 17  
 geartrain design, 75  
 generalized pattern search, 319, 321, 350  
 generalized polynomial, 45, 48, 393  
 generalized reduced gradient method, 220, 221, 285, 440  
 generating set search, 320  
 generation, 330, 331  
 genetic algorithm, 19, 326, 329, 349, 350  
   canonical, 329  
   multiobjective, 334  
 geometric programming, 183, 393, 398, 418  
 global convergence, 259, 260, 261, 280, 296, 310, 321, 390  
 global information, 103  
 global knowledge, 40  
 global minimum, 35, 178, 235, 283  
 global optimization, 40, 143, 319, 438, 444  
 goal programming, 16  
 golden section, 313  
 GPS, *see* generalized pattern search  
 gradient, 167  
   constrained, 211  
   descent, 183  
   projected, 225  
   reduced, 211  
   steepest descent, 194  
 gradient algorithm, 189  
 gradient method, 189  
   reduced, 209  
 gradient projection method, 225  
 gradient vector, 167  
 graphical data, 47  
 graphical user interface, 441  
 graph partitioning, 359, 367  
 graph representation, 359  
 GRG, *see* generalized reduced gradient method  
 GSS, *see* generating set search  
 GUI, *see* graphical user interface
- Hessian matrix, 167, 176  
   bordered, 220  
   constrained, 214, 216  
   ill-conditioned, 261  
   mixed-variable, 216  
   singular, 175, 176  
 heuristic method, 319, 326, 349  
 hidden layer, 55  
 hierarchical decomposition, 305, 366  
 hierarchical level, 3, 20  
 hollow cylinder problem definition, 35  
 homogenization, 19  
 homotopy method, 41  
 hydraulic cylinder problem definition, 118  
 hypergraph, 359  
 hyperplane, 179  
   normal, 207  
   tangent, 207  
 hypersurface, 206
- IDF, *see* individual disciplinary feasible formulation  
 ill-conditioned matrix, 261  
 implicit enumeration, 142  
 implicit numerical solution, 259, 421, 426  
 inconsistent constraints set, 97, 113  
 increasing function, 104  
 incumbent, 318, 320  
 indefinite matrix, 176  
 individual disciplinary feasible formulation, 356, 365, 397  
 inequality constraint, 13, 84  
 infimum, 93, 94, 95  
 inflection point, 35  
 inner iteration, 221, 284, 286, 298

- internal combustion engine problem statement, 66
- internet sites, 441, 443, 444
- interpolation, 266  
   cubic, 269  
   quadratic, 268
- interval of uncertainty, 266
- intrinsically linear functions, 53
- intrinsically nonlinear functions, 53
- iterative optimization, 108, 413
- Jacobian matrix, 55, 171, 216, 424
- Karush–Kuhn–Tucker, *see under* KKT
- KKT conditions, 146, 229, 231, 232, 253, 315
- KKT geometric interpretation, 232
- KKT linear programming specialization, 241
- KKT norm, 265
- KKT point, 229
- kriging, 57, 345
- Lagrange multiplier, 196, 212, 228, 307  
   estimates, 212, 248, 265, 283, 284, 436  
   interpretation, 250
- Lagrange–Newton equations, 294, 295, 299
- Lagrange–Newton method, 295
- Lagrangian function, 212, 217, 292  
   standard forms, 231
- LB, *see* lower bound
- least squares, 51, 285
- linear actuator design problem, 60
- linear approximation, 166, 168
- linear programming, 18, 236  
   sequential, 305, 317  
   simplex method, 236, 252
- linear programming algorithm, *see* LP algorithm
- linear regression, 53
- line search, 189, 266, 298, 301  
   Armijo, 275  
   exact, 189  
   inexact, 266, 274
- Lipschitz constant, 338, 340
- Lipschitz continuity, 340
- Lipschitz optimization, 340
- local approximation, 165, 171
- local convergence, 260
- local knowledge, 40
- local maximum, 35
- local minimum, 35, 148, 172  
   extended, 148
- local optimum, 35
- logical decomposition chart, 130
- logistic function, 54
- lower bound, 26, 93, 95
- lower-bounding function, 95
- LP, *see* linear programming
- LP algorithm, 243
- Maclaurin theorem, 199
- MADS, *see* mesh-adaptive direct search
- master problem, 22, 366
- mathematical programming, 17
- matrix design structure, *see* design structure matrix
- matrix structure, *see* structure matrix
- maximum, 35, 95, *see also* optimum
- MDA, *see* multidisciplinary analysis
- MDF, *see* multidisciplinary feasible formulation
- MDO, *see* multidisciplinary design optimization
- merit function, 296, 322, 342, 345, 347
- mesh-adaptive direct search, 323, 350, 351
- metamodel, 43, 46, 51, 344
- method of moving asymptotes, 306
- metric, 164, 191, 311
- Metropolis criterion, 327
- minimum, 95, *see also* optimum  
   discrete local, 148
- MMA, *see* method of moving asymptotes
- model  
   analysis, 6  
   definition, 4  
   design, 6  
   elements, 5  
   mathematical, 1, 4, 15  
   mixed-discrete, 18  
   multicriteria, 15  
   multiobjective, 15  
   parameters, 64  
   physical, 4  
   symbolic, 4  
   underconstrained, 103  
   virtual reality, 5  
   well-constrained, 98
- model preparation, 150
- model reduction, 65, 132
- model simplification, 65
- model transformation, 13
- model validity constraint, 64, 71
- MOGA, *see* multiobjective genetic algorithm
- monotonicity, 104  
   composite functions, 108  
   functional, 132, 136  
   opposite, 108

---

482     **Index**

- monotonicity (*cont.*)
  - regional, 114, 117
  - same, 108
- monotonicity analysis, 39, 84, 92
- monotonicity integrals, 109
- monotonicity principles, 92, 105
- monotonicity table, 92, 132
- monotonicity theorem, 104
- monotonic variable, 105, 118
- move limits, 305, 306, 308
- moving asymptotes, definition, 306, *see also*
  - method of moving asymptotes
- MP1, *see* First Monotonicity Principle
- MP2, *see* Second Monotonicity Principle
- multiarmed roulette wheel, 332
- multidisciplinary analysis, 356
- multidisciplinary design optimization, 356
- multidisciplinary feasible formulation, 356, 365, 374
- multiobjective genetic algorithm, 334
- multiphysics, 356
- multiplier method, *see* augmented Lagrangian
- mutation, 330
  - boundary, 333
  - multi-nonuniform, 333
  - nonuniform, 333
  - uniform, 333
- NAND, *see* nested analysis and design
- necessary conditions, 91
  - constrained models, 202, 212, 229
  - unconstrained models, 172
- negative-definite matrix, 176
- negative null form, 14
- negative-semidefinite matrix, 176
- negative unity form, 14
- Nelder–Mead simplex algorithm, 323, 324
- nested analysis and design, 374
- nested optimization, 414
- neural net, *see* neural network
- neural network, 53
  - training, 55
- neuron, 53
- Newton’s method, 186, 263
  - modified, 190, 276
- NHST, *see* null hypothesis significance testing
- NLP, *see* nonlinear programming
- nondifferentiable optimization, 197
- nondominated solution, 322, 335
- nondominated sorting genetic algorithm II, 335
- nongradient methods, 318
- nongradient search, 310, 318, *see also*
  - nongradient methods
- nonlinear programming, 18
- nonobjective variable, 119, 120
- nonregular point, 233
- nonsmooth optimization, 197
- norm
  - Chebyshev, 392
  - Euclidean, 167, 392
  - infinity, *see* norm, Chebyshev
  - maximum, *see* norm, Chebyshev
  - taxicab, 286
- normal equations, 51
- normal plane, 207
- NSGA-II, *see* nondominated sorting genetic algorithm II
- null hypothesis significance testing, 352
- objective function, 9, 11
- one-dimensional (single-variable) minimization, 266
- operations research 18, 416
- optimal design, 10
- optimization checklist, 444
- optimization codes, 429, 439, *see also* software
- optimization model, 9, 12, 46
- optimizing out, 106
- optimum, 25, 95
  - boundary, 26, 31, 32, 202
  - constrained, 97
  - global, 35
  - interior, 32, 162
  - local, 35
  - parametric, 126
  - particular, 125
  - unique, 32, 35, 94
- order symbol, 166
- orthogonal direction, 207, 227, 232, 263
- orthogonal projection, 32
- outer iteration, 284
- parametric functions, 125
- parametric optimization procedure, 126
- parametric optimum, 126
- parametric study, 17, 41, 249
- parametric tests, 129
- parent, 330
  - elite, 330
  - selection, 330, 331
- Pareto-optimal point, *see* Pareto point
- Pareto-optimal set, *see* Pareto set
- Pareto point, 16
- Pareto set, 16
- Pareto solution, *see* nondominated solution; Pareto point

- partial minimization, 98, 99  
 partial minimum, 99  
 particle swarm, 326, 335  
 particle swarm optimization, 335, 350  
 partitioned optimization, 414  
 partitioning  
   aspect, 23, 356  
   hierarchical, 21, 22, 366  
   methods, 365  
   nonhierarchical, 22, 366  
   object, 21  
   synthesis, 366, 367, 370  
 partitioning method, 365  
 penalty function, 288, 290, 291, 328, 342  
   approximate, 302  
   augmented Lagrangian, 395  
   for equality constraints, 291  
   exact, 288, 302  
   quadratic loss, 291  
 penalty transformation, 287, *see also* penalty function  
   controlling parameter, 287  
   exact, 288  
   exterior-point, 288  
   interior-point, 288  
   sequential, 288  
 perturbation vector, 167  
 piecewise monotonic function, 118  
 polynomial, 47, 53, 57, 166, 266  
 population, 326, 330, 334  
 positive-definite matrix, 176  
 positive null form, 14  
 positive-semidefinite matrix, 176  
 post-optima(lity) analysis, 41, 71, 249  
 preference parameters, 15  
 pre-processing, 357  
 pressure vessel design, 372  
 primal problem, 307  
 process variance, 57  
 projected Lagrangian method, 311  
 projection matrix, 226  
 PSO, *see* particle swarm optimization
- QP, *see* quadratic programming  
 quadratic approximation, 47, 166  
 quadratic form, 170, 176  
   differential, 172  
 quadratic function, 48, 49, 168, 170  
 quadratic programming  
   sequential, 294, 296  
   subproblem, 296, 298  
 quadratic termination, 260  
 quasi-Newton (BFGS) memoryless update, 315  
 quasi-Newton algorithm, 278  
 quasi-Newton complementarity, 279  
 quasi-Newton condition, 277  
 quasi-Newton method, 276  
 quasi-Newton update, 277  
   rank one, 277, 278  
   rank two, 277, 278
- reciprocal variables, 306  
 reduced order model, 51  
 regional monotonicity, 114, 117  
*regula falsi* method, 314  
 regular point, 207, 229, 233, 241  
 relaxation, 110, 112  
 relaxation corollary, 113  
 relaxation theorem, 113  
 relaxed constraint, 112, 142, 301, 391  
 relaxed problem, 100  
 response surface, 345, 443  
 ridge, 172  
 Rosenbrock's (banana) function, 199, 325, 344
- SA, *see* simulated annealing  
 saddlepoint, 172, 191, 289, 437, 438  
 scalar substitute problem, 15  
 scaling, 345, 387, 421, 433  
   BFGS self-scaling, 436  
   diagonal, 434  
   for Hessian conditioning, 435  
   parameter, 303  
   self-, 436  
 search direction vector, 188  
 secant method, 312  
 Second Monotonicity Principle, 118, 119, 120  
 sectioning, 266, 312  
 semiactivity, 120, 145  
   strong, 143  
   weak, 143  
 sensitivity, 249  
   analysis, 17, 41, 249  
   coefficients, 249, 250  
   study, 10, *see also* sensitivity analysis  
 separable function, 169, 199, 343, 368, 372  
 sequential linear programming, 305, 440  
 sequential optimization, 412  
 sequential quadratic programming, 266, 294, 296  
   algorithm, 296, 298  
 set constraint, 15  
 sigmoid function, 385  
 simplex algorithm, 319, 323, 324  
 simplex method, 236, 324, 252  
 simplicial, 324, *see also* simplex algorithm

## 484 *Index*

---

- simulated annealing, 326, 350
- simulation model, 17, 43
- simultaneous mode design, 31
- simultaneous optimization, 413
- slack variable, 16, 423
- SLP, *see* sequential linear programming
- SM, *see* structure matrix
- software, 439
- solution (state) variable, 210
- spatial correlation function, 57
- SQP, *see* sequential quadratic programming
- stationarity condition, 172
- stationary point, 172
- step length, *see* step size
- step poll, 321
- step search, 321
- step size, 184, 185, 188, 190, 203, 266, 272, 320
- structure
  - block-angular, 367
  - dual-angular, 370
- structure matrix, 358
- subgradient, 197
- suboptimal solution, 21
- subproblem, 22, 189, 284, 296, 298, 333, 355, 365, 390
- subsystem, 4, 355, 357, 393, 413
- sufficient condition(s), 164
  - constrained models, 217, 218, 229
  - geometric interpretation, 232, 234
  - unconstrained models, 172, 181
- supremum, 95
- surrogate model, 43, 51
- symbolic computation, 421
- system, 1
  - boundary, 3
  - consistency, 364, 376, 393
  - constants, 5
  - coordination, 355
  - interactions, 357
  - optimality, 364
  - parameters, 5
  - partitioning, 21, 355
  - variables, 5
- tabular data, 47
- tangent plane, 207
- target cascading in product design, 388
- Taylor approximation, 47, 191
- Taylor expansion, 47, 166, 189, 190, 198
- Taylor series, 47, 165, 167
- termination criterion, 189, 265
- transversality condition, 229
- truck suspension design, 400
- trust region, 194, 195
  - algorithm, 195, 196
  - constraint, 196
  - with constraints, 301
  - radius, 195
  - reduction ratio, 302
- turbine blade design, 386
- UB, *see* upper bound
- unconstrained minimum, 32
- unconstrained problem, 163
- uncriticality, 111
- uncriticality theorem, 113
- underconstrained model, 103
- unimodality, 267
- upper bound, *see* bound, upper
- upper bound formulation, 17
- utility theory, 16
- VA, *see* vane airflow
- valley, 172
  - curved, 177
  - straight, 175
- value functions, 16
- vane airflow, 376, 377, 417
  - design, *see* airflow sensor design
- variable
  - coupling, 358, 363, 370
  - intermediate, 13, 65
  - linking, 22, 366
  - local, 22, 366
  - shared, 363, 364
- variable (local) copy, 365
- variable-metric method, 311
- variable partitioning, 210, 217, 224, 225, 286
- vector function, 171
- virtual reality, 5
- Weierstrass theorem, 164
- weights, subjective, 15
- well-bounded model function, 93
- well-constrained function, 98
- well-constrained model, 98
- well-constrained problem, 105
- well-posed problem, 25
- working set, 103, 281