

Index

- absorbing material, 67
- absorption, 9, 11
 - cross section, 11, 18
- accidents, 134–42
- actinides, 14
- Aerojet-General, 65
- AGR, 19, 69
- airliner impact, 131
- alpha radiation, 15
- anisotropy, 36
- annular flow
 - instability, 98–99
- Avagadro's number, 11

- balance of plant, 5, 56
- barns, 11
- becquerel, 15
- Bernoulli effect, 97
- beta radiation, 15
- blanket, 23, 39, 70, 71
- blowdown, 143, 144
- BN-600, 21, 71, 73
- BN-800, 74
- boiling, 86, 107–18
 - crisis, 111
 - vertical surfaces, 116–18
- boric acid, 67
- boron, 67
- burnable poison, 58, 67
- burnout, 89, 127
- burnup, 8
- BWR, 19, 60–62, 69, 86–90, 109, 127
 - Fukushima, 140
 - RBMK, 137

- cadmium, 67
- calandria, 68
- CANDU reactor, 7, 19, 58, 67–69, 128
- capture resonance, 18
- carbide, 74
- cavitation, 105–107, 146

- CCFL, 144
- centrifuge, 7
- chain reaction, 8, 18, 19, 21, 68, 70, 143
- Chernobyl, 1, 69, 130, 131, 137–40
- CHF, 111, 127
- China Syndrome, The*, 130
- chugging, 120–24
- cladding, 7, 8, 16, 62, 80
- Clausius–Clapeyron equation, 107
- Clinch River, 74
- concentration wave, 94, 119
- condensation
 - instability, 120–24
 - oscillations, 121
- contact resistance, 79, 80
- containment, 16–17, 59, 132, 136
 - primary, 70, 132, 143
 - secondary, 61, 62, 130, 133, 136, 138, 140, 143
- continuous phase, 93
- control blade, 63
- control rod, 43–46, 62–64, 67
 - channel, 63, 67
 - insertion, 45, 83, 131, 137, 138
- conversion, 7
- coolant
 - CO₂, 69
 - fluoride salt, 75
 - heat transfer, 82–83
 - helium, 70, 75, 76
 - lead, 76
 - liquid metal, 70
 - lithium, 71
 - molten salt, 75
 - primary loop, 59, 60, 71, 99, 143
 - pump, 143
 - secondary loop, 59, 60, 70, 142
 - sodium, 71, 74, 76
 - supercritical water, 76
- cooling systems, 132, 137
 - passive, 132

- cooling water, 17, 135
- core design
 - LMFBR, 85–86
 - LWR, 84–85
 - pebble bed, 75
 - prismatic block, 75
- core disassembly, 145, 148
- core meltdown, 128, 130, 136, 140, 143, 145, 147
- critical heat flux, 86, 87, 89, 111, 114, 127, 128
- critical size, 21
- criticality, 21–22, 34, 67
- cross section, 11, 30
- curie, 15
- current density, 26
- cylindrical reactor, 38–39, 85

- decay heat, 8, 15, 78, 132, 143, 147
- delayed neutrons, 13, 53, 66, 67
 - precursor, 13
- density wave, 119
- diffusion coefficient, 30, 33
- diffusion equation
 - one-speed, 32, 33
- diffusion theory, 30–32
 - one-speed, 32–34
 - two-speed, 34–36
- disperse flow, 93
 - friction, 99–101
 - horizontal, 99–100
 - limits, 95–96
- disperse phase, 93
- dispersion, 96
- driver, 23, 71

- earthquakes, 131, 140
- ebullition cycle, 112
- ECCS, 132, 140, 143, 144
 - BWR, 133
 - PWR, 132
- elastic scattering, 9
- electricity generation, 2
- electron volt, 9
- embrittlement, 17
- enrichment, 7
 - tailings, 7
- entrance length, 92
- epithermal neutrons, 19
- escape probability, 20
- extrapolation length, 32

- fast breeder reactor, 21
 - liquid metal, 21
- fast fission factor, 20
- fast neutrons, 9, 18
- fast reactor, 21
- fault tree, 130
- FBR, 21, 70, 134
 - accident analyses, 147–48
- FCI, 146
- fertile
 - isotope, 18
 - material, 7, 21, 23
- Fick's law, 29, 30
- film boiling, 86, 115–16
- fissile
 - atoms, 5
 - isotope, 18
 - material, 6, 21
- fission, 5, 9
 - cross section, 11, 18
 - fragments, 8, 9
 - products, 8, 78
- FLECHT program, 129
- flooding, 113
- flow
 - pattern, 91
 - regime, 91
- flow regimes
 - annular flow, 93
 - churn flow, 93
 - classification, 93–95
 - disperse flow, 93
 - map, 92–93
 - slug flow, 93
- FNR, 70
- four-factor formula, 20
- friction
 - coefficient, 100
 - interfacial, 104
 - pipe flow, 99
- fuel
 - assembly, 62, 71
 - bundle, 62, 67, 68
 - heat transfer, 79–82
 - pellets, 7, 62, 67, 79
 - rod, 7, 46, 62, 79–82
 - temperature, 79, 82, 128
 - tubes, 67
 - volume, 85
- fuel-coolant
 - interaction, 105, 146–48
- Fukushima, 130, 140–41
- fusion, 5

- gadolinium, 67
- gamma radiation, 15, 17, 78
- gas-cooled reactor, 19
- gaseous diffusion, 7
- GCR, 19, 76
- Generation II, 56
- Generation IV, 56, 74–76
 - fast reactors, 76
 - thermal reactors, 75
- geometric buckling, 22, 34
- GFR, 76
- graphite, 19
 - moderator, 69, 70, 75, 76

- Haberman–Morton number, 114
- half-life, 13
- HCDAs, 145
- heat conduction, 80
- heat exchanger, 59
- heat production, 79, 81
- heat release, 78
 - delayed, 78
 - prompt, 78
- heat transfer, 78–89
 - coefficient, 82
- heavy water, 19, 58, 67
 - reactor, 19
- Helmholtz's equation, 34
- homogeneity, 37, 45
- homogeneous flow
 - friction, 100–101
- HPCI, 132, 133
- HPCS, 133
- HTGR, 7, 19, 70, 76
- hurricanes, 131
- HWR, 19, 67–69
- hydraulic diameter, 82, 102

- inelastic scattering, 9
- inhomogeneity, 37
- interfacial roughness, 108

- Kelvin–Helmholtz instability, 96–98, 119
- kinematic wave, 94, 119

- latent heat, 86
- lattice cell, 37, 45–51, 63
 - control rod, 49
 - fuel rod, 47
 - square, 51
 - theory, 37
- Ledinegg instability, 119–20
- LFR, 76
- light water, 19, 58, 67
 - reactor, 19
- LMFBR, 21, 23, 70–74, 128, 147
 - loop-type, 71, 147
 - pool-type, 71, 76, 147
- LOCA, 89, 128, 130, 132, 134, 142–46
 - LMFBR, 145–46
- LOFT, 129, 143
- loss of coolant, 130, 131, 134, 142–46
- LPCI, 132, 133
- LPCS, 133
- LWR, 19, 57–62, 76
 - accident analyses, 142–45
 - control, 66–67

- macroscopic cross sections, 12
- Manhattan project, 18
- Martinelli correlations, 101
- Martinelli parameter, 103

- mass
 - flux, 91
 - fraction, 91
 - quality, 86, 91, 105
- material averaging, 27–28
- material buckling, 22, 33
- mean free path, 12
- meltdown, 128
- microlayer, 110
- mixed oxide, 8
 - fuel, 22, 23
 - reactor, 8
- mixture
 - density, 91
 - viscosity, 100
- moderator, 18–20
 - volume, 85
- Monte Carlo methods, 54
- MOX, 8, 22, 23
- MSR, 75
- multigroup
 - diffusion model, 36, 37
 - theory, 36–37
- multiphase flow, 90–128
 - flow patterns, 91–99
 - flow regimes, 90
 - fully separated flow, 94
 - homogeneous flow, 93
 - in nuclear reactors, 124, 127–29
 - instability, 118–24
 - intermittency, 94, 95
 - notation, 90–91
 - regime, 91–99
- multiplication factor, 10, 20–22, 34, 52, 67, 128
- multiscale models, 54

- natural convection, 109, 116
- neutron
 - continuity equation, 29
 - density, 25
 - diffusion coefficient, 30
 - diffusion length, 31, 33, 35
 - energy, 10
 - flux, 25, 26, 83
 - flux distribution, 25, 41, 44–46, 48, 50, 52, 79, 83
 - mean free path, 31
 - transport theory, 27
 - velocity, 25
- nonleakage probability, 20
- NSSS, 56
- nuclear
 - energy spectrum, 10–11
 - explosion, 1, 131
 - fission, 9–10
 - fuel, 7
 - fuel cycle, 5–9, 22–23
 - fusion, 13
 - waste, 1, 2
- nucleate boiling, 109, 111–12

- nucleation, 109
 - sites, 111
- NuScale, 65
- Nusselt number, 82
- one-speed model, 32
- P_1 equations, 36
- P_N equations, 36
- Phenix, 21, 71, 74
- pipe friction, 99–105
- plutonium, 8, 14, 70
- point kinetics model, 53
- pool boiling, 108–11
 - crisis, 113–15
- power outages, 131
- Prandtl number, 82
- pressure drop, 99–105
- pressure suppression systems, 121
- pressurizer, 59, 134
- prompt neutrons, 10, 66
- PWR, 19, 58–59
- quality, 91
- quality factor, 16
- rad, 16
- radiation, 8, 15–16, 138, 140
 - attenuation, 17
- radiative capture, 9
- radioactive
 - contamination, 59
 - decay, 13–15
 - decay constant, 14
 - release, 16–17, 130–32, 135, 136, 138, 142, 143, 147
 - sodium, 71
- radioactivity, 13–18, 59, 62, 130
- Rayleigh scattering, 33
- Rayleigh–Taylor instability, 97, 98, 108, 115
- RBMK reactor, 69
- reactivity, 10, 87, 128
 - control, 58, 131
- reactor
 - boiling water, 60
 - burner, 21
 - critical, 21
 - dynamics, 51
 - epithermal, 75, 76
 - fast breeder, 21
 - fast neutron, 70
 - gas-cooled, 69
 - gas-cooled fast, 76
 - heavy water, 67
 - kinetics, 51
 - lead-cooled, 76
 - molten salt, 75
 - natural, 6
 - pebble bed, 75
 - period, 53
 - personal, 65
 - pressurized water, 58
 - shielding, 17
 - small modular, 65
 - sodium-cooled, 76
 - supercritical-water-cooled, 76
 - thermal, 19
 - vessel, 59
- reduced order models, 54
- reduced thermal models, 27
- refill, 143, 144
- reflector, 39–42
- reflood, 143, 144
- refueling, 67
- RELAP code, 129
- rem, 16
- reprocessing, 2, 8
- reproduction factor, 10
- resonance peaks, 12
- Reynolds number, 82, 96, 100
- roentgen, 16
- S_N equations, 36
- safety
 - concerns, 1, 130–31, 142
 - earthquakes, 131, 140
 - systems, 131–34
 - tsunamis, 131, 140, 141
- safety systems, 131, 137, 140, 141
 - LMFBR, 148
 - passive, 141
 - spray, 133, 144
- scattering, 9, 11
 - cross section, 11, 18
- scram, 67, 137
- scram control, 67
- SCWR, 76
- sedimentation, 96
- separated flow, 93
 - friction, 101–105
 - limits, 96–98
- SFR, 76
- shielding, 17–18
- shim control, 67
- sievert, 16
- six-factor formula, 20
- slurry flow, 100
- SMR, 65
- spherical reactor, 37–38
- standardization, 2
- steam generator, 59, 143
- steam supply system, 5
- stratified flow, 98
- subcritical, 21, 34
- supercritical, 21, 34
- supernova, 13
- Superphenix, 21, 74
- suppression pool, 61, 122, 133

Index

155

- tailings, 7
- temperature distribution, 25, 80, 82–84
- terrorist attacks, 131
- thermal conductivity, 80, 81, 85
- thermal cross section, 12
- thermal diffusivity, 107
- thermal fission factor, 20
- thermal neutrons, 9
- thermal shield, 17
- thermal utilization factor, 20
- thermo-hydraulics, 3
- thorium, 7, 21, 22, 70
 - fuel cycle, 7
- Three Mile Island, 1, 74, 130, 134–37
- transport theory, 28–30
- transuranic elements, 8
- tsunamis, 131, 140, 141
- two-speed model, 32, 36

- uranium, 5
 - carbide, 70
 - fuel, 62
 - natural, 67
 - ore, 6
 - weapons grade, 9

- vapor explosion, 105, 108, 138, 146
- vaporization, 105
 - classes, 105
 - heterogeneous, 108–18
 - homogeneous, 105–108
- vertical flow
 - friction, 101
- VHTR, 75
- void coefficient, 68, 128, 139, 145
- void fraction, 87, 128
- void reactivity, 134, 138, 145
- volcanoes, 131
- volume
 - flux, 91
 - fraction, 91
 - quality, 91
- volumetric flux, 91

- waste, 10, 14
 - disposal, 8
 - storage pools, 8, 15
- weakly absorbing medium, 31
- Westinghouse SMR, 65
- wetwell, 133

- xenon poison, 138

- yellowcake, 7

- zircaloy, 16, 67, 135
 - tubes, 62
- zirconium, 16