

Index

Italics indicate reference to an illustration.

- accuracy, 52–53
 acid deposition, 48
 rain, 48
 active layer, 104, 106, 283
 Actively Heated Fiber Optic (AHFO), 63
 Advanced Scatterometer (ASCAT), 63
 Advanced Very High Resolution Radiometer (AVHRR), 127, 130
 advection, 38
 advective effects, 121–122
 aerodynamic method, 75
 resistance, 119–120, 162
 aerosol, 48, 84, 245–247
 optical depth, 247
 African Great Lakes climatic effects, 267
 albedo, 91–92
 forest, 168, 173
 snow, 195–196
 and solar zenith angle for water, 92
 species, 221
 Amazon rainforest climate, 179
 Amazonia, climate, 179–180
 Anthropocene, 278
 astronomical effects on solar radiation, 84
 AmeriFlux Network, 78
 arable land, 160
 atmospheric composition
 modification, 243–247
 atmospheric pressure
 measurement, 70–71
 atmospheric rivers, 25
 atmospheric stability, 74, 76
- barometer, 71
 barrier shading, 137
 Barrow, AK, 150
 Basal metabolic rate, 223–224
 Beer's law, 85, 175
 Beijing, 246, 247, 258
 bidirectional reflectance, 92
 distribution function, 92–93, 196
 bioclimatology, 218–232
 black body, 81, 83
- black spruce forest, 171
 Blaney and Criddle, 115
 blending height, 271–272
 blowing snow, 138, 197
 boreal forest
 energy balance, 177
 latent heat flux, 171
 boundary layer, 121
 over a city, 209, 250, 251
 Bowen ratio, 74
 Bowen ratio energy balance, BREB, 73, 74
 Budyko, M.I., 130–131
 built-up area, 209
 burrowing, 234–236
- C3 and C4 plants, 30–31, 141–142
 response to elevated CO₂, 285–286
 canopy radiation, 93, 94, 169, 174–175
 canopy resistance, 162
 carbon cycle, 40
 carbon dioxide, 39–40
 atmospheric concentration, 40, 44, 174
 carbon exchange, 39–40
 chlorophyll, 86
 Churchill, Manitoba, 152–153
 circuits, series and parallel, 56–57
 cities, 209–213
 city size, 252–253
 Clausius-Clapeyron equation, 22
 Clean Air Act, 48
 clearings, 182, 198
 climate, definition, 1
 global trends, 277–282
 climate change and microclimate, 277–287
 clothesline effect, 122
 clouds
 effect on solar radiation, 84, 88, 91
 forcing, 91
 cloud transmittance, 89
 coastal influences
 on fog, 267
 on local climate, 265–266
 on wind 265–266

cold island, 253
 cold nights, 279
 combustion energy generation, 248
 Community Land Model (CLM), 143
 condensation, 33
 conduction, 102, 229–230
 coniferous forests, 168–171
 convection, 38, 109–110, 228–229
 body resistance, 229
 forced, 109–110
 free, 109–110
 convective boundary layer resistance, 222
 convectively available potential energy (CAPE), 121
 COsmic-ray Soil Moisture Observing System, 62–63
 cotton crop, 163
 cropland, 162–163
 cutaneous cooling, 226
 Cyprus Hills, Alberta, 271

Dalton's law, 71
 damping depth, 103
 Darcy's Law, 28–29
 deciduous forest, 172–178
 design, 212–213
 dielectric permittivity, 62, 63
 digital elevation models (DEMs), 264
 discomfort index, 231–232
 disdrometer, 69
 Double Fence Intercomparison Reference (DFIR), 68–69
 downscaling, 8, 143–144
 dynamic, 143
 statistical, 144
 drought, 35–36
 dry adiabatic lapse rate, 73
 dryness ratio, 131

ECMWF Land Surface Parameterization Scheme, 133
 Ecosystem–Atmosphere Simulation Scheme (EASS), 286
 eddy covariance, 77, 115
 El Niño–Southern Oscillation (ENSO), 278
 emissivity, 81–82, 94
 of snow, 198
 endotherms, 218
 energy balance, 74, 99–144
 equation, 218–220
 tree cover effects, 258
 energy budget
 building orientation, 212
 components, 211
 diurnal variation, 100, 111–113
 land cover change effects, 286–287
 urban modification, 247–250
 energy storage, 101, 248–249
 Enhanced Vegetation Index (EVI), 128–130
 ENVI-met, 140–141
 epilimnion, 189–190
 evaporation, 29–34
 from drying soils, 118–119
 estimate from AVHRR, 127
 pan, 114
 potential, 116, 118
 reference, 117–118
 from sparse crops, 162

evaporative cooling, 225–228
 evapotranspiration, 114
 city lawn, 210
 Pan-Arctic, 128
 temperature-based formula, 115–116
 exposure, effect on radiation, 210–211
 experimental studies, 283–287
 extinction coefficient, 85–86, 93–94, 176

farmland, 159–163
 fell field, 149
 fetch, 79, 121
 field capacity, 26
 First ISLSCP Field Experiment (FIFE), 132
 FLUXNET sites, 130
 flooding, 194
 föhn, 208
 fog, 33
 deposition, 33
 forest edge effects, 181–182
 forests, 168–183
 types in Russia, 173
 forest-tundra ecotone, 155
 form drag, 39
 Free Air Carbon Experiment (FACE), 285
 freeze-thaw cycles, 282
 freezing and thawing, 282
 degree-days, 16
 frequency distribution, 12
 friction velocity, 75, 108
 frost-free season, 6, 279

gamma distribution, 34–35
 gases
 greenhouse, 278
 urban, 244–255
 gaps, net radiation, 183
 Geiger, Rudolf, 4
 geobotanical vegetation categories, 131
 geothermal heat, 101–102
 global dimming, 280
 glossary, 297–304
 grassland, 156–163
 canopy temperature profiles, 158
 chalk, 158–159
 climate
 evapotranspiration, 158
 microclimatic profiles, 157–158
 Transdanubian Middle Mountains, 159
 graupel, 38
 Great Lakes, energy balance, 193–194
 snow belt, 267
 Great Slave Lake, 191
 ground temperatures, 103–105, 283
 growing degree-day, 16, 280
 growing season, 281–282
 Gstetneralm, 203

habitat temperatures, 5–6
 hail, 38
 Hargreaves, 116
 Harz Mountains, 158
 heat capacity, 102

- heat flux, *see* sensible heat, latent heat
 in soil, *see* soil heat flux
 heat index, 233–234
 heat island, 250–255
 vertical extent, 253–254
 heat storage
 in forest and tundra soils, 153
 homeostasis, 219
 humidity
 measurement 71–72
 relative, 23, 72
 specific, 71
 humidity mixing ratio, 21, 71
 HydraProbe, 62
 hydrological cycle, 24–25
 hygrometer, 72–73
- ice jams, 195
 ice thickness on lakes, 190–191
 on rivers, 195
 incident solar radiation, on a horizontal surface, 88–89
 on an inclined surface, 89
 ideal gas law, 74
 infrared gas analyzer (IRGA), 72–73
 infrared mapping of surface temperature, 5, 18
 instrumentation, 52–79
 interception
 of rainfall (*see* Rainfall, interception)
 International Satellite Land Surface Climatology
 Project (ISLSCP), 130
 International Tundra Experiment (ITEX), 286
 inversion, 113, 159, 253
 irrigated land, 159–160
 isotopic ratios, 32
- Joint UK Land Environment Simulator (JULES),
 133–134
- katabatic flow, 208
 Kelvin scale, 55
 krummholz, 37, 155
- lake breeze, 192, 267
 lake-effect snow, 194, 267
 lakes, 187–194
 dimictic, 191
 effect on regional energy and water balances, 192
 freezing, 189
seasonal temperature regime, 190
 temperature, 189
 Lake Ontario, 96
 Lancaster weather station, 6
 land breeze, 266
 landform elements, 265
 Land Surface Models, 132–135
 latent heat, 106–107
 flux, 73–74, 76, 78, 114–120
 of fusion, 106
 of vaporization, 114
 lapse rates, 204–205
 Large-scale Biosphere Atmosphere Experiment, 179
 latitude effects on solar radiation, 85
 Leaf Area Index (LAI), 93, 126–127, 148–149, 169,
 172, 173, 174, 178
- leaf phenology, 176
 leaf thickness, 128
 light
 in canopies, 93, 179
 penetration in lakes, 187–188
 visible, 82
 Linacre, 116
 Linke turbidity, 89
 local climates, 3, 241–271 *see also* topoclimates
 urban, 267–272
 London, 243, 253–254
 heat island, 251–252
 Loess Plateau, 161
 lysimeter, 114–115
- Mali, West Africa, 127–129
 Manhattan, KS, 159
 mass exchange, 107–110
 Matto Grosso, evapotranspiration, 179
 measurement fundamentals, 52–54
 Melbourne, 252
 metabolic equivalent, 225
 metabolic heat production, 223–225
 metabolic theory of ecology, 224
 microclimate, 1–3
 built-up area, 209
 controls of, 9
 in different environments, 148–183
 of different physical systems, 185–213
 microclimates and macroclimates related, 4–5
 microclimatic elements, 11–49
 microclimatology, 1–3, 5–6
 mixing layer depth, 253–254
 mixing length, 109
 models
 Community Land Model, 143
 heat and water balance, 139–144
 land surface, 132–135
 physically based, 136–143
 soil thermal, 282
 urban canopy layer, 211
 Weather Research and Forecasting, 143
 Moderate Resolution Imaging Spectroradiometer
 (MODIS), 127, 128, 130
 moisture
 atmospheric, 22–26
 in cities, 257–259
 soil, 26–29
 momentum, 76, 107–110
 eddy diffusivity, 73, 75
 flux, 73–75, 77–78
 Monteith, John, 4
 mosaic landscapes, 270–273
 Mountain Climate (MTCLIM) model, 135–136
 mountains, 201–209
 minimum temperatures in Russia, 264
 Mt. Fuji, 206–207
 Mt. Wilhelm, 18, 262–263
 mulch effects, 163
- Neotoama*
 habitats, 5–6
 net radiometer, 58
 New York, 255

- Niche Mapper, 140
 nitrogen cycle, 46–47
 nitrogen dioxide, 48, 244, 245
 Niwot Ridge, C.O., 156, 157, 197
 Normalized Difference Vegetation Index (NDVI), 127
 Nusselt number, 110
- oak forest, 174
 oasis effect, 121
 observation methods, 52–79
 Obukov stability length, 77
 Ohm's Law, 44–46, 141
 optical air mass, 85, 88
 optical path length, 85
 ozone, 84, 86
 tropospheric, 244–245
- paddy rice, 161
 Palmer Drought Severity Index (PDSI), 35–36
 Parameter-elevation Relationships on Independent Slopes Model (PRISM), 136
 Paris climate conference 2015, 278
 partial pressure
 measurement, 71–73
 particulate matter, 245
 passive microwave, 128
 Peary Land, Greenland, 149
 Penman, Howard, 116–117
 Penman-Monteith equations, 117, 119, 171
 permafrost, 105–106, 283
 temperatures, 104, 105, 283
 Peter Sinks, 204–205
 phase change, 106
 photosynthesis, 30–31, 41–42, 141–142
 photosynthetically active radiation (PAR), 31, 86–87, 94, 175
 plant response, to elevated CO₂, 285–286
 to elevated temperatures, 283–285
 pollutants, 48–49
 spectral transmissivities, 246
 trends, 280–281
 potato crop, 160, 161
 power law, 39, 107, 257
 precipitable water, 25
 precipitation, 34–36
 lake effect, 267
 measurement, 67–70
 in mountains, 207
 solid, 68–69
 precision, 52–53
 Priestley and Taylor, 117
 model, 130
 problems, 291–296
 profile methods to calculate turbulent fluxes, 73–74
 Project for Intercomparison of Land surface Parameterization Schemes (PILPS), 132
 psychrometer, 72–73
 pyranometer, 58, 64
 pyrgeometer, 58, 64
 pyrheliometer, 64
- radar reflectivity, 69
 radiation, 81–96
 biological controls on, 220–221
 diffuse, 87–88, 89, 90
 direct beam, 87
 infrared, 82, 94–95, 203
 longwave, 64, 82, 95, 221–222
 measurement, 63–65
 net radiation, 19, 65, 95–96, 203, 222
 short-wave, 64
 slope effect, 261–263
 solar, 81–94
 surface, 91–94
 ultraviolet, 82, 202–203
 radiative forcing, 49, 91, 278
 radiative resistance, 222
 rainfall, 34–35
 interception, 120, 179
 rain gauge, 34, 67–68
 Rayleigh scattering, 88
 reference evaporation, 117–118
 remote sensing, 126–130
 respiration, 42–44
 latent heat production, 228
 Richardson Number (Ri), 77
 rime, 33–34
 riparian zone, 194
 river ice, 195
 rivers, 194–195
 roughness length, 75, 108, 173
- saltation, 138
scales of meteorological phenomena, 2
 scaling up, 126
 scattering, 88
 Scots pine energy balance, 170
 sea breeze, 265–266
 sea ice
 Arctic, 280
 sensible heat
 body loss, 229
 flux, 73–74, 76–78, 110–113
 shading, 213
 shear stress, 154
 shelter, local and large-scale, 205
 thermal modification, 236–237
 shelterbelts, 136–139
 shelter porosity, 137
 Simultaneous Heat and Water (SHAW) model, 139–140
 skin friction, 39
 sky view, 182, 209
 Slatyer and McIlroy, 4, 116
 slope exposition
 effect on soil temperature, 149, 261–262
 effect on solar radiation, 89, 261–263
 snow, 36–37
 course, 139
 density, 197
 depth, 37, 207
 emissivity, 198
 liquid water content, 36
 snow cover, 36–37
 effect on soil temperature, 21, 23
 energy budget, 197
 extent, 279
 insulating effect, 197
 microclimate, 196–197
 seasonal classification, 199–201
 spectral albedo, 196

- snow drift, 37, 137–138, 157
 snow fence, 139
 snow melt on the prairies, 197
 snow pillow, 139, 200
 snow properties, 139, 197
 snow transport, 138–139, 197
 snowfall, 36
 SNOpack TELmetry (SNOTEL) sites, 139, 199–200
 snow water
 equivalent, 36, 199
 retention by landscape types, 197–198
 soil
 conductivity, 102, 104
 porosity, 102
 seasonally frozen, 104–106
 thermal diffusivity, 102–103
 soil heat flux, 60, 102–107
 soil moisture, 19
 measurement, 60–63
 Soil Moisture Active-Passive (SMAP) system, 63
 Soil Moisture and Oceanic Salinity (SMOS) sensor, 63
 soil temperature, 3, 5, 18, 20–21, 22, 151, 235, 282–283
 altitudinal gradients, 206
 changes in United States, 282
 exposition, 149, 261–262
 forest and tundra sites, snow cover effect, 20–21, 23
 measurement, 60
 variation with depth, 20, 103–104
 Soil Thermal Model (STM), 282
 Soil-Vegetation-Atmosphere-Transfer (SVAT)
 scheme, 132
 solar constant, 82
 solar cycle, 277
 solar declination, 85
 solar radiation, 81–94, 280
 on a horizontal surface, 88–89
 on an inclined surface, 89
 in mountains, 202–203
 Solar Radiation and Climate Experiment
 (SORCE), 82
 sonic anemometer, 67, 77–78
 sorghum crop, 162–163
space and time scales of meteorological phenomena, 2
 specific heat capacity, 15
 specific humidity, 21
 spectrum of solar and terrestrial radiation, 83
 spruce forest
 radiation, 152
 stability, functions, 76
 neutral, 107
 Standard Atmosphere, 202
 standard deviation, 12
 Stanton number, 119
 Statistical Downscaling Models (SDMs), 6
 Stefan-Boltzmann law, 81
 Stevenson screen, 1
 stomata, 30–32, 141, 163–164
 stomatal conductance, 141, 156, 169
 stomatal resistance, 45, 119, 141, 162, 170
 sugar beet, 161
 sulfur dioxide, 48
 Sun's energy, 84, 245
 sun flecks, 93
 surface characteristics, modification, 255–259
 suspension of snow, 138
 symbols, 305–308
 System International units, 309
 temperate cereals, 162–163
 temperature, air, 11–21
 annual cycle, 18
 daily mean, 11–12
 dew point, 25
 differences between habitats, 12
 diurnal variation, 15, 18, 151
 effective, 231
 equivalent, 222
 extremes, 16, 104–105
 global, 13, 279
 gradients in mountains, 204–205
 inversion, 113
 maximum surface, 18
 mean maximum shade, 14
 measurement, 55–60
 near-surface profiles, 16–18
 needle, 169
 plumes, 271
 potential, 12
 profiles in plant canopies, 150
 surface, 18–19, 263–264
 virtual, 15, 77
 in woodrat (*Neotoma*) habitats, 6
 terrain analysis, 264–265
 thermal admittance, 209–219
 thermal conductivity of materials, 230
 thermal comfort, 222
 thermal offset, 104
 thermistor, 56
 thermocline, 189, 190
 thermocouple, 55, 56, 58
 thermometer
 glass bulb, 57
 infrared, 57–60
 thermopile, 56, 57, 63–64
 thermoregulation, 219–220
 Thornthwaite, C.W., 115
 Tibetan Plateau, 144
 time constant, 53–54
 Time Domain Reflectometry
 (TDR), 62
 topoclimate, 3, 241–271
 effects on microclimate, 261–272
 topoclimatic data sets, 136
 topoclimatology, 3
 topography effect on temperature, 265
 Torricelli, Evangelista, 71
 transpiration, 29–32, 179
 treeline (alpine), 153
 tropical cities, 253, 255
 tropical forest 178–181
 tundra, 148–156
 alpine, 153–156
 arctic, 148–153
 browning, 281
 energy balance, 149–151,
 152, 156
 greening, 281
 soils, 151, 152
 turbidity, 187, 247
 turbulence, 255–256

316

turbulent flux
 measurement, 73–79
 Turc, 116

ultraviolet radiation, 82, 84, 202–203
 Urals, 151
 urban canopy layer, 209
 urban climates, 243–259
 urban energy balance, 268, 270
 urban heat island (UHI), *see* heat island
 urban land use categories, 267–268
 urban local climates, 267–272
 local climate zones, 268–270
 urban microclimates, 209–213

Vancouver, B.C., 268
 vapor, body resistance to, 227
 vapor pressure, 21–26, 72–73, 206–207
 saturation, 21, 25, 72, 117
 surface profiles, 17
 vegetation
 increased carbon dioxide effect
 greenness, 281
 range shifts, 280
 Vegetation Dynamics Model (VDM), 128
 volcanic eruptions, 277
 von Karman constant, 75, 108

water flow in soils, 28–29
 water potential, 26–27, 161

Index

water vapor, 21, 22, 86
 weather station, urban, 244
 Weather Research and Forecasting (WRF)
 model, 143
 wettest places in the world, 34
 wetlands, 163–168
 wheat, 161
 Wien's law, 82
 wilting point, 26
 wind, 38–39
 direction, 67
 effect on alpine plants, 154–155, 265
 measurement, 65–67
 power law, 39, 107, 257
 profile in forest canopies, 169–170
 resultant vector, 66–67
 vertical velocity, 38, 67
 wind-chill index, 231–233
 wind gust, maximum, 39
 windshield, 68–69
 wind speed, 65–66, 208
 extremes, 208
 with height, 17, 39, 107
 urban, 255–257
 wind velocity, 65–66
 woodrat habitats, 5–6

Yoshino, M.M., 4

zero plane displacement, 39, 75, 173