

Index

- Absolutely integrable, 340, 411–412, 514–515, 517, 571
- Addition of signals, 147, 182
- Additivity, 182–190, 195–197, 278
- Algebraic equation, 515, 592
- Aliased frequency, 88
- Aliasing, 9, 619
- Amplitude scaling, 118, 124, 126
- Analog signals, 3, 6, 8, 9, 36, 48, 72, 81, 618
- Analysis of system using Z transform, 678
- Anti-aliasing filter, 19–20
- Aperiodic signals, 81, 332, 409, 441, 498, 551
- Applications of signals, 33
- Autocorrelation, 745–752, 756–758
- Bandwidth, 3, 8, 19, 51, 89–90, 425, 449, 480–481
- Basis functions, 332, 337–338, 340, 516
- Bernoulli's trials, 731–732
- BIBO stability, 215
- Bilateral LT, 514
- Binomial distribution, 722, 732, 734
- Causality, 97, 99, 181, 201–202, 303, 305–306, 515
 property, 201
- Central limit theorem, 693, 740–742
- Characteristic
 equation, 248, 252–255, 270, 274–276
 function, 738–740
 mode terms, 253–256
 polynomial, 247–248, 274
- Chi-square test, 743–744, 757
- Combinations, 700–701, 709, 731
- Communication system, 33–34, 47, 347, 423, 440
- Complex exponential(s), 57, 332, 336–338, 343, 438–440, 442, 514–516, 523, 528, 530, 535, 643–644
- Conditional probability, 696–703
- Conjugate symmetry property, 383–384, 532
- Continuous random variable, 57, 707–708, 710, 716–717, 722, 739
- Continuous time complex exponentials, 515
- Continuous time signals, 1, 36, 72, 410, 514
- Contour integration, 514, 572, 641, 674
- Control system, 33–35, 47
- Conventional algorithm for
 convolution, 280, 282
- Convolution, 4–5, 7, 8, 50, 80, 118, 122, 147, 225–230, 249–250, 256–257, 259, 260, 261–263, 265–269, 271, 279–280, 282–284, 291–293, 296–

- 303, 309–310, 315–316, 378, 382–383,
 423, 449, 470, 477–480, 492, 494–495,
 498, 515, 527, 534–536, 642, 645–646,
 651–652, 741, 751
 integral, 249, 256, 257, 260, 262–263,
 265, 266, 268–269, 271, 296–299,
 315, 316
 Kernel, 249
 property, 382, 477–478, 495, 534–535,
 645
 sum, 279–280, 303, 309, 310, 315
 Correlogram, 753–756
 Cross correlation, 751, 753
 CT and DT systems, 181–183, 194, 201,
 209, 249, 295, 315
 CT periodic signals, 331–332
 Cumulative distribution function, 707–708,
 727
- Deterministic signals, 25, 99
 Difference equation(s), 271–273, 678–679,
 681, 685
 Differential equation, 246, 252–255
 Differentiation in
 S domain property, 527, 564
 time property, 388, 490, 570
 Z domain, 642, 647, 651, 653, 663, 671
 Digital signals, 36, 45, 72
 Dirac delta function, 48, 409, 435–440
 Dirichlet conditions, 411
 Discrete
 random variable, 694, 707–708, 710,
 716, 722, 731–732
 Spectrum, 343, 347, 350, 392
 time signals, 1, 41
 DT domain, 27, 32, 90, 126, 225, 644, 645,
 646, 651–652
 DTFS, 395–398
 DTFT, 409, 449–451, 453–468, 470,
 472–473, 476–479, 483, 486, 489–495,
 498
 periodic signals, 455–456
 Duality property, 429, 436, 480
- Eigen function of LTI system, 478, 515,
 535
 Eigen functions, 248, 274, 478, 515, 535
 Eigen values, 248, 274
 LTI systems, 519
 Energy signal, 3, 96, 101–117, 435, 442,
 449, 747–748
 Energy spectral density, 482, 749–750
 Ensemble, 744, 746–747, 756
 Ergodic process, 746, 756
 Even signals, 72
 Events, 694–697, 701–704, 708, 734, 736
 Expectation value, 716, 737, 756
 Exponential
 distribution, 57, 717, 722, 728
 function, 56–57, 64–65, 68, 70–71,
 86, 248, 250, 274, 331–332, 336,
 338–339, 342, 412, 434, 521, 523,
 578, 755
 signals, 40, 331, 410, 516
- Final value theorem, 527, 537–538, 567,
 647–648, 654
 Finite discontinuities, 340, 411
 Forced response, 592, 593–594, 596–597
 Fourier series, 26, 41, 56, 331, 332, 340,
 342–343, 347–349, 375, 378, 392, 395,
 410, 435, 441, 619
 Fourier series representation, 29, 331–332,
 339–340, 347, 375, 410
 Fourier transform, 5, 29, 41, 51, 53, 55–56,
 332, 409, 415, 423–424, 435–442,
 444–445, 621–622, 628, 630, 738, 748,
 756
- Fourier
 transform domain, 5, 8
 representation, 29, 56, 332, 409–410,
 441
- Frequency
 differentiation property, 477, 486–488,
 492, 533–534
 domain, 4–5, 28, 32, 51, 339, 343, 385,
 410, 425, 428–429, 437, 439–441,
 455–456, 473–474, 476, 480–482,
 495, 513–514, 530, 533
 response, 56, 250, 495, 496–498, 515,
 598, 682–683
 shifting, 438–440, 442, 470, 476, 484–
 487, 492, 527, 533, 565–566, 644
 shifting property, 438, 440, 442, 476,
 484–487, 492, 533

- FS representation, 339, 342–344, 346, 348, 352, 355, 358, 363, 371, 373, 375, 376, 378, 379, 382, 385–386, 394
- Gaussian
 function, 58–59
 random variable, 723, 727
- Gibbs phenomenon, 391, 749
- Half wave symmetry, 371–372
- Heisenberg uncertainty principle, 425
- Homogeneity, 182–190, 195–197, 278
- ILT for complex roots, 578
- Imaginary axis, 514, 516, 523, 542, 571, 598–600, 655
- Impulse, 4–5, 7–8, 47–49, 50, 60, 194, 224–234, 249–257, 269, 275–282, 284, 286–287, 289, 291–293, 295–299, 301–318, 332, 338–339, 382, 449, 456–457, 478, 480, 495–498, 515, 519, 586, 589–591, 593, 618, 620, 655–657, 659, 680–683, 685
 function, 48–50, 249–250, 331–332, 435, 457, 519, 620
 response, 7, 49–50, 194, 224–234, 249–257, 269, 275–282, 284, 286–287, 289, 291–292, 295–299, 301–302, 304–318, 332, 338–339, 382, 478, 495–498, 515, 586, 589–593, 618, 655–657, 659, 680–683, 685
- Impulse response of LTI system, 256, 303, 382, 478, 495
- Initial
 conditions, 215, 246, 248–249, 252–256, 269, 272, 275–277, 515, 586–587, 592, 594–595, 678
 value theorem, 491, 527, 537, 570, 642, 647, 654
- Input side algorithm, 280, 284
- Integration property, 381, 474, 531
- Interconnection of operations, 219
- Inverse
 DTFT, 454–457, 463–468, 470, 486, 492–494
 FT, 211, 411, 444–448, 483, 495–497, 738
 LT, 513–514, 528, 572, 574–575, 577, 579, 580, 582–586
 Z transform, 621, 641, 660–661
- Invertibility, 209–210, 214
- Kurtosis, 718–719
- Laplace transform (LT), 252, 513–514, 519, 586, 618, 620, 665
- Left handed signal, 96, 417, 540, 571, 573–574, 577–578, 582, 599, 633
- Linearity, 181–183, 194–197, 256, 279, 378–379, 445, 470, 471, 483–484, 527–528, 569, 642
 property, 182
 property of FT, 445
- Long division, 660–662
- LT of periodic signals, 539
- LT of standard aperiodic signals, 551
- LT using LT properties, 558, 560, 564
- LTI system analysis using LT, 495
- LTI systems, 194, 224, 227–228, 248, 250, 274, 278, 303, 332, 515
- Magnitude response, 356, 361, 364, 367, 369, 374, 412–414, 417–419, 421, 428, 452–454, 458–461, 472, 680–683
- Main lobe of sinc function, 481
- MATLAB commands, 591, 593–594, 597, 601
- Maxima, 340, 411
- Mean, 42, 58, 59, 100, 411, 449, 716, 717–721, 723–724, 726–727, 737, 739, 741, 744–747
- Memory, 181, 201, 206–209, 303–305
 systems, 206–208, 303–305
- Memoryless systems, 206, 303–305
- Minima, 340, 411
- Modulation property, 382–383, 423, 449, 478–480, 493, 535–536
- Moment generating function, 738–739
- Moments, 693, 716–717, 738, 744
- Multiplication of signals, 4, 141, 147, 478–480, 493, 533
- Mutually exclusive events, 695, 703–704
- Natural response, 592, 594–597
- Nyquist frequency, 3, 15, 16, 19–20

- Odd signal(s), 72–73
- Orthogonality, 331–332, 394
- Outcome of the experiment, 693–694, 707
- Output side algorithm, 282
- Overshoot, 394

- Parabolic function, 57–58, 66–67, 521
- Parallel
 - configuration, 228–234
 - connection, 181, 227–228
- Parseval's
 - Identity, 384–385, 482, 537
 - relation, 378, 384, 470, 481, 482, 536
 - theorem, 494, 527
- Partial fraction expansion, 444–448, 471, 483, 496, 528, 572, 574, 579, 581, 583, 585–586, 588, 591, 593, 596, 642, 660, 664, 679
- Periodic
 - DT signals, 395
 - signals, 101, 332, 340, 409, 441
- Periodicity property, 72, 81, 538–539, 558, 560
- Permutations, 731
- Phase response, 412, 414–415, 418–419, 452–455, 458–462, 495
- Poisson distribution, 732, 734
- Pole locations, 598, 630, 655, 659
- Poles and zeros, 538, 575, 580, 618–619, 626, 628, 648, 680–683
- Power signals, 100–101, 117, 435, 747, 756
- Power spectral density, 96, 101
- Probability, 693–710, 712–714, 719, 721–722, 724, 726–727, 731–732, 735–738, 740–741, 756–757
 - density function, 710, 719, 721–722, 727, 756
- Properties of ROC, 571, 630, 634
- pzmap, 573, 575, 579–580

- Random
 - process, 693, 744–746, 756
 - signals, 25, 59, 96, 99–101, 693, 756
 - variable, 57, 99, 693–694, 706–710, 712, 716–719, 721–722, 724, 727, 731–732, 737–742, 744–746
- Rayleigh distribution, 717, 722, 727

- Rectangular pulse, 47–49, 51, 55, 61, 129, 132, 348, 409, 423–425, 428–429, 455, 480, 485, 488–489
- Region of convergence, 514, 516–517, 618, 622, 625, 675
- Relation between FT and LT, 519
- Replicated spectrum, 9, 10
- Residue method, 660, 674–676, 679
- Right handed signal, 96, 412, 540, 571, 574–575, 577–578, 582–584, 599, 633
- Ripple in the response, 480

- S plane, 514, 517, 519–526, 538, 540–541, 543–549, 571, 599–600, 619
- Sampling
 - frequency, 1, 3–4, 6, 8–9, 11–20, 34, 41, 64, 88–91, 449, 620
 - theorem, 3, 34, 89–91, 449
- Series
 - configuration, 230–234
 - connection, 225–226
- Shift/time invariance, 181
- Signum function, 52–53, 62, 434–435
- Sinc function, 51, 53–55, 62–63, 97, 409, 428–429, 452, 455, 480–481
- Sinusoidal signals, 88
- Skew, 718
- Skewness, 718
- Solution of difference equations, 678
- Spatial domain, 30, 32, 202
- Square integrable, 411
- Stability, 47, 181, 209, 215, 218, 252, 303, 309–311, 513–515, 598, 618–619, 655–656, 685
- Stability
 - a causal system, 598
 - a non-causal system, 599
 - a system, 209, 219
- Standard
 - signals, 47, 67, 409, 513, 519, 622
 - signals and system testing, 47
- Stationary random process, 745
- Statistically independent variables, 727, 741, 745
- Steady state response, 592, 594, 596
- Step response, 295–299, 301–302

- Superposition property, 182–183, 190–194, 198, 278
 System stability, 513
- The Kolmogoroff-Smirnoff test, 743
 Time band width product, 425, 480–481
 Time differentiation, 378, 381, 387, 470, 474, 487, 527, 530–531, 537–538, 564
 property, 381, 474, 487, 530, 537–538
 Time domain, 4, 27, 32, 39, 41, 47, 51, 89, 210, 246, 249, 375, 378, 381–382, 385, 388, 390–391, 423, 425, 428–429, 440, 449, 456, 458, 469, 473–476, 478, 480, 482, 495, 513–515, 529, 531–532, 534, 537, 570, 592, 643, 655–659, 685, 748
 behavior, 655–659, 685
 Time integration, 378, 381–382, 470, 474–475, 527, 531–532
 property, 381, 474, 531
 Time reversal, 120–123, 378, 380, 418, 470, 472, 527, 529, 566, 642, 644, 650, 751
 property, 380, 472, 529
 Time scaling, 49, 118, 125–128, 378, 380, 386, 470, 472–473, 487, 527, 529–530, 568
 property, 380, 472–473, 487, 529, 568
 Time shifting, 118–119, 122, 127–128, 220–224, 378–379, 385, 404, 470–472, 476, 485–486, 488, 491, 493, 496, 527–529, 564, 567–568, 642–643, 649, 652, 663
 property, 379, 471, 476, 485–486, 488, 491, 493, 496, 528–529, 567–568
- Total power, 758
 Total response, 246, 272, 276, 592, 594, 597, 598
 Transfer function, 445–448, 483, 514–515, 575, 580, 589–590, 592, 594, 598–599, 618–619, 624–626, 628, 634, 655, 657, 659, 679–682, 685, 757
 Transient response, 592, 594, 596
 Truncation of FS, 391
- Uniform random variable, 722
 Unilateral LT, 514
 Unit
 circle in Z domain, 626
 ramp function, 52, 141
 step function, 50–52, 57, 98, 141, 435, 519, 657
 Unstable system, 515, 656
- Variance, 100, 693, 716–717, 719–721, 723–724, 726–727, 737, 739, 741, 744, 747
- Wide sense stationary process, 746
- Z transform, 618–619, 621–622, 626, 628, 630, 641–642, 645, 648–651, 660–661, 678
 Zero input response, 215, 246–248, 271–272, 274–275, 592
 Zero state response, 215, 246, 248–249, 269–272, 274–275, 277, 592