

Exact Solutions in Three-Dimensional Gravity

ALBERTO A. GARCÍA-DÍAZ

*Center for Research and Advanced Studies of the
National Polytechnic Institute, Mexico
(CINVESTAV)*

*Including contributions by David Chow,
Christopher N. Pope and Ergin Sezgin
(Chapters 16–19)*



CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE
 UNIVERSITY PRESS

University Printing House, Cambridge CB2 8BS, United Kingdom
 One Liberty Plaza, 20th Floor, New York, NY 10006, USA
 477 Williamstown Road, Port Melbourne, VIC 3207, Australia
 4843/24, 2nd Floor, Ansari Road, Daryaganj, Delhi – 110002, India
 79 Anson Road, #06-04/06, Singapore 079906

Cambridge University Press is part of the University of Cambridge.
 It furthers the University's mission by disseminating knowledge in the pursuit of
 education, learning, and research at the highest international levels of excellence.

www.cambridge.org
 Information on this title: www.cambridge.org/9781107147898
 DOI: 10.1017/9781316556566

© Alberto A. García-Díaz 2017

This publication is in copyright. Subject to statutory exception
 and to the provisions of relevant collective licensing agreements,
 no reproduction of any part may take place without the written
 permission of Cambridge University Press.

First published 2017

Printed in the United Kingdom by Clays, St Ives plc

A catalogue record for this publication is available from the British Library.

Library of Congress Cataloging-in-Publication Data

Names: García-Díaz, Alberto A., 1942- author.

Title: Exact solutions in three-dimensional gravity / Alberto A.
 García-Díaz (Center for Research and Advanced Studies of the National
 Polytechnic Institute, Mexico (CINVESTAV).

Other titles: Cambridge monographs on mathematical physics.

Description: Cambridge, United Kingdom ; New York, NY : Cambridge University
 Press, 2017. | Series: Cambridge monographs on mathematical physics

Identifiers: LCCN 2017012130 | ISBN 9781107147898 (hardback ; alk. paper) |
 ISBN 1107147891 (hardback ; alk. paper)

Subjects: LCSH: Gravitation–Mathematics. | Quantum gravity–Mathematics. |
 Einstein field equations. | Space and time.

Classification: LCC QC178 .G365 2017 | DDC 539.7/54–dc23

LC record available at <https://lcn.loc.gov/2017012130>

ISBN 978-1-107-14789-8 Hardback

Cambridge University Press has no responsibility for the persistence or accuracy of
 URLs for external or third-party internet websites referred to in this publication,
 and does not guarantee that any content on such websites is, or will remain,
 accurate or appropriate.

Contents

Preface *page xvii*

1	Introduction	1
1.1	Main Features of $(2 + 1)$ Gravity	1
1.1.1	Field Equations and Curvature Tensors	2
1.1.2	Matter Distribution Locally Curves the Spacetime	2
1.1.3	Point Particles Produce Global Effects on the Spacetime	3
1.1.4	Newtonian Limits	3
1.1.5	No Geodesic Deviation for Dust	5
1.1.6	No Dynamic Degrees of Freedom	6
1.1.7	Black Holes in $(2 + 1)$ Gravity	7
1.1.8	Gravity in the Presence of Other Fields and Matter	7
1.2	Algebraic Classification	7
1.2.1	Classification of the Cotton–York Tensor	7
1.2.2	Classification of the Energy–Momentum Tensor	9
1.2.3	Classification of the Traceless Ricci Tensor	11
1.3	Brown–York Energy, Mass, and Momentum for Stationary Metrics	11
1.3.1	Summary of Quasilocal Mass, Energy, and Angular Momentum	14
1.4	Decomposition with Respect to a Frame of Reference	15
1.4.1	Kinematics of the Frame	15
1.4.2	Perfect Fluid Referred to a Frame of Reference	16
2	Point Particle Solutions	19
2.1	Staruszkiewicz Point Source Solutions	19
2.1.1	Relationship Between the Deficit Angle and Mass	20
2.2	Staruszkiewicz Single Point Source Solution	21
2.2.1	No Parallelism With the $(3 + 1)$ Schwarzschild Solution	22
2.3	Staruszkiewicz Two Point Sources Solution	22
2.4	Deser–Jakiw–’t Hooft Static \mathcal{N} Point Sources Solution	23
2.4.1	Energy and Euler Invariant	23
2.4.2	Energy–Momentum Tensor for \mathcal{N} Point Particles	24
2.5	Clément Rotating Point–Particles Solution	24

3	Dust Solutions	27
3.1	Cornish–Frankel Dust Heaviside Function Solution	27
3.2	Giddings–Abott–Kuchař Dust Solutions	28
3.2.1	Time-Dependent Class of Dust Solutions $\Omega = \ln(tf(x, y))$	29
3.2.2	Static Class of Dust Solutions $\Omega = \ln g(x, y)$	30
3.3	Barrow–Shaw–Tsagas Anisotropic Dust Solution; $\Lambda = 0$	30
3.4	BST Diagonal Anisotropic Dust Solutions with Λ	33
3.5	BST (t, x, y) -Dependent Cosmological Solutions with Comoving Dust	34
3.5.1	BST Class 2 of Solutions	37
3.5.2	BST Class 1 Spacetime	38
3.5.3	BST Class 3 of Dust Solutions	39
3.6	Rooman–Spindel Dust Gödel Non-Diagonal Model	40
4	A Shortcut to (2+1) Cyclic Symmetric Stationary Solutions	44
4.1	Cyclic Symmetric Stationary Solutions in Canonical Coordinates	44
4.1.1	Bañados–Teitelboim–Zanelli Solution in Canonical Polar ρ Coordinate	45
4.1.2	BTZ Solution Counterpart	46
4.1.3	Coussaert–Henneaux Metrics	47
4.2	Static AdS Black Hole	48
4.2.1	Static BTZ Solution	49
4.2.2	Static AdS Solution Counterpart	51
4.3	Symmetries of the Stationary and Static Cyclic Symmetric BTZ Metrics	52
4.3.1	Symmetries of the AdS Metric for Negative M , $M = -\alpha^2$	56
5	Perfect Fluid Static Stars; Cosmological Solutions	58
5.1	Static Circularly Symmetric Fluid Solutions	58
5.1.1	Cotton Tensor Types	59
5.2	Incompressible Static Star	59
5.2.1	Collas Static Star with Constant Density μ_0	60
5.2.2	Giddings–Abott–Kuchař Static Star with μ_0	60
5.2.3	Cornish–Frankel Static Star with μ_0	61
5.3	Cornish–Frankel Static Polytropic Solutions	62
5.3.1	Static Star with a Stiff Matter $p(r) = \mu(r)$	64
5.3.2	Static Star with Pure Radiation $p = \mu(r)/2$	65
6	Static Perfect Fluid Stars with Λ	66
6.1	Equations for a (2+1) Static Perfect Fluid Metric	67
6.1.1	General Perfect Fluid Solution with Variable $\rho(r)$	68
6.2	Canonical Coordinate System $\{t, N, \theta\}$	69

<i>Contents</i>		ix
6.3	Perfect Fluid Solutions for a Barotropic Law $p = \gamma \rho$	70
6.4	Perfect Fluid Solutions for a Polytopic Law $p = C\rho^\gamma$	71
6.5	Oppenheimer–Volkoff Equation	73
6.6	Perfect Fluid Solution with Constant Density	74
6.6.1	(3+1) Static Spherically Symmetric Perfect Fluid Solution	76
6.6.2	Comparison Table	78
7	Hydrodynamic Equilibrium	80
7.1	Generalized Buchdahl’s Theorem	80
7.2	Stellar Equilibrium in (2 + 1) Dimensions with Λ	81
7.2.1	Cruz–Zanelli Existence of Hydrostatic Equilibrium for $\Lambda \leq 0$	83
7.2.2	No Buchdahl’s Inequality in (2 + 1) Hydrostatics	83
7.2.3	Static Star with Constant Density μ_0 and $\Lambda = -1/l^2 \leq 0$	84
7.3	Buchdahl Theorem in d Dimensions	85
7.3.1	Buchdahl’s Inequalities	86
7.3.2	Constant Density Solution	89
8	Stationary Circularly Symmetric Perfect Fluids with Λ	92
8.1	Stationary Differentially Rotating Perfect Fluids	93
8.2	Garcia Stationary Rigidly Rotating Perfect Fluids	94
8.2.1	Rigidly Rotating Perfect Fluid Solution with $W(r) = J/(2r^2)$	96
8.2.2	Garcia Interior Solution with Constant Energy Density	97
8.2.3	Interior Perfect Fluid Solution to the BTZ Black Hole	100
8.2.4	Alternative Parametrization	100
8.2.5	Barotropic Rotating Perfect Fluids Without Λ	102
8.3	Lubo–Rooman–Spindel Rotating Perfect Fluids	102
8.3.1	Equations for Rigidly Rotating Fluids	104
8.3.2	Garcia Representation of Stationary Perfect Fluid Solutions	105
8.3.3	Barotropic Class of Solutions $p = \gamma \mu$	105
8.3.4	Constant Density Stationary Solution; $p = p(r)$, $\mu = \mu_0$	105
8.3.5	Lubo–Rooman–Spindel Perfect Fluids $u = \theta^0$ and $g_{rr} = 1$	106
8.3.6	LBR Rotating Perfect Fluid with μ_0	106
8.3.7	Rooman–Spindel Rotating Fluid Model; $g_{tt} = -1 = -g_{rr}$	107
9	Friedmann–Robertson–Walker Cosmologies	108
9.1	Einstein Equations for FRW Cosmologies	108
9.1.1	Einstein Equations for (3+1) FRW Cosmology	108
9.1.2	Einstein Equations for (2+1) FRW Cosmology	109
9.2	Barotropic Perfect Fluid FRW Solutions	110
9.2.1	Barotropic Perfect Fluid (3 + 1) Solutions	110

x	<i>Contents</i>	
	9.2.2 Barotropic Perfect Fluid (2 + 1) Solutions	111
	9.2.3 Comparison Between (3+1) and (2+1) Barotropic Solutions	112
9.3	Polytropic Perfect Fluid FRW Solutions	113
	9.3.1 Polytropic Perfect Fluid (3 + 1) Solutions	113
	9.3.2 Polytropic Perfect Fluid (2 + 1) Solutions	114
	9.3.3 Comparison Between (3+1) and (2+1) Polytropic Solutions	114
9.4	Mann–Ross Collapsing Dust FRW Solutions with Λ	114
	9.4.1 Cosmological dS–FRW Solution	115
	9.4.2 Asymptotically AdS–FRW Dust Solution	115
	9.4.3 Matching the AdS–FRW Dust to the Static BTZ	116
	9.4.4 Determination of K_{ij}	117
	9.4.5 Gidding–Abbott–Kuchař Dust FRW Solution	119
10	Dilaton–Inflaton Friedmann–Robertson–Walker Cosmologies	121
10.1	Equations for a FRW Cosmology with a Perfect Fluid and a Scalar Field	122
	10.1.1 Einstein Equations for (3+1) FRW Dilaton Cosmology	122
	10.1.2 Einstein Equations for (2+1) FRW Cosmology	123
	10.1.3 Correspondence Between (3+1) and (2+1) Solutions	125
10.2	Single Scalar Field to Linear State Equations; $\Lambda = 0$	127
	10.2.1 (2+1) Solutions for a Scalar Field	127
	10.2.2 (3+1) Solutions for a Scalar Field	128
	10.2.3 Slow Roll Spatially Flat FRW Solutions	129
10.3	Spatially Flat FRW Solutions for Barotropic Perfect Fluid and Scalar Field	131
	10.3.1 Spatially Flat FRW (3+1) Solutions ; $\gamma_4 \neq 2\Gamma_4$	131
	10.3.2 Spatially Flat FRW (2+1) Solutions; $\gamma_3 \neq 2\Gamma_3$	133
	10.3.3 Barrow–Saich Solution; $\gamma = 2\Gamma$	134
10.4	Single Scalar Field Spatially Flat FRW Solutions to $p_\phi + \rho_\phi = \Gamma \rho_\phi^\beta$	135
	10.4.1 Spatially Flat (3+1) Solutions with $V(\phi) = A(\alpha\phi^{2/(1-\beta)} - \phi^{2\beta/(1-\beta)})$	135
	10.4.2 Spatially Flat (2+1) Solutions with $V(\phi) = A(\alpha\phi^{2/(1-\beta)} - \phi^{2\beta/(1-\beta)})$	136
	10.4.3 Barrow–Burd–Lancaster (2+1) and Madsen (3+1) Solutions	137
10.5	Scalar Field Solutions for a Given Scale Factor	139
	10.5.1 Second (2+1) BBL Solution	139
	10.5.2 (3+1) Generalization of the Second (2+1) BBL Solution	141

11 Einstein–Maxwell Solutions	142
11.1 Stationary Cyclic Symmetric Einstein–Maxwell Fields	143
11.1.1 Stationary Cyclic Symmetric Maxwell Fields	143
11.1.2 General Stationary Metric and Einstein Equations	145
11.1.3 Complex Extension and Real Cuts	148
11.1.4 Positive Λ Solutions	149
11.1.5 Characterizations of Einstein–Maxwell Solutions	149
11.1.6 Static Cyclic Symmetric Equations for Maxwell Fields	152
11.2 Electrostatic Solutions; $b \neq 0, a = 0$	153
11.2.1 General Electrostatic Solutions	154
11.2.2 Gott–Simon–Alpern, Deser–Mazur, and Melvin Electrostatic Solution	155
11.2.3 Charged Static Peldan Solution with Λ	156
11.3 Magnetostatic Solutions; $a \neq 0, b = 0$	159
11.3.1 General Magnetostatic Solutions	160
11.3.2 Melvin, and Barrow–Burd–Lancaster Magnetostatic Solution	161
11.3.3 Peldan Magnetostatic Solution with Λ	162
11.3.4 Hirschmann–Welch Solution with Λ	165
11.4 Cataldo Static Hybrid Solution	168
11.4.1 Mass and Energy	170
11.4.2 Field, Energy–Momentum, and Cotton Tensors	171
11.5 Uniform Electromagnetic Solutions $F_{\mu\nu;\sigma} = 0$	173
11.5.1 General Uniform Electromagnetic Solution for $a \neq 0, \neq b$	173
11.5.2 Uniform “Stationary” Electromagnetic $A = r/(b l^2)(dt - \omega_0 d\phi)$ Solutions	175
11.5.3 Matyjasek–Zaslavskii Uniform Electrostatic $A = r/(b l^2) dt$ Solution	176
11.5.4 Uniform “Stationary” Electromagnetic $A = r/(a l^2)(d\phi + W_0 dt)$ Solutions	179
11.5.5 No Uniform Stationary Magnetostatic Solution for $\Lambda = -1/l^2$	180
11.6 Constant Electromagnetic Invariants’ Solutions	180
11.6.1 General Constant Invariant $F_{\mu\nu}F^{\mu\nu} = 2\gamma$ for $a \neq 0 \neq b$	181
11.6.2 Constant Electromagnetic Invariant $FF = \mp 2/l^2$ Solution	182
11.6.3 Constant Electromagnetic Invariant $FF = -2/l^2$ Solution for $b \neq 0$	182
11.6.4 Constant Electromagnetic Invariant $FF = 2/l^2$ Stationary Solution for $a \neq 0$	183
11.6.5 Vanishing Electromagnetic Invariant $FF = 0$ Solution	184

xii	<i>Contents</i>	
	11.6.6 Kamata–Koikawa Solution	185
	11.6.7 Proper Kamata–Koikawa Solution, $\rho_0 = \pm Q/\sqrt{\Lambda}$	189
11.7	Ayón–Cataldo–García Stationary Hybrid Solution	191
	11.7.1 ACG Hybrid Solution Allowing for BTZ Limit	192
	11.7.2 Mass, Energy, and Momentum	194
	11.7.3 Constant Electromagnetic Invariants' Hybrid Solution for $\Lambda = 0$	198
11.8	Stationary Solutions for $a \neq 0$ or $b \neq 0$	199
	11.8.1 Stationary Magneto-Electric Solution for $a \neq 0 = b$	199
	11.8.2 Stationary Electromagnetic Solution for $b \neq 0 = a$	202
11.9	García Stationary Solutions for $a \neq 0$ and $b \neq 0$	204
	11.9.1 Alternative Representation of the Einstein Equations	205
	11.9.2 García Stationary Electromagnetic Solution with BTZ limit	206
	11.9.3 García Stationary Solution with BTZ-Counterpart Limit	213
11.10	Generating Solutions via $SL(2, R)$ -Transformations	215
11.11	Transformed Electrostatic $b \neq 0$ Solutions	217
	11.11.1 Stationary Electromagnetic Solution	218
	11.11.2 Clément Spinning Solution	219
	11.11.3 Martínez–Teitelboim–Zanelli Solution	224
11.12	Transformed Magnetostatic $a \neq 0$ Solutions	228
	11.12.1 Stationary Magneto-Electric Solution	229
	11.12.2 Dias–Lemos Magnetic BTZ–Solution Counterpart	229
11.13	Transformed Cataldo Hybrid Static Solution	235
	11.13.1 Mass, Energy and Momentum	237
11.14	Summary on Electromagnetic Maxwell Solutions	238
12	Black Holes Coupled To Nonlinear Electrodynamics	240
12.1	Nonlinear Electrodynamics in $(2 + 1)$ Dimensions	241
12.2	General Nonlinear Electrostatic Solution	242
	12.2.1 Static Charged Peldan Solution	244
12.3	Cataldo–García Nonlinear EBI Charged Black Hole	244
	12.3.1 Static Cyclic Symmetric EBI Solution	246
	12.3.2 Cataldo–García Black Hole to EBI	247
12.4	Regular Black Hole Solution	249
	12.4.1 Regularity	250
	12.4.2 Horizons	251
	12.4.3 Thermodynamics	252
12.5	Coulomb-Like Black Hole Solution	252
	12.5.1 Horizons for the Coulomb-Like Solution	254
12.6	Stationary Nonlinear Electrodynamics Black Holes	256

13 Dilaton Field Minimally Coupled to (2 + 1) Gravity	257
13.1 Scalar Field Minimally Coupled to Einstein Gravity	257
13.2 Static Black Hole Coupled to a Scalar $\Psi(r) = k \ln(r)$	258
13.2.1 Quasi Local Momentum, Energy, and Mass	261
13.2.2 Classification of the Energy–Momentum and Cotton Tensors	262
13.3 General Static Chan–Mann Solution	263
13.3.1 Regular $F(r)_+$ Function for the Metric g_+	264
13.3.2 Chan–Mann Solution	265
13.4 Stationary Solution Coupled to $\Psi(r) = k \ln(r)$	266
13.4.1 Momentum, Energy, and Mass for a Rotating Dilaton	268
13.4.2 Classification of the Energy–Momentum and Cotton Tensors	269
13.5 Stationary Dilaton Solutions Generated via $SL(2, R)$ Transformations	270
13.5.1 Sub-Class of Rotating Dilaton Black Holes	272
13.5.2 Rotating Chan–Mann Dilaton Black Hole	273
13.6 Dilaton Coupled to Einstein–Maxwell Fields	274
13.6.1 Einstein–Maxwell–Scalar Field Equations	274
13.7 Static Charged Solution Coupled to $\Psi(r) = k \ln(r)$	275
13.7.1 Quasi-Local Mass, Momentum, Energy for Charged Dilaton	277
13.7.2 Algebraic Classification of the Field, Energy–Momentum, and Cotton Tensors	277
13.8 Stationary Charged Dilaton Generated via $SL(2, R)$	279
13.8.1 Quasi-Local Mass and Momentum	280
13.8.2 Algebraic Classification of the Field, Energy–Momentum, and Cotton Tensors	282
13.8.3 Particular Stationary Charged Dilaton via $SL(2, R)$ Transformation	284
13.9 Summary of Dilaton Minimally Coupled to Gravity	284
14 Scalar Field Non-Minimally Coupled to (2+1) Gravity	286
14.1 Einstein Equations for Non-Minimally Coupled Scalar Field	286
14.1.1 Martínez–Zanelli Black Hole Solution with $T_\mu{}^\mu = 0$	287
14.2 Stationary Black Hole for a Non-Minimally Coupled Scalar Field	287
14.2.1 Quasi-Local Momentum, Energy, and Mass	288
14.2.2 Algebraic Classification of the Ricci, Energy–Momentum, and Cotton Tensors	289
15 Low-Energy (2+1) String Gravity	292
15.1 n -Dimensional Heterotic String Dynamical Equations	292

xiv	<i>Contents</i>	
15.1.1	String Frame	292
15.1.2	Einstein Frame	293
15.2	Dynamical Equations in (2+1) String Gravity	295
15.3	Horne–Horowitz Black String	296
15.4	Horowitz–Welch Black String	298
15.5	Chan–Mann String Solution	300
15.5.1	Einstein–Maxwell–Scalar Field Equations	300
15.5.2	Static and Stationary Black String Solutions	301
16	Topologically Massive Gravity	303
16.1	Chern–Simons Action and Field Equations of TMG	304
16.2	Exact Vacuum Solutions of TMG with Λ	305
17	Bianchi-Type (BT) Spacetimes in TMG; Petrov Type D	307
17.1	Generalities on Bianchi-Type (BT) 3D Spaces	307
17.2	Nutku–Baekler–Ortiz “Timelike” BT VIII Spacetime	309
17.2.1	Nutku Timelike Biaxially Squashed Metric	310
17.3	Nutku–Baekler–Ortiz “Spacelike” Squashed BT VIII Spacetime	311
17.3.1	Spacelike Biaxially Squashed Metric; Nutku Solution Counterpart	313
17.4	Nutku–Baekler–Ortiz Solutions of Bianchi Type III	314
17.4.1	Nutku–Baekler–Ortiz BT III Timelike Solution with $\Lambda = 0$	315
17.4.2	Nutku–Baekler–Ortiz BT III Spacelike Solution with $\Lambda = 0$	316
17.5	Timelike Biaxially Squashed Metrics	317
17.5.1	Representation of the Vacuum Biaxially Squashed Solutions	317
17.5.2	Eigenvectors of the Cotton Tensor; Triad Formulation	319
17.5.3	Complex Extension Toward the Spacelike Squashed Metric	320
17.5.4	Alternative Metric Representation of ds_{tt}^2	321
17.6	Spacelike Biaxially Squashed Metrics	327
17.6.1	Eigenvectors of the Cotton Tensor; Triad Formulation	328
17.6.2	Alternative Metric Representation of ds_{st}^2	329
18	Petrov Type N Wave Metrics	333
18.1	Brinkmann-Like 3D Metric	333
18.2	AdS_3 Non-Covariantly Constant TN-Waves	334
18.2.1	AdS_3 TN-Waves with $\Lambda \neq 0$	336
18.2.2	Nutku TN-Wave Solution	336
18.2.3	Clément TN-Wave Solution	337
18.2.4	Ayón–Hassaine TN-Wave Solution	337

<i>Contents</i>		xv
18.2.5	Ölmez–Sarioğlu–Tekin TN-Wave Solution	338
18.2.6	Dereli–Sarioğlu TN-Wave Solution	338
18.2.7	Carlip–Deser–Waldron–Wise TN-Wave Solution	338
18.2.8	Gibbons–Pope–Sezgin TN-Wave Solution	338
18.2.9	Anninos–Li–Padi–Song–Strominger TN-Wave Solution	338
18.2.10	Garbarz–Giribet–Vásquez TN-Wave Solution	339
18.3	pp-Wave Solutions; $\Lambda = 0$	340
18.3.1	Martinez–Shepley pp-Wave Solution; $\Lambda = 0$	340
18.3.2	Aragone pp-Wave Solution; $\Lambda = 0$	341
18.3.3	Percacci–Sodano–Vuorio pp-Wave Solution; $\Lambda = 0$	341
18.3.4	Hall–Morgan–Perjés pp-Wave Solution; $\Lambda = 0$	341
18.3.5	Dereli–Tucker pp-Wave Solution; $\Lambda = 0$	342
18.3.6	Deser–Steif pp-Wave Solution; $\Lambda = 0$	342
18.3.7	Clément pp-Wave Solution; $\Lambda = 0$	342
18.3.8	Cavaglia pp-Wave Solution; $\Lambda = 0$	343
18.3.9	Dereli–Sarioğlu pp-Wave Solution; $\Lambda = 0$	343
18.3.10	García–Hehl–Heinicke–Macías pp-Wave Solution; $\Lambda = 0$	343
18.3.11	Macías–Camacho pp-Wave Solution; $\Lambda = 0$	344
19	Kundt Spacetimes in TMG	345
19.1	Null Geodesic Vector Field	345
19.2	General Kundt Metrics	347
19.2.1	3D Kundt Metric	348
19.3	3D Canonical Kundt Metric	350
19.3.1	Petrov Classification of the Cotton and Traceless Ricci Tensors	352
19.3.2	Sub-Branch $W_1(r)$ of the General Kundt Metric in TMG	355
19.3.3	Kundt Metric Structure for $W_1(r)$	356
19.4	Type II CSI Kundt Metric; $W_1 = 2\mu/3$	357
19.4.1	Negative Cosmological Constant; $\Lambda = -m^2$	358
19.4.2	Positive Cosmological Constant; $\Lambda = m^2$	359
19.4.3	Zero Cosmological Constant; $\Lambda = 0$	359
19.5	Type D CSI Kundt Solutions; $W_1 = 2\mu/3, F_0 = 0$	359
19.6	Petrov Type III Kundt Metrics	360
19.7	Type III Kundt Solution; $\Lambda = 0, W_1 = 0$	361
19.7.1	Type N pp-Wave Limit	362
19.8	Type III Kundt Solution; $\Lambda = 0, W_1 = -2/r$	362
19.8.1	Type N Limit	365
19.9	Type III Kundt Solution; $\Lambda = -m^2, W_1 = -2m$	366
19.9.1	Type III Kundt Solution; $\Lambda = -m^2, W_1 = -2m, \mu \neq \pm m$	366
19.9.2	Type III Kundt Solution; $\Lambda = -m^2, W_1 = -2m, \mu = m$	367
19.9.3	Type III Kundt Solution; $\Lambda = -m^2, W_1 = -2m,$ $\mu = -m$	368

xvi	<i>Contents</i>	
19.10	Type III Kundt Metric; $\Lambda = -m^2$, $W_1 = -2m \coth(mr)$	369
19.10.1	Type III Kundt Solution; $\Lambda = -m^2$, $W_1 = -2m \coth(mr)$, $\mu \neq \pm m$	370
19.10.2	Multi Exponent–Integral Representation of ϕ	375
19.10.3	Type III Kundt Solution; $\Lambda = -m^2$, $W_1 = -2m \coth(mr)$, $\mu = -m$	377
19.10.4	Type III Kundt Solution; $\Lambda = -m^2$, $W_1 =$ $-2m \coth(mr)$, $\mu = m$	381
19.11	Type III Kundt Metric; $\Lambda = -m^2$; $W_1 = -2m \tanh(mr)$	384
19.11.1	Type III Kundt Solution; $\Lambda = -m^2$, $W_1 = -2m \tanh(mr)$, $\mu \neq \pm m$	386
19.11.2	Type III Kundt Solution; $\Lambda = -m^2$, $W_1 =$ $-2m \tanh(mr)$, $\mu = -m$	391
19.11.3	Type III Kundt Solution; $\Lambda = -m^2$, $W_1 =$ $-2m \tanh(mr)$, $\mu = m$	394
19.12	Type III Kundt Metric; $\Lambda = m^2$, $W_1 = -2m \cot(mr)$, μ	398
19.12.1	Solution Φ Through VP	399
19.12.2	Multi Exponent–Integral Representation of Φ	401
20	Cotton Tensor in Riemannian Spacetimes	404
20.1	Bianchi Identities and the Irreducible Decomposition of the Curvature	405
20.2	Cotton 2-Form	409
20.3	Conformal Correspondence	415
20.4	Criteria for Conformal Flatness	416
20.5	Classification of the Cotton 2-Form in 3D	417
20.5.1	Euclidean Signature	418
20.5.2	Lorentzian Signature	419
	<i>References</i>	421
	<i>Index</i>	430