

INDEX

- 253 Mathilde, 196
 2P/Encke, 392
 4 Vesta, 195, 196, 350
 433 Eros, 195, 196, 339
- activation energy, 409, 412
 adiabat, 38
 adiabatic decompression melting, 38, 60, 168, 186
 adiabatic gradient, 96
 admittance, 64, 65, 74, 271
 aerodynamic fractionation, 507, 509
 Airy isostasy, 64
 Al. *See* aluminum
 Al exosphere. *See* aluminum exosphere
 albedo, 192, 198
 compared with other bodies, 196
 Alfvén Mach number, 430, 433, 442, 463
 aluminum, 36, 38, 147, 177, 178–184, 185, 186, 209, 210
 aluminum exosphere, 371, 399–400, 403, 423–424
 ground-based observations, 423
 andesite, 179, 182, 183
 Andrade creep function, 100
 Andrade rheological model, 100
 anorthosite, 30, 210
 anticline, 70, 251
 Apollo program, 544
 apparent depth of compensation, 74
 Arecibo Observatory, 346, 347, 348
 Ariane 5, 552, 553, 555
 asteroid impacts, 217, 225, 232, 347, 365
 asteroids, 30, 40, 191, 195, 225, 233, 235, 365, 506–507, 509
 E-belt, 239
 main belt, 233, 234, 236
 near-Earth, 233, 237, 238, 239
 size–frequency distribution, 233, 239
 Atlas Centaur, 546
 aubrites, 40, 498, 523
 average radius, 88
- basal décollement, 255
 basalt, 36, 60, 61, 145, 206, 210, 261, 262, 263, 413
 basin tectonics, 268–270
 BCFDs. *See* bright crater-floor deposits
 BDT. *See* brittle–ductile transition
 bencubbinites, 39, 43, 184, 185, 499, 501, 506
 bending moment, 65
 bending stress, 64
- BepiColombo, 46, 109, 134, 136, 138, 279, 314, 315, 366, 403, 463, 487, 488, 535, 544, 546, 547, 548–562, 563, 564, 565
 BELA. *See* BepiColombo: BepiColombo Laser Altimeter
 BepiColombo Laser Altimeter, 554, 557, 558
 gravity assists, 555
 gyroscope, 556
 HGA. *See* BepiColombo: high-gain antenna
 high-gain antenna, 556, 560
 ISA. *See* BepiColombo: Italian Spring Accelerometer
 Italian Spring Accelerometer, 549, 554, 557, 558
 Magnetospheric Orbiter Sunshield and Interface, 552, 553, 555, 560
 MDM. *See* BepiColombo: Mercury Dust Monitor
 Mercury Dust Monitor, 554, 560–561
 Mercury flybys, 555
 Mercury Gamma-ray and Neutron Spectrometer, 554, 558
 Mercury Imaging X-ray Spectrometer, 558
 Mercury Magnetospheric Orbiter, 552, 553, 554, 555, 556, 557, 559–561
 Mercury Orbiter Radio Science Experiment, 554, 556–558
 Mercury Planetary Orbiter, 366, 549, 550, 551, 552, 553, 554, 555, 556–559, 560, 562
 Mercury Plasma Particle Experiment, 554, 561
 Mercury Sodium Atmospheric Spectral Imager, 554, 561
 Mercury Thermal Infrared Spectrometer, 366, 554, 557–558
 Mercury Transfer Module, 552, 553, 555, 561–562
 MERTIS. *See* BepiColombo: Mercury Thermal Infrared Spectrometer
 MGNS. *See* BepiColombo: Mercury Gamma-ray and Neutron Spectrometer
 MMO. *See* BepiColombo: Mercury Magnetospheric Orbiter
 MMO Magnetometer, 554, 561
 MMO-MAG. *See* BepiColombo: MMO Magnetometer
 MORE. *See* BepiColombo: Mercury Orbiter Radio Science Experiment
 MOSIF. *See* BepiColombo: Magnetospheric Orbiter Sunshield and Interface
 MPO. *See* BepiColombo: Mercury Planetary Orbiter
 MPO Magnetometer, 554, 557
 MPO periapsis, 549
 MPO-MAG. *See* BepiColombo: MMO Magnetometer
 MPPE. *See* BepiColombo: Mercury Plasma Particle Experiment
 MSASI. *See* BepiColombo: Mercury Sodium Atmospheric Spectral Imager
 MTM. *See* BepiColombo: Mercury Transfer Module
 MTM thrusters, 561
 perihelion, 555
 PHEBUS. *See* BepiColombo: Probing of Hermean Exosphere by Ultraviolet Spectroscopy
 Plasma Wave Instrument, 556, 559, 561

- Probing of Hermean Exosphere by Ultraviolet Spectroscopy, 554, 558, 559
 propellant, 556, 560
 PWI. *See* BepiColombo: Plasma Wave Instrument
 reaction wheels, 556
 Search for Exosphere Refilling and Emitted Neutral Abundances, 554, 558–559
 SERENA. *See* BepiColombo: Search for Exosphere Refilling and Emitted Neutral Abundances
 SIMBIO-SYS. *See* BepiColombo: Spectrometers and Imagers for MPO BepiColombo-Integrated Observatory SYStem
 SIXS. *See* BepiColombo: Solar Intensity X-ray Spectrometer
 solar arrays, 556, 562
 Solar Intensity X-ray Spectrometer, 554, 559
 Spectrometers and Imagers for MPO BepiColombo-Integrated Observatory SYStem, 554, 558, 559
 star trackers, 556
 thrusters, 556, 560
 Venus flybys, 555
 biannual average temperature, 355
 biannual maximum surface temperature, 355
 bipropellant, 561
 Birch–Murnaghan equation of state, 96
 bombardment history, 238, 241
 boninite, 36, 145, 180, 181, 182, 183, 206, 307, 522
 Bouguer correction, 61
 Bouguer disturbance, 61
 boundary-normal coordinates, 467
 bow shock, 430, 431, 432–434, 441–442, 443, 455, 463, 466, 470, 474, 481, 487
 quasi-parallel, 481, 482
 standoff distance, 442
 bright crater-floor deposits, 324–326
 brittle deformation, 261–263
 brittle–ductile transition, 62, 263
 broad rises, 17
 bulk composition, 43–45, 497, 499, 517
 bulk density, 88, 92, 95
 Byerlee’s law, 262
 C. *See* carbon
 Ca. *See* calcium
 Ca exosphere. *See* calcium exosphere
 calcium, 33, 36, 38, 147, 177, 178–184, 185, 186, 206, 209, 210, 336–337, 339, 498
 calcium exosphere, 371, 390–392, 402, 419–421
 dawn enhancement, 392, 402, 419, 420
 ground-based observations, 390, 419, 421
 MESSENGER observations, 390–392
 seasonal variation, 392, 410, 419
 source, 410, 417
 tail, 392, 419
 temperature, 390, 392
 calcium sulfide, 208, 337, 339, 340, 341
 calderas, 299
 Callisto, 338
 Calorian period, 157, 159, 166, 169, 238, 272, 310, 312
 Calorian System, 157, 159, 166–167
 Caloris exterior plains. *See* circum-Caloris plains
 Caloris interior plains, 17, 136, 150, 152, 153, 200, 205, 206, 210, 222, 223, 229, 237, 238, 520
 canali, 296
 Cape Canaveral Air Force Station, 548
 carbon, 34, 37, 180, 184, 185, 191, 206–207, 209, 336–337, 339, 340, 499, 500, 508
 carbonaceous chondrites, 168, 497, 501
 Cassini state, 86–87, 90, 103, 524
 cavi, 326
 cavus, 326
 CB chondrites. *See* bencubbinites
 center of figure, 56
 center of mass, 56
 CH chondrites. *See* bencubbinites
 CH₄. *See* methane
 Chamberlain model, 372, 418, 421
 Chapman–Ferraro currents. *See* magnetopause: current
 charged particle environment, 18, 430–455, 461–488
 chemical convection, 114
 chemical sputtering, 379
 chlorine, 33, 34, 177, 179, 500, 505
 Christiansen frequencies, 557
 chromium, 36, 177, 179, 182, 183, 184
 CIPW norm, 177–178, 180, 182, 183
 circum-Caloris plains, 78, 136, 150, 152, 169, 201, 205, 221, 222, 224, 229, 232, 233, 235, 236, 237, 238, 254, 269, 292, 294, 298, 303, 310
 Cl. *See* chlorine
 closest-approach altitude, 116, 117
 CMB. *See* core–mantle boundary
 CME. *See* coronal mass ejection
 cold poles, 74, 349
 cold traps, 346
 collisional erosion, 505
 collisions, 501, 503, 505, 506
 Colombo, Giuseppe (Bepi), 551
 comet impacts, 217, 225, 347, 365
 comets, 225, 235
 Committee on Planetary and Lunar Exploration, 546, 547, 564, 565
 COMPLEX. *See* Committee on Planetary and Lunar Exploration
 complex craters. *See* craters: complex
 compositional buoyancy, 533
 condensation, 44, 501, 506, 508
 convecting mantle, 65
 convection, 115
 core, 3, 14–15, 114, 115, 117, 124, 129, 130, 133, 250, 472, 526–527, 549, 554, 558
 convection, 114, 533–534
 cooling, 533
 density, 93, 94, 97
 dynamo, 135, 138, 524, 528
 dynamo field, 114, 116, 117, 120, 124, 126, 130, 132, 133, 134, 135, 138
 dynamo models, 125, 138
 evolution, 533–534, 535–537
 field structure, 117, 126, 135
 induced fields, 126–129
 induction, 126
 radius, 93, 96, 98, 99, 104, 108, 115, 116, 128, 129, 138, 549
 core composition, 39–43, 499, 523
 carbon, 41, 523, 534
 hydrogen, 40–41
 iron, 94, 115
 light elements, 115
 oxygen, 41
 phosphorus, 40, 523
 potassium, uranium, thorium, 43

572 Index

- core composition (cont.)
 silicon, 41, 42, 94, 523, 534
 sulfur, 41, 42, 94, 523, 533
core–mantle boundary, 38, 61, 97, 114, 115, 116, 126, 129, 131, 133, 134, 135, 136, 270, 525
coronal mass ejection, 463, 466, 472, 474, 487
correlation spectra, 65
Cosmic Vision Programme, 552
Coulomb criterion, 262
Cr. *See* chromium
crater degradation, 225, 227, 232, 235
 classification system, 154–157
 state, 154–157, 311
crater ejecta, 221, 230, 231, 235, 550
 blanket, 224, 225, 226, 232, 234
 deposits, 223, 224, 225, 226, 229, 230
 morphology, 227–229
 rays, 168, 198, 224, 225, 227, 229, 230, 332
crater obliteration, 234
crater rays. *See* crater ejecta: rays
crater retention age, 520
crater saturation, 231, 234, 235, 236, 238
cratered plains structures, 253
crater-related structures, 253
craters
 areal density, 145–151, 156, 157, 159, 161, 167, 168, 169, 222, 223, 224, 231, 232, 234, 236, 237, 238
 buried. *See* ghost craters
 central peak, 218, 219, 220, 221, 224
 class 1, 232
 complex, 218, 219, 220, 221, 225, 226, 227, 229, 241, 348, 349
 crater chains, 223, 230, 301, 311
 depth, 226
 depth-to-diameter ratio, 219, 226–227, 229
 elliptical, 229
 floor area, 219
 floor uplift, 220
 polygonal, 229
 population 1, 232, 233, 239
 population 2, 232, 233, 239
 primary, 225
 secondary, 146, 159, 217, 224, 225, 226, 227, 228, 229, 230, 232, 234, 235, 236, 238, 301, 337
 SFD. *See* craters: size–frequency distribution
 simple, 220, 226, 227, 346, 348, 349, 355
 size–frequency distribution, 150, 156, 225, 226, 231, 232, 233, 234, 235, 236, 237, 238, 239, 292, 309
 tectonics, 226
 volcanic fill, 219, 221, 226, 229
crater-to-basin transition, 218–220
creep strength, 63
creep stress, 78
C-rich condensation, 507, 509
CrMB. *See* crust–mantle boundary
cross-polar-cap potential, 470
crust, 60, 79, 114, 117, 129, 130
crustal density, 93, 104, 518
crustal electrical conductivity, 138
crustal formation, 168–170, 517, 534
crustal magnetic fields, 23, 115, 116, 117, 120, 126, 130–132, 138, 549
crustal magnetization, 115, 117, 130, 133, 136–138, 536
crustal stratigraphy, 305
crustal structure, 206, 210
crustal thickness, 14, 60–62, 66, 67, 79, 93, 136, 518–519, 524
crust–mantle boundary, 60, 65, 66, 79, 258, 263
crust–mantle density contrast, 61
Curie temperature, 137
Curiosity rover, 562, 564
currents
 Birkeland, 22, 114, 117, 119, 126, 129, 134, 138, 431, 444–446, 447, 448, 455, 478, 549, 551
 cross-tail, 431, 435, 443–444, 446–447, 452, 453, 475
 magnetopause. *See* magnetopause: current
 magnetotail. *See* magnetotail: current
cusp. *See* magnetospheric cusp
cusp filaments, 465, 466, 469–470, 487
dark spots, 326, 330, 334
dayside boundary layer, 440–441, 448
DC. *See* degree of compensation
Deep Space Network, 56
deformational history, 272–276
degree of compensation, 77
degree-2 geoid, 70–79
degree-2 shape, 70–79
Deimos, 196
DEM. *See* digital elevation model
depth extent of faulting, 65, 78
desorption, 412, 413, 425
diamagnetic depressions, 437, 438
digital elevation model, 55, 90, 250, 288, 355, 557
digital terrain model. *See* digital elevation model
dike propagation, 270
dikes, 221, 301, 313
diopside, 183, 185
dipolarization, 476, 479
 events, 477, 478
 front, 476, 478, 486, 487
dipole
 axial, 118, 128, 134
 azimuth, 121
 equivalent source, 120, 131, 133, 134
 field, 117, 119, 120, 121, 125, 129, 137
 induction, 129
 moment, 115, 120, 121, 123, 124, 125, 128, 430, 431, 446, 447, 453
 offset, 123, 125, 431, 432, 438, 444, 446, 447, 453, 454–455
 origin, 116
 planetary, 121
 planetocentric, 118
 structure, 120
 tilt, 120, 121, 123, 125, 443
direct trajectory, 545
displacement–length scaling, 250, 264
dissociative ionization, 421, 424
djerfisherite, 508
Doppler, 556
downlink, 548, 556
DSN. *See* Deep Space Network
DTM. *See* digital terrain model
ductile deformation, 263
ductile strength, 263
Dungey cycle, 444, 452, 463, 464, 475, 478
dynamic compliance, 100
dynamic pressure, 66
dynamic recrystallization, 263
dynamic viscosity, 63, 100

- dynamo, 108, 114, 115, 133, 135, 136, 137
field, 115, 136, 137, 138
models, 115, 133, 135, 138, 525
origin, 120
self-sustaining, 114
thermoelectric, 116
- early bombardment, 217, 234
early crust, 160–163, 168–170, 205, 516–518
East Kaibab monocline, 251
effective elastic lithosphere, 63
effusive volcanism, 166, 221, 225, 232, 236, 309–311, 519
EID. *See* electron impact dissociation
elastic lithosphere, 62, 66, 76, 78
thickness, 62, 65, 79
elastic–plastic lithosphere, 69
electrical conductance, 129
electrical conductivity, 114, 115, 117, 126, 129, 130, 136, 138
electrical conductivity structure, 126–130
electromagnetic wave. *See* plasma wave
electron impact dissociation, 420
electron reflectometry, 124
electron-stimulated desorption, 410, 411, 420, 421
elemental abundance maps, 32, 34, 164, 178
elemental abundances. *See* surface composition
emergence angle, 192, 197
Encke dust stream, 410, 421, 422, 424
energetic electron bursts, 451, 476, 484–487
energetic electrons, 14, 18, 22, 451–452, 461, 486, 551, 558, 559
energetic neutral atoms, 559, 561
Energetic Particle and Plasma Spectrometer, 8, 372
energetic particle bursts. *See* energetic electron bursts
Energetic Particle Spectrometer, 8, 451, 461, 476, 484
energetic particles, 548, 550, 554, 561
enstatite, 38, 94, 97, 182, 186
enstatite chondrites, 36, 39, 43, 136, 137, 178, 184, 498, 499, 501, 506, 508, 509
EOS. *See* equation of state
epithermal neutrons, 31, 32, 350, 351, 352
EPPS. *See* Energetic Particle and Plasma Spectrometer
EPS. *See* Energetic Particle Spectrometer
equation of state, 94, 95, 531
equator
geographic, 118, 119, 122, 123, 125, 133
magnetic, 121, 122, 123, 125, 126, 431, 436, 443, 447, 448, 450, 451, 452, 454, 455
magnetic dip, 122, 123
ER. *See* electron reflectometry
ESA. *See* European Space Agency
escarpments, 249
ESD. *See* electron-stimulated desorption
Europa, 338
Europe spaceport, 555
European Space Agency, 544, 547, 551–552, 563
exobase, 372
exosphere, 3–4, 15, 17–18, 30, 371–403, 407–425, 461, 548, 549, 550, 552, 554, 558, 559, 560, 561, 562
loss processes, 407, 413–415, 421
observational techniques, 372–378
source processes, 407–413, 416, 417, 419, 424
tail, 413, 414
exosphere species, 378–402
aluminum. *See* aluminum exosphere
calcium. *See* calcium exosphere
helium, 371, 398
hydrogen. *See* hydrogen exosphere
ionized calcium, 371, 401, 403, 423–424
iron, lithium, silicon, 402
magnesium. *See* magnesium exosphere
manganese, 371, 401, 403, 423–424
oxygen, 371, 399, 403, 424
potassium. *See* potassium exosphere
sodium. *See* sodium exosphere
explosive volcanism, 13, 15, 167, 277, 297–299, 311, 312, 520
external fields, 116, 117, 119, 120, 121, 123, 134
extrasolar planets, 502, 508, 509, 563, 565
extreme ultraviolet, 558
- failure criteria, 262
far ultraviolet, 364, 558
Fast Imaging Plasma Spectrometer, 8, 372, 436, 437, 438–440, 441, 449, 455, 461, 469, 470, 472, 474, 475, 476
fast neutrons, 31, 32, 36, 176, 182, 183, 350, 351, 521
fault dip angle, 251, 252, 265
fault displacement-gradient fold, 251
fault heave, 265
fault throw, 265
fault-bend fold, 251
fault-propagation fold, 251
Fe. *See* iron
feldspar, 33, 181, 182, 210, 498
Fe–Ni. *See* iron–nickel
FeO. *See* ferrous iron
ferrous iron, 30, 39, 145, 191, 193, 195, 196, 209, 210, 337, 498, 508
FeS. *See* iron sulfide
FeS layer. *See* iron sulfide layer
field-aligned currents. *See* currents: Birkeland
FIPS. *See* Fast Imaging Plasma Spectrometer
flexural stress, 62
flood basalts, 188, 279, 281, 289, 292, 293, 294, 295, 297, 299, 305, 314, 517
flood volcanism, 34, 180, 182, 184, 276–277, 290, 293, 296, 314, 520
floor-fractured craters, 300
flotation crust, 60, 163, 168, 184, 188, 206, 207, 210, 305, 501, 517
fluidized impact ejecta, 287, 303
flux rope, 443, 454, 468, 469–470, 475, 479–480, 486, 487
flux transfer event, 466, 469–470, 474, 479, 487
 fO_2 . *See* oxygen fugacity
fold-and-thrust belt, 17, 69–70, 256
formation, 2, 13, 497–509
forsterite, 38, 39, 97, 186
fossil bulge, 71
fractionation, 497
free precession, 87
free-air gravity anomaly, 58
frictional resistance, 262
FTB. *See* fold-and-thrust belt
FTE. *See* flux transfer event
- gabbro, 180, 182, 183, 184
galactic cosmic rays, 31, 350, 363
Gamma-Ray and Neutron Spectrometer, 6–7, 30, 94, 176, 191, 288, 350, 401, 461, 476, 486
Gamma-Ray Spectrometer, 6, 30, 31, 36, 37, 147, 179, 201, 336, 339, 451, 454, 486, 500
anticoincidence shield, 31, 147, 486
Ganymede, 338
gas–surface interaction, 412–413, 417, 418

574 *Index*

- general relativity, 552
 geochemical modeling, 37–39, 201, 206, 207, 209, 498
 geochemical terranes, 22, 33, 36, 176–188, 521
 Caloris Interior Plains Terrane, 178, 184, 185, 186, 188
 High-Magnesium Terrane, 178, 183, 185, 188
 Low-Fast Terrane, 178, 183–184, 186
 Northern Terrane, 178, 182, 184, 186
 geodesy, 85
 GEODYN software, 57
 geoid, 52, 58, 70
 equatorial ellipticity, 73
 polar flattening, 71, 73
 geoid-to-topography ratio, 62, 518
 geological history, 2–3, 13–14, 250, 519–521
 geomorphology, 206, 338, 557
 ghost craters, 149, 229, 268, 287, 292, 309, 519
 giant impact, 41, 44, 503–505, 508
 giant planet migration, 233, 234, 238
 global contraction, 3, 17, 21, 69, 107, 167, 249, 255, 264–266, 276–277, 278, 311, 313, 520, 522, 527, 549
 global evolution, 516–537
 Goldstone Deep Space Communications Complex, 90, 346, 347
 graben, 221, 222, 223, 224, 226, 229, 230, 249, 251, 258, 268, 301
 grain density, 94, 104
 Grand Tack model, 501
 graphite, 37, 60, 153, 163, 167, 168, 180, 182, 184, 188, 191, 200, 206–207, 209, 210, 305, 336–337, 339, 340, 341, 501, 517
 gravitational constant, 88
 gravitational parameter, 88
 gravitational potential, 56
 gravitational torques, 86
 gravity anomaly, 58, 59, 68, 271
 gravity assist, 545, 546, 547, 564, 565
 gravity disturbance, 58
 range, 58
 gravity field, 56–60, 79, 87, 518
 degree strength, 58, 59, 64
 equatorial ellipticity, 56, 71
 polar flattening, 56, 71
 resolution, 58
 gravity–shape correlation, 64, 65
 GRNS. *See* Gamma-Ray and Neutron Spectrometer
 GRS. *See* Gamma-Ray Spectrometer
 GTR. *See* geoid-to-topography ratio
 gyroradius, 441, 452, 453, 454

 H. *See* hydrogen
 H exosphere. *See* hydrogen exosphere
 hanging wall, 251
 harzburgite, 184, 185, 186, 188
 He. *See* helium
 heat pipes, 556
 heat production rate, 101
 heat-producing elements, 249, 266, 527, 529, 532
 heavily cratered terrain, 37, 39, 40, 101, 104, 131, 161, 180, 182, 226, 227, 232, 233, 234, 235, 236, 237, 238, 253, 302, 303, 311, 336, 499, 516, 517
 high-admittance shape, 66, 74
 high-energy particles. *See* energetic particles
 highly siderophile elements, 217
 high-Mg region, 33, 34, 38, 100, 147, 164, 183, 205, 210, 218, 308, 549
 high-reflectance red material, 163–164, 166, 168
 high-reflectance red plains, 145, 163, 166, 180, 182, 184, 196, 200, 201, 203, 205, 206, 222, 223, 224, 225, 330

 high-relief ridge, 251
 high-speed stream, 472
 high-terrain-bounding structures, 253
 hit-and-run collision, 41, 44, 217, 505, 508
 Hoek–Brown criterion, 262
 hollows, 14, 15, 17, 19, 35, 37, 167, 199, 200, 201, 204, 210, 217, 222, 224, 225, 226, 311, 324–341, 549, 550, 562, 563, 564
 color and spectral properties, 335–336
 composition, 336–337, 339
 definition, 326
 evidence for young ages, 332–334
 formation, 207–208, 224, 338–341
 formation rate, 334
 geographic distribution and compositional affinities, 328–332
 geological setting, 326
 planetary analogs, 338–341
 sizes, shapes, depths, 326–327
 texture, 335
 homologous temperature, 102
 horizontal shortening, 249
 hot poles, 62, 74, 349
 hot-pole longitudes, 328
 HRP. *See* high-reflectance red plains
 Hubble Space Telescope, 545
 hydrazine, 557
 hydrogen exosphere, 371, 396–398, 403
 temperature, 396
 hydrostatic equilibrium, 71, 73

 ICAG. *See* Inter-Agency Consultative Group
 icy surfaces, 338
 illumination bias, 256, 522
 ilmenite, 31, 192, 200, 337
 IMF. *See* interplanetary magnetic field
 immiscible liquids, 524
 impact basins, 70, 147, 151, 152, 154–160, 185, 217–225, 268–270, 303
 distribution, 218
 ejecta, 222, 223, 225
 multi-ring basins, 218, 220, 221, 241
 peak-ring basins, 219, 220, 221, 222, 223, 224, 225, 241
 protobasins, 220, 221, 226
 rim-crest diameter, 219, 221
 tectonics, 222, 225
 volcanic fill, 223, 224
 impact cratering, 217–241
 cratering rate, 229
 impact velocity, 217, 219, 227, 232, 235, 237, 238
 PF. *See* impact cratering: production function
 production function, 232, 234, 235, 238, 239
 target properties, 217, 218, 226, 227, 229, 234, 236, 237, 239
 impact gardening, 358
 impact heating, 532
 impact melt, 156, 157, 167, 199, 218, 219, 220, 221, 222, 223, 224, 225, 230–231, 340
 impact vaporization, 384, 385, 390, 392, 396, 403, 407, 409–410, 411, 413, 416, 417, 418, 421, 422, 423, 424
 impactor size–frequency distribution, 233
 IMPs. *See* Moon: irregular mare patches
in situ modulus of deformation, 261
 incidence angle, 192, 197
 induced magnetic fields, 22, 524
 induced magnetization, 136
 induction, 115, 121, 136, 472, 473, 487

- induction currents, 464, 557
 infrared spectrometer, 549
 injections
 energetic electron, 454
 plasma, 443
 inner core, 94, 95, 98, 103–104, 114, 524
 density, 103
 growth, 115
 radius, 104, 133
 insolation models, 348, 355
 instantaneous Laplace plane, 87
 Institute of Space and Astronautical Science, 552, 553
 Inter-Agency Consultative Group, 552
 intercrater plains, 78, 132, 133, 137, 145–148, 157–168, 200, 205, 232, 233, 234, 236, 287, 301–305, 310, 315, 336, 499, 519
 crater density, 145–148
 origin, 147, 169
 reflectance, 147
 roughness, 146
 thickness, 163
 interior outgassing, 364
 intermediate plains, 163, 200, 201, 203, 205, 206, 209
 intermediate plains stratigraphic unit, 150, 151
 internal fields, 126, 130
 internal structure, 15, 52–109, 114, 117, 499, 523–524
 International Mercury Exploration Mission, 552
 interplanetary dust, 347, 392, 410, 421, 422, 508, 552, 554, 560
 interplanetary magnetic field, 114, 430, 432, 435, 437, 441, 442, 443, 444, 452, 455, 463, 469, 472, 474, 551
 interplanetary shock, 464
 intrusive magmatism, 298
 ion sputtering, 379, 390, 470
 ion-enhanced diffusion, 379
 IP. *See* intermediate plains
 iron, 31, 36, 94, 147, 169, 177, 178–184, 192, 200, 201, 205, 207, 209, 210, 497, 498
 alloys, 136
 minerals, 137
 multidomain, 137
 partitioning, 136
 iron meteorites, 40, 499, 506
 iron snow, 115, 136, 525, 533
 iron sulfide, 136, 206, 207, 339, 499
 iron sulfide layer, 68, 97, 128, 524
 iron–nickel, 40
 iron–wüstite buffer, 36, 177
 ISAS. *See* Institute of Space and Astronautical Science
 isostasy, 52, 62, 73
 isostatic compensation, 79, 257, 518
 isothermal bulk modulus, 96

 Japan Aerospace Exploration Agency, 544, 547, 548, 551, 552, 563
 Jet Propulsion Laboratory, 547, 551
 joints, 259
 JPL. *See* Jet Propulsion Laboratory

 K. *See* potassium
 K exosphere. *See* potassium exosphere
 Ka-band, 556
 Kaula rule, 57
 Kelvin–Helmholtz
 instability, 441, 449
 waves, 441, 471–472, 487, 488
 KH. *See* Kelvin–Helmholtz

 kinetic escape, 415, 416
 kīpukas, 296
 komatiite, 36, 60, 145, 206, 307, 340
 KREEP, 33, 35, 166
 KT14. *See* magnetic field model: KT14
 Kuiperian period, 157, 167, 230, 238, 239, 240, 241, 273, 310, 332
 Kuiperian System, 157, 159, 167, 332

 lag deposit, 339, 340, 341, 346, 355, 359
 Laplace plane, 86
 large igneous province, 289, 293
 laser altimetry, 53–54
 late heavy bombardment, 225, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 253, 312, 314, 517
 lava flow fronts, 293
 LBP. *See* low-reflectance blue plains
 Legendre polynomial, 53
 LHB. *See* late heavy bombardment
 lherzolite, 186, 188, 499
 libration, 549, 558, 559
 88-day, 86
 forced, 562
 libration amplitude, 86, 89, 91
 limb profile, 55, 375, 385
 limb scans, 375, 393, 416, 419, 420, 422
 dayside, 416, 418, 419, 421, 424
 south pole, 416
 Liouville's theorem, 421
 liquid immiscibility, 95
 liquidus temperature, 177, 180, 181, 182, 183, 184, 185, 186
 lithosphere, 62–63, 72, 260–264, 522
 lithospheric folding, 69, 271
 lithospheric loading, 249, 269
 lithospheric state of stress, 262
 lithospheric strength envelope, 262
 lobate scarp, 62, 65, 217, 221, 223, 251, 252, 253, 311, 520, 521, 522, 523
 long-term librations, 91
 long-wavelength shape, 67, 77
 long-wavelength topographic undulations, 68, 223, 259–260, 271, 275–276
 low-latitude boundary layer, 471
 low-reflectance blue plains, 200, 201, 203, 205, 206, 330, 339, 340
 low-reflectance material, 14, 23, 37, 60, 145, 150, 161, 164, 166, 168–170, 185, 200, 203, 205, 206, 222, 224, 225, 305, 329, 330, 336, 339, 340, 500, 517
 composition and formation, 206–207
 spectral heterogeneity, 205
 LRM. *See* low-reflectance material
 Lunar Crater Observation and Sensing Satellite, 363
 Lunar Reconnaissance Orbiter Camera, 146
 Lyman alpha photodissociation, 362

 Mach number, 466
 MAG. *See* Magnetometer
 magma, 33, 34, 38, 166–170, 184, 186, 209–210, 276–278, 295, 299–301, 307–308, 312–314, 337, 340, 364–365, 498–499, 517, 521, 528, 532, 535, 549
 magma ascent, 312–314
 magma buoyancy, 60, 518
 magma conduits, 277
 magma ocean, 37, 60, 163, 168, 184–185, 186, 188, 207, 305, 517
 magmatic volatiles, 34, 208–210, 308, 332, 340, 341

576 *Index*

- magmatism, 137
 magnesium, 33, 36, 38, 147, 164, 177, 178–184, 186, 204, 206, 209, 210, 336–337, 339, 499
 magnesium exosphere, 371, 392–396, 402, 421–423
 morning enhancement, 394, 396, 402
 tail, 421, 422
 temperature, 393
 magnesium sulfide, 208, 336, 337, 339, 340, 341
 magnetic carriers, 136
 magnetic diffusion time, 135
 magnetic dipole, 3, 14
 magnetic erosion, 507, 509
 magnetic field, 3, 14, 108, 430–455, 461, 524–526, 545, 546, 548, 549, 551, 552, 553, 554, 561, 563, 564
 global, 114, 116, 124, 135
 planetary, 554, 557
 spherical harmonic descriptions, 164
 magnetic field lines, 114
 magnetic field model, 438, 446–448
 KT14, 446, 447–448
 paraboloid, 438, 446–448, 449, 455
 scaled Earth, 455
 magnetic field modeling, 120, 132
 magnetic quadrupole, 525
 magnetic reconnection, 14, 22, 117, 126, 430, 432, 435, 438, 443, 444, 447, 449, 452, 453, 454, 463–464, 465, 468, 469, 470, 472–474, 475, 476–480, 486, 487–488
 magnetotail, 453
 rate, 443, 464, 466, 467, 468
 X-lines, 435, 453, 469, 473, 475, 476, 479, 480, 486
 magnetic remanence, 114
 magnetic residuals, 121, 123, 126, 127, 444, 445, 447, 448
 magnetization, 114, 115, 116, 120
 Magnetometer, 7, 117, 118, 123, 124, 126, 128, 402, 433, 436, 438, 439, 441, 445, 446, 461, 545, 553, 557, 561
 magnetopause, 114, 117, 118, 119, 121, 122, 125, 126, 128, 133, 430, 431, 432–434, 437, 438, 440, 441, 442, 443, 444, 447, 448, 449, 452, 453, 454, 455, 463–464, 466, 467, 470, 471, 472, 553
 current, 114, 116, 119, 120, 432, 438, 444, 446, 447, 469, 487
 field, 119, 123, 124, 128, 129
 flaring, 435
 shape, 119, 121, 446, 447
 standoff distance, 433, 447
 subsolar, 126, 128, 473
 subsolar distance, 116
 magnetosheath, 430, 432, 437, 438, 441, 442, 461, 463, 464, 469, 470, 471, 472, 474, 481, 482, 487
 magnetic field, 432, 438, 441, 443
 plasma, 437, 438, 452
 plasma beta, 430, 442
 thermal pressure, 435
 thickness, 433
 magnetosphere, 22–23, 114, 116, 117, 118, 119, 120, 121, 122, 123, 124, 126, 128, 133, 138, 430–455, 461–488, 546, 548, 549, 550–551, 552, 553, 554, 558, 559, 561, 562, 563
 disappearing dayside, 474
 magnetospheric activity index, 120
 magnetospheric convection, 487
 magnetospheric current systems, 431, 446, 447, 455
 magnetospheric cusp, 124, 126, 127, 133, 134, 437, 438–441, 443, 444, 448, 450, 452, 453, 455, 464, 466, 470, 487
 magnetospheric polar cap, 438, 439, 440, 452, 455
 magnetotail, 118, 121, 122, 430, 435, 439, 444, 446, 447, 452, 453, 454, 463, 464, 466, 469, 470, 475, 476–480, 482, 486, 487, 551, 553
 current, 119, 120, 443, 444, 447
 field, 123, 124
 flaring, 433
 loading–unloading, 464, 475, 479–480, 487
 lobes, 430, 453
 structure, 434, 435
 X-line, 435, 453
 Malaita anticlines, 257
 manganese, 36, 177, 179, 182, 183, 184
 manganese sulfide, 208
 Mansurian period, 157, 159, 167, 230, 238, 239, 240, 273, 310
 Mansurian System, 157, 159, 166–167
 mantle, 60, 128, 549
 conductivity, 129, 136, 138
 magnetization, 136
 mantle composition, 37–39, 185–186
 mantle convection, 60, 69, 76, 105, 186, 188, 249, 270–271, 528–529
 mantle overturn, 60
 mantle partial melting, 37–39, 60, 61, 62, 78, 79, 94, 102, 164, 166, 169, 170, 185, 186, 187, 188, 305, 517, 518, 527, 530, 531, 535
 mantle solidus, 527
 mantle stripping, 44, 497, 502, 503–505
 Mariner 10, 1, 30, 53, 57, 88, 108, 115, 116, 117, 119, 125, 135, 144, 152, 191, 192, 217, 222, 226, 227, 229, 230, 240, 249–250, 258, 287, 288, 301, 324, 346, 371, 374, 375, 396, 398, 399, 544, 546, 548, 551, 554, 561, 562, 563, 564
 Mercury flybys, 115, 116, 117, 125
 Venus flyby, 546
 Mars, 3, 33, 34, 44, 116, 168, 169, 217, 219, 226, 227, 228, 232, 233, 235, 236, 238, 257, 296, 301, 338, 346, 498, 535, 544, 545, 546, 547, 562, 564, 565
 cratering record, 232
 craters, 226
 degree-2 geoid, 71
 degree-2 shape, 71
 impactor velocity, 232
 moment of inertia, 71
 Olympus Mons, 269
 rampart craters, 229
 Tharsis rise, 71, 271
 Mars lander missions, 544, 545, 562
 mascons, 14, 56, 58, 69, 549
 MASCS. *See* Mercury Atmospheric and Surface Composition Spectrometer
 mass, 88, 92
 maximum faulting depth, 78
 Maxwell rheological model, 100
 Maxwell rheology, 63
 Maxwell time, 63, 100
 Maxwell–Boltzmann distribution, 408, 410
 MBAs. *See* asteroids: main belt
 MBF. *See* Mercury body-fixed coordinates
 MDIS. *See* Mercury Dual Imaging System
 mean radius, 53
 mechanical equilibrium, 64
 mechanical erosion, 296
 mechanical lithosphere, 63
 thickness, 63
 megaregolith, 163, 225, 227, 237
 membrane stress, 62, 64
 MeO SWT. *See* Mercury Orbiter Science Working Team
 Mercury Atmospheric and Surface Composition Spectrometer, 8, 191, 335, 371, 375, 385, 407, 420

- Mercury body-fixed coordinates, 116, 117, 120, 122, 123, 126, 127, 130, 134, 135
- Mercury Dual Imaging System, 6, 55, 60, 144, 191, 193–195, 220, 227, 236, 240, 250, 288, 324, 335, 347
- Mercury Exploration Working Group, 552
- Mercury lander mission, 315, 544, 545, 546, 562, 564, 565
- Mercury Laser Altimeter, 7–8, 53, 90, 134, 219, 223, 226, 227, 250, 288, 348, 352
- Mercury Orbiter Science Working Team, 547, 548, 554
- Mercury sample return mission, 563, 564–565
- Mercury solar magnetospheric coordinates, 117, 118, 432, 433, 435, 436, 446, 447, 453, 466
- Mercury solar orbital coordinates, 116, 117, 121, 122, 124, 126, 432, 433, 438, 439, 444, 447, 448, 470
- MESSENGER mission
- Earth flyby, 11, 53
 - first extended mission, 15–18
 - first extended mission objectives, 15–16
 - first extended mission project requirements, 16
 - key scientific questions, 2–4
 - low-altitude campaigns, 19
 - Mercury flybys, 12, 54, 116, 117, 120, 193, 198, 324, 371, 376, 381, 384, 391, 392, 548
 - Mercury orbit insertion, 551
 - orbit-correction maneuvers, 131
 - primary mission, 11–12, 53
 - project requirements, 4
 - science data acquisition planning, 8–11
 - science observation performance, 10–11
 - science planning, 10
 - scientific objectives, 4
 - second extended mission, 18–23
 - second extended mission objectives, 19
 - second extended mission project requirements, 19
 - solar radiation pressure, 551
 - solar sailing, 551
 - Venus flybys, 11, 548
- MESSENGER spacecraft, 4–5
- altitude, 119, 120, 121, 127
 - apoapsis altitude, 118
 - attitude control, 5
 - initial orbit, 8, 12
 - launch, 1, 11, 117, 548
 - launch vehicle, 4
 - Mercury orbit insertion, 1, 12
 - mission operations constraints, 9
 - orbit, 53, 350
 - orbit design, 8
 - orbit period, 8, 12, 16
 - orbit-correction maneuver, 8, 12, 16, 19
 - payload, 5–8
 - periapsis altitude, 12, 16, 19, 53, 117, 118, 120, 121, 127, 130, 131, 133, 258, 548
 - periapsis latitude, 12, 16, 19, 53, 57
 - propellant, 548, 551
 - science observation constraints, 9
 - solar arrays, 5, 547
 - sunshade, 5, 551
 - surface impact, 19, 548
 - telecommunications system, 5
- metal/silicate fractionation, 506–508
- metal/silicate ratio, 2, 13, 217, 523
- metasomatism, 315
- meteoroid impacts, 407, 409, 417, 424
- methane, 339
- MEWG. *See* Mercury Exploration Working Group
- Mg. *See* magnesium
- Mg exosphere. *See* magnesium exosphere
- micrometeoroid impacts, 365, 407, 409, 410, 413, 417, 419, 420, 421, 424, 550, 559, 560
- microphase iron, 205, 337
- mineralogical composition, 554, 557, 559
- mineralogy, 178–184, 185–186, 307, 550, 564
- MLA. *See* Mercury Laser Altimeter
- Mn. *See* manganese
- MnS. *See* manganese sulfide
- model production function, 310, 520
- molecular dissociation, 419, 420, 421, 423, 424
- moment of inertia. *See* polar moment of inertia
- moment of inertia of core, 87
- moment of inertia of mantle and crust, 87, 92, 95
- monocline, 251
- Monte Carlo modeling, 416, 419, 422
- Moon, 33, 34, 37, 146, 152, 168, 169, 191, 192, 195, 196, 210, 217, 225, 226, 227, 229, 232, 234, 326, 332, 500, 504, 535
- composition, 237
 - crater areal density, 169, 238
 - crater size–frequency distribution, 235, 236
 - cratering rate, 238, 241
 - cratering record, 232
 - craters, 221, 225, 226, 234, 241
 - degree-2 geoid, 71
 - highlands, 147, 148, 160–163, 192, 204, 234, 238
 - Imbrium basin, 156, 222
 - impact basins, 217, 218, 219
 - impact flux, 217, 235
 - impact melt, 231
 - impactor velocity, 232, 237
 - impactors, 240
 - irregular mare patches, 337
 - lunar light plains, 287
 - lunar polar deposits, 363–364
 - Mare Australe, 152
 - mare basalt, 35, 152, 153, 176, 192, 210, 231, 237, 287, 308, 338, 521
 - maria, 2, 152, 192, 251, 545
 - non-hydrostatic shape, 72
 - Oriente basin, 147, 156, 161, 222
 - origin, 217
 - peak-ring basins, 219, 220
 - resurfacing rate, 235
 - South Pole–Aitken basin, 217
 - surface chronology, 237, 238, 239, 241
 - Timocharis crater, 228
 - Tsiolkovsky basin, 228
- MPF. *See* model production function
- MSM. *See* Mercury solar magnetospheric coordinates
- MSO. *See* Mercury solar orbital coordinates
- multiple saturation point, 38, 186
- Na. *See* sodium
- Na exosphere. *See* sodium exosphere
- NAC. *See* narrow-angle camera
- nanophase iron, 205, 337
- narrow-angle camera, 6, 55, 220, 250, 288, 324
- NASA Discovery Program, 547, 563
- National Research Council, 544, 563
- NE Rachmaninoff pyroclastic deposit, 35, 199, 209, 337, 340
- near-infrared, 550, 559

578 *Index*

- near-surface thermal models, 355
 near-ultraviolet, 550, 558
 Neutron Spectrometer, 6, 30, 31, 36, 37, 60, 185, 191, 207, 209, 336, 337, 350, 451, 486, 500
 neutron spectroscopy, 31–32, 350
 NGP. *See* non-gravitational perturbation
 Ni. *See* nickel
 Nice model, 234, 501
 nickel, 39
 non-gravitational perturbation, 557
 non-hydrostatic shape, 76, 79
 non-volatile elements, 37
 norite, 36, 180, 182, 184
 normative mineralogy, 177, 183, 184
 north polar region, 347, 352
 northern rise, 55, 67–68, 259, 271, 276, 536
 northern smooth plains, 17, 33, 36, 38, 55, 62, 67, 78, 100, 131, 132, 137, 150, 152, 155, 166, 180, 184, 188, 200, 205, 210, 227, 228, 229, 232, 233, 236, 237, 238, 239, 240, 253, 254, 255, 268, 269, 270, 271, 275, 292, 293, 294, 295, 296, 298, 299, 301, 303, 309, 310, 499, 517, 520
 northern terrane, 33, 36
 NS. *See* Neutron Spectrometer
 NSP. *See* northern smooth plains
 nuclear spallation reactions, 350
- O. *See* oxygen
 obliquity, 63, 76, 79, 86, 89, 90–91, 524, 549, 558
 OCM. *See* MESSENGER spacecraft: orbit-correction maneuver
 Odin-type plains, 292
 offset of centers, 56
 oldhamite, 38, 498
 olivine, 100, 104, 180, 182, 183, 185, 204, 210, 307, 498
 OMCT. *See* oxygen–metal charge transfer
 opening-mode fractures, 259
 optical maturity, 193, 204, 332
 orbit capture, 552
 orbit determination, 56, 556, 557, 558
 orbit precession period, 86
 orbit precession rate, 87
 orbital eccentricity, 75, 77, 86, 137
 orbital inclination, 86
 orbital precession, 86, 87
 orbit-plane normal, 86
 ordinary chondrites, 195, 339, 341, 499, 506
 Orion spacecraft, 562
 orthopyroxene, 94, 104
 outer core, 86, 91, 95, 114, 115, 136, 523, 562
 outer core radius, 94, 97, 104
 outflow channel systems, 296
 oxygen, 36, 37, 177, 178–184
 oxygen fugacity, 36, 38, 41, 42, 43, 44, 94, 97, 176, 177, 178, 206, 308, 498–499, 523
 oxygen–metal charge transfer, 191, 195, 200, 203, 205, 210, 299, 336
- P. *See* core composition: phosphorus
 parameterized convection models, 527
 partial melting, 38, 60, 184, 185, 186, 188
 PDL. *See* plasma depletion layer
 pebble accretion, 501
 perihelion, 553, 556
 permanently shadowed regions, 32, 35, 346, 347, 562, 564, 565
 petrologic modeling, 36, 39, 177–178, 337
- phase angle, 192, 197, 198, 335
 phase-ratio analysis, 197, 198–200, 335, 341
 Phobos, 196
 photodesorption, 379
 photodissociation, 392
 photoionization, 413, 414–415, 420, 421, 422
 lifetime, 414, 415, 417, 419, 420, 422, 423
 rate, 414, 415
 photometric model, 192, 197–200
 photon-stimulated desorption, 390, 407, 408, 409, 410–411, 412, 413, 416, 417, 418, 419
 photophoresis, 507, 509
 physical librations, 86, 108, 524
 pickup ions, 441, 449
 Pioneer missions, 545
 pit complexes, 222
 pitch angle, 124
 pit-floor craters, 299, 300
 plagioclase, 180, 181, 182, 183, 184, 185, 186, 205, 307, 522
 planet formation theory, 501–502, 507
 planetary accretion, 217, 233, 498, 501, 505, 509
 planetary embryos, 501, 505
 planetary magnetic fields, 114, 116
 planetary reorientation, 271–272
 plasma, 119, 123, 124, 131, 133, 135, 430, 431, 432, 436, 445, 447, 448–455, 549, 550, 559, 561
 beta, 430, 436, 442, 443, 467, 487
 composition, 431, 449–452
 convection, 550
 cusp, 438, 439
 density, 441, 442
 electrons, 476
 flow, 441, 442
 heating, 452–454
 losses, 454–455
 precipitation, 14, 18
 pressure, 126, 437, 438
 properties, 436
 solar wind, 440
 sources, 436, 448–449
 temperature, 437
 thermal pressure, 430, 436
 transport, 438, 440, 452–454
 plasma depletion layer, 441–443, 467, 487
 plasma sheet, 126, 430, 434–437, 443, 444, 448, 450, 452–453, 455, 466, 475, 476, 487
 plasma wave, 548, 550, 551, 559, 561
 ion-Bernstein, 483
 plasmoid, 435, 454
 Poisson's ratio, 62, 261
 polar deposits, 3, 15, 22, 346–366, 549, 550, 558, 562, 563, 565
 boundaries, 359
 epithermal neutron flux, 350
 high-reflectance surfaces, 354
 illumination conditions, 347–350
 imaging, 357–360
 insulating layer, 346, 352, 355, 359
 low-reflectance surfaces, 353, 355, 359
 low-temperature silicates, 347, 350, 361
 neutron spectroscopy, 350–352
 organic compounds, 355, 357
 relative age, 359
 sulfur, 347, 350, 361
 surface reflectance, 352–354, 358

- thermal models, 355
- thickness, 350, 358, 363
- water ice fraction, 363
- polar moment of inertia, 57, 86, 87, 92, 95, 103, 524
- ponded lavas, 289
- potassium, 31, 33, 36, 166, 177, 178, 500, 505, 507
- potassium exosphere, 371, 389–390, 403, 411
 - ground-based observations, 425
- Poynting–Robertson effect, 560
- Pratt isostasy, 64
- precipitation, 454, 455
 - ion, 438, 439, 440, 455
- Preliminary Reference Mercury Model, 85, 105, 107
- pressure-release melting, 78
- pre-Tolstojan period, 166, 272, 310
- pre-Tolstojan System, 157–159, 160–166, 169
- primary crust, 60, 170, 305, 518
- principal axes, 75
- principal component analysis, 203, 325, 336
- principal moments of inertia, 86
- principal-axis coordinate system, 52, 71
- PRMM, 105. *See* Preliminary Reference Mercury Model
- propulsion
 - chemical, 546, 547, 552, 553, 556, 564
 - solar electric, 546, 547, 552, 555, 556, 561, 562, 564, 565
- proton reflectometry, 124–125, 134, 135
- protoplanetary disks, 502, 508, 509
- PSD. *See* photon-stimulated desorption
- PSRs. *See* permanently shadowed regions
- pyroclastic deposits, 14, 15, 23, 167, 199, 200, 208, 210, 297, 299, 300, 308, 311, 331, 336, 339, 340, 520, 562
- pyroclastic volcanism, 34, 36, 37, 167, 208–210, 337, 549, 550
- pyroxene, 94, 102, 104, 177, 180, 182, 183, 184, 185, 186, 188, 192, 204, 210, 307, 498
- pyrrhotite, 136, 137

- quality factor, 100
- quartz, 182, 183

- radar backscatter, 346, 363
- radar circular polarization ratio, 346, 363
- radar-bright deposits. *See* polar deposits
- radiation pressure, 372, 407, 413–414, 415, 416, 417, 420, 421, 422
- radio frequency, 53
- radio occultations, 54–55
- radio science, 8, 54, 90, 549, 556
- radius change, 264–266
- ram point, 425
- Rayleigh number, 105, 528
- red unit, 200, 201, 203, 205, 208–210
 - spectral heterogeneity, 205
- reducing conditions, 36, 38, 41, 43, 45, 46, 94, 176, 184, 206, 209, 337, 497–499, 507, 509, 521, 523
- reference ellipsoid, 58
- reference sphere, 52, 58
- regolith, 162, 166, 168, 197, 225, 226, 229, 235, 237, 324, 352
 - conductance, 129, 130
 - conductivity, 129
 - grain size, 198
 - porosity, 198
 - scattering properties, 198
 - thickness, 130
- regolith gardening, 347

- relative plot, 231, 232, 233, 234, 235
- remanence
 - crustal magnetization, 115, 137
 - magnetic field, 115, 137
 - magnetization, 115, 117, 136, 137
 - shock magnetization, 115
 - thermal magnetization, 115, 136
 - viscous magnetization, 115, 136
- remanent. *See* remanence
- Reststrahlen bands, 557
- resurfacing, 145–148, 163–166
 - impact, 147
 - volcanic, 147, 164
- reverse fault, 251
- RF. *See* radio frequency
- rheology, 62–63, 73, 99–100
- ridges, 249
- rotational bulge, 71
- rover mission, 546, 564, 565
- R-plot. *See* relative plot

- S. *See* sulfur
- sample return mission, 546
- satellites of Mercury, 240–241
- satellite-to-satellite tracking, 56
- saturation equilibrium, 161, 234
- Saturn V, 544, 562
- scarp retreat, 340, 341
- SciBox, 9–10
- secondary craters. *See* craters: secondary
- secondary crust, 60, 170, 305
- second-degree gravity coefficients, 56, 73, 87, 88
- secular resonance, 234
- secular variation, 117, 125–126, 133, 134, 135, 138, 526
- self-gravitation, 71
- SEP. *See* solar electric propulsion
- SFD. *See* craters: size–frequency distribution
- SH. *See* spherical harmonics
- shape, 52, 53–56, 79
 - compensation, 52, 63–64
 - dynamic range, 55
 - equatorial ellipticity, 55
 - equatorial shape, 54
 - polar flattening, 55
- shape ellipsoid, 70
- shear modulus, 63, 261
- shield volcano, 297
- shortening strain, 265
- Si. *See* silicon
- silicon, 36, 38, 147, 178–184, 209, 499
- sills, 301, 313
- simple craters. *See* craters: simple
- simple-to-complex crater transition, 226, 227
- single-scattering albedo, 198
- sinuous rilles, 296
- SLS. *See* Space Launch System
- smelting, 37
- smooth plains, 2, 131, 132, 133, 149–154, 193, 200, 218, 221, 222, 223, 224, 226, 227, 229, 232, 235, 238–239, 241, 287, 309, 519
 - color, 152–153
 - crater density, 151
 - distribution, 152
 - formation, 223

580 *Index*

- smooth plains (cont.)
 tectonic deformation, 149
 thickness, 150
smooth plains structures, 253
snow line, 507
sodium, 33, 38, 177, 178–184, 186, 500
sodium exosphere, 371, 379–389, 402, 407, 408, 410, 412, 413, 415–419, 424, 425
 ground-based observations, 379–384, 416, 419, 424
 MESSENGER observations, 384–389
 seasonal variation, 416, 417
 spatial distribution, 379, 384–389
 tail, 371, 383, 411, 413, 415, 417, 418
 temperature, 385
 thermalization, 385
 velocity distribution, 381
sodium ions, 466, 472, 475, 487
sodium tail. *See* sodium exosphere: tail
solar cycle maximum, 18
solar cycle minimum, 463
solar energetic particles, 469
solar heating, 332, 339, 341
solar oblateness, 558
solar wind, 114, 116, 117, 119, 126, 430, 434, 435, 441, 442, 444, 452, 463, 464, 549, 551, 552, 554, 557, 558, 561
 dynamic pressure, 464, 467, 472–474
 environment, 117, 126, 431, 432, 437, 441, 442, 448, 450, 455
 fast, 431, 432, 448
 flow, 430
 ions, 561
 Mach number, 432, 433, 442
 plasma, 436, 437, 439, 448, 449, 450, 453
 plasma beta, 442
 ram pressure, 114, 117, 126, 138, 430, 432, 434, 435, 442
 slow, 431, 432
 speed, 117, 436, 437
 velocity, 122
solar wind–surface interactions, 364
solid basal layer, 95
SOR. *See* spin–orbit resonance
source-free region, 118
south polar region, 347, 366
southern smooth plains, 240
Soyuz–Fregat, 552
space environment, 550, 561
Space Launch System, 562
Space Science Board, 544–546
space weathering, 19, 126, 159, 168, 191, 205, 210, 332, 336, 340, 438, 455, 464, 549, 550, 562
spectral absorption, 200, 210
 0.6- μm feature, 200, 203, 205, 208, 210
 1- μm crystal-field absorption, 191, 192, 193, 200–201
spectral properties, 200–205
 relationship to composition, 210
spectral reflectance, 37, 145, 191–210, 324, 335, 337, 340, 500, 508
spectral slope, 192, 193, 199, 200, 201, 204, 324, 336, 337
spectral units, 200–201
 spatial distribution, 205
spectral variability, 200–205
spectrally red pitted ground, 332, 335, 339
spherical harmonic coefficients, 53, 60, 524
spherical harmonic expansion, 120, 121, 123, 124, 125, 126, 128, 129, 132, 134, 135, 138
spherical harmonics, 52, 87
spin axis, 86
spin axis orientation, 90
spin precession period, 86
spin rate, 91–92
spin–orbit resonance, 63, 72, 76, 79, 86, 107, 266, 267, 347, 551, 565
sputtering, 408, 409, 413, 415, 417, 419, 422, 423, 424
 chemical, 407, 412
 ion, 407, 421
 models, 421
stagnant lid, 169, 527
standardized reflectance, 192, 196, 198, 201
Steering Committee for Space Science, 552
stereo imaging, 55
stereophotogrammetry, 250, 288
Stokes flow, 65
stratigraphic column, 206
strike-slip deformation, 255
sub-isostatic state, 64
sublimation, 338, 341, 550
sublimation degradation, 338
substorm, 464, 470, 475, 477–478, 479, 480, 486, 487
sulfides, 167, 177, 180, 182, 183, 206, 209, 210, 307, 337, 339, 340
sulfur, 31, 33, 34, 36, 38, 94, 177, 178–184, 185, 206, 208, 209, 210, 336–337, 339, 340, 498, 499
super-isostatic state, 64
surface chronology, 236–239, 240
 absolute, 225, 237–239, 240, 241
 oldest terrains, 238
 relative, 236–237
 smooth plains, 238–239
surface composition, 13, 17, 22, 23, 32–37, 145, 153, 176–188, 206, 308, 315, 336, 499–500, 517, 521–522, 558, 559
surface reflectance, 168, 180, 352
surface roughness, 198
surface temperature, 63, 74, 75, 115, 137, 264, 346, 522, 529
synchronous rotation, 267
syntaxis, 257
talus, 333, 341
TAS. *See* total alkalis versus silica diagram
TCR. *See* traveling compression region
tectonic grid, 255
tectonics, 3, 17, 21–22, 218, 222, 241, 249–279, 520, 557, 559, 564
 extensional structures, 221, 222, 223, 258–260, 275
 shortening structures, 221, 222, 250–258, 272–274
tephra, 297
Th. *See* thorium
thermal conductivity, 101, 526
thermal contraction, 269, 526, 530, 531, 534
thermal desorption, 381, 388, 403, 407–409
thermal erosion, 296
thermal evolution. *See* thermal history
thermal expansion coefficient, 96, 526
thermal fracturing, 341
thermal history, 63, 76, 105, 114, 115, 138, 249, 264, 276, 311–312, 527–534
thermal lithosphere, 63
thermal neutrons, 31–32, 36, 60, 145, 207, 209, 299, 305, 350, 500, 517
thermochemical convection, 114
thermochemical evolution models, 527–534
thermoelastic strain, 77
thermoelastic stress, 77, 78, 79
thorium, 31, 33, 36, 500
thrust duplex, 251

- thrust fault, 251, 293
thrusters, 556
 ion, 555, 562
Ti. *See* titanium
tidal bulge, 71
tidal despinning, 69, 77, 107, 255, 266, 278, 522
tidal forcing, 89, 100
tidal potential, 99
 Love number, 57, 89, 99
tidal response, 99–103
tilted crater floors, 68, 223, 259, 275
time-stratigraphic system, 154, 157–168
titanium, 31, 36, 177, 179, 182, 183, 184, 206
Tolstojan period, 166, 272, 310
Tolstojan System, 157–159, 163–166
topography, 13, 52, 224
total alkalis versus silica diagram, 178, 180, 181, 182, 183
total macroscopic neutron absorption cross section, 177
trachyandesite, 145
trachyte, 181
traveling compression region, 469, 470, 479, 480
Triton, 338
TRM. *See* remanence: thermal magnetization
troilite. *See* iron sulfide
true polar wander, 522
- U. *See* uranium
Ultraviolet and Visible Spectrometer, 8, 191, 193–195, 336, 375, 377, 390, 392, 396, 401, 407, 408, 411, 415, 416, 417, 419, 421, 422, 423, 424, 425
uncompressed density, 497
unrelaxed rigidity, 100
uplink, 556
uranium, 36, 500
UVVS. *See* Ultraviolet and Visible Spectrometer
- valles, 260, 276, 295
velocity change, 546, 556
velocity distribution, 372
 exosphere, 407, 409, 410, 411, 413, 415, 422, 423
 meteoroid, 409
Venus, 168, 170, 219, 232, 256, 270, 296, 498, 547, 555, 565
vergence, 251
Very Large Array, 346
Viking landers, 544
VIRS. *See* Visible and Infrared Spectrograph
viscosity, 63, 100, 101, 177, 180, 181, 182, 183, 184, 307, 527
Visible and Infrared Spectrograph, 8, 191, 193–195, 335
volatile deposits, 353, 558
volatile elements, 13, 15, 32–36, 362, 499, 504, 509, 522, 563
volatile loss, 332, 338–341
volatile organic compounds, 15, 22, 355, 356, 357, 359, 361, 362, 365, 563
volatile phases, 207–208, 338–341
volatile wasting, 550
volatiles
 crustal, 550
 frozen, 550, 554, 562
volcanic history, 238–239, 308–312
volcanic landforms, 153–154
volcanic pits, 337
volcanic vents, 225, 226, 297, 311
volcanism, 3, 13, 17, 105, 115, 147, 168, 218, 221, 222, 224, 231, 233, 241, 276–277, 287–316, 339, 519, 549–550, 557, 559, 564
 early, 241
Voyager Program, 544, 562
VRM. *See* remanence: viscous magnetization
vulcanoids, 225, 240–241
- WAC. *See* wide-angle camera
water ice, 3, 15, 22, 346, 348, 351, 361, 550, 562, 563, 565
 organic synthesis within, 363
 source, 361–366
 stability, 346
 subsurface, 355
 surface exposures, 354, 355, 357
 thermal sublimation, 346, 362
wehrlite, 184, 185, 186
Weibull distribution, 409, 410, 412, 418
wide-angle camera, 6, 55, 144, 191, 193–195, 220, 240, 250, 288, 324, 336, 347, 357
wrinkle ridge, 221, 223, 224, 229, 230, 251, 311
- X-band, 556, 560
X-ray fluorescence, 31, 558
X-Ray Spectrometer, 7, 30, 36, 37, 94, 147, 164, 176, 179, 191, 201, 207, 209, 288, 336, 339, 401, 451, 461, 476, 498
XRS. *See* X-Ray Spectrometer
- Yakima fold belt, 257
Yarkovsky effect, 233, 240
yield strength envelope, 62
yield stress, 78
Young's modulus, 62, 261
YSE. *See* yield strength envelope
- Σ_a . *See* total macroscopic neutron absorption cross section

INDEX OF PLACE NAMES

- Abedin basin, 221, 228, 275
 Ahmad Baba basin, 303, 304
 Ailey crater, 167, 168, 332
 Akutagawa crater, 207
 Alver crater, 310
 Amaral crater, 160, 230
 Andal–Coleridge basin, 218
 Aneirin basin, 159, 309
 Angkor Vallis, 295
 Antoniadi Dorsum, 252, 256, 257
 Apārangi Planitia, 150, 151, 152, 272
 Apollodorus crater, 221, 260
 Atget crater, 261, 276
- Balanchine crater, 324, 332, 333, 334
 Balzac crater, 160, 324, 335
 Barma crater, 151, 309
 Bartók crater, 160
 Bashō crater, 160, 205, 208, 332
 Beagle Rupes, 251, 252, 255
 Bechet crater, 353
 Beckett crater, 300
 Beethoven basin, 151, 152, 159, 164, 197, 218, 277, 294, 295, 298, 303, 309, 310, 312
 Belgica Rupes, 255
 Benoit crater, 300
 Blossom Rupes, 255, 272
 Borealis basin, 55, 70, 207, 218
 Borealis Planitia, 152, 253
 Boznańska crater, 326, 328, 329
 Budh basin, 55, 70, 218
 Budh Planitia, 152, 155, 292
 Burke crater, 348, 349
- Cahokia Vallis, 295
 Calder crater, 151
 Calder–Hodgkins basin, 159, 164, 165
 Caloris basin, 17, 34, 36, 55, 65, 66, 67, 68–69, 70, 131, 132, 136, 137, 138, 145, 150, 151, 152, 154, 155, 156, 158, 159, 161, 162, 166, 182, 185, 188, 199, 205, 217, 218, 220, 221–223, 237, 238, 241, 249, 252, 253, 254, 258, 259, 260, 261, 265, 268, 269, 270, 271, 275, 276, 277, 292, 296, 298, 301, 309, 310, 312, 326, 337, 519, 521, 522, 532, 535
 Nervo Formation, 156
 Odin Formation, 156
 Van Eyck Formation, 156, 159
 Caloris Montes, 224
 Caloris Planitia, 151, 152, 153, 155, 157, 249, 260, 277, 292, 294, 295, 297, 298, 299, 303, 309, 310, 312
- Calvino crater, 204, 206
 Calypso Rupes, 274
 Caral Vallis, 295
 Carnegie Rupes, 59, 131, 252, 273
 Catuilla Planum, 152
 Chao Meng-Fu crater, 55, 346, 347, 348
 Chesterton crater, 349, 354, 355, 359
 Copland crater, 328
 Cunningham crater, 228, 332, 335
- Dali basin, 291
 de Graft crater, 160, 324, 326
 Debussy crater, 160, 168, 230, 231
 Degas crater, 160, 167, 168, 259, 260, 275, 301, 326, 332
 Derzhavin crater, 207
 Derzhavin–Sor Juana basin, 218
 Desprez crater, 349, 350
 Discovery Rupes, 65, 78, 263
 Disney crater, 310
 Dominici crater, 200, 326, 332, 336
 Dostoevskij basin, 159, 218
 Duccio crater, 251, 252
- Eastman crater, 290
 Egonu crater, 349, 357
 Eminescu basin, 199, 324, 326, 335, 341
 Endeavour Rupes, 256, 257
 Ensor crater, 349, 360
 Enterprise Rupes, 70, 252, 254, 255, 268, 269, 272
 Erté crater, 160
- Faulkner crater, 205, 309, 520
 Firdousi crater, 203
 Fonteyn crater, 220
 Fuller crater, 260, 349, 353, 354, 355, 359, 360
 Futabatei crater, 160
- Gaudí crater, 303, 304
 Gibran basin, 151, 302
 Glinka crater, 277
 Goethe basin, 55, 70, 150, 159, 218, 229, 260, 294
- Hawthorne–Riemenschneider basin, 218
 Hodgkins crater, 151
 Hokusai crater, 145, 160, 167, 168, 228, 229, 275, 301, 311, 366
 Homer basin, 159, 218
 Hopper crater, 200, 324, 325, 326, 336
- Jokai crater, 151

- Kandinsky crater, 349, 354, 355, 359
Kertész crater, 324, 326, 340
Kofi basin, 295
Kuiper crater, 145, 159, 160, 166, 167, 168, 230, 324, 332
Kunisada basin, 290
Kuniyoshi crater, 277, 311
Kyosai crater, 326
- La Dauphine Rupes, 255
Laxness crater, 349, 353, 354, 360
Lennon–Picasso basin, 159, 165
Lermontov basin, 324, 331, 339
Lugus Planitia, 151, 152
- Machaut crater, 231
Mansur crater, 159
Martial crater, 273
Matabei crater, 197
Matisse–Repin basin, 218, 253
Mearcair Planitia, 152, 155
Monk crater, 349, 357
Mozart basin, 155, 221, 222, 224–225, 258, 268, 269, 275, 301
- Nabokov crater, 163, 164, 165, 203
- Odin Planitia, 55, 70, 152, 155, 156
Otaared Planitia, 152, 165
- Paestum Vallis, 295
Pantheon Fossae, 221, 223, 258, 260, 269, 270, 275, 299, 301
Papsukkal Planitia, 151, 152, 153
Paramour Rupes, 255
Picasso crater, 165, 203
Praxiteles basin, 311, 339
Prokofiev crater, 55, 349, 350, 353, 354, 355, 357, 358, 359, 362
Pushkin crater, 151
- Qiu Ying crater, 353
- Rachmaninoff basin, 35, 36, 55, 62, 70, 145, 154, 167, 199, 201, 205, 221, 222, 223–224, 225, 239, 240, 258, 269, 275, 299, 301, 310, 326, 328, 337, 339, 520
Raditladi basin, 55, 70, 155, 220, 221, 222, 224, 225, 239, 240, 258, 269, 275, 301, 324, 326, 331, 333, 334
Raphael basin, 159, 218
Rembrandt basin, 17, 70, 145, 150, 151, 152, 153, 157, 159, 161, 197, 203, 205, 218, 221, 223, 224, 240, 252, 258, 268, 269, 270, 272, 277, 293, 294, 295, 298, 299, 301, 303, 309, 310, 312
Rudaki crater, 201, 287, 309, 310
Rustaveli basin, 331
- Sanai basin, 159
Sander crater, 324, 326, 340
Santa Maria Rupes, 263
Sapkota crater, 348, 349
Scarlati basin, 339
Seuss crater, 160, 326
Shakespeare basin, 131, 133, 159, 218
Sholem Aleichem basin, 151, 207, 333
Sibelius crater, 231
Sihtu Planitia, 151, 152, 164
Simonides crater, 151
Sobkou basin, 55, 70, 131, 218
Sobkou Planitia, 145, 152, 155, 159, 164, 205, 304
Sor Juana crater, 55, 70, 207
Spitteler crater, 160
Stevenson crater, 230
Stieglitz crater, 228, 303, 304
Stilbon Planitia, 152
Strindberg basin, 131, 133, 303, 304
Suisei Planitia, 131, 132, 133, 136, 152, 155
Sveinsdóttir crater, 229, 251, 252
- Theophanes crater, 324, 335
Thoreau crater, 151
Timgad Vallis, 295, 297
Tir Planitia, 70, 151, 152, 155, 292
Tolkien crater, 349, 354, 355, 359
Tolstoj basin, 145, 151, 152, 153, 158, 159, 203, 205, 218, 224, 240, 277, 294, 295, 298, 299, 303, 309, 310, 312
Tryggvadóttir crater, 349, 354, 355, 359
Turgenev crater, 131, 133
Turms Planitia, 151, 152
Tyagaraja crater, 14, 160, 201, 203, 324, 331, 335, 339
- Utaridi crater, 151
Utaridi Planitia, 152
- Van Eyck Formation, 296
Velázquez basin, 220
Victoria Rupes, 131, 256, 257, 311
Vincente crater, 151
Vincente–Yakovlev basin, 218
Vivaldi basin, 163, 164, 256, 326
Vyāsa basin, 55, 70, 159, 218
- Warhol crater, 326, 327
Waters crater, 199
- Xiao Zhao crater, 326, 327, 332
- Zeami crater, 324, 335