

Index

- absorptance, 112
 absorption coefficient, 24, 56, 319, 348
 absorption edge, 221, 223
 acceptor, 238
 acoustic phonon, 69
 Airy function, 105, 106
 alkali halides, 93
 aluminum, 86
 amplitude reflection coefficient, 26, 97, 100, 101, 111, 164, 273, 299
 amplitude transmission coefficient, 25, 100, 101, 111, 169
 anisotropic materials, 14, 276, 285
 anomalous dispersion, 58, 60
 anomalous skin effect, 37, 196, 265–268, 270, 274
 antibonding orbital, 208

 band gap, 90, 91, 215, 216
 band structure, 88, 115, 137, 207, 233
 BCS coherence factors, 194, 195
 BCS theory, 180, 189, 191, 197
 Beer's law, 24
 biaxial crystal, 284, 285, 295
 Bloch's theorem, 212, 213, 220
 Boltzmann equation, 130, 133, 134
 bonding orbital, 208
 Bose–Einstein statistics, 72, 231, 258
 boundary conditions, 26
 Bravais lattice, 280
 Brewster's angle, 354, 363
 Brillouin zone, 67, 190, 213, 214

 carrier density, 31
 causality, 152, 156, 157, 242
 cgs–Gaussian, 7, 347, 351
 charge-density wave, 260
 charge-transfer exciton, 233
 charge-transfer transition, 257
 charged phonons, 261
 chemical potential, 121
 circular polarization, 278, 279, 317, 322, 324, 326, 327, 329
 classical skin depth, 60, 61, 268
 Clausius–Mossotti model, 47, 49, 335
 clean limit, 199
 coherence, 99
 coherence factors, 180, 200
 coherence length, 189, 199
 complete set of states, 148
 complex conductivity, 18, 33, 35
 complex dielectric function, 17, 18, 35, 49, 50, 96
 complex refractive index, 19, 23, 38, 40, 96, 107, 164, 168, 286, 316
 complex scattering rate, 244
 conduction band, 137, 138, 217, 220, 222, 224–226, 228, 230, 232, 235, 236, 238
 conductivity, 17, 18, 33, 34, 37, 51, 81, 88, 91, 150, 162, 163, 169, 224, 225, 232, 237, 321, 339, 340, 348, 349
 conductivity tensor, 311, 314
 constructive interference, 99
 conventional superconductors, 180, 203
 Cooper pairs, 180–182, 189, 192, 195, 203, 204
 copper, 85
 Coulomb energy, 247
 critical angle, 363
 critical points, 225
 crystal optics, 276, 294
 crystal symmetry, 279, 283
 crystal systems, 281
 cubic crystal, 281, 284
 cyclotron frequency, 305–307, 310, 313, 317, 319, 320, 326, 327
 cyclotron radius, 306
 cyclotron resonance, 317–322

 DC conductivity, 33
 Debye frequency, 241
 density of states, 122, 131
 depolarizing field, 32, 337
 dielectric function, 17, 35, 37, 50, 83, 88, 90, 91, 146, 163, 327, 333, 347
 dielectric tensor, 282, 283, 288, 298, 314, 315
 dimerized ground state, 260
 direct interband transition, 218, 224, 227, 232, 233
 direct interband transitions, 218
 dirty limit, 197
 dispersion relation, 68–70, 79, 80
 distribution function, 130, 131
 donor, 238
 donor level, 238

- dopant, 88
 doping, 237
 Drude model, 31–35, 55, 81, 83, 86, 103, 123, 125, 136, 150, 187, 205, 218, 237, 240, 241, 310, 318, 325, 334, 340, 343
- effective dielectric function, 335, 337, 341
 effective mass, 85, 216, 218, 221, 222, 238, 243, 244, 320
 effective medium approximation, 335, 341–343, 345
 effectiveness, 267
 electric dipole matrix element, 230
 electromagnetic waves in vacuum, 11
 electromagnons, 325
 electron–electron interactions, 31, 54, 115, 247, 249
 electron–electron scattering, 247–249
 electron–molecular vibration (EMV) interactions, 261
 electron–phonon coupling constant, 257
 electron–phonon interaction, 129, 257
 electron–phonon matrix element, 227, 229, 230
 energy bands, 207
 energy gap, 88, 189, 198, 207, 221, 225, 226, 232, 233
 excitation spectrum, 190, 191, 193, 196, 203, 235
 exciton, 91, 224, 233, 234, 236
 extinction coefficient, 38, 39, 90, 93
 extraordinary refractive index, 289
 extraordinary wave, 289, 291, 292, 297, 299, 301
 extrapolations, 166
- Fano lineshape, 261, 262
 Faraday geometry, 316, 326
 Faraday isolator, 331
 Faraday rotation, 324, 325
 Faraday rotator, 330
 Fermi–Dirac distribution, 115, 121, 131, 132
 Fermi–liquid conductivity, 250
 Fermi energy, 119, 120
 Fermi momentum, 120
 Fermi sphere, 248
 Fermi surface, 124, 127, 190
 Fermi temperature, 115, 120, 121
 Fermi velocity, 120, 121
 ferroelectric, 49, 62, 77, 171, 325
 flux quantum, 308
 free-electron theory, 115
 free carriers, 20, 31, 159
 Frenkel exciton, 233
 Fresnel reflectance, 97
- GaAs, 223
 generalized Drude model, 242
 gerade, 73
 Ginzburg–Landau theory, 180, 189
 Glover–Tinkham formula, 110, 113, 201
 gold, 85
 golden rule, 143, 145
- Hagen–Rubens relation, 41, 58, 60
 half-wave plate, 302
 Hall angle, 313
 Hall effect, 312
 helicons, 317, 319
 hexagonal crystal, 282, 285
 hole, 137, 212, 217, 218, 226, 228, 233–235, 237, 238
 Holstein effect, 126, 242, 257–260
 homogeneous media, 15
 Hubbard model, 251, 252, 254
- impedance of free space, 111, 273, 348
 impurity, 236
 incoherent light, 96
 indirect band gap, 225
 indirect transition, 227
 infrared-active mode, 76
 inhomogeneous medium, 333, 337, 339
 inhomogeneous wave, 357
 interband transition, 35, 81, 83–85, 91, 173, 207, 218, 224, 236, 243
 interference, 99
 intraband transition, 128, 137, 191, 218
 inverting reflectance and transmittance, 109, 113
 IRAV absorption, 261
 isotropic materials, 14
- joint density of states, 224, 225
- kinetic energy, 149
 Kramers–Kronig, 81, 96, 147, 152, 157, 158, 160, 162, 163, 169, 170, 172, 173, 183, 187, 204, 206, 242, 245, 247
 Kramers–Kronig analysis of reflectance, 164
 Kramers–Kronig analysis of transmittance, 169
- Lambert’s law, 24
 Landau Fermi liquid, 115
 Landau level, 308
 law of Malus, 301
 law of reflection, 355
 linear materials, 13
 linear polarizer, 300
 linearly polarized waves, 277
 local electrodynamics, 13
 local field, 45, 47–49, 54, 63, 325
 local response, 157
 London gauge, 185
 London model, 181, 182, 184, 185, 187
 London optical conductivity, 184
 London penetration depth, 184, 188, 204
 longitudinal optical phonon, 73, 91, 93, 95
 Lorentz–Lorenz model, 47, 335
 Lorentz force, 7, 304, 312, 323, 325
 Lorentz model, 44, 49, 51–56, 63, 73, 83, 89, 91, 146, 159, 325
 Lyddane–Sachs–Teller relation, 76, 77, 95

- magnetic birefringence, 324
 magnetic circular dichroism, 324
 magnetic dipole absorption, 345
 magnetic linear dichroism, 324
 magnetic resonance, 324
 magnetic susceptibility, 27
 magneto-optic Kerr effect, 324
 magnetoelectric effect, 325
 marginal Fermi liquid, 250
 mass enhancement, 243
 matrix element, 141–143, 219–221, 229
 matrix method, 107
 Matthiessen's rule, 37
 Mattis Bardeen, 202
 Maxwell's equations, 6, 15, 17, 18, 22, 23, 138, 185, 272, 286, 291, 315, 350, 352, 353
 Maxwell's macroscopic equations, 7, 9
 Maxwell-Garnett theory, 335, 338–342, 345
 mean free path, 129, 265–270, 274, 306, 318
 mean free time, 37
 Meissner effect, 185, 186
 Meissner state, 177
 memory function, 244
 metamaterials, 28
 mobility, 321, 349
 momentum space, 119
 monoclinic crystal, 281, 285
 Mott–Hubbard gap, 254
 multiple internal reflections, 97, 99, 101, 105, 112

 nearly free electrons, 209
 negative index materials, 27
 noble metals, 218
 nonnormal incidence, 354
 nonlocal electrodynamics, 13, 263
 normal skin effect, 263, 265, 268, 271
 number density, 32

 Ohm's law, 32, 33, 125, 135, 136, 169, 263, 270, 271, 310
 optic axis, 284, 288, 289, 299, 301
 optical phonon, 70, 102
 optical resistivity, 245
 optical self energy, 245
 optically thick sample, 96
 ordinary dispersion, 56, 58
 ordinary wave, 288, 289, 291, 297, 299, 301
 orthorhombic crystal, 281, 284
 oscillator strength, 146, 147, 150, 223, 321

 partial sum rule, 173
 Pauli principle, 115, 118, 137
 Peierls transition, 208, 260
 penetration depth, 24, 348
 percolation theory, 344
 percolation threshold, 339
 perfect conductor, 127, 187

 periodic boundary conditions, 67, 117, 118, 213
 perturbation expansion, 139, 227
 phase phonons, 261
 phonon, 64, 71, 73, 90, 92, 147, 226, 227, 231
 phonons, 2
 Pippard, 189
 plane waves, 3, 10
 plasma edge, 41, 53
 plasma frequency, 35–37, 40, 42–44, 46, 49, 50, 81, 86, 243, 267, 314, 326, 348
 polariton, 79, 80
 polarizability, 30
 polarizability of a sphere, 336
 polarized light, 276, 283, 287, 289–291, 297, 298, 300
 polaroid, 276, 301
 poles and zeros, 73, 77
 Poynting vector, 22–24, 286, 291, 351
 principal axis, 282, 283, 285, 296–298
 principal component, 298

 quarter-wave plate, 301, 302
 quasiparticles, 180, 191

 range of wavelengths, 3
 ray surfaces, 289, 290
 reciprocal lattice, 67
 reciprocal space, 119
 reflectance, 3, 24, 26, 40, 53, 88, 98, 101, 103, 109, 111, 112, 164, 165, 354
 refractive index, 19, 26, 38, 39, 53, 83, 93, 163, 172, 319, 327, 347
 relaxation-time approximation, 133, 134
 relaxation regime, 270
 relaxation time, 32
 renormalized scattering rate, 246
 residual resistivity ratio, 37
 resistivity tensor, 311
 resonant frequency, 49
 reststrahlen, 78
 Rice effect, 254, 260–262

 scattering rate, 32, 33, 37, 40, 81, 83, 86, 124, 136, 151, 237, 241, 244, 245, 251, 259, 309, 321
 screened plasma frequency, 36, 60
 selection rules, 73, 138, 218, 220, 226, 236, 282
 sheet impedance, 113
 Sievers, A.J., 1
 silicon, 1, 3, 87, 88, 90
 silver, 1, 2, 81, 83, 103, 241
 simple harmonic oscillator, 62
 single-bounce reflectance, 96, 98
 skin depth, 24, 60, 113, 188, 264, 265, 349
 Snell's law, 29, 356, 361, 363
 sodium chloride, 1, 3, 90
 standing wave, 99

- sum rule, 84, 85, 148–150, 170, 172, 197, 201, 244
- superconducting energy gap, 179–181, 184, 190–192, 197, 203, 259
- superconducting plasma frequency, 183
- superconductivity, 175
- surface impedence, 270–275
- surface resistance, 258
- tetragonal crystal, 281, 284
- Thomas-Reiche-Kuhn sum rule, 150
- tight-binding, 149, 209, 252
- total internal reflection, 354
- transfer matrix, 108
- transition rate, 143–145
- transmittance, 3, 97, 101–103, 109, 111, 112
- transverse optic phonon, 70
- transverse optical phonon, 63, 73, 93, 95
- triclinic crystal, 281, 285
- trigonal crystal, 282, 285
- two-fluid model, 181, 182
- type I superconductors, 177
- type II superconductors, 177
- U:Coulomb repulsion, 252, 255
- umklapp scattering, 249
- uncertainty principle, 129, 131, 189
- unconventional superconductors, 203
- ungerade, 73
- uniaxial crystal, 284, 285, 288
- units, 347
- unpolarized light, 277
- unrenormalized scattering rate, 246
- valence band, 137, 138, 217, 220–222, 224–226, 228, 230, 232, 235, 236
- van Hove singularities, 225
- vector potential, 138
- Verdet constant, 330
- Voigt effect, 324
- Voigt geometry, 322, 323
- Wannier exciton, 233
- wave equation, 353
- wave propagation, 55, 56
- wavenumber, 1, 347
- Zeeman energy, 309