

Index

- Abbreviations used in subheadings
 attention-deficit/hyperactivity disorder = ADHD
 autism spectrum disorder = ASD
 bipolar disorder = BD
 evidence-based treatment = EBT
 intellectual disability = ID
 obsessive-compulsive disorder = OCD
 specific learning disorder = SLD
 substance use disorder = SUD
- ABA *see* applied behavior analysis
 ABC *see* Antecedent–Behavior–Consequence model
 academic skills, SLD 74–75
 acceptance and commitment therapy (ACT) 104
 actigraphy 276
 activity scheduling *see* behavioral activation
 acute stress disorder 191–192; *see also* trauma
 ADAA *see* Anxiety and Depression Association of America
 adaptive functioning
 ADHD 59
 ASD 30
 ID 12–13
 ADHD *see* attention-deficit/hyperactivity disorder
 adjustment disorder 191–192; *see also* trauma
 Adolescent Coping with Depression Course (CWD-A) 141
 adolescent substance use (ASU) *see* substance use disorder
 adult therapy, relational elements 331
 affect regulation
 BD 126–129
 trauma 196
 alliance, therapeutic
 family-based treatment 326–327
 individual-based therapy 321–325
 ambivalence about recovery, eating disorders 231
- American Psychiatric Association *see* *Diagnostic and Statistical Manual of Mental Disorders*
 American Psychological Association
 OCD guidelines 177–178
 Task Force on Evidence-Based Therapy Relationships 320
 Task Force on Promotion and Dissemination of Psychological Procedures 4–6, 31
 amygdala 121
 anger management
 disruptive behavior 290–291
 SUD 304–305
 anorexia nervosa, diagnostic criteria 224; *see also* eating disorders
 Antecedent–Behavior–Consequence (ABC) model
 ID 14, 15–17, 20–21
 tic disorders 86–87
 antecedent environmental control 15
 anterior cingulate cortex 121
 Anxiety and Depression Association of America (ADAA) 178
 anxiety disorders 122, 154–155, 165–166
 assessment 164
 cognitive techniques 161
 comorbidity 96, 164
 demographics 164–165
 EBT components 158–162
 EBT overview 157–158
 etiology/theoretical underpinnings 155–156

- exposure techniques 156, 158–161
- medication 165
- modeling 158–159, 161–162
- parental role in treatment 162–164
- relapse prevention 156
- relaxation training 158–159, 161
- selective mutism 156–157
- sleep problems 273–275
- useful resources 166
- APA *see* American Psychological Association
- applied behavior analysis (ABA)
 - ASD *see below*
 - feeding disorders 210
 - ID 13–14
- applied behavior analysis for ASD 31–33, 44
 - access to interventions 44
 - assessment 41–42
 - comorbid conditions 42–43
 - demographics 43
 - Early Start Denver Model 34
 - EBT overview 32–33
 - intensity of treatment 43–44
 - parental role in treatment 41
 - teaching techniques 36–41
 - treatment targets 34–36
 - websites 45
- ARMS *see* at-risk mental state
- arts therapies 104
- ASD *see* autism spectrum disorder
- assessment xvii
 - ADHD 59–60
 - anxiety 164
 - ASD 41–42
 - BD 130
 - depression 146
 - disruptive behavior 296
 - eating disorders 236
 - elimination disorders 257
 - feeding disorders 217–218
 - ID 20–21
 - OCD 182
 - psychosis 111
 - SLD 78–79
 - sleep problems 276
 - SUD 310
 - tic disorders 95–96
 - trauma 200–201
- ASU (adolescent substance use) *see* substance use disorder
- at-risk mental state (ARMS) 101, 102, 104; *see also* psychosis
- attachment-related disorders 193
- attentional difficulties, addressing in ASD 35
- attention-deficit/hyperactivity disorder (ADHD) 7, 42–43, 50–51, 61–62
 - assessment 59–60
 - behavioral interventions 51–55, 58
 - comorbidity 60, 70, 78–79, 96, 257, 296
 - demographics 60–61
 - dissemination and implementation
 - models 340–341
 - EBT components 52–58
 - EBT overview 51–52
 - etiology/theoretical underpinnings 51
 - medication 61
 - organizational skills training 52, 55–57
 - parental role in treatment 58–59
 - and SLD 70
 - useful resources 62
- auditory cues, ID 17
- autism spectrum disorder (ASD) 30–31, 44
 - access to interventions 44
 - assessment 41–42
 - comorbidity 42–43, 70
 - demographics 43
 - developmental social-pragmatic models 32, 34
 - EBT components 34–41
 - EBT overview 32–33
 - etiology/theoretical underpinnings 31–32
 - intensity of treatment 43–44
 - medication 42–43
 - parental role in treatment 41
 - severity of symptoms 44
 - and SLD 70
 - teaching techniques 36–41
 - treatment targets 34–36
 - useful resources 45
- awareness training, tic disorders 89–90
- Bandura, Albert 3
- Beck, Aaron T. 3
- bedtime 268–270; *see also* sleep problems
- bedtime pass 273
- behavior problems, ASD 30
- behavioral activation (BA) 109, 143–144
- behavioral classroom management (BCM) 51–55
- behavioral cusps, academic skills 75
- behavioral interventions
 - ADHD 52–55, 58
 - disruptive behavior 292–296
 - feeding disorders 210, 211–215
 - retentive encopresis 251–252, 254–256
 - SLD 71
 - sleep problems 265–266
 - SUD 304–305
- behavioral models
 - depression 139
 - tic disorders 86–87
- behavioral momentum, ID 15–16
- behavioral parent training (BPT) 51–55
- behavioral peer interventions (BPIs) 51–52, 58
- behavioral signs of anxiety 154–155
- behavioral skills training, SLD 77
- behaviorism, sleep problems 265–266

350

beliefs *see* dysfunctional cognitions
 BEME (Back Straight, Eye Contact, Mouth to Speak Clearly, Ears to Listen) 128
 Bennett-Johnson, Suzanne 5
 biases, cognitive 109–110
 binge eating disorder (BED), diagnostic criteria 225; *see also* eating disorders
 biological theories of depression 139
 biopsychosocial model, eating disorders 226
 bipolar disorder (BD) 120–121, 131–132
 affect regulation/coping skills 126–129
 assessment 130
 comorbidity 130
 demographics 130
 EBT components 125–129
 EBT overview 122–125
 etiology/theoretical underpinnings 121–122
 medication 131
 parental role in treatment 127, 129–130
 psychoeducation 125–126
 severity of symptoms 131
 therapeutic format 131
 useful resources 132
 blaming appraisals, psychosis 103
 body-focused repetitive behavior disorders (BFRBs) 94; *see also* tic disorders
 borderline personality disorder, and eating disorders 226
 bowel regularity, retentive encopresis 255–256
 BPT (behavioral parent training) 51–55
 brain regions, BD 121
 branded therapies xiii, 6–7, 8
 bulimia nervosa, diagnostic criteria 224–225; *see also* eating disorders

 CALM (Coaching Approach behavior and Leading by Modeling) program 161
 care settings, usual vs. research 336–338, 342
 closing the research to practice gap 338–342
 community-based settings 336–337
 multiple presenting problems 337
 organizations supporting EBT 338
 therapist resistance to EBTs 337–338
 caregiver training, feeding disorders 216–217; *see also* parental role in treatment
 CBIT *see* Comprehensive Behavioral Intervention for Tics
 CBT *see* cognitive-behavioral therapy
 chaining strategies, ASD 39
 Chambless, D. L. 5–7
 change processes, relational elements 319–320, 321, 323
 checking method, sleep problems 272
 chewing, feeding disorders 214–215
 Child and Adolescent Mental Health Services (CAMHS) 102, 112

Index

child- and family-focused cognitive-behavioral therapy (CFF-CBT) 124–125, 126–130
 Children's Yale Brown Obsessive Compulsive Scale 174
 choice-making opportunities, ID 16
 Chorpita, B. F. 7
 circadian rhythm 265, 268–270
 class-wide peer tutoring (CWPT) 72
 classical conditioning 3, 175, 265–266, 270; *see also* operant conditioning
 client involvement 327–331; *see also* engagement in treatment
 Client Involvement Rating Scale (CIRS) 328
 clinical practice *see* care settings
 Clinical Psychology Division 12 *see* American Psychological Association (Task Forces)
 Coaching Our Acting-Out Children: Heightening Essential Skills (COACHES) 59
 cognitive-behavioral therapy (CBT)
 anxiety 155–156, 158
 ASD 42–43
 client involvement 328–329, 330–331
 depression 140–141
 eating disorders 227–228, 229
 psychosis *see below*
 sleep problems 275
 SUD 303–306
 third-wave approaches 104
 trauma 193, 194–195
 cognitive-behavioral therapy for psychosis (CBTp) 102, 104, 112
 family/caregiver-based 103
 individual-based 103
 cognitive beliefs *see* dysfunctional cognitions
 cognitive biases, psychosis 109–110
 cognitive coping, trauma 198
 cognitive deficits, OCD 175–176
 cognitive development, facilitation in psychosis 107
 cognitive impairment *see* intellectual disability
 cognitive psychology, sleep problems 266
 cognitive remediation therapy (CRT) 104
 cognitive restructuring
 anxiety 156
 BD 126–127
 depression 143
 disruptive behavior 291
 SUD 305
 cognitive signs of anxiety 154–155
 cognitive techniques, anxiety 161
 cognitive theories, depression 139
 colon, disimpaction 255
 commands, ADHD 54
 common elements framework xiv, 7–8, 339
 common factors framework 8
 common relational elements 319–321; *see also* therapy relationships/relational elements
 communication skills training 128, 294–295, 304–305

- community-based settings 336–337; *see also* care settings
- comorbidity xvii
 ADHD 60, 70, 78–79, 96, 257, 296
 anxiety 164
 ASD 42–43
 BD 130
 depression 146, 164, 182
 disruptive behavior 296
 eating disorders 236
 elimination disorders 257
 feeding disorders 218
 ID 22
 multiple presenting problems 337
 OCD 96, 182
 psychosis 111–112
 SLD 78–79
 sleep problems 276–277
 SUD 146, 236, 311
 tic disorders 96
 trauma 201
- competing response (CR) training, tic disorders 90–91
- component level of analysis xiv, xv–xvi, 7–8, 9
 ADHD 52–58
 anxiety 158–162
 ASD 34–41
 BD 125–129
 depression 142–145
 disruptive behavior 287–289
 eating disorders 230–234
 elimination disorders 252–256
 feeding disorders 211–215
 ID 15–17
 OCD 178–181
 psychosis 105–110
 SLD 74–77
 sleep problems 267–275
 SUD 303–309
 trauma 195–199
- Comprehensive Behavioral Intervention for Tics (CBIT) 88
- compulsions *see* obsessive-compulsive disorder
- conduct disorder (CD) 284; *see also* disruptive behavior
- consequence-based strategies 17–19, 213–214
- contingent rewards, nocturnal enuresis 253–254
- Coping Cat* 330
- coping skills 121, 126–128, 198
- Council for Exceptional Children (CEC) 72
- CRT (cognitive remediation therapy) 104
- CUES (Coping with Unusual Experiences) scale 105, 106
- CWD-A (Adolescent Coping with Depression Course) 141
- CWPT (class wide peer tutoring) 72
- cyclothymia 120–121; *see also* bipolar disorder
- daily report card (DRC), ADHD 55
- demand fading, feeding disorders 212–213
- demographics xvii
 ADHD 60–61
 anxiety 164–165
 ASD 43
 BD 130
 depression 147
 disruptive behavior 296–297
 eating disorders 236–237
 elimination disorders 258
 feeding disorders 218
 ID 23
 OCD 173, 183
 psychosis 112
 SLD 79
 sleep problems 277
 SUD 311
 tic disorders 96
 trauma 201
- depressive disorders 122, 138–139, 147–148
 assessment 146
 cognitive-behavioral therapy 140–141
 comorbidity 146, 164, 182
 demographics 147
 EBT components 142–145
 EBT overview 139–142
 etiology/theoretical underpinnings 139
 medication 147
 parental role in treatment 145–146
 relapse prevention 144–145
 suicide risk assessment 140
 useful resources 148
- developmental social-pragmatic (DSP) models, ASD 32, 34
- developmentally specific symptoms, BD 121
- developmental-transactional model, ADHD 51
- Diagnostic and Statistical Manual for Mental Disorders*, fifth edition (DSM-5) xvi–xvii, 1, 264
 ADHD 50
 anxiety 155
 ASD 30–31
 BD 120–121
 depression 138
 disruptive behavior 122, 284
 eating disorders 224
 elimination disorders 246
 OCD 173
 SLD 69
 tic disorders 85
 trauma 191
- dialectical behavior therapy (DBT) 226
- Dialogic Reading 73
- differential reinforcement 17–18, 36–37, 293–294
- dim light melatonin onset (DLMO) 269
- discipline, disruptive behavior 294
- discrete trial training (DTT), ASD 39–40

discriminative stimuli, ASD 38
 diseases, prenatal *see* infections
 disimpaction, colonic 255
 disinhibited social engagement (DSED) 193
 disruptive behavior 284–285, 297–298
 assessment 296
 comorbidity 296
 demographics 296–297
 EBT components 287–289
 EBT overview 287
 etiology/theoretical underpinnings 285–286
 intermittent explosive disorder 286
 medication 297
 multimodal approaches 297
 parental role in treatment 292–296
 skill-building treatments 286, 289–292, 297
 social learning theory 285–286, 293–294
 useful resources 298
 disruptive mood dysregulation disorder (DMDD) 122
 dissemination models 338–342
 Division 12 *see* American Psychological Association
 DLMO (dim light melatonin onset) 269
 dorsolateral prefrontal cortex (DLPFC) 121
 drug use monitoring 304; *see also* substance use disorder
 DSED (disinhibited social engagement) 193
 DSP *see* developmental social-pragmatic models
 duration of treatment, trauma 202
 dysfunctional cognitions
 OCD 176
 sleep problems 275
 trauma 202
 dyslexia 69; *see also* specific learning disorder
 early intensive behavioral interventions (EIBI) *see*
 applied behavior analysis
 early intervention psychosis (EIP) services 102
 early interventions, ASD 31, 34–36, 41, 44
 Early Start Denver Model (ESDM), ASD 34
 eating disorders 224–225, 239; *see also* feeding
 disorders
 assessment 236
 and borderline personality disorder 226
 cognitive-behavioral therapy 227–228, 229
 comorbidity 236
 demographics 236–237
 EBT components 230–234
 EBT overview 228–230
 etiology/theoretical underpinnings 226–228
 family-based treatment 227, 228–229
 low weight status/starvation 237–238
 maintaining factors 234
 medication 237
 obesity 238
 parental role in treatment 234–236, 238
 psychoeducation 232
 relapse prevention 234
 self-monitoring of food intake 233

suicide/self-injurious behavior 238–239
 useful resources 239–240
 weight restoration 232–233
 EBT *see* evidence-based treatment
 education *see* psychoeducation
 effective ingredients, definition 7
 effectiveness studies 5, 6
 efficacy studies 5, 6
 elimination disorders 246–247, 260; *see also* nocturnal
 enuresis; retentive encopresis
 assessment 257
 comorbidity 257
 demographics 258
 EBT components 252–256
 EBT overview 249–252
 encouraging successful toilet training 248–249
 etiology/theoretical underpinnings 247–248
 medication 258–259
 nonretentive encopresis 259–260
 parental role in treatment 256–257
 useful resources 260
 emotion language, psychosis 107
 empirically supported treatments (ESTs),
 definition 5–7
 encopresis, nonretentive 259–260; *see also* functional
 encopresis; retentive encopresis
 engagement in treatment 237–238, 304, 307
 enuresis *see* nocturnal enuresis
 environmental control, antecedent, in ID 15
 epidemiology *see* demographics; prevalence
 epigenetics, ASD 30
 ERP *see* exposure with response prevention
 errorless learning, ASD 38
 escape extinction, feeding disorders 211–212
 essential elements, definitions 7
 establishing operations (EOs), ASD 37
 Evidence Base Updates (SCCAP) 6
 evidence-based treatment (EBT) xiii–xiv, 104; *see also*
 science of psychotherapy
 branded therapies xiii, 6–7, 8
 closing the research to practice gap 338–342
 components *see* component level of analysis
 definitions 6
 organizations supporting EBT 338
 overview of EBT 104
 packages xiii–xiv, xv–xvi, 4–7, 9, 157
 in practical settings *see* care settings
 excoriation disorder (compulsive skin-picking) 174
 Excuse-Me Drill 272
 experimental treatments, definition 6
 exposure with response prevention (ERP)
 anxiety 156, 158–161
 OCD 160, 176–177, 178, 180–181
 tic disorders 88–89, 91
 expressed emotion, psychosis 103
 external locus of control, BD 121
 externalizing problems *see* disruptive behavior

- extinction paradigm, sleep problems 266, 271–273
 Eysenck, H. J. 3–4
- facilitating processes, relational elements 319–320, 321, 323
- family-based treatment (FBT)
 BD 123
 dissemination and implementation models 339
 eating disorders 227, 228–229
 relational elements 326–327
 SUD 303, 306–309
- family communication, disruptive behavior 294–295
- family intervention for psychosis (FLP) 102, 104, 106
- feeding disorders 208–209, 218–219; *see also* eating disorders
 assessment 217–218
 caregiver training 216–217
 comorbidity 218
 demographics 218
 EBT components 211–215
 EBT overview 210–211
 etiology/theoretical underpinnings 209–210
 medication 218
 parental role in treatment 216–217
 useful resources 219
- fire-setting 286
- Freud, S. 1–2, 3
- functional encopresis (FE) 246–247, 248
- function-based assessment and intervention (FBAI), tic disorders 88, 91–92
- gambling disorder 302
- gender differences *see* demographics
- generalization, promoting in ASD 40–41
- genetics
 anxiety 154
 ASD 31–32
 ID 13–14
- gold standards, RCTs as 5, 340
- habit reversal training (HRT) 87–88, 91, 94
- Hanf model of parent training 7
- Helping the Noncompliant Child program 7
- high-probability instructional sequence (high-p), feeding disorders 213
- historical perspectives 1–2, 3–4
- homework management skills, ADHD 57
- hyperactivity *see* attention-deficit/hyperactivity disorder
- ID *see* intellectual disability
- identity development, psychosis 106
- IED *see* intermittent explosive disorder
- imaginal exposure, trauma 196–197
- imitation, use in ASD 35
- implementation models 338–342
- in vivo exposure, trauma 197–198
- inattention *see* attention-deficit/hyperactivity disorder
- Incredible Years program 7
- individual-based therapy
 dissemination and implementation models 339
 relational elements 321–325
- Individuals with Disabilities Education Act (2004) 70
- infections, prenatal 13–14, 31–32
- inhibitory learning model, OCD 177
- insomnia 264–265, 267–268, 276–277; *see also* sleep problems
- Integrated Parenting Intervention for ADHD (IPI-A) 59
- intellectual disability (ID) 12–13, 23
 assessment 20–21
 comorbidity 22, 42
 consequence-based strategies 17–19
 demographics 23
 EBT components 15–17
 EBT overview 14
 etiology/theoretical underpinnings 13–14
 medication 23
 parental role in treatment 20
 prevention/antecedent-based strategies 15–17
 and SLD 70
 systematic instruction 21–22
 useful resources 24
- intensity of treatment, ASD 43–44
- interactive models, ASD 32, 34
- intermittent explosive disorder (IED) 286
- International Classification of Sleep Disorders (ICSD-3)* 264
- interpersonal models/theories 32, 34, 121–122, 139
- Interpersonal therapy for adolescents (IPT-A) 141–142
- interval reinforcement, ASD 37
- intervention implementation, effective 340
- IQ (intelligence quotient) 12; *see also* intellectual disability
- Journal of Clinical Child & Adolescent Psychology (JCCAP)* 6
- learning disabilities *see* specific learning disorder
- Learning Experiences Alternative Program for Preschoolers and Parents (LEAP) 31–32, 33
- learning-based models, OCD 175–176
- Least to Most (LTM) prompting/prompt fading 38–39
- lifting, nocturnal enuresis 252–253
- limbic brain centers, BD 121
- limit-setting 127, 275–276, 295
- Lindamood Phoneme Sequencing® (LiPS®) 73
- listening skills, BD 128
- Little Albert, Watson's case study 3
- Little Hans, Freud's case study 1–2
- major depressive episodes (MDEs) 138; *see also* depressive disorders
- Making Socially Accepting Inclusive Classrooms (MOSAIC), ADHD 58
- Managing and Adapting Practice (MAP) 339

354

mania prevention contract, BD 125
 “Manifesto for A Science of Clinical Psychology”
 (McFall) 4, 8
 maternal nutrition, and ID 13
*MATCH (Modular Approach to Therapy for Children
 with Anxiety, Depression, or Conduct Problems)*
 165, 339
 measurement feedback systems 340
 medication xvii
 ADHD 61
 anxiety 165
 ASD 42–43
 BD 131
 depression 147
 disruptive behavior 297
 eating disorders 237
 elimination disorders 258–259
 feeding disorders 218
 ID 23
 OCD 183
 psychosis 112
 sleep problems 277–278
 SUD 312
 tic disorders 97
 trauma 201
 mental health service delivery 341
 modular treatments 8, 165, 339
 mood disorders *see* bipolar disorder; depressive
 disorders
 mood states, monitoring 126
 MOSAIC *see* Making Socially Accepting Inclusive
 Classrooms
 Most to Least (MTL) prompting/prompt fading 38–39
 motivation to change, eating disorders 231
 multidimensional family therapy (MDFT) 326–327
 Multimodal Treatment Study of Children with ADHD
 (MTA) 61
 multisystemic therapy (MST), disruptive
 behavior 287
 muscle relaxation *see* relaxation training

 name-branded therapies xiii, 6–7, 8
 narrative therapy, trauma 196–197
 negative self-talk, anxiety 154–155
 neurobiology
 BD 121
 OCD 175
 nightmares 266–267
 nocturnal enuresis (NE) 246–247
 definition 246
 etiology/theoretical underpinnings 247–248
 medication 258–259
 parental role in treatment 256–257
 urine alarms 249–251, 252–254
 noncontingent reinforcement, feeding disorders 214
 nonretentive encopresis 259–260
 nutrition during pregnancy and early childhood, ID 13

Index

obesity 238; *see also* eating disorders
 obsessive-compulsive disorder (OCD) 173–174, 184
 assessment 182
 comorbidity 96, 182
 demographics 173, 183
 EBT components 178–181
 EBT overview 177–178
 etiology/theoretical underpinnings 175–177
 exposure with response prevention 160, 176–177, 178,
 180–181
 hierarchy of feared stimuli 179–180
 medication 183
 parental role in treatment 181–182
 psychoeducation 179
 and tic disorders 183–184
 trichotillomania and excoriation disorder 174
 useful resources 184
 obsessive-compulsive related disorders (OCRD) 174
 operant conditioning 13–14, 53, 265–266; *see also*
 classical conditioning
 oppositional defiant disorder (ODD) 96, 284; *see also*
 disruptive behavior
 organizational skills training, ADHD 52, 55–57
 organizations supporting EBT 338
 other specified feeding and eating disorder (OSFED)
 225; *see also* eating disorders
 overlearning, nocturnal enuresis 253
 overvalued ideations (OVI) 182

 packages *see* treatment packages
 PANS *see* pediatric acute onset neuropsychiatric
 syndrome
 paralimbic cortex 121
 Parent–Child Interaction Therapy (PCIT) 7, 160
 Parent Friendship Coaching (PFC), ADHD 58
 parent tutoring, SLD 78
 parental role in treatment xvii
 ADHD 58–59
 anxiety 162–164
 ASD 41
 BD 127, 129–130
 depression 145–146
 disruptive behavior 292–296
 eating disorders 234–236, 238
 elimination disorders 256–257
 feeding disorders 216–217
 ID 20
 OCD 181–182
 psychosis 111
 SLD 78
 sleep problems 275–276
 SUD 309
 therapy relationships/relational elements 322–323
 tic disorders 95
 trauma 199–200
 parent–child relationships, disruptive behavior 292–293
 PCIT (Parent–Child Interaction Therapy) 7, 160

Index

355

- pediatric acute onset neuropsychiatric syndrome (PANS) 175
- Peer Assisted Learning Strategies 73
- peer interventions, behavioral (BPIs) 51–52, 58
- peer pressure, disruptive behavior 295
- persistent motor/vocal tic disorder (PMVTD) 85; *see also* tic disorders
- perspective-taking, disruptive behavior 291
- PFC (Parent Friendship Coaching), ADHD 58
- pharmacotherapy *see* medication
- Phonological Awareness Training 73
- physiological signs of anxiety 154–155
- physiology of sleep 265
- pie charts, use in psychosis 109
- play behavior, ASD 35
- Positive Parenting Program (Triple P) 7
- positive reinforcement; *see also* operant conditioning; token reinforcement
- ADHD 53–54
 - ASD 36–37
 - feeding disorders 213–214
 - ID 17–19
 - nocturnal enuresis 253–254
 - SLD 76–77
 - sleep problems 273
 - tic disorders 91, 92–93
- posttraumatic stress disorder *see* trauma
- practice element profiles, anxiety 158
- PracticeWise Evidence-Based Services (PWEBS) Database 158, 339
- praise *see* positive reinforcement
- pregnancy conditions, and ID 13
- prevalence
- ADHD 50
 - anxiety 155
 - ASD 30
 - depression 138
 - eating disorders 224
 - elimination disorders 246–247
 - feeding disorders 208–209
 - ID 12
 - intermittent explosive disorder 286
 - psychosis 101–102
 - selective mutism 156–157
 - SLD 69
 - sleep problems 264–265
 - SUD 301
 - tic disorders 85
- problem-solving 128, 144, 199, 291–292
- processes S/C, sleep physiology 265, 268
- prodromes, mania 125
- prompting/prompt fading 38–39, 91, 214–215
- prosocial behavior, SUD 305–306
- pseudoscience 1–2
- Pseudoscience in Child and Adolescent Psychotherapy* (Hupp) xv, 2, 336
- psychodynamic approaches 1–2
- psychoeducation
- ADHD 54–55
 - anxiety 156, 158–159
 - BD 125–126
 - depression 142–143
 - disruptive behavior 289–290
 - eating disorders 232
 - OCD 179
 - psychosis 106–107
 - retentive encopresis 254–255
 - tic disorders 93
 - trauma 195
- psychoeducational psychotherapy (PEP), BD 124
- psychosis 101–102, 112
- assessment 111
 - behavioral change techniques 109
 - cognitive-behavioral approaches 103
 - cognitive biases 109–110
 - comorbidity 111–112
 - demographics 112
 - EBT components 105–110
 - EBT overview 104
 - etiology/theoretical underpinnings 102–103
 - family interventions 103
 - medication 112
 - parental role in treatment 111
 - public health contexts 105
 - relapse prevention 110–111
 - treatment engagement and goals 107–108
 - useful resources 113
- psychosocial models 121–122, 175–176
- psychotherapy, historical perspectives 3–4
- psychotropic medication *see* medication
- public health contexts 105
- punishment 17–19, 214, 294; *see also* operant conditioning
- PWEBS (PracticeWise Evidence-Based Services) Database 158, 339
- pyromania 286
- racial differences *see* demographics
- rage episodes, BD 120, 127
- RAINBOW (Routine, Affect regulation, I can do it, No negative thoughts and live in the Now, Be a good friend and balanced lifestyles for parents, Oh, how can we solve this problem?, and Ways to get social support) 124–125
- randomized clinical trials (RCTs), as gold standard 5, 340
- ratio reinforcement, ASD 37
- reactive attachment (RAD) 193
- Read Naturally® 74
- reinforcement *see* differential reinforcement; noncontingent reinforcement; positive reinforcement; token reinforcement; variable reinforcement
- relational elements *see* therapy relationships/relational elements

356

relational reframing, substance use disorder 307–308
 relaxation training 92, 158–159, 161, 195–196, 275, 304–305
 Repeated Reading 74
 repetitive behavior problems 94; *see also* tic disorders
 research to practice gap, closing 338–342
 responding, opportunities for in SLD 76
 response to intervention service delivery model 80
 responsibility training, nocturnal enuresis 253
 retention control training, nocturnal enuresis 252
 retentive encopresis (RE) 247
 behavioral interventions 251–252, 254–256
 etiology/theoretical underpinnings 248
 medication 258–259
 parental role in treatment 256–257
 reward programs 53–54, 92–93, 253–254; *see also*
 positive reinforcement
 routines, ADHD 54

 safety skills/planning, trauma 198–199
Science and Human Behavior (Skinner) 3
 science of psychotherapy in youth 1–2, 8–9; *see also*
 evidence-based treatment
 historical perspectives 3–4
 pseudoscience 2
 public health contexts 105
 selective mutism (SM) 156–157
 self-control therapy (SCT), depression 141
 self-development, psychosis 106
 self-esteem 121, 234
 self-injurious behavior 15, 238–239; *see also* suicide risk
 assessment
 self-monitoring
 BD 126
 depression 144
 eating disorders 233
 Seligman, M. E. P. 5
 service delivery, dissemination and implementation
 models 341
 setting events, ID 16–17
 setting factors, SLD 75
 shaping strategies, ASD 39
 Shapiro, D. A., & Shapiro, D. 4
 skill-building treatments 286, 289–292, 297, 304–305
 Skinner, B. F. 3, 13–14
 sleep diaries 276
 sleep hygiene 267–268
 sleep problems 264–265, 278
 anxiety, fears, and worries 273–275
 assessment 276
 behaviorism 265–266
 cognitive psychology 266
 comorbidity 276–277
 demographics 277
 EBT components 267–275
 EBT overview 267
 etiology/theoretical underpinnings 265–266

Index

medication 277–278
 nightmares 266–267
 parental role in treatment 275–276
 physiology of sleep 265
 reinforcement of behavior 273
 relaxation/arousal reduction 275
 useful resources 278
 sleep restriction protocols 269
 sleep scheduling 268–270
 SMART (specific, measurable, achievable, realistic and
 time limited) goals 108
 social learning theory 285–286, 293–294
 social problem-solving, trauma 199
 social skills 35, 128
 Society for Clinical Child and Adolescent Psychology
 (SCCAP) 6
 somatic management skills training, anxiety 156
 special education, SLD 79–80
 specific learning disorder (SLD) 69–70, 80
 academic skills 74–75
 assessment 78–79
 behavioral skills training 77
 comorbidity 30, 60, 70, 78–79
 demographics 79
 EBT components 74–77
 EBT overview 71–73
 etiology/theoretical underpinnings 70–71
 opportunities for student responding 76
 parental role in treatment 78
 progress monitoring 77
 reinforcement of behavior 76–77
 response to intervention service delivery model 80
 setting factors 75
 special education 79–80
 stimulus control 76
 useful resources 80–81
 Spelling Mastery 74
 standards for EBT in special education (CEC) 72
 stigma, psychosis 106–107
 stimulus control 76, 270
 stimulus fading, feeding disorders 213
 Strategies to Enhance Positive Parenting (STEPP) 59
 stress buckets, psychosis 108
 stress disorder, acute 191–192; *see also* trauma
 stress management, disruptive behavior 294
 stressors, in BD 121–122
 subjective units of distress (SUDS)
 substance use disorder (SUD) 301, 312
 assessment 310
 cognitive-behavioral therapy 303–306
 comorbidity 146, 236, 311
 demographics 311
 EBT components 303–309
 EBT overview 302–303
 etiology/theoretical underpinnings 301–302
 family-based treatment 303, 306–309
 and gambling disorder 302

- medication 312
- parental role in treatment 309
- useful resources 312–313
- SUDS *see* subjective units of distress
- suicide risk assessment
 - depression 140
 - eating disorders 238–239
- Summer Treatment Program (STP), ADHD 58
- systematic instruction, ID treatment 21–22
- TADS study, adjuvant antidepressant medications 147
- Task Forces *see* American Psychological Association
- telehealth-based interventions 341–342
- therapeutic alliance *see* alliance, therapeutic; therapy relationships/relational elements
- Therapist Adherence Rating Scale, SUD 307
- therapy relationships/relational elements 319, 331–332
 - in adult therapy 331
 - alliance 321–327
 - building an alliance 323–325, 327
 - client involvement 327–331
 - cognitive-behavioral therapy 304
 - common relational elements 319–321
 - family-based treatment 326–327
 - individual-based therapy 321–325
 - parental role in treatment 322–323
 - useful resources 332
- thinking–feeling–doing connection, BD 126; *see also* dysfunctional cognitions
- third-wave cognitive-behavioral approaches 8–9
 - ASD 31
 - psychosis 104
- three-term contingency, ID 14
- tic disorders 85–86, 97
 - assessment 95–96
 - awareness training 89–90
 - comorbidity 96
 - competing response training 90–91
 - Comprehensive Behavioral Intervention for Tics 88
 - demographics 96
 - EBT components 89–94
 - EBT overview 86–87
 - etiology/theoretical underpinnings 86–87
 - exposure with response prevention 88–89, 91
 - function-based assessment and intervention 88, 91–92
 - habit reversal training 87–88, 91
 - medication 97
 - and OCD 183–184
 - parental role in treatment 95
 - psychoeducation 93
 - relapse prevention 93–94
 - relaxation training 92
 - reward programs 92–93
 - useful resources 97
- time-out procedures
 - ADHD 53
 - disruptive behavior 294
 - ID 18–19
- toilet training 248–249; *see also* elimination disorders
- toileting behavior, retentive encopresis 256
- token reinforcement
 - ADHD 54
 - ID 18
 - sleep problems 273
- TORDIA study, adjuvant medications 147
- Tourette’s disorder (TD) 85; *see also* tic disorders
- toxins, environmental
 - ASD 31–32
 - ID 13
- transactional models 32, 34, 51
- transdiagnostic treatments 8, 340
- trauma 191–192, 202
 - affect regulation 196
 - assessment 200–201
 - cognitive coping 198
 - comorbidity 201
 - demographics 201
 - duration of treatment 202
 - dysfunctional cognitions 202
 - EBT components 195–199
 - EBT overview 194–195
 - etiology/theoretical underpinnings 192–193
 - imaginal exposure 196–197
 - medication 201
 - parental role in treatment 199–200
 - psychoeducation 195
 - reactive attachment/disinhibited social engagement 193
 - relaxation training 195–196
 - safety skills/planning 198–199
 - social problem-solving 199
 - useful resources 202–203
 - in vivo exposure 197–198
- treatment algorithms 340
- treatment families, anxiety 157–159
- Treatment Foster Care Oregon (TFCO) 287
- treatment manuals xiii, 6–7, 8
 - ADHD 52–53, 55, 58–59
 - anxiety 157
 - ASD 45
- treatment packages xiii–xiv, xv–xvi, 4–7, 9, 157
- trichotillomania 174
- triggers, environmental 15–17
 - ID 15
 - mania 125
- Triple P – Positive Parenting Program 341
- two-factor learning theory (Mowrer)
 - OCD 175
 - trauma 192
- unusual experiences accompanied by distress (UEDs) 103, 104; *see also* psychosis
- urine alarms, nocturnal enuresis 249–251, 252–254

358

U.S. Department of Education, Institute for Educational
Science 72

vaccination

ASD 31

infections/diseases associated with
disability 13

variable reinforcement, ASD 37

ventrolateral prefrontal cortex (VLPFC) 121

verbal behavior, ASD 35–36

videoconferencing 341–342

Index

Videotape Rating Checklist, SUD 307

visual cues, ID 17

Watson, J. B. 3

weight restoration, eating disorders 232–233

What Works Clearinghouse (WWC), SLD 72, 73–74

working relationships *see* therapy relationships/rela-
tional elements

worry time, sleep problems 274

Yale-Global Tic Severity Scale (YGTSS) 95–96