

## Index

- 4G, *see* fourth generation
- 5G, *see* fifth generation
- 5G Infrastructure Public Private Partnership (5G-PPP), 77
- access class barring (ACB), 410
- access grant time interval (AGTI), 404
- Access Network Discovery and Selection Function (ANDSF), 359
- access reservation protocol (ARP), 390
- achievable-rate region, 177
- ACK, *see* acknowledgment
- acknowledgment, 11, 30, 62, 419
- adaptive modulation and coding, 318, 319, 405, 463
- ADC, *see* analog-to-digital converter
- aggregator, 276
- AMC, *see* adaptive modulation and coding
- analog beamforming, 168, 196
- analog-to-digital converter, 10, 165
- application layer, 337, 338
- asymptotic interference alignment, 226
- asynchronous access, 243
- attocell, 20, 290
- backhaul, 13, 17, 81, 165, 180, 181, 208, 217, 280
- base station (BS), 92, 110, 215, 271, 423
- baseband unit (BBU), 3, 29, 48, 219, 406
- beam alignment, 199, 205
- beam pattern design, 204, 205
- beamform–compress–forward strategy, 56
- beamforming, 49, 121, 165, 192, 245, 282
- blockage channel condition, 194
- BS-based CS algorithm (BSCSA), 93
- cache content placement, 238
- cache model, 237, 245
- cached interference channel, 242, 251
- cached wireless network, 245
- carrier aggregation, 40, 439
- CDMA, *see* code division multiple access
- cell association and power control, 217
- cell-edge user, 221
- cell range expansion, 216
- cellular access protocols, 387, 390
- central processor (CP), 48
- centralized decoder, 228
- channel acquisition, 202
- channel estimation, 144, 158
- channel gain, 296, 298
- channel impulse response, 295
- channel model, 189, 196, 292
- channel quality indicator, 223
- channel segregation, 92
- channel state information (CSI), 3, 123, 154
- channel state information at the transmitter, 123, 242
- cloud computing, 4, 30, 48, 77, 133
- cloud radio access network (C-RAN), 1, 28, 48, 217
- cloudlets, 78
- co-channel interference, 92, 172, 290
- code division multiple access, 109, 461
- coexistence, 441, 442
- cognitive radio (CR), 112
- commercial-of-the-shelf (COTS), 31
- Common Public Radio Interface (CPRI), 30
- compress–forward strategy, 52
- compressed channel estimation, 205
- computation offloading, 83
- computational complexity, 6, 98, 233, 263, 303, 366, 467
- compute-and-forward (CoF), 228
- congestion control, 343, 416, 419
- content provider (CP), 479
- cooperative communication, 19, 74, 111, 181
- cooperative interference network, 227
- cooperative MIMO broadcast topology, 239
- cooperative relay topology, 239
- cooperative transmission and reception, 49
- coordinated beamforming, 221
- coordinated multipoint (CoMP), 3, 218, 236, 272, 280
- coordinated scheduling, 221
- cost-aware cellular network, 280
- cross-correlation, 143

- cross-layer, 78, 349, 353, 355  
 CSIT, *see* channel state information at the transmitter  
 cyclic prefix (CP), 134  
 cyclic suffix, 134
- data aggregation, 81  
 degrees of freedom (DoF), 237  
 dense heterogeneous wireless network, 92  
 device-to-device (D2D), 15, 423  
 directional antenna, 462, 472, 475  
 distributed resource allocation, 438, 444  
 downlink, 50, 121, 153, 184, 203, 214, 293, 335  
 drift-plus-penalty (DPP), 342  
 duplexing, 173  
 dynamic channel assignment (DCA), 92  
 dynamic point selection (DPS), 221  
 dynamic programming (DP), 364  
 dynamic scheduling, 338
- edge-based retransmission, 66  
 energy-aware network selection and resource allocation (ENSRA), 375  
 energy cooperation, 271  
 energy–delay trade-off, 370  
 energy efficiency, 1, 28, 92, 151, 403  
 energy harvesting, 16, 215, 271, 274, 423  
 energy harvesting region, 426  
 energy trading, 18, 276  
 enhanced intercell interference coordination (eICIC), 3  
 enhanced mobile broadband (eMBB), 27  
 eNodeB, 218  
 exclusive region, 462  
 Extended Coverage GSM (EC-GSM), 398
- F-NOMA, *see* NOMA with fixed power allocation  
 fairness, 472  
 favorable propagation, 154  
 FDMA, *see* frequency division multiple access  
 Federal Communications Commission (FCC), 188  
 femtocell, 208, 290, 325, 460  
 fifth generation (5G), 1, 27, 48, 109, 172, 188, 214, 236, 289, 383, 423, 460, 478  
 filtered OFDM (F-OFDM), 134  
 finite impulse response, 232  
 flexible physical layer, 133  
 fog computing, 4, 78  
 fourth generation (4G), 5, 27, 109, 133, 151, 179, 214, 289, 369, 478  
 frequency division duplex (FDD), 173  
 frequency division multiple access, 109  
 frequency-selective channels, 144, 335  
 fronthaul, 28, 45, 48, 406  
 full-duplex, 10, 161, 172, 173  
 full-duplex relaying, 161  
 full-duplex transceiver, 175
- Gale–Shapley (GS) algorithm, 445  
 generalized frequency division multiplexing (GFDM), 7, 134  
 global CSI, 17, 126, 242, 249  
 greedy maximization, 344
- half-duplex, 9, 163, 172, 173  
 handoff, 80, 216  
 hard-core point process (HCPP), 324  
 heterogeneous cloud radio access network (H-CRAN), 405  
 heterogeneous network (HetNet), 16  
 hierarchical subcodebooks, 203  
 hospital resident (HR) model, 445  
 hybrid automatic repeat request (HARQ), 49, 397  
 hybrid beamforming, 196  
 hybrid medium access, 474
- IA, *see* interference alignment  
 IEEE 802.11, 478  
 imperfect CSI, 9, 232  
 indoor propagation channel, 297  
 intercell interference coordination (ICIC), 41, 219  
 interchannel cooperation, 446, 450  
 interference alignment, 126, 214, 223, 236  
 interference alignment and cancellation (IAC), 227  
 interference-aware detection, 220  
 interference cancellation, 10, 48, 145, 162, 393  
 interference management, 216  
 interference mitigation, 17, 217  
 interference topology, 239  
 Internet of Things (IoT), 1, 27, 92, 109, 215, 380, 403  
 Internet service provider (ISP), 478, 479
- joint energy and spectrum sharing, 281, 284  
 joint scheduling across multiple cells, 220  
 joint signal processing across multiple cells, 220  
 joint transmission, 17, 50, 221
- lens-based analog beamforming, 199  
 Licensed Assisted Access (LAA), 439  
 light-emitting diode (LED), 290  
 Light-Fidelity (LiFi), 19, 290  
 limited backhaul, 249  
 line-of-sight (LOS), 193, 217  
 linear precoder, 157  
 linear receiver, 154  
 link budget, 194, 217, 397  
 Long Term Evolution (LTE), 214, 358, 478  
 low latency, 66, 80, 86, 217, 278, 417

- low-resolution receiver architecture, 201  
 LTE-Advanced (LTE-A), 218  
 LTE for M2M, 392  
 LTE-M, *see* LTE for M2M  
 LTE-Unlicensed (LTE-U), 13, 438, 441, 446  
 LTE Wi-Fi link aggregation (LWA), 439
- machine-to-machine (M2M), 1, 380, 402  
 machine-type communications (MTC), 215, 404  
 massive antenna array, 162  
 massive machine-type communication, 15, 27  
 massive MIMO, 7, 151, 335  
 matching theory, 112, 444, 449  
 maximum-ratio combining (MRC), 155  
 MDS-coded PHY caching, 255  
 medium access control (MAC), 31, 148, 390, 403, 474  
 micro cloud center, 78  
 microgrid, 18, 276  
 millimeter wave, 1, 167, 188  
 MIMO, *see* multiple-input multiple-output (MIMO)  
 minimum mean squared error, 156, 231  
 mixed strategy, 96  
 MMSE, *see* minimum mean squared error  
 mMTC, *see* massive machine-type communication  
 mmWave, *see* millimeter wave  
 mobile cloud computing (MCC), 77  
 mobile data offloading, 13, 359  
 mobile edge application, 79  
 mobile edge computing, 4, 77  
 mobile edge host, 78  
 mobile virtual network operator (MVNO), 481  
 mobility management, 85  
 multilevel centralized and distributed (MCD)  
   protocol stack, 42  
 multiple access, 109, 112, 290  
 multiple-input multiple-output (MIMO), 120, 134, 151, 237, 335  
 multiple-input multiple-output generalized  
   frequency division multiplexing  
   (MIMO-GFDM), 145  
 multi-resource scheduling, 84  
 multiuser superposition transmission (MUST), 110  
 multiuser MIMO (MU-MIMO), 336
- NACK, *see* negative acknowledgment  
 narrowband IoT (NB-IoT), 15, 418  
 negative acknowledgment, 30, 62, 419  
 network congestion, 479, 484  
 network efficiency, 216  
 network functions virtualization (NFV), 29, 77, 133  
 network selection, 358  
 network utility, 340  
 network utility maximization (NUM), 337  
 Next Generation Fronthaul Interface (NGFI), 30  
 Next Generation Hotspot (NGH), 361
- NOMA, *see* non-orthogonal multiple access (NOMA)  
 NOMA with fixed power allocation, 112  
 nonconvex objective function, 261  
 non-orthogonal multiple access (NOMA), 5, 109  
 NP-hard, 466, 475
- OFDM, *see* orthogonal frequency division multiplexing (OFDM)  
 OFDMA, *see* orthogonal frequency division multiple access (OFDMA)  
 offloading, 358, 482, 496  
 on/off switching, 92  
 operating expenditure, 3, 271, 371  
 OPEX, *see* operating expenditure  
 opportunistic cooperative spatial diversity, 243  
 opportunistic cooperative spatial multiplexing, 267  
 optical attocell network, 304  
 optical OFDM, 294  
 orthogonal frequency division multiple access (OFDMA), 94, 109, 418  
 orthogonal frequency division multiplexing (OFDM), 134, 182, 290  
 orthogonal multiple access (OMA), 4, 109  
 outage probability, 429, 432
- P2P, *see* peer-to-peer  
 partial MIMO cooperation, 244  
 path loss, 95, 188  
 peer-to-peer, 78, 237, 424  
 periodic reporting access, 395  
 phase noise, 5, 7, 461  
 phase shifter, 196  
 physical layer (PHY), 31, 133, 237, 336  
 physical layer caching, 16, 236  
 physical layer network coding, 228  
 physical random access channel (PRACH), 390  
 PNC, *see* physical layer network coding  
 Poisson point process, 312  
 power allocation, 65, 110, 272, 372  
 power line communication, 18, 293  
 precoding, 122, 157, 244, 347  
 precoding matrix indicator (PMI), 222  
 pricing, 85, 363, 478  
 privacy, 87
- QoE, *see* quality of experience  
 QoS, *see* quality of service  
 quality of experience, 337, 358  
 quality of service, 1, 109, 215, 236, 278, 441
- radio access network (RAN), 29, 77, 396  
 radio access technologies, 215  
 radio resource management, 16, 92, 359  
 rainfall channel condition, 194

- random access opportunities (RAOs), 390  
 random backoff, 411  
 random matrix theory, 348  
 randomized exclusive region, 466  
 RAT, *see* radio access technologies  
 rate region, 339, 349  
 receiver design, 135  
 relay, 48, 111, 161, 173, 229, 402, 424  
 remote radio head (RRH), 3, 35, 48, 123, 219  
 renewable energy, 18, 271  
 resource allocation, 5, 84, 85, 92, 110, 286, 295, 338, 371, 405  
 retransmission, 67, 70, 73, 389
- scheduling, 335, 462, 466  
 SDP, *see* smart data pricing  
 security, 6, 10, 79, 81, 179, 360, 381  
 self-backhauling, 181  
 self-interference, 10, 174  
 sequential decision, 364  
 shared data plan, 482, 485  
 SI, *see* self-interference  
 SIC, *see* successive interference cancellation  
 side information, 237  
 signal clipping, 303  
 signal-to-interference-plus-noise ratio (SINR), 54, 93, 112, 175, 239, 335  
 signal-to-noise ratio (SNR), 63, 112, 144, 153, 175, 196, 226, 236, 412  
 simplex, 174  
 simultaneous transmission and reception (STAR), 174  
 single-input single-output (SISO), 7, 112, 253  
 SINR, *see* signal-to-interference-plus-noise ratio (SINR)  
 small cell, 13, 76, 86, 123, 214, 218, 289, 358, 402, 441  
 smart data pricing, 14, 478, 479, 494  
 smart grid, 18, 271, 409  
 software-defined air interface (SDAI), 28  
 software-defined waveform, 137  
 sparse code multiple access (SCMA), 6  
 spatial degrees of freedom, 9, 128  
 spatial diversity, 18, 242  
 spatial multiplexing, 242, 335, 405, 461  
 spatial multiplexing gain, 461, 470, 472  
 spatial reuse, 304, 460  
 spectral efficiency, 10, 63, 93, 109, 142, 151, 160, 172, 236  
 spectrum sharing, 84, 272, 279, 444  
 sponsored data, 481, 483  
 state transition probability, 365  
 strong law of large numbers, 263
- student–project allocation (SPA) model, 445  
 sub-6 GHz, 12, 208  
 subchannel allocation, 372  
 subspace sampling, 202, 203  
 successive interference cancellation, 110, 393  
 sum rate, 61, 111, 177, 345  
 synchronization, 134
- Tactile Internet, 133  
 TDMA, *see* time division multiple access  
 Third Generation Partnership Project (3GPP), 110, 380  
 threshold policy, 368  
 time division duplex (TDD), 173  
 time division multiple access, 109, 113  
 traded data plan, 481, 485  
 traffic offloading, 278, 281, 439, 495  
 transmission mode selection, 425, 431  
 transmission point (TP), 220  
 transmission scheduling, 345, 355
- UE-based CS algorithm (UECSA), 93  
 UE relay (UER), 423  
 ultra-reliable low-latency communication, 15, 27  
 unfavorable topology, 239  
 universal-filtered OFDM (UF-OFDM), 134  
 uplink, 50, 121, 153, 184, 202, 214, 293, 335  
 URLLC, *see* ultra-reliable low-latency communication  
 usage-based data plan, 479, 485  
 user-centric network (UCN), 29  
 user equipment (UE), 29, 79, 93, 215, 404, 423  
 user pairing, 112  
 user terminal (UT), 152
- virtual machine (VM), 36, 78  
 virtualization, 30, 35, 48, 79, 133  
 virtualization infrastructure, 79  
 visible light communication (VLC), 1, 290
- wideband fading channel, 182  
 Wireless Fidelity (Wi-Fi), 358  
 wireless information transfer, 165  
 wireless local area network (WLAN), 442, 474
- X-channel, 225  
 X2, 218
- zero-forcing (ZF), 8, 51, 155  
 zero-forcing beamforming, 222, 282, 347  
 ZFBF, *see* zero-forcing beamforming