

Index

- absolute temperature, 170
- absolute value of the internal energy, 145
- adiabatic boundary, 94, 99, 197–198, 547–548
- adiabatic expansion
 - of a system of non-interacting particles, 415
 - work done by an ideal gas in, 35–36
- adiabatic process, 34, 109
- adiabatic work, 112, 145, 147, 199, 254, 282–283
 - between two states of same bulk energies, 143–144
- ‘a priori’ assumption, 404–405
- average kinetic energy of gas molecules, 14
- average occupation number, 405
- axiomatic thermodynamics, 254
- blackbody radiation, 317–322
 - C_p , kT and β for, 320
 - energy distribution of, 489–493
 - equation of state and thermodynamic functions for, 318–320
 - free expansion of, 322
 - Joule–Thomson cooling of, 322
 - reversible adiabatic expansion of, 321
 - reversible isothermal expansion or compression of, 321
 - third law of thermodynamics and, 320
- Boltzmann constant, 12, 14, 31, 414, 424, 492
- Boltzmann distribution law, 466–467
- bond energies, 378
- Bose–Einstein statistical distribution, 406–408, 416–418, 491, 493
- Boyle’s temperature, 58–59
- British Thermal Unit (BTU), 148
- calories, 148
- canonical variables. *see* characteristic variables
- capacitative or displacement energy store, 549–550
- capacity factors, 94
- Caratheodory principle, 252–254
- Carnot, Nicolas Leonard Sadi, 93, 164
- Carnot engine, 168, 206, 209, 252
 - Clausius statement of the second law and, 209–210
- Carnot refrigerator, 168–170, 209, 211
 - Clausius statement of the second law and, 209–210
- Carnot’s cycle, 164–171, 338
 - analysis of, 167–168
 - in different planes, 220
 - efficiency of, 219
 - flow chart of, 166
 - heat engine, 168
 - heat in-flow and out-flow in, 172
 - important properties of, 168
 - representing a reversible cyclic process by a cascade of, 201–202
 - in T – v plane, 166, 201
 - work done by the system in, 167–168
- cavity radiation, 490
- Celsius scale of temperature, 105
- Celsius temperature, 105
- characteristic speeds of gas molecules, 32–33
- characteristic temperature, 471, 475
- characteristic variables, 275–276
- chemical equilibrium, 108
- chemical potential, 285
- chemical potential for ice and liquid water, 289
- chemical reactions
 - change of entropy in, 381–382
 - enthalpy change in, 371–372
 - exothermal, 380
 - spontaneity of, 382

- classical distribution, 420–421
 - using partition function, 425–427
- Clausius–Clapeyron equation, 291–292
- Clausius inequality, 211–213
- coefficient of diffusion, 72–74
- coefficient of self-diffusion, 74
- coefficient of thermal conductivity, 68–69
- coefficient of viscosity, 71
- coefficient of volume expansion, 124
- CO₂ isotherms
 - at different temperatures, 55
 - on P–V plane, 148–150
- collisions between molecules of real gas, 59–62
 - average collision time, 61
 - average distance between two successive collisions, 61
 - average distance normal to the plane after last collision, 66–67
 - criteria of collision, 60
 - Drude’s classical theory, 74–75
 - frequency of collisions, 61
 - lattice–electron collisions, 75
 - macroscopic collision cross section, 61
 - mean free path for collision, 61–62
 - microscopic collision cross section, 61
 - molecular flux in direction approaching the imaginary plane, 66–67
- compressibility factor of the gas, 58–59
- compressibility of an ideal gas, 124
- compression ratio, 340
- configurational work, 116–118
 - of heat flow at constant pressure and constant volume, 151
 - Helmholtz function in, 274
 - non-PdV, 274
 - during phase transition, 149
- constant volume gas thermometer, 101–105
- constitutive relations, 548
- critical temperature, 54–55
- cross coefficients, 540
- crystalline solids, application of quantum statistics to, 477–483
 - behavior at high temperatures, 482
 - behavior at low temperatures, 482–483
 - Debye theory for heat capacities, 479–483
- cubic equations of state, 56–57
- Curie constant, 121, 497
- cut-off ratio, 342
- Dalton’s law of partial pressures, 2, 23–24
- Daniel cell, 388–389
- D.C. electrical conductivity of metals, 75–77
- Debye temperature, 482
- Debye theory for heat capacities of crystalline solids, 479–483
- degeneracy of a level, 399
 - of the free electron macro level, 484
- degrees of freedom, 14–17, 290
 - atomicity of the molecule and, 26
 - for a diatomic gas, 26
 - for molecules of higher atomicity, 17
 - for a monatomic gas, 25
- diatomic molecule, 15–16, 474–477
 - degrees of freedom of, 16
- diesel engine, 341–342
 - efficiency of a, 342
 - P–V diagram of, 341
- diffusion, 72–73
 - coefficient of, 73
 - self-diffusion, 73
- disordered systems, 398
- dissipative work, 118–119, 148
- distinguishable particles, 401
- distribution functions, 397, 415–423
 - Bose–Einstein statistical distribution, 416–418
 - Fermi–Dirac statistical distribution, 418–420
 - for free electrons, 487
 - Maxwell–Boltzmann statistical distribution, 421–423
- drift velocity, 76
- Drude, Paul K. L., 74
 - classical theory, 74–75
- Dulong–Petit law, 26–27
- effusion or diffusion rates of different gases, 24–25
- Einstein statement of third law of thermodynamics, 282
- Einstein theory for the heat capacity of crystalline solids, 478–479
- elastic rod under tension, 336–338
 - entropy of, 337–338
 - Helmholtz function of, 337
 - internal energy of, 337
 - Maxwell relations, 337
- electric equilibrium, 98
- electrochemical cells, 386–391
 - Gibbs free energy change, 390
 - potential at standard conditions, 387–388

- redox reaction, 390
- reduction potentials, 388–389
- temperature dependence of, 390–391
- electrochemical potential, 543
- endothermic reactions, 368
- energy
 - degradation, 218–219
 - equation of the ideal gas, 160
- engineering applications of thermodynamics, 338–346
- ensemble, 397
- enthalpy, 383
 - chemical reaction and, 371–372
 - formation of products and the reactants, 373
- entropy, 199, 280
 - of an ideal gas as a function of temperature and pressure, 249
 - of an ideal gas in free expansion, 217
 - of a body in irreversible rise of temperature at constant pressure and constant volume, 217
 - calculating the change of, 213–219
 - of elastic rod under tension, 337–338
 - generation in irreversible processes, 536–538
 - as a measure of the order of a system, 414
 - of a non-isolated system, 199–200
 - principle of increase of, 205–208
 - quantitative measure of, 200–201
 - process, 214
 - in reversible and irreversible processes, 204–205
 - in reversible isothermal expansion of an ideal gas, 215
 - in reversible isothermal processes, 214
 - in reversible processes, 214–216
 - of a spin half system, 499–500
 - thermodynamic probabilities and, 412–415
 - unit of, 204
- equation of state of the substance (gas), 11–14
 - for an ideal gas, 125
 - from expansivity and compressibility, 125
- equilibrium, 107–108, 145, 197
 - liquid-vapor and solid-vapor, 292
 - mechanical, 287–288
 - network thermodynamics, 548–549
 - phase, 288–291, 384–386
 - with respect to mass flow, 288
- equipartition theorem, 467–469
- exclusion volume, 53
- exothermal chemical reactions, 380
- expanding gas, work done by, 17–20
- expansivity
 - of an ideal gas, 124
 - of a material, 124
 - of water, 124
- explosion, concept of, 380
- explosion temperature, 380
- Fahrenheit scale, 105
- Fermi–Dirac statistical distribution, 408–410, 418–420
- Fermi–Dirac statistics, 397, 484, 486
- Fermi energy, 485–487, 489
- first law of thermodynamics, 106, 143–146
 - analytic form, 147
 - application of, 368–369
- first order phase transitions, 292
- flame temperature, 380
- flame temperatures, 380
- forced equilibrium, 107–108
- force per unit area, 10–11
- Fowler, Ralph H., 98
- free expansion of a gas, 19–20
 - configurational work, 117–118
- free expansion of a system of non-interacting particles, 415
- free expansion of blackbody radiation, 322
- fusion, 385
- gas molecules, velocity distribution of, 27–33
- Gay-Lussac–Joule experiment, 157–159
- generalized Helmholtz function, 278–279
- Gibb’s equation, 541
- Gibbs function, 274–275, 279, 286, 291–292, 320, 383, 386
 - of interface or surface film, 334–335
 - for paramagnetic system, 326–327
- Gibbs–Helmholtz equations, 278, 280
- Gibbs phase rule, 290
- Graham’s law of effusion and diffusion, 2, 24–25
- heat capacities, 424
 - of the assembly at constant volume C_v , 473, 498–499
 - at constant pressure and constant volume, 151–153
 - Debye theory for, 479–483
 - Einstein theory for, 478–479
 - free electrons in a metal and, 483–489
 - polyatomic gas molecules, 469–473

- heat flow
 - at constant pressure and constant volume, 151
 - in a gas, 68
 - in non-adiabatic process, 146–148
 - in a system of non-interacting particles at constant volume, 414
- heat of formation, 372
- Helmholtz free energy, 273
- Helmholtz function, 271–274, 279, 320, 383, 425–426
 - for a closed system, 332
 - in configurational work, 274
 - of elastic rod under tension, 337
 - generalized, 278–279
 - for interface or surface film, 334
 - for isothermal and isochoric processes, 332
 - for paramagnetic system, 326–327
 - significance of, 271–273
- Hess's law, 375
- Hook's limits, 120
- ice point of water (IPW), 100, 103–106
- ideal gas, 49
 - compressibility of an, 124
 - definition of, 12
 - difference between real gas and, 49–51
 - energy equation of, 160
 - entropy of, as a function of temperature and pressure, 249
 - expansivity of, 124
 - Joule–Thomson coefficient for, 162–163
 - molecules, pressure exerted by, 9–11
 - relation between ΔQ_p and ΔQ_v for, 371
 - reversible adiabatic process for, 163–164
 - speed distribution of the molecules of, 459–467
 - Tds equations, 245–246
 - Van der Waals equation of state for, 51–57
 - work done in adiabatic expansion, 35–36
 - work done in isothermal expansion, 35
- indistinguishable particles, 401
- intensity factors, 94
- interface or surface film
 - atoms in, 329
 - in case of pure liquids, 335–336
 - defined, 329
 - equation of state for, 335
 - Gibbs approach of infinitesimal thick interface, 331
 - Gibbs function of, 333–335
 - Helmholtz function of, 334
 - interface properties, 330
 - internal energy of, 330, 333–334
 - Young–Laplace equation, 332–333
- interfacial excess, 330
 - of elastic rod under tension, 337
 - of the gas, 13, 17
 - Gibb's equation for calculating the rate of, 541
 - of ideal gas, 159–160
 - interface or surface film, 330, 333–334
 - of the system, 331
- internal pressure, 153
- inversion curve, 161
- irreversible processes, thermodynamics of
 - entropy, 536–538
 - linear, 539–540
 - matter and/or energy flow in, 538–539
 - Onsager's theorem, 540–541
 - order of a steady state, 542
 - Prigogine's theorem, 541–542
- isenthalpic curve, 161
- isobaric or isopiestic process, 109
- isochoric or isovolumic process, 109
- isochoric reversible processes, 154
- isolated system, 94
- isothermal changes for an ideal gas, 34
- isothermal compressibility of a material, 124
- isothermal expansion, 33
 - of a system of non-interacting particles, 415
 - work done by an ideal gas in, 35
- isothermal process, 33, 108
- isothermal Young's modulus, 336
- isotherms, 54
 - as per Van der Waals equation of state, 55–56
- Joule coefficient, 159, 250
- Joule–Kelvin coefficient, 249
- Joule–Thomson coefficient for ideal gas, 162–163
- Joule–Thomson cooling of blackbody radiation, 322
- Joule–Thomson experiments, 249–252
- '0'-junction, 551
- '1'-junction, 551
- Kelvin's principle of energy degradation, 219
- kinetic energy
 - flow per unit area per second, 69
 - of molecules, 68

- kinetic theory interpretation of temperature, 13
- kinetic theory of gases, 2–22, 68
 - application to free electrons of metals, 74–77
 - assumptions or postulates of, 2
 - drawbacks, 27
 - justifications and implications of assumptions, 2–6
- kinetic theory of matter, 1–2
- Kirchhoff's current law (KCL), 549, 551
- Kirchhoff's voltage law (KVL), 549
- latent heat, 150
- lattice–electron collisions, 75
- law of equipartition of energy, 14–17, 75
- laws of conservation, 197
- laws of elastic scattering, 6
- linear irreversible processes, 539–540
 - application of Onsager's method for, 543–546
- linear oscillators, 478
- linear phenomenological relation, 539
 - matrix representation of coupled, 542–543
- liquid-vapor transitions, 292
- Lundsberg, P.T., 254
- macroscopic collision cross section, 61
- macrostate of the system, 402–404
- magnetic induction, 323
- magnetization, 323
- magneto-caloric effect, 328–329
- Maxwell, James Clerk, 28–29, 279
- Maxwell–Boltzmann speed distribution function, 31–32
- Maxwell–Boltzmann statistical distribution, 410–412, 421–423, 470, 472
 - using partition function, 423–425
- Maxwell–Boltzmann statistics, 397
- Maxwell–Boltzmann velocity distribution function, 464–466
- Maxwell relations, 279–280
 - of elastic rod under tension, 337
 - for paramagnetic system, 327
- Maxwell speed distribution, 60
- Mayer's relation, 23
- mean free path for collision, 61–62, 64
- mean speed, defined, 32
- mean square velocity/speed, 30–32
- mean thermal capacity, 20, 68
- measurement of temperature, 99–101
- mechanical equilibrium, 108, 287–288
- mechanical equivalent of heat, 148
- mechanical port, 547
- microscopic collision cross section, 61
- microstate of the system, 402–404
- minimum number of state properties, 95
- molal specific heat capacities, 25–26
- molal thermal capacities, 23
- molar specific heat capacities
 - for non-metallic solids, 77
- molar volume of the ideal gas, 59
- molecular attraction and reduction in pressure, 51–52
- molecular collisions, 3
- molecular flux, 6–9
- molecular speeds, 3
- molecule size, assumptions related to, 3
- molecules of a real gas, 49–50
- molecules of higher atomicity, 17
- Mollier diagram, 338
- monatomic ideal gas, quantum thermodynamics of, 453–457
- monatomic molecule, 15
- natural equilibrium, 107
- natural temperature, 170
- negative temperature of quantum statistics, 500–501
- Nernst, Hermann, 281
- Nernst heat theorem, 280–281
- Nernst principle of un-attainability of absolute zero, 282–283
- net momentum transported per unit area per second, 71
- network thermodynamics, 546–554
 - application to diffusion of a fluid through a membrane, 552–554
 - bond graph notation, 550–552
 - generalized displacement, 549
 - generalized momentum, 549
 - postulates of, 547
 - terminology of, 547–548
 - three types of (energy rate or power) interactions, 549–550
- nitrogen gas, compressibility factor of, 58
- non-adiabatic work, 146–148
- non-linear irreversible processes, 539
- normal population of the levels of the system, 500

- occupation number, 400–401
- Ohm's law, 75, 77
- Onsager's reciprocal relation of linear coefficients, 541
- Onsager's theorem, 540–541
- open systems, 94
 - thermodynamics of, 285–287
- Otto cycle, 339–341
 - efficiency of the engine, 340–341
 - P-V diagram of, 340
- parallel junction, 551
- paramagnetic ions of magnetic moments, quantum
 - statistics of, 494–500
 - entropy of the assembly, 499–500
 - heat capacity at constant volume C_V for the assembly, 498–499
 - interaction potential energy, 497–498
 - partition function, 495
 - relation between magnetization M and temperature T of the assembly, 495–497
- paramagnetic material, 121
- paramagnetic system
 - adiabatic demagnetization of paramagnetic material, 328–329
 - equation of state, 324
 - heat capacities, 326
 - potential energy and internal energy, 325–326
 - TdS equations for, 327–328
 - thermodynamic functions, 326–327
 - work done in changing the magnitude of magnetic induction, 324–325
- partial pressures, 23–24
- partition function, 398, 423–427, 471
 - for a monatomic ideal gas, 454–455
- Patel–Teja equation, 57
- Pauli's exclusion principle, 483
- Peltier effect, 546
- Peng–Robinson equation, 57
- perpetual motion of the zeroth kind, 283–284
- Pfaffian equations, 253
- phase equilibrium, 288–291
- phase transformation, 149
- phase transitions, 148–150
- phenomenological coefficients, 540
- phonon, 480
- photons, 490
- Planck, Max, 413
- Planck–Kelvin statement of the second law, 254
- Planck's statement of third law of thermodynamics, 281
- polyatomic gas molecules, 469–473, 477
 - heat capacities of, 469–473
 - internal energy of the assembly, 472–473
 - thermal capacity of, 474–477
- population inversion, 500–501
- porous plug experiment (Joule–Thomson experiment), 160–163
 - isenthalpic curves, 162
 - results of, 161–162
- port, 547
- Prigogine's theorem, 541–542
- processes, 108–111
 - adiabatic, 109
 - of charging and discharging of the reversible cell, 118
 - irreversible, 111
 - isobaric or isopiestic, 109
 - isochoric or isovolumic, 109
 - isothermal, 108
 - quasi-static, 109–110
 - quasi-static but non-reversible, 111
 - reversible, 111
 - in a two dimensional plane, 220
- P-s-h graph for water, 338–339
- P-V diagram of a system, 115
 - Otto cycle, 340
- P-v-T surface, 145
 - for an ideal gas, 121–123
 - motion on, 123–125
 - for Van der Waals gas, 121–122
- quantum ideal gas, classical thermodynamic
 - functions for
 - entropy, 458–459
 - heat capacity at constant volume, 458
 - internal energy, 458
 - pressure, 457–458
- quantum linear oscillators, 470–472
- quantum numbers, 399
- quantum statistics, 1–2, 397
 - to an assembly of non-interacting particles, 398
 - application of, 489–493
- quantum thermodynamics, 397
 - application of quantum statistics to crystalline solids, 477–483

- Bose–Einstein statistical distribution, 406–408
- distinguishable and indistinguishable particles, 401
- energy levels, energy states, degeneracy and occupation number, 398–405
- entropy as a measure of the order of a system, 414
- Fermi–Dirac statistical distribution, 408–410
- free expansion of a system of non-interacting particles, 415
- heat flow in a system of non-interacting particles at constant volume, 414
- interpretation for the change of entropy of a system, 414
- isothermal expansion of a system of non-interacting particles, 415
- macrostate and microstate, 402–404
- Maxwell–Boltzmann statistical distribution, 410–412
- of a monatomic ideal gas, 453–457
- of a paramagnetic salt in external magnetic field, 494–500
- a prior probability of all microstates, 404–405
- probability of a macrostate, 405–412
- relation between entropy and thermodynamic probability, 412–415
- quasi-static process, 109–111
- Rankine, W.J.M., 105
- Rankine cycle, 342–345
 - efficiency of, 345
 - in h - s plane, 344
 - projections of an ideal, 345
 - P - V diagram for, 344
 - reasons for super heating steam in, 345–346
 - schematic diagram of, 343
 - in s - T plane, 344
- Rankine scale, 105
- Rayleigh–Jean’s formula, 490
- real boundary, 94
- real gas
 - behavior of, 54–57
 - collisions between molecules of, 59–62
 - equation of state for, 50–51
 - properties of, 49–50
 - reduction in pressure due to molecular attraction, 51–52
- reduced gas variables, 57
- relaxation time, 75
- reversible adiabatic expansion of blackbody radiation, 321
- reversible adiabatic process for ideal gas, 163–164
- reversible cyclic process, 201–202
- reversible process of expansion or contraction, 114, 151
- root-mean square speed, 11, 32
 - of ideal gas molecules, 462–464
- Schottky anomaly, 498
- second law of thermodynamics, 199, 252–254
 - Clausius’ statement of the second law, 206
 - Kelvin–Planck statement of the second law, 206–208
 - perpetual motion machine of second kind, 208–209
 - principle of increase of entropy, 207–208
- second order phase transitions, 292
- Seebeck coefficient, 545
- self-diffusion, 73
 - coefficient of, 74
- series junction, 551
- slope of an adiabatic, 34
- slope of the isotherm, 34
- Soave–Redlich–Kwong equation, 56
- space distribution function, 28
- specific enthalpy, 150
- specific heat for fusion and vaporization, 150
- specific heat of transformation, 150
- specific molal heat of solids, 26–27
- specific molar heat capacities, 377, 487
 - at constant volume c_V of the solid, 479
 - of electron gas, 488
 - of hydrogen, 476–477
 - of monatomic, diatomic and polyatomic gases, 476
- specific molar (molal) volume of a gas, 11
- specific or molal heat of transformation, 150
- specific thermal capacities, 21
- specific value of an extensive property, 94
- speed distribution of ideal gas, 459–467
 - most probable speed, 462
 - root mean square speeds, 462–464
 - temperature and, 462
- speed of maximum number of molecules, 32
- spin half paramagnetic ions, 501
- spontaneous processes in chemical reactions, 382
- standard Gibbs free energy, 384

- standard molar enthalpy, 372
- state of thermal equilibrium, 98
- state parameters or properties of a state, 94–97
 - extensive parameters, 94
 - intensive parameters, 94
 - measurable, 97–107
- state variables/functions, 95–96
- statistical mechanics, 1–2
- steady state. *see also* forced equilibrium
 - of m^{th} order, 542
 - of zeroth order, 542
- steam tables, 338
- Stefan–Boltzmann law, 493
- Stefan’s constant, 319
- sublimation, 150
- surface tension, 331, 333, 335–336
 - for pure liquids, 335–336
 - rate of change with temperature, 335
- surroundings, 93–94
- survival equation, 63–66
 - collision parameters, 65
 - graphical representation of, 64
- system
 - defined, 93
 - state parameters or properties, 94–97
 - with three state variables P , v and T , 153–157
- Taylor’s expansion, 539
- TdS equations, 240–244
 - applications, 244–248
 - for a magnetic system, 327–328
 - pressure P and specific volume v as independent variables, 240–241
 - pressure P and temperature T as independent variables, 243–244
 - temperature T and molar volume v as independent variables, 241–243
- temperature, 153–156, 206
 - in different units, 106
 - heat of reactions and, 377–378
 - of the ice point of water, 104
 - measurement of, 99–101
 - in quasi-static and non-quasi-static processes, 109–110
 - of a system, 97–106
- temperature dependence, 2, 27, 99, 119, 469, 473–474, 477–478, 498
 - in Carnot cycle, 171
 - of cell e.m.f. and other thermodynamic functions, 390–391
 - of heat of reaction, 377–378
 - of the speed distribution function, 462
 - of the surface tension, 334–335
- thermal capacity, 20–23
 - molar, 23
- thermal conductivity, 67–69
- thermal death of the universe, 206
- thermal efficiency of heat engines, 168
- thermal equilibrium, 18, 97–98, 108–109, 287
 - of a gas, 28
- thermodynamic equilibrium, 197
- thermodynamic potentials, 276–278
 - derivatives of, 277–278
- thermodynamic probabilities, 412–415
 - of open systems, 285–287
 - zeroth law of, 93, 98–99
- thermodynamic standard state of a substance, 371
- thermodynamic temperature, 170–172
- thermo-emf of the copper-constantan thermocouple, 100
- thermometric property, 99–100
- third law of thermodynamics
 - background, 280
 - Einstein statement of, 282
 - Nernst observation, 280–281
 - Nernst principle of un-attainability of absolute zero, 282–283
 - Planck’s statement of, 281
- third order phase transitions, 292
- Thompson, Benjamin (Count Rumford), 93, 148
- transducer device (TD), 551–552
- transport properties of fluids, 67
- transport properties of gases
 - coefficient of diffusion, 72–74
 - thermal conductivity, 67–69
 - viscosity, 69–72
- triple point of water (tri), 100, 106
- triple point temperature, 105, 172
- ultraviolet catastrophe, 490
- universal gas constant, 11
- universal or generalized Z -values, 59
- Van der Waals equation of state, 119, 121
- Van der Waals force, 49–50
 - difference between c_p and c_v for, 248

- equation of state of, 246–247
- Joule–Thomson coefficient for, 250
- specific internal energy of, 247–248
- Tds equations, 246–248
- temperature for inversion of, 251–252
- Van der Waals potential, 49–50
- Van der Waals principle of corresponding states, 57
- velocity distribution function, 29–31
- velocity space, 28
- velocity vectors, 4–5
- virial coefficients, 57–58
- virial equation of state, 57–58
- viscosity, 69–72
 - of gaseous system, 97
 - of liquid systems, 97
 - units of, 97
- von Helmholtz, Hermann Ludwig Ferdinand, 271
- Wien’s formula, 490
- work, 111–119
 - adiabatic, 112
 - configurational, 116–118
 - at constant pressure, 370
 - at constant volume, 371
 - dissipative, 118–119
- work done, 111
 - by an ideal gas in adiabatic expansion, 35–36
 - by an ideal gas in isothermal expansion, 35
 - in changing the volume of a system, 112–116
 - in isobaric processes, 116
- work–energy principle of mechanics, 111
- X-component of velocity, 28–29
- Young–Laplace equation, 332–333
- zeroth law of thermodynamics, 93, 98–99, 199, 283