

Index

- 3/2 plant self-thinning diagram, 204
- accessible land covers, 242
- acid leach, 422, *See* mining
- acid rain, 105, 110, 266
- adaptability, 13, 14, 21, 23, 24, 30, 31
- adaptive cycle, 23
- adaptive management, 28
- adiabatic lapse rates, dry and wet, 90, 98
- advance regeneration, 472
- advective weather, 285, *See* convective and advective weather
- aerosols, 104, 111, 112, 452
- agent-based models, 18
- agents, entities, 13
- agrarian lifestyle, 41, 47, 49, 50, 251, 327, 328
- agriculture alternatives for the future, 356
- agriculture annual wheat production variations, 351
- agriculture calorie and protein food consumption changes, 353
- agriculture crop area changes, 334
- agriculture crop growth efficiency, 79, 153, 293, 305, 330, 331, 333, 335, 337, 343, 366, 367, 385, 387, 390, 391, 449
- agriculture energy, 334
- agriculture food exported and imported, 351
- agriculture food production changes, 348
- agriculture foods produced and directly eaten, 357
- agriculture meat production changes, 353
- agriculture nutrition targets and deviations, 350
- agriculture, definition, 313
- agroforestry, 293
- airports, 38, 43, 390, 391, 409
- alcohol, 89, 314, 316, 356
- alloy, 411
- alpha (dominant) animals, 223
- alpha, beta, and gamma diversity, 224
- amenities, 43–4, 54, 61, 360, 478, 489
- amino acids, 314, 322
- amorphous structure, 417, 418, *See* mineral chemical structures
- angiosperm trees (aka hardwoods or broadleaf trees), 453
- animal habitats, movement, behaviors, 221–5, *See* migrations, social groups, ritualized competition, learned behaviors and people
- animal husbandry, 343
- animal unit (AU), animal unit month (AUM), 204
- annual hydrograph, 284
- Antarctic Realm. *See* floristic realms
- Anthropocene, 50, 131
- aquifer, 299
- aquifer drawdown, 298, 299
- aquifer pollution, 300
- aquifers, 141, 143, 154, 157, 159, 161, 163, 182, 188, 255, 265, 268, 272, 273, 274, 280, 281, 283, 287, 288, 289, 293, 294, 298, 299, 300, 302, 337, 356, 360, 420, 423, 447, 489
- arable, 292, 313
- Aral Sea Basin, 26, 258, 294, 326, 345, 362
- aromatic, 315, 316
- artificial glaciers, 305
- artificial levee, 180
- atmosphere chemical composition, 103–4
 - human additions, 104
- atmosphere layers
 - mesosphere and others, 103
 - stratosphere, 103, 111, 170
 - troposphere, 92, 93, 103, 104, 111, 270
- atmospheric chemical composition
 - harmful human additions, 104–5
- atmospheric pressures, high and low, 89, 101
- Australian Realm. *See* floristic realms
- automobile and truck roads, 3, 38, 42, 43, 142, 143, 159, 161, 172, 173, 175, 180, 181, 186, 225, 251, 385, 390, 391, 409, 422, 431, 466, 490
- avalanche, 79
- barbed wire (“barb” wire, “bob” wire), 328, 331
- basalt, 116, 138, 146–50, 163–4, 272, 417, 418, 420
- base metals. *See* minerals, metal elements
- basin of attraction, 17
- bed load, 141

- biodiversity. *See also* alpha, beta, and gamma biodiversity
biodiversity (definition), 193
biodiversity credits, 255
biodiversity hotspots. *See* Maps, global biodiversity hotspots, *See* Maps, global biodiversity hotspots
biodiversity mitigation bank, 255
bioethanol, 382, *See* biofuel
biofuel energy (biodiesel, bioethanol, form crops, residues, cellulose), 6, 75, 110, 130, 332, 382, 400, 452
biofuel use. *See* carbon dioxide atmospheric reduction
biological prospecting, 453
bioremediation, 300
biosphere storage of carbon. *See* carbon dioxide atmospheric reduction
brackish water, 188, 272, 306
braided river, 174
British Thermal Units (BTUs). *See* energy, units of measure
broadcast burning, 471
broadleaf trees (aka hardwood or angiosperm trees), 143
broadleaf trees (aka hardwoods or angiosperm trees), 214, 454
brown winds, 174
Brundtland report, 23, 468, *See* managing resources, sustainable; intergenerational equity, sustainable development
BTU (British Thermal Unit). *See* energy, units of measure
building blocks, 3, 15, 16, 246, 314, 485
building construction, 386–7, *See* carbon dioxide atmospheric reduction, fossil fuel reduction, life cycle analyses (LCA), mass timber, CLT, cross laminated timber, cradle-to-gate, operational component of LCA, thermal mass, hygrothermal mass
buildings, 188, *See* Energy and buildings
apartments (“flats”), 45
appropriate landforms, 138, 445
cluster units, 45
detached (single family houses), 44, 45, 60, 391
high-rise, 387, 489
mid-rise, 6, 44, 386–7, 402, 489
semi-detached, 45
terrace houses (town houses), 45
bushmeat hunting, 253

C3 plants, 315
C4 plants, 315
Calorie, 72, 75, 313, 314, 321, 322, 323, 330, 347, 348, 353, 356, 357, 366, 375
carbon capture and storage (CCS), 130
carbon dioxide and forests, 449–53
carbon dioxide atmospheric concentrations
changes since 1960, 107
long-term changes, 107
carbon dioxide atmospheric reduction, 128–31, *See also* fossil fuel reduction
biofuel use, 130
biosphere storage of carbon, 130
forest loss prevention, 130
renewable energy use, 129
slow and fast domains, 109
wood building construction, 129, 452
wood fuel use, 129, 452
carbon dioxide emissions. *See also* fossil fuel consumption
efficiency by energy source, 104
sources of emissions, 108, 128
carbon dioxide-carbon cycle, 107
chemical reactions within domains, 107–8
fast domain, 107–10, 130, 450
slow domain, 107, 109, 129, 450
carbon stocks of the Earth, distribution, 106
carrying capacity, 204, 223, 257, 343, 358
cascading collapse, 43, 360
cascading expansion, 43
case studies, 55, 73, 254, 294, 486, *See also* Goulburn-Broken Catchment, Kristianstads Vattenrike, Southern Androy, Aral Sea Basin
catchment area, 168, 280, 283
CCS (carbon capture and storage). *See* carbon capture and storage
cellulose, 314, 316, 324, 382, 449, 454, 455
cement, 75, 108, 128, 166, 174, 388, 409, 424, 427, 432, 434, 435, 437
CFCs, HCFCs, HFCs, 105–6, 111
change
irreversible, 22, 218, 299, 485
reversible, 22, 24, 315
stable, 4, 22, 56, 59, 60, 69, 78, 126, 137, 138, 141, 157, 159, 160, 164, 165, 166, 167, 168, 171, 174, 179, 201, 205, 211, 212, 221, 298, 333, 379, 431, 485
chaotic situations, 16, 79
cheap species. *See* species extinctions, cheap species
chemical dissolution and suspension, 266–7
Chinooks, also known as Santa Anna’s or fohn winds, 100
CHP. *See* combined heat and power (CHP)
circulation, 74, 75, 80, 89, 92, 93, 94, 96, 101, 103, 107, 116, 117, 120, 125, 146, 265, 268, 270, 313, 368, 370, 383, 409, 410, 437, 486, 489
CITES (Convention on International Trade in Endangered Species), 193, 194, 253
clade, 197
clearances, in England and Scotland, 52
Climate, 87, *See also* fire, crowded forests
future scenarios, 125–7
species movements and climate change, 230–2

- climax, 211, 212
 cloning, 329
 CLT (cross laminated timber). *See* cross laminated timber
 coarse filter biodiversity, 193, 219, 236, 239
 coarse filter conservation, 230, 246, 447, 468
 Coefficient of Human Inequality (CHI). *See* Indexes of country well-being
 coevolution VS competition, 212
 collapse, 16, 76, 78, 141, 161, 166, 167, 174, 175, 181, 196, 211, 280, 299, 348, 421, 446
 combined heat and power (CHP), 288, 304, 385
 combustible fuel energy efficiency, 104
 community (plant, definition), 193
 competition, 202, 212, 224, 329, *See also* coevolution VS competition
 complex adaptive management. *See* adaptive management
 complex adaptive systems (CAS), 13
 complex societies, 8, 55, 77, 78, 79
 complex structure, 216, 221, 224, 225, 243, 448, 453, 472, 473, 477
 picture, 231
 complex systems, 8, 12, 13, 15, 18, 19, 23, 24, 25, 28, 35, 87, 193
 complexity. *See* system
 complexity science, 12, 13
 complexity VS systems theory, 13
 computer and satellite technologies, 13, 18, 29, 334, 337, 338, 386, 403, 476, 486, 490, *See also* leapfrog technologies
 Concentrated Solar Power (CSP), 290, 379, 383, 385, 389, 402, 488, 490
 conduction, water, 265
 conifer trees (aka softwoods), 453
 Conservation of Energy, Law of, 365, *See* Thermodynamics, First Law
 continental climate, 97
 convective and advective weather, 90, 97, 284–5
 convergence zone, 92, 93, 96–7, 285
 cooperation, 8, 26, 50, 73, 74, 76, 77, 78, 79, 128, 338, 486, 488
 COP (Conference of the Parties), 395
 Coriolis effect, 95
 corridors, 225, 228, 230, 254, 361, 477, 478, 489
 country groups, 8, 492
 agriculture
 area, 292
 total and per capita, 348
 calorie, protein, and fat per capita, 350
 calories consumed per person-day, 349
 fertilizer addition, 340
 major animal crops grown, 355
 major plant crop imports and exports, 352
 major plant crops grown, 354
 non-edible and similar crop production, 325
 phosphate and potash origins, 341
 energy
 fossil fuel and wood total and per capita consumption, 376
 fossil fuel reserves, 398
 produced, imported, exported, 396
 forest
 area and volume change, 463
 area and volume change since 1990, 465
 area of reserves, 254
 ownership, 462
 per capita area and volume, 450
 total area and volume, 461
 wood harvest as percent of standing volume, 464
 wood volume harvested by use, 464
 GDP Purchasing Power Parity (PPP) per capita, 68
 Gross Domestic Product (GDP) per capita, 68
 Happy Planet Index (HPI), 70
 Human Development Index (HDI), 68
 Internet users, 37
 mineral origins
 cement, bauxite, iron, and gypsum, 427
 copper, zinc, manganese, chromium, 428
 gold, silver, diamonds, 429
 lithium, tungsten, platinum, titanium, 430
 nickel, tin, 428
 population
 fertility rate, 54
 fertility rate change since 1960, 56
 percent annual change, 51
 rural and urban density, 51
 rural and urban number, 51
 Purchasing Power Parity Advantage (PPPA), 70
 species
 concentrations country-endemic endangered forest/nonforest species, 228
 concentrations of endangered and other species, 245
 numbers country-endemic endangered forest/nonforest species, 228
 threatened numbers by species type and estimate quality, 248
 vegetation cover distribution, 243
 telephones, 37
 water
 agriculture
 area and percent irrigated, 292
 available per person, 291
 extension by dams, treatments, desalination, 289
 per person compared to UNDP goals, 291
 precipitation, inflowing, outflowing, internally produced, 276
 renewable (used and unused), 284
 use by purpose, total and per capita, 284
 covalent molecules, 413, *See* mineral chemical structures
 cradle-to-gate LCA component. *See* life cycle analysis

- Criteria for Sustainable Forestry, 445, 468
critical human population sizes, 43–4, 47, 55, 360, 361, 478, 486, 489, 491
critical population small city, 44, 486, 489, 491
critical raw materials, 438
cross laminated timber (CLT, “mass timber”), 386, 455
crown fire, 225, 448
culmination of mean annual increment (MAI), 449
culture, 41, 47–9, 76–9, 98, 168, 238, 252, 283, 328, 333, 347–53, 375, 403, 446, 453
cybernetics, 12
cyclones. *See* hurricanes
- dams, 3, 69, 142, 153, 154, 168, 180, 294, 299, 300, 301, 302, 303, 379, 381, 385, 489, 490
data, xvii, xix, xxi, xxii, xxiii, xxiv, 3, 4, 8, 10, 17, 18, 26, 28, 29, 37, 46, 61, 62, 63, 80, 82, 114, 133, 193, 226, 250, 255, 259, 282, 295, 326, 345, 362, 390, 392, 394, 404, 466
DDT pesticide, 105, 131, 338, 360, 395, *See also* pesticide
decline, 15, 16
degraded forest landscapes, 472–6, *See* forest management, degradation; forest harvest and endangered species
degraded forest stands, 452
delta, 176
dense structure, 215–25, 229, 242, 448
 pictures, 226, 229
desalination
 multistage flash distillation, 306
 reverse osmosis, 306
desalinization, 290
desert, 4, 26, 41, 42, 47, 94–7, 120, 128, 171–4, 188, 214–18, 237–41, 271, 277, 285, 290, 293–4, 306, 337, 389, 402, 403, 433, 476, 487–9
discharge rate, water, 268, 275, 296
disk plows, 336
ditches or ditching, 154, 280, 293, 299, 303, 336, 337, 342, 472, 489
dog days, 98
domestication of animals, 328
domestication of plants, 327
drainage basin, 283, 300, 303
drawdown, 273
drones, 43, 334, 338, 490
drought avoiders, 302
dryland farming, 337
Dutch disease, 74
dysentery, 267
- Earth’s crust, 106, 116, 145, 146, 157, 410, 416
Easterly Winds, 93, *See also* maps, global, prevailing winds
Ecological Footprint, 66
ecoregions, 99, 100, 237, 241
ecosystem definition, 211
ecosystem services, 6, 44, 55, 153, 196, 254, 256, 287, 298, 361, 445, 446, 468, 478, 491
einkorn wheat, 327
El Nino, La Nina, ENSO, 101, 187, 283
elderly, working, children, 56
electric wire fence, 334
electricity, 288, 290, 367, 377, 378, 381, 383, 385, 389, 390, 397, 400, 401, 411
electron, 365, 366, 367, 373, 414
emergence, emergent properties, 6, 13, 15, 485
emmer wheat, 327
endangered species, 6, 193, 203, 212, 226, 227, 228, 238, 239, 245, 246, 253, 255, 257, 445, 446, 489
endemic species. *See* species vulnerability categories, endemic species
energy. *See also* wood energy, electricity, fossil fuel, hydroelectric, nuclear energy, biofuel energy, wind energy, solar energy
 avoiding energy use, 386–7
 carbon energy accessible by type, 372
 costs and prices, 397, 399, 402–3
 definition, 365
 Earth’s energy cycle, 368–73
 Earth’s sources of energy, 368
 efficiency, 366
 forms (mechanical, thermal, chemical, etc.), 365
 human consumption by geographic region. *See* country groups, energy, fossil fuel and wood
 human consumption by pool, 372
 human consumption changes with time, 376, 377, 396–7
 intensity, 366
 kinetic, 366
 pools of energy on Earth, 370
 potential, 366
 radiation wavelengths, 368, 373
 storage, 385–6
 units of measure, 366
 use by sector, 388, *See also* industrial energy, residential and commercial energy, transportation energy
energy cycle of the Earth. *See* energy, Earth’s energy cycle
energy from food, 314
energy movement, 89
 absorption, 89–90, 94, 97, 103, 105, 108, 112, 268, 270, 305, 315–16, 365–7, 368–73, 386, 420, 433, 434, 453
 conduction, 87–9, 94, 188, 265, 316, 370–2, 411–12, 433–4
 convection, 90, 97, 271, 284–5, 316, 369
 emission or reradiation, 373
 radiation, 87–9, 93–4, 97, 100, 105, 112–13, 122–4, 265, 271, 316, 342, 365–73, 378, 381, 385
 reflectance, 170, 265, 271, 316, 368–73, 412, 431, 434

energy movement (cont.)
 reflection, 94, 111–12, 372
 transmission, 372
 turbulence, 89–90, 95, 265, 267, 342, 370, 372
 ENSO. *See* El Nino
 entities, agents, 3, 6, 13, 14, 15, 16, 18, 19, 20, 202,
 275, 414
 envelope houses, 383
 environment, 3
 environmental footprint, 75
 Environmental Health (EH). *See* Indexes of country
 well-being
 Environmental Performance Index (EPI). *See* Indexes
 of country well-being
 erosion, 138, 141, 143, 146, 152, 153, 159, 174, 181,
 184, 271, 287, 295, 302, 330, 336, 470
 ESA US Endangered Species Act, 253
 eutrophication, 267
 evaporation, 89, 141, 268, 270, 275, 278, 293, 304,
 337, 369
 evapotranspiration, 89, 112, 141, 172, 268, 270, 272,
 273, 274, 275, 276, 277, 278, 279, 280, 293,
 302, 316, 318, 447
 evolution, 195, 196
 evolutionary pathways, 196
 exergy, 365, 367, 372, 374
 existence value, 449
 exotic species, 205, 238, 252, 253, 256, 475
 extractive economies, 42, 74, 256
 F1 hybrid corn, 332
 facilitation (proto-cooperation), 195
 farm workers, 51, 336
 fats, 223, 314, 315, 319, 321, 347, 349, 356, 375
 fear of taking action, 27
 feedback, positive and negative, 12, 18, 24, 77, 206
 feedlots, 339, 343, 356, 490
 ferment, 316
 Ferrel cells, 92–3
 fertility rates and changes, 56
 fine filter biodiversity, 193
 fine filter conservation, 246
 fire, 60, 101, 144, 161, 168, 173, 182, 187, 225, 316,
 343, 375, 424, 430, 433, 448
 air pollutants, 111, 112, 129, 130, 187, 275, 452
 behavior and management, 447
 crowded forests, 55, 212, 243, 462, 473, 476
 fish populations. *See also* vegetation
 grazing, 225
 management, 469, 470, 472
 people, 112, 242
 terms, 225
 vegetation, 216, 220, 223, 225, 227, 302, 448,
 468, 477
 water, 299, 302. *See* aquifers. *See also* fire,
 vegetation
 wood buildings, 6, 386, 449, 455

wood energy, 378
 fires, 161, 187, 225, 287, 294, 447, 448, 470, 491
 fish ladders, 299
 flash flood, 271
 flood, 179, 180, 184, 267, 278, 294, 298, 299, 302, 490
 floristic realms
 area, species, percent endangered, 236–8
 flows, 18, 19, 26, 94, 95, 99, 106, 159, 160, 161, 163,
 165, 168, 176, 179, 268, 271, 272, 273, 275,
 277, 278, 280, 283, 285, 287, 288, 293, 294,
 298, 299, 304, 321, 366, 372, 381, 417, 439,
See also stocks
 fluffing (fluffed), 141, 336. *See* soil, fluffing (fluffed)
 fog drip, 277, 279, 447
 foehn winds. *See* Chinooks
 food chain. *See* food web
 food groups, aquatic, 320
 food groups, plants, 316
 food groups, terrestrial animals, 320
 food network. *See* food web
 food pyramid. *See* food web
 food requirements, human, 322–3. *See also* calorie,
 protein, and fat per capita
 food web, 105, 188, 199, 200–6, 212, 223, 267, 321
 forest, 211–32, 271, 277, 279, 280, 287, 291, 293, 294,
 298, 299, 300, 302, 347, 355, 358, 359, 361,
 375, 382, 437, 445–55, 486, 487, 488, 489,
 490, 491
 forest change
 forest area change, 55
 wood volume change, 55
 forest characteristics
 accessibility, 459
 biomass and fuelwood value, 453
 burned annually, 448
 endangered species. *See* endangered species
 forest area change, 445, 463
 forest area, total and per person, 445, 450, 461
 Gross Domestic Product world contribution, 445
 harvest age, 461
 harvest rate, 445, 460
 map locations of forests. *See also* color plate
 non-timber forest product value, 453
 ownership, 462
 protected, planted, and other forests, 254
 standing timber volume change, 463, 465
 standing volume, total and per person, 445, 450,
 461
 timber harvest value, 453, 463
 wood growth, 449, 453–5
 wood uses, 460, 464
 work force, 445, 463, 466
 forest harvest and endangered species, 226–7. *See*
 degraded forest landscapes, endangered
 species, forest stand structures, forest values
 forest intensive plantations, 402, 461, 468, 477, 478
 forest labor

- logging, secondary, and tertiary processing, 463–6
 middlemen, 453, *See also* forest characteristics,
 work force
 seasonal labor, 168, 453, 465
 forest land uses, 254
 forest loss prevention. *See* carbon dioxide atmospheric
 reduction
 forest management
 degradation, 472, *See also* high grade harvesting,
 degraded forest stands, degraded forest
 landscapes
 free market supply and demand, 468
 landscape management. *See* landscape management
 silviculture. *See* Silviculture
 sustained yield, 468, *See also* sustainability, Criteria
 for Sustainable Forestry
 forest stand protection, 470
 forest stand structures, 216, 222, 446, 447, 463
 forest values, 445–6, *See also* Criteria for Sustainable
 Forestry, forest stand structures
 non-commodity forest values, 453, *See also*
 ecosystem services
 non-timber forest products, 453
 timber products, 453–5
 Forrester, J.W., 18, 21, 25, 82
 fossil aquifer, 300
 fossil fuel, 108, 110, 377, 378, 379, 388, 400, 439, *See*
 also country troupes:energy; produced,
 imported, exported
 “true” cost of fossil fuels, 395
 clean fuel VS dirty fuel, 379
 global trade, 395
 reduction scenarios, 128–31, 397–402, 403
 world reserves, 378, 398
 fossil water stocks, 268, *See also* fossil aquifer
 founder crops, 327
 founder effect, 195, 201
 fracking, 288, 420, 422, *See* mining
 fractionate, 410, 417
 framework, xxiii, 12, 23, 26, 27
 free range, 343
 frost avoidance, 131
 frost heaving, 185, 268
 frost pockets and frost drains, 90, 342

 gamma-ray wavelengths. *See* energy, radiation
 wavelengths
 gangs of disks (plowing), 336
 Gaud, W.S., 329
 General System Theory, 12
 genetic differentiation, 195, 199
 genetic drift, 167, 195, 198, 201
 genetic reproduction, 194
 genetic selection, 195, 198, 201
 genetic variations, 194, 320
 genetically modified organisms, 329, 472, *See also*
 GMOs
 genotypes, 202, 204, 231, 251, 329, 343
 geoengineering, 131
 giardia, 267
 glacial periods, 112, 118, 182, 187
 glacier accumulation zone, 118, 123
 glacier equilibrium line, 118, 123
 glacier extent, 120, *See also* Maps, global land
 cover changes and landform, recent
 glaciation
 global dimming, 111
 global ecological zones, 88
 global vegetation cover types, 87
 global warming, 4, 106, 110, 111, 112, 127, 128, 187,
 232, 379, 402, 452, 488
 temperature graph, 113
 global warming potential (GWP), 105
 GLOFs, 168, 184, 185, 295, 305, *See also* jokuloups
 GMOs. *See also* genetically modified organisms
 Gondwanaland, 116
 Goulburn-Broken Catchment, 25, 31, 143, 274, 337
 granite, 116, 157–9, 163, 171, 418, 420, 424, 432
 grasslands, 35, 55, 121, 163, 173, 174, 214–18,
 225–32, 238–42, 270, 276, 277, 322, 356–8,
 476, 487
 gravitation water, 277
 grazing, 26, 140, 144, 152, 157, 159, 163, 165, 167,
 168, 174, 206, 214, 216, 220, 223, 241, 242,
 251, 280, 293, 295, 299, 302, 334, 342,
 343, 358
 Greek fire, 375
 Green Revolution, 58, 63, 326, 327, 329, 344, 362, 485
 greenhouse gases, 99, 103, 105–12, 118–27, 128, 265,
 369, 488, *See also* carbon dioxide, methane,
 nitrogen oxides, CFC, HFC, HCFC
 carbon dioxide equivalents, 106
 global warming potential, 105
 radiative forcing, 105
 water, 265
 greenhouses, 313, 334, 342
 Gross Domestic Product per capita (GDPpc). *See*
 Indexes of country well-being
 Gross Domestic Product per capita (Purchasing Power
 Parity) (GDPpcPPP). *See* Indexes of country
 well-being
 Gross National Income per capita (GNIpc). *See*
 Indexes of country well-being
 ground fires, 225
 groundwater, 141, 143, 144, 163, 265, 268, 272, 274,
 275, 276, 281, 288, 293, 337, 447, 489
 groupthink, 76–7
 growing space, 203, 212–15, 219, 221, 230
 guano, 339
 Gulf Stream, 95

 Haber–Bosch method, 339
 Hadley cells, 92, 121
 halo of fresh water, 273, 300

Happy Planet Index (HPI). *See* Indexes of country well-being

hardwoods (aka broadleaf or angiosperm trees), 453, 459

heat capacity, 367

heat capacity, water, 265

HFCS (high fructose corn syrup), 331, 332

hierarchy, 3, 5, 14, 18, 19, 23, 78, 145, 195, 197, 201, 206, 223, 224

hierarchy VS network, 18–20

high-grade timber harvesting, 473–4, *See also* forest management, degradation

Hiroshima bomb, 372

Holarctic Realm. *See also* floristic realms, *See also* floristic realms

Holling, C.S., 23

Holocene maximum. *See* hypsithermal

Hopkins Bioclimatic Law, 98

human communities, 3, 27, 35, 44, 47, 50, 61, 65, 74, 290, 306, 361, 464, 490, *See* critical human population sizes; critical size small city; secondary manufacture; amenities; cascading expansion; cascading collapse; inclusive economies; extractive economies; social drivers; indirect employment; value added

Human Development Index (HDI). *See* Indexes of country well-being

human population changes, 48, *See* elderly, working, children, fertility rates and changes, country groups, population, percent annual change, workforce by economic sector

concentration in urban areas, 52

past 12,000 years, 48

projected populations of diverse countries, 58

rural and urban changes, 50–2

world population projection to 2050, 60

world population projections with different fertility rates, 61

human population concentrations

age classes, 60

dwelling types, 45

global population distribution, 36

occupation, 49

urban migration, 26, 52

Human–Nature Elemental Dominance Index (Klee–Graedel Index). *See* Klee–Graedel Index

hunter-gatherer lifestyle, 47–50, 251, 327

hurricanes, typhoons, cyclones, “willy-willies”, 100, 182

hydraulic mining, 421, *See* mining

hydroelectricity, 129, 154, 184, 288, 296, 301, 305, 307, 366, 378, 379, 381, 385, 389, 393, 400, 403, 426, 488, 490

hydrologic cycle, 268

hydrologic cycle, water flow, 275–80, *See also* overlap of ground and surface water

evaporation and evapotranspiration, 276–7, *See also* stomata, evaporation, evapotranspiration, annual hydrograph, water flow

overland and channel flow, 280, *See also* paving, ditches, plowing, erosion, grazing

soil infiltration and groundwater, 277, *See also* wetted column, gravitation, soils, texture

vegetation, water flow, rainfall, 277–80, *See also* rainfall follows the plow, evapotranspiration, fog drip, snow sublimation

hydrologic cycle, water stocks, 268–75

aquifers, 272–4, *See* confined aquifers, recharge period, halo of fresh water, fossil aquifer

below-surface terrestrial water, 268–75, *See also* subsurface water, groundwater, water table, perched water table, aquifers, cistern

characteristics. *See* water renewal or residence time, water inflow rate, discharge rate, sustainable flow rate, fossil water stocks

freshwater lakes, 271, *See also* varves

glaciers and snow, 271

rivers, lakes, and streams, 270–1, *See also* reach, white water, flash floods, rain-on-snow events

saline subsurface water and/or groundwater, 274, *See* saline, aquifers

salt water and atmospheric water, 269–70, *See also* troposphere, evaporation, evapotranspiration

soil water and wetlands, 272, *See also* spring, brackish water

surface terrestrial water, 270

terrestrial biological water, 275

hydrothermal mass, 386

hypsithermal (a.k.a. Holocene maximum), 124

ice ages, 118

ice floating, 268

ice rafting, 267

imbats, 98

inbreeding, 168, 195, 202, 230, 329, 343

inclusive economies, 74, 486, 489

Indexes of country well-being, 66–71, *See* Indexes of influences on well-being, well-being

Coefficient of Human Inequality (CHIE), 66

Comparison among well-being indexes, 65–71

Environmental Health (EH), 65–6

Environmental Performance Index (EPI), 65, 74–5

Gross Domestic Product per capita (GDPpc), 55, 65–75

Gross Domestic Product per capita (Purchasing Power Parity) (GDPpcPPP), 66–71

Gross National Income per capita (GNIpc), 65–7

Human Development Index (HDI), 65–76

- Purchasing Power Parity (PPP), 66, 69
Purchasing Power Parity Advantage (PPPA), 66–71, 453, 477
- Indexes of influences on well-being. *See* Indexes of country well-being, well-being conservation of the environment, 71, 72 government organization, 71, 72 infrastructure, 71, 72 people's behaviors/cultures, 71, 72 resources, 71, 72
- indirect employment, 43, 361, 478
industrial energy, 388–9
industrial revolution, 376
inflow rate, water, 268
information, xxiv, 18, 28, 29, 31, 113, 155, 208, 326, 345, 362, 373, 374, 392, 393, 403, 404, 440, 491
infrared waves. *See* energy, radiation wavelengths
infrastructures. *See* leapfrog technologies, soft path solutions
 agriculture, 338–9
 biodiversity and infrastructures, 251
 buildings, 59, 60, 388
 climate changes, 379
 communication, 35
 economic development, 426, 435
 energy, 385, 402–4, 422
 flexible technologies, 35, 80, 302, 486–90
 forests, 468, 474
 general, 3, 22
 intangible, 3
 landforms and infrastructures, 153–4
 lifestyles, 44, 55
 physical, 69–75
 reusable, 43
 rural, 360
 social, 56, 333, 446
 transportation, 333
 water, 287, 298–306
initial conditions, 14–16, 18, 78, 215, 229
initial floristics. *See* also relay floristics
institutional behaviors, 78, 79
institutions, 3, 6, 15, 22, 76–9, 411, 446
Integrated Pest Management, 257, 260, 326, 335, 338, 345, 360, 362
intercropping, 338, 490
intergenerational equity, 468, *See* managing resources, sustainable; Brundtland report, Criteria for Sustainable Forestry, von Carlowitz
Internet, 35, 37, 72, 73, 329, 404, 453
ionic compounds, 266, 414, *See* mineral chemical structures
IPBES (Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services), 193
IPM. *See* Integrated Pest Management
irrigation, 25, 26
irrigation systems, 153, 293, 300, 334, 335, 379
 ditch irrigation, 337
 drip irrigation, 337
 flood irrigation, 337
island biogeography, 199, 201, 238, 245
IUCN, International Union for the Conservation of Nature, 193, 253
Japanese Current. *See* Kuroshio
jet streams, polar and subtropical, 93, 121, *See* maps, global, schematic air circulation
jokuloups, 184
K selection. *See* also r selection
Key Biodiversity Area Database, 255
killer lakes, 168, 268
kinetic energy. *See* energy, kinetic
Klee-Graedel Index (Human-Nature Elemental Dominance Index), 437
knowledge, xv, xvi, xvii, 14, 22, 24, 26, 28, 29, 75, 76, 128, 255, 384, 469, 485, 486
Kristianstads Vattenrike, 26, 73, 254
Kuroshio, 95, 99, 117, 285
La Nina. *See* El Nino
ladder fuels, 472
land covers, 35, 36, 120, 217, 238, 241, 242, 255
land use, 108, 128, 137, 152, 288, 303, 452
landcare, 60, 256, 313, 466, 491
landform, 137
 ash-cap soils, 171
 basalt flow ages, 163
 caves, caverns, cisterns, 165
 compact till, 183
 coral reefs, 164
 distribution of landforms, 152
 drumlin, 185
 geologic hotspot, 146
 igneous, 145
 infrastructures and managing landforms. *See* infrastructures, landforms and infrastructures
 kame terrace, 184
 lacustrine, 184
 lateral moraines, 184
 managing landforms, 138, 152–4
 marl beds, 164
 metamorphic, 145
 outwash, 184
 potholes, 184
 pumice, 170
 rift valley, 146
 ring of fire, 145
 sand dune stabilization (fixation), 172–3, 218
 shields, 145
 sinkholes, 166
 sky islands, 167
 stability and change, 153

506

landform (cont.)
 subduction zone, 145
 talus slopes, 161
 terminal moraine, 184
 till, 183
 tuff, 170
 world landform locations. *See* maps, global, landforms

landform types
 alluvial floodplains, 176–81
 bogs, 186–7
 coastal plains, 181–2
 igneous and old metamorphic bedrock, 157–9
 karst landforms, 164–6
 large basalt flow bedrock, 163–4
 loess, 174–5
 mountains, 166–8
 permafrost, 187–8
 sand dunes, 171–4
 volcanic ash and tuff, 170–1
 weathered shield bedrock, 157
 wetlands, 188–9

landscape dynamics, 225. *See* alpha, beta, gamma diversity
 species declines, 225–30

landscape management, 253, 258, 259, 476, 480, *See* restoration, degraded forest landscapes, sustainability, computer and satellite technologies

landscape structures
 closed forests, 224
 edges, 223, 224, 225
 fragmented, 26, 224, 225
 interiors, 224

landscape types
 glaciated areas, 182–6

Lane's relationship, 141

large dams, 301

latent energy, 89

latent heat, water, 265

Laurasia, 116

law of requisite variety, 28, 485

LCA (life cycle analysis). *See* life cycle analysis (LCA)

leapfrog technologies, 35, 80, 435, 486

learned behaviors and people, 224

lethal air temperatures, 89

levee, 180. *See* river, artificial levee, natural levee

leverage point, 25

life cycle analysis (LCA), 386

lignin, 314, 449, 455

lime, 166, 339, 424, 433

links and nodes, 19, 20, 416. *See also* network, nodes and links, network, nodes and links
 path length, 20

Linnaean system. *See* taxonomic classifications

Index

Little Ice Age, 112, 119, 125, 127, 168, 231

Loch Lamond Stadial and Nahanagan Stadial. *See* Younger Dryas

lode, 418

lodes, 184

low thinning, 472

Magnusson, S-E, 26

MAI (mean annual increment), 449

malaria, 154, 196, 301, 395

malnutrition, 322, 330, 349

management plan, 22. *See* managing resources, mental model
 monitor, 46, 309, 486
 stakeholders, 28
 tradeoff. *See* tradeoff

managing resources
 adaptive management, 28. *See* adaptive management
 changes, 22
 crisis mode, 27
 dynamic decision making, 28
 emotional fixes, 5, 27
 exploitation, 468
 fear of taking action, 27, 79
 financial management, 27
 free market-supply-and-demand, 468
 hedging, 28
 law of requisite variety. *See* law of requisite variety
 optimal control, 28
 optimism, 5
 preservation, 468
 scenario planning, 28
 sustainable, 5, 8, 61, 153, 280, 287, 306, 437, 468, 476, 485. *See* intergenerational equity, sustainable development, Brundtland report, von Carlowitz, Criteria for Sustainable Forestry
 tradeoff. *See* tradeoff
 unintended consequences. *See* unintended consequences
 wait and see, 22

maps, global
 airports, 38
 automobile and truck roads, 38
 biodiversity hotspots, 244
 continent changes of past 250 million years, 117
 country groups, 9
 floristic realms, 237
 land cover changes of past 17 thousand years, 120
 landforms
 major bedrock of different ages, 145
 major bogs and wetlands, 150
 major coastal plains and alluvial floodplains, 148
 major faults, mountain, ash, and basalt, 145
 major karst and current/relict lateritic, 147

- major loess and sand dunes, 148
- recent glaciation and permafrost, 149
- major ocean surface currents, 95
- major petroleum pipelines, 38
- major stressed and non-stressed aquifers, 273
- navigable rivers and canals, 38
- population distribution, 36
- ports and shipping lanes, 38
- prevailing winds during equinoxes, 94
- prevailing winds during solstices, 97
- railroads, 38
- saline aquifers and areas of no discharge, 275
- schematic air circulation, 92
- terrestrial ecological zones, 87
- tropical windstorm paths, 100
- world forests by major ecological domains, 460
- maritime climates, 97
- mass extinction, 17, 202
- mass timber. *See* cross laminated timber
- masternarrative, 79
- Maunder Minimum. *See* Little Ice Age
- mean annual increment" (MAI), 449
- meandering river, 176
- Mediterranean climate, 96, 98, 320
- Mendelian genetics, 251, 329
- mental models, xvii, 22, 76–9, 128
- mesosphere. *See* atmosphere layers
- meteorite and Yucatan Peninsula, 117
- methane, 104, 105, 106, 109, 110, 267, 409, 419, 420, 429, 452
- microwaves. *See* energy, radiation wavelengths
- migrations, 222
- Milankovitch Cycles, 99, 118–27, 487
 - Earth tilt (cycle #2), 122
 - equinox precession (cycle #1), 121
 - orbital eccentricity (cycle #3), 122
- mineral chemical structures, 413–14, *See* amorphous structures, van der Waals bonds, covalent molecules, pure crystals, ionic compounds (molecules)
- mineral circulation systems (geologic and anthropogenic), 439
- mineral production
 - China, 426, 435
 - forecasting and adjusting, 440
 - forms, uses, materials produced, 427–34
 - impending mineral shortages, 435–8
 - locations produced/used, 424–6
 - recycling, recovery, substitution, synthesis, 440
 - types and amounts, 424
 - volumes, varieties, used over time, 437
- minerals
 - crystals and crystalloids, 414
 - intact and decomposed minerals, 418
 - mineral groups, 416
 - terminology, 409
- minerals, metal elements, 411–12
 - common properties, 411
- minerals, nonmetal elements, 412
- mining, 161, 166, 173, 175, 184, 419, 420–2, 435, 436, 438, *See* hydraulic, fracking, placer, acid leach, lode
- minor forest products. *See* forest values, non-timber forest products
- mixed species forests and pure (single) species forests, 459, 473–4
- model, 3, 13, 17–18, 26, 29, 77, 125, 255, 273
- models. *See* agent-based models, *system dynamic models*
- modularity, 20, 24, *See* networks
- moldboard plow, 336, *See also* plowing
- monsoon, 97, 99
- mutation, 194, 195, 198, 205
- natural levees, 176
- natural reserves, 212, 253, 462, 477, 489, 491
- "nature knows best . . .", 212
- Ndayishimiye, Erik, 76
- Neolithic Revolution, 47
- Neotropic Realm, 222, *See also* floristic realms
- network, 3, 8, 19, 20, 24, 26, 28, 172, 196, 385, 405
- network organization, 19, *See also* networks
- network science, 18, *See also* network
- network VS hierarchy. *See* network organization, network science, hierarchy VS network
- niche, 87, 197, 199–206, 212, 217, 230, 231, 238, 247, 257, 477
 - potential niche, 199
 - realized niche, 200
- night soil, 339
- nitrogen oxide, 106, 110
- noble gases, 409, 410, 412, 413, 428
- noble metals. *See* minerals, metal elements
- nodes and links, 18, *See also* links and nodes, networks, links and nodes, networks
 - degree of a node, 20
- non-food agriculture commodities, 323–4
- nonlinear, dynamic interactions, 13
- nonlinearity, 14, 25
- non-timber forest products (NTFP). *See* forest values, non-timber forest products
- no-till farming, 336
- novel ecosystems, 256
- NPK (fertilizer element ratios), 339
- NTFPs (non-timber forest products). *See* forest values, non-timber forest products
- nuclear energy, 154, 274, 288, 370, 378, 381, 384, 396, 398, 432
- nutrients, 206, 267, 271, 272, 294, 314, 315, 333, 339
- oils, 161, 224, 266, 314, 315, 319, 321, 349, 356
- omnivores, 200

508

open structure, 215–30, 241, 242, 251, 279, 446–9, 453, 476
 picture, 220
 operational LCA component. *See* life cycle analysis
 optical waves. *See* energy, radiation wavelengths
 organic farming, xix, 335, 359, 360
 overlap of ground and surface water, 275, 276
 oxbow lakes, 179
 ozone hole, 111

Paleotropic Realm, 237
 panarchy, 18, 23
 Pangaea, 117
 pastoral lifestyle, 328
 paving or pavement, 280, 290
 PCBs, 105, 131, 196, 360
 peat bogs, 152, 160, 186–7, 272
 people as resources and environment, 3
 perched water table, 272
 periodic table of the elements, 410
 permanent crop, 313
 perturbation, 23, 24
 pesticide, 104, 114, 274, 293, 304, 329, 335, 337, 338, 359, 360, 433, 490
 pesticide types, 338
 contact killers, 338
 systemic pesticides, 338
 pests, 73, 256, 329, 334, 336, 338, 349, 360, 489
 phones, land lines and cell, 3, 35, 73, 392, 404
 phosphorus, 143, 339, 341, 435
 photon, 368, 372, 373
 photosynthesis, 103, 108, 188, 195, 221, 275, 315, 316, 319, 367, 372, 373, 380
 photovoltaic cells (PV cells), 383
 photovoltaic energy, 288, 290, 373, 378, 379, 395, 490
 pioneer loss structure, 473
 pipelines, 38, 43, 230, 306, 379, 385, 390, 391, 403
 placer, 420, *See* mining
 plant communities, 167, 211, 215, 221
 changes in cover types, 217–18
 desert. *See* desert
 disturbances, regeneration, development, 213–15
 dynamics, 213–15
 grasslands. *See* grasslands
 shrub. *See* shrub
 structures, 215, *See* forest stand structures, fire
 vegetation cover types, 217–18, *See* desert, forest, grasslands, shrub
 plant food groups
 patterns of food availability, 319, *See also* climatic rhythm
 plate tectonic, 116, 157, 181, 236
 plates (geologic), 116, 146, 170

Index

plowing, 140, 141, 171, 185, 187, 280, 293, 295, 302, 333, 334, 336, 424, 472, *See also* moldboard
 plow
 Polar cells, 92–3
 polarized water molecule, 266
 pollutants, 104, 330, 379, *See also* fire pollutants, water pollutants
 poor metals, 410, 413, 418
 population pyramids
 selected countries, 57
 world in 2015 and 2050, 60
 potash, 339
 potential energy. *See* energy, potential
 potential vegetation types, 87, 238, 239, 241
 precious metals. *See* minerals, metal elements
 precommercial thinning (thinning to waste), 472
 prevailing winds, 93, 171–4, *See also* Maps, global, prevailing winds
 proteins, 223, 314, 315, 316, 317, 319, 320, 321, 322, 330, 347, 353
 proto-cooperation (facilitation), 195
 pulpwood and paper, 256, 288, 433, 460, 464, 478
 pulse grazing, 343
 pulses, 142, 317, 319, 327, 349, 354, 356, 357
 pump storage, 385
 Purchasing Power Parity (PPP). *See* Indexes of country well-being
 Purchasing Power Parity Advantage (PPPA). *See* Indexes of country well-being
 pure crystals, 414
 PV (photovoltaic cells), 383

quad. *See* energy, unit of measure
 quarantines, 256
 quartz, 159

r selection. *See also* K selection
 radiative forcing, 105
 radio waves. *See* energy, radiation wavelengths
 railroads, 38, 41–2, 43, 229, 331, 385, 390, 391, 431
 rain shadow, 90, 171
 rainfall follows the plow, 277
 rain-on-snow, 271
 rainwater rooftop harvesting, 290, 305, 489
 range of historical variability, 473
 rare earth elements, lanthanides. *See* minerals, metal elements
 raw materials, 3, 14
 reach, 270
 refugia, 18, 121, 201, 202, 225–31, 238
 regime shifts, gradual, rapid, reversible, 24
 regulated forest, 302
 relay floristics, 473, *See also* initial floristics
 renewable energy, 38, 129, 130, 154, 301, 379–84, 395, 396–7, 403
 as an economic stimulus, 403–4

- renewable energy use. *See* carbon dioxide atmospheric reduction
 renewable water, 72, 283
 renewal time, water, 266, 268
 reserves VS resources, 409
 residence time, water. *See* renewal time, water
 residential and commercial energy, 389–90
 residual use, 445
 resilience, 10, 21, 22, 23, 24, 30, 31, 132, 133, 307, 457, 458, 466, 467
 Resilience Alliance, 23
 resource management. *See* managing resources
 resource, definition, 3
 resources VS reserves, 409
 respiration, 188, 275, 315, 316, 318, 367
 restoration, 253, 255
 hunting, 257
 reintroducing species, 256
 rewilding with analogous species, 253, 257
 rewilding, 257. *See also* restoration, rewilding with analogous species
 Rhine River Basin, 26
 Rio Earth Summit of 1992, 395
 ripper plows. *See* subsoiler plows
 risk reduction, 23
 ritualized competition, 224
 river
 black water river, 182, 267
 breaching levee, 180
 in channel, 180
 outside of channel, 180
 overtopping levee, 180
 red rivers, 182
 tidewater river, 182
 white water river, 271
 yellow rivers, 182
 river bars, 179
 river cut-offs, 179
 rivers, canals, caravans, footpaths, 39–41, 182, 229, 294, 302, 305, 385, 391, 488
 robustness, 23
 rogue societies, 78–9
 ruminant, 110
 rural areas, 6, 47–61, 70, 80, 254, 256, 290, 328, 339, 360–1, 453, 465, 478, 486. *See* fires, human population changes, human population concentrations, urban
 saline, 265, 274, 306, 333, 337
 salt water, 25, 188, 265, 272, 273, 299, 300, 306
 salt water intrusion, 299
 Santa Anna winds. *See* Chinooks
 Santa Fe Institute (SFI), 12
 savanna structure, 216–25, 230, 242, 279, 448, 453, 476, 477
 pictures, 223
 scale-free networks, 20. *See also* networks
 sea level changes, 47, 90, 119–27, 180, 246, 327, 379, 487–8
 Figure 9.4, 120
 Figure 9.5, 120
 seaports and shipping, 41, 306, 385
 seasonal tropical forests, 97
 secondary manufacture, 6, 42, 43, 74, 75, 76, 256, 464, 489. *See also* value added
 self-organization, 13, 14
 sense of place, 449
 sewage treatments
 primary, secondary, tertiary, 304
 shelterbelts, 131, 174
 shrub, 35, 55, 120, 172, 176, 179, 212–21, 224, 226, 229, 232, 239–41, 251, 256, 278, 287, 302, 313, 375, 381, 445
 silviculture, 468, 469, 470, 471, 479, 480
 agroforestry. *See* agroforestry
 intensive plantations. *See* forest intensive plantations
 silviculture operations, 469, 471–2. *See* site preparation, regeneration, timber stand improvement (TSI), thinning. *See also* site preparation, regeneration, timber stand improvement (TSI), thinning
 silviculture pathways, 469. *See also* stand development pathways, forest stand structures
 silviculture systems, 469. *See also* multi-age, selection (uneven-age), clearcutting, two-aged, clearcutting with reserves, seed tree, shelterwood, group selection, single tree selection
 stand protection, 470. *See* forest stand protection
 stand restoration. *See also* forest stand restoration, degraded forest stands
 Simon, H.A., 18
 sinkholes, 153, 166, 175, 182
 site index, 469
 slash, 471
 slash and burn (swidden) agriculture, 452. *See also* swidden (slash and burn) agriculture
 small-scale technologies, 6, 379, 465
 small world networks, 20. *See also* networks
 snow sublimation, 271, 280
 social development, 65. *See* well-being
 social drivers, 6, 44, 60, 128, 256, 339, 403, 478, 486, 489, 490, 491
 societies, 8, 14, 16, 28, 35, 41–4, 65, 67, 71–80, 195, 253, 267, 327, 329, 347, 431, 433, 434, 449, 469, 485–6, 491
 socioenvironmental system, 7, 26, 55, 491
 soft path solutions, 302, 379
 softwoods (aka conifer trees), 453
 soil
 fluffing (fluffed), 293, 335

soil chemistry
 clay expansion, 143
 elements required by plants, 139
 red soils, 143
 silicate minerals, 143
 soil horizons, 145
 soil pH (relative acidity), 143

soils
 clays, 139
 field capacity, 140
 fluffing (fluffed), 141
 gravity water, 140
 hygroscopic water, 139
 management characteristics, 141–2
 moisture holding capacity, 139
 parent material, 137
 pore spaces, 139
 rocks (pebbles, cobbles, boulders), 139
 sands, 139
 silts, 139
 soil definition, 138
 soil texture triangle, 140
 stable angle of repose, 138
 structure, 140
 texture, 139
 weathering, 138

solar energy, 290, 339, 368, 383, 403
 solar energy budget of the Earth. *See* energy, Earth's energy cycle
 solar hot water heaters, 383
 Southern Androy, 26, 55
 Soviet Union, 68–9, 348, 384
 species concentrations, 244, 245
 species extinctions. *See* species vulnerability categories
 biodiversity hotspots. *See* biodiversity hotspots
 cheap species, 203
 climate change, 232
 dinosaur extinctions, 17, 117, 198, 237
 extinction rates, 203
 forest degradation, 473
 habitat and corridor changes, 226, 228, 230
 human causes, 196, 203, 251
 inbreeding, 195
 introduced predators and competitors, 201, 206
 island biogeography. *See* island biogeography
 land mass changes, 99, 202
 North American Pleistocene extinctions, 202
 novel ecosystems, 256
 periodic massive extinctions, 16, 198, 202
 predator-prey coexistence, 201, 212
 range and population size, 236
 reintroducing species. *See* restoration
 species discoveries and rediscoveries, 203
 threatened species groups, 246
 triage and tradeoffs, 128

species habitats and corridor restoration. *See* restoration
 species numbers by type, 198
 species pump, 121, 167, 168, 202
 species vulnerability categories, 194
 by ecoregion. *See* ecoregions
 endemic species, 194, 228, 294, 446
 nine degrees of danger of extinction, 194
 Red Book (IUCN), 194
 threatened, 194, 244, 247, 255, 258, 294
 threatened species, 194
 UNFRA groups. *See* UNFRA groups
 specific heat capacity, 89
 spring turnovers, 268
 spring water, 272
 stand, 19, 211, 218, 279, 446
 stand development pathways, 215, 216, 217, 469
 stand restoration, 470
 starch, 315
 state of a system, 17, 24
 state space, 17, 87, 199
 steady state, 180, 211, 365
 stereotyping, 77
 stocks, 18, 106, 107, 265, 268, 270, 272, 275, 298, *See also* flows
 stomata, 276
 stratosphere. *See* atmosphere layers
 subcatchment basin, 283
 subsistence livelihoods, 6, 52, 58, 65, 76, 333, 452, 453, 465
 subsoiler plows (rippers), 336
 subsurface water, 141, 144, 270, 271, 272, 274, 277, 278, 287
 subsystem, 16
 subtropical humid forests, 95
 succession, 212
 primary succession, 212
 secondary succession, 212
 sugar, 109, 221, 222, 315, 317, 318, 319, 320, 327, 334, 352, 353, 354, 356, 357, 453
 sunspot activity, 112
 super-organism, 211
 sustainability science, 23
 sustainable development, 23, 405, *See* managing resources, sustainable; Brundtland report, intergenerational equity, Criteria for Sustainable Forestry
 sustainable flow rate, water, 268, 272
 suture zones, 202
 swidden (slash and burn) agriculture, 339, 452
 system, 3, 6, 17, 22
 disorganized complexity, 12
 organized complexity, 12
 organized simplicity, 12
 system dynamic models, 18
 systems theory VS complexity, 13

- tannins, 267
- tapping glaciers, 305
- taxonomic classifications, 197
 Linnaean system, 197
 Tree of Life, 197
- technological lifestyle, 47–55
- temperate oceanic forest (also known as temperate rain forests), 95, 99, 100, 150
- temperate rain forests. *See* temperate oceanic forest
- temperature changes, global. *See* also global warming
 glacial and interglacial periods, 118, 119
 ice ages, 118
 past 18 thousand years, 123
- terrestrial Earth. *See* landforms
 agriculture area, 490
 changes of past 17 thousand years, 120
 changes of past 250 million years, 117
 distribution of land covers, 36
 Earth crust mineral composition, 411, 417
 ecological zones, 87, 239
 land covers, 241
 percent of total Earth, 35
 solar radiation, 89
- Tethys Sea, 117
- thermal mass, 386
- Thermodynamics, First Law, 365
- thermohaline circulation system, 125
- thinning to waste (precommercial thinning), 472
- threshold, 6, 24, 25, 43, 67, 128, 153, 313, 367
- tilling, 279, 333, 334, 336
- tipping points, 24
- TNC (The Nature Conservancy), 253
- tool-making culture, 47
- Trade Winds. *See* Easterly Winds
- tradeoff, 28, 179, 298, 299, 301, 326, 338, 383, 404,
 See also triage and tradeoff
- transboundary, 25, 26, 287
- transformability, 23
- transition metals, 410, 412, 413
- transportation, 18, 37–43, 44, 48, 51, 58, 61, 72, 73, 79,
 126, 182, 288, 302, 375–7, 379, 384–6,
 390–2, 402, 404, 422, 424, 485, 488, 490
- transportation energy, 390–2
- tree of life. *See* taxonomic classifications
- tree stem components and properties (sapwood,
 heartwood, juvenile wood, knots, other),
 454–5
- trophic level, 188, 200, 223, 257
- troposphere. *See* atmosphere layers
- turbulence, water, 265
- typhoons. *See* hurricanes
- ultraviolet (UV) wavelengths. *See* energy, radiation
 wavelengths
- uncertainty, 14
- understory structure, 215, 221, 224, 225, 243, 448
- UNFRA groups, 193, 228, 239, 241, 244, 245
- unintended consequences, 28, 131
- urban. *See* rural areas, human population
 concentrations, human population changes,
 country group, population
- UV (ultraviolet) wavelengths. *See* energy, radiation
 wavelengths
- value added, 463
- van der Waals bonds, 413, *See* mineral chemical
 structures
- variable, 24, 199
- varves, 271
- vegetarian, 322, 347, 356, 358, 359, 490
- vegetation covers, 243
- vibrancy, 14
- Vikings, 73
- virtual water, 306, 309
- Von Baeyer, H.C., 365
- von Carlowitz, H.C., 22, 476
- vulnerability, 23
- wars, 41, 48, 50, 59, 76, 78, 332, 375, 381, 395, 397,
 446, 486, 490
- waste water, 294, 304, 305, 306, *See also* sewage
 treatment
- water
 chemical properties. *See* polarized water molecule,
 water pH, water crystal, eutrophication,
 water pollutants
 freshwater, saline water, 265
 global water stocks, 266
 physical properties. *See* ice rafting, ice floating,
 spring turnovers, killer lakes, frost heaving
 states (solid, liquid, gaseous vapor), 265
 thermal properties. *See* heat capacity, latent heat,
 turbulence, conduction, greenhouse gas
 uses, 265, *See also* water use
 water absorption and release of energy. *See also*
 evaporation, evapotranspiration
 condensation, 90, 93
 freezing, 97, 342
 melting, 97
 water crystal, 266
 water flow patterns, 283–7, *See also* renewable water,
 water uses, annual hydrograph, drainage
 basin, catchment area, watershed,
 subcatchment basin
 water management, 298, *See also* tradeoff, salt water
 intrusion, aquifer pollution, bioremediation,
 large dams, soft path solutions, silted
 reservoirs, drought avoiders, fish ladders,
 sewage treatments, rainwater rooftop
 harvesting, artificial glaciers, tapping
 glaciers, pipelines, virtual water
 water pH, 266
 water pollutants, 267
 water table, 25, 143, 182, 187, 271, 272, 277, 280, 283

water use, 26, 284, 290, 304, 336, 337, 360, 489
 agriculture, grazing, forestry, 291–3
 ecological, 294
 household and municipal, 290–1
 industry and transportation, 288–90
 international (transboundary) issues, 287
 ownership and conflict, 287
 recreation, 293–4
 water use extension, 289, *See also* dams, waste
 water, desalinization
 water, protecting from, 294–5, *See also* avalanche,
 flash flood, levee, dam, flood, GLOFs
 watershed, 283, 285
 weather, 87
 Weaver, W., 12, 20, 480
 weed, 141, 252, 335, 336, 338
 well-being, 55, 65–76, 154, 395, 489, *See* Indexes of
 country well-being
 comparison of influences on well-being, 65–71
 environmental condition relation to well-
 being, 74–5
 government organization relation to well-
 being, 73–4
 infrastructure relation to well-being, 73
 people's behavior relation to well-being, 71–3
 resource possession relation to well-being, 74–5

Westerly Winds, 93, 98, 170, *See also* maps, global,
 prevailing winds
 wetland, 26, 188, 189, 190, 281
 wetted column, 274, 277
 white meat, 313
 white water river, 271
 wildfires, 55, 130, 302, 448, 469, 470, 472
 wildlife, 154, 313, 381, 476, *See also* animal
 habitats
 “willy-willies”. *See* hurricanes
 wind energy, 288, 383
 window of opportunity, 478
 wisdom, 28, 29, 31, 491
 wood energy, 375, 376, 388, 452
 wood fuel use. *See* carbon dioxide atmospheric
 reduction
 workforce, 44, 49, 491, *See* elderly, working, children
 by economic sector, 49
 WWF (World Wildlife Fund), 253

 xenophobia, 59, 77
 X-ray wavelengths, 372, *See* energy, radiation
 wavelengths

 Younger Dryas (a.k.a. Loch Lamond Stadial and
 Nahanagan Stadial), 124