

# Index

- $\frac{1}{4}$ -20. *See* screws,  $\frac{1}{4}$ -20  
 3D imaging, 228, 231, 234, 262  
 $\infty$ . *See* lens, infinity corrected  
  
 ABC law. *See* Beer–Lambert law  
 aberration, 82  
   astigmatism, 84  
   chromatic, 83  
   coma, 84  
   spherical, 83  
 absorbance plot, 150  
 absorption, 12, 17, 287  
 acoustic hood, 254  
 acousto-optical modulator (AOM), 103, 181  
 acousto-optical tunable filter (AOTF), 103  
 adaptive optics, 236  
 AFM. *See* atomic force microscopy (AFM)  
 Ag mirror. *See* mirror, silver  
 air table, 48  
 airy disk, 10  
 Al mirror. *See* mirror, aluminum  
 Alexa, 221  
 alignment, 132, 269, 271, 273, 275–276  
 alignment card, 102  
 alignment target, 102  
 Allen wrench, 50  
 aluminum mirror. *See* mirror, aluminum  
 Andor. *See* vendors  
 anisotropy, 8, 20  
 antireflection coating, 74, 82  
 anti-Stokes, 170  
 AOM. *See* acousto-optical modulator (AOM)  
 AOTF. *See* acousto-optical tunable filter (AOTF)  
 aperture, 79  
 APS. *See* photodiode, avalanche (APS)  
 Ar+. *See* laser, argon (Ar+)  
 Arduino, 199  
 array detector, 100  
 atmospheric compensation, 151  
 atomic force microscopy (AFM), 173, 252  
 ATR. *See* attenuated total reflection (ATR)  
 ATR correction, 151  
 ATR crystal. *See* attenuated total reflectance crystal  
 ATR-FTIR. *See* Fourier transform infrared spectroscopy (FTIR), attenuated total reflectance  
  
 attenuated total reflectance crystal, 145  
 attenuated total reflectance Fourier transform infrared spectroscopy (ATR-FTIR).  
   *See* Fourier transform infrared spectroscopy (FTIR), attenuated total reflectance  
 attenuated total reflection (ATR), 142  
 Au mirror. *See* mirror, gold  
 autocorrelator, 46, 280  
 auto-fluorescence, 170  
 averaging, 151, 161  
  
 BABB, 231  
 back-scattered electron (BSE), 257  
 bandgap, 115, 125  
   direct, 125  
   indirect, 126  
 barium borate (BBO), 105, 280  
 base plate, 53  
 baseline correction, 150, 165  
 BBO. *See* barium borate (BBO)  
 beam block, 25, 80  
 beam expander, 81, 129, 276, 281  
 beam path, 27, 59  
 beam splitter, 73, 79, 280  
   cheap, 280  
   microscope slide, 280  
 beam steering, 269  
 beam trap, 80  
 Beer–Lambert law, 114, 150  
 Bertrand prism, 199, 210  
 binning, 94, 100, 161  
 birefringence, 19, 71, 213  
 birefringent prism, 215, 217  
 bit depth, 200  
 blackbody radiation, 19, 33, 287, 291  
 blank sample, 115  
 blaze. *See* diffraction grating, blaze  
 blue shift, 4  
 Bohr model, 110, 284, 287  
 Brewster window, 15  
 Brewster's angle, 15  
 bright field. *See* microscopy, bright field (BF)  
 broadband, 78  
 burn paper, 27

- cage, 63  
calcite, 20, 70  
Cameo. *See* software processing  
CARS, 157. *See* coherent anti-Stokes Raman spectroscopy (CARS)  
CAT scan. *See* computerized axial tomography (CAT) scan  
cathodoluminescence (CL), 18, 124, 258  
cavity, 35  
CCD. *See* Charge coupled device (CCD)  
cell phone optics, 106  
  eyepiece adapters, 107  
  infrared imaging, 107  
  microlens, 106  
  spectrometers, 106  
centering knob, 192  
centering telescope, 199  
chalcogenides, 162  
charge coupled device (CCD), 100, 102  
  electron multiplying, 101–102, 226, 250  
  sensitivity, 131  
chemiluminescence, 18  
chemometrics, 153, 183  
chirp, 279  
  negative, 279  
  positive, 279  
chopper, 35, 39  
Chroma. *See* vendors  
circular polarization, 9, 72  
CL. *See* cathodoluminescence (CL)  
clamping fork, 53  
CLARITY, 231  
classical least squares (CLS), 186  
cleaning optics, 270  
CLEM. *See* correlative microscopy  
CLS. *See* classical least squares (CLS)  
clustering, 187  
Coherent. *See* vendors  
coherent anti-Stokes Raman spectroscopy (CARS), 170  
co-linear, 47  
collagen, 235  
collar, 58, 274  
collimation, 23, 38  
computerized axial tomography (CAT) scan, 156  
condenser annulus, 208  
condenser aperture, 193  
condenser turret, 208  
confocal aperture. *See* pinhole  
confocal microscopy, 227  
  spinning disk, 230  
constructive interference, 22  
correction collar, 91  
correlative electron and optical microscopy. *See* correlative microscopy  
correlative microscopy, 255  
cosmic ray, 161, 165  
countersunk through hole, 54  
coverslip, 194  
critical angle, 16  
cross polarized imaging, 213  
cryogen, 105  
  safety, 105  
cryostat, 105  
cube, 63  
CUBIC, 231  
cuvette, 115, 117  
CW. *See* laser, continuous wave (CW)  
  
DAPI, 222  
dark count, 97, 114  
dark field. *See* microscopy, dark field (DF)  
dark field condenser, 193  
dark ring, 209  
data preprocessing, 185  
de Broglie relation, 3, 284, 287  
deconvolution, 242  
delay line, 179, 277  
depth of field, 256, 259  
depth of focus, 87  
destructive interference, 22  
deuterium lamp, 117  
deuterium oxide, 149  
DIC. *See* differential interference contrast microscopy  
difference spectra, 153  
differential interference contrast (DIC), 20, 189, 198, 215  
diffraction, 24, 287  
diffraction grating, 91, 116, 159  
  blaze, 91  
  cleaning, 91  
diffraction limit, 11–12, 155, 240, 250, 252  
diffraction pattern, 289  
diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS), 148  
diffuser, 104, 190  
DiSPIM. *See* light sheet microscopy  
divergence angle, 38  
double slit experiment, 2, 289  
doublet, 85  
DPSS. *See* laser, diode-pumped solid state  
duty cycle, 45  
dynamic range, 200  
  
Edmund Optics. *See* vendors  
EDS. *See* energy dispersive x-ray spectroscopy (EDS)  
EigenVector Research. *See* software processing  
eight-thirty-two. *See* screws, 8-32

- Einstein, 2, 284, 287–288  
 elastic scattering, 18  
 electro optic crystal, 41  
 electro optic modulator (EOM), 103, 181  
 electroluminescence, 18  
 electromagnetic spectrum, 4  
 electron microscopy (EM), 241, 255  
 electron multiplying charge coupled device (EMCCD). *See* charge coupled device (CCD), electron multiplying  
 electron-beam lithography, 265  
 electronic transition, 42  
 elliptical polarization, 10  
 EMCCD. *See* charge coupled device (CCD), electron multiplying  
 emission, 18  
 emissivity, 292  
 energy dispersive x-ray spectroscopy (EDS), 161, 258  
 energy level, 18, 110  
   electronic, 111  
   vibrational, 111  
 energy manifold, 123  
 engineering control, 30  
 ENVI. *See* software processing  
 EOM. *See* electro optic modulator (EOM)  
 epi-fluorescence, 222  
 EUV. *See* extreme ultraviolet (EUV)  
 evanescent field, 17  
 excited state, 123  
 exposure time, 96, 160  
 extraordinary beam, 20, 215  
 extreme ultraviolet (EUV), 4  
 eye, human, 18, 29, 33  
 eyepiece, 198
- far field, 12  
 far infrared (FIR), 4  
 fast axis, 71  
 fast Fourier transform (FFT), 249  
 FFT. *See* fast Fourier transform (FFT)  
 FIB. *See* focused ion beam (FIB)  
 fiber optic, 12, 16, 92  
   collimator, 93  
   coupler, 93  
   coupling, 93  
   coupling efficiency, 93  
   isolator, 93  
   laser. *See* laser, fiber  
   multi-mode fiber (MMF), 93  
   optical amplifier, 94  
   single-mode fiber (SMF), 93  
 field aperture, 191  
 field diaphragm, 191
- field of view (FOV), 86  
 field stop, 191  
 filter, 74  
   bandpass, 75  
   blocking, 75  
   clean-up, 75  
   emission, 75  
   excitation, 75  
   fluorescent, 220  
   long-pass, 75  
   neutral density (ND), 75, 191  
   notch, 75  
   quad band, 78  
   short-pass, 75  
 filter cube turret, 223  
 filter wheel, 199  
 FIR. *See* far infrared (FIR)  
 fixed mount, 65  
 flash lamp, 41  
 FLIM. *See* fluorescence lifetime imaging microscopy (FLIM)  
 flip mount, 61  
 FLIR. *See* vendors  
 floating table, 48  
 fluorescein, 117  
 fluorescence, 11, 18, 35  
 fluorescence imaging, 189, 198, 222  
 fluorescence lifetime imaging microscopy (FLIM), 111, 237  
   frequency domain, 239  
   time-domain, 238  
 fluorescence spectroscopy, 18, 111, 118  
 fluorescent labeling. *See* labeling, fluorescent  
 fluorescent dye, 120  
 fluorescent light bulb, 18–19  
 fluorophore, 118  
 focal length. *See* Lens, focal length  
 focal plane, 24  
 focal point, 23  
 focused ion beam (FIB), 260  
 Fourier optics, 24, 244  
 Fourier space, 24, 246  
 Fourier transform, 24, 140, 148, 182, 240, 247  
 Fourier transform infrared spectroscopy (FTIR), 18, 111, 137  
   attenuated total reflectance (ATR-FTIR), 145  
   diffuse reflectance infrared Fourier transform spectroscopy (DRIFTS), 148  
   mapping, 154  
   polarized, 146  
   scanning probe, 155  
   transmission, 142  
 FOV. *See* field of view (FOV)  
 frequency, 3

- FTIR. *See* Fourier transform infrared spectroscopy (FTIR)
- FTIR mapping. *See* Fourier transform infrared spectroscopy (FTIR), mapping
- FTIR spectroscopy. *See* Fourier transform infrared spectroscopy (FTIR)
- GaAsP detector, 99
- gain medium, 35
- Galilean telescope, 281
- gamma ray, 4
- Gaussian fit, 241
- GFP. *See* green fluorescent protein (GFP)
- globar, 139, 155
- goggles. *See* laser safety goggles
- gold mirror. *See* mirror, gold
- graphene, 162
- green fluorescent protein (GFP), 222
- ground state, 123
- group theory, 158, 188
- guide beam, 27
- half-wave plate, 8, 70–71
- halogen lamp, 33
- Hamamatsu. *See* vendors
- harmonic oscillator, 291
- harmonic unit, 42
- HeCd+. *See* laser, helium cadmium (HeCd+)
- hemeprotein, 115
- hex key, 50, 82
- HgCdTe. *See* mercury cadmium telluride (MCT)
- histology, 203
- Horiba. *See* vendors
- HRTEM. *See* transmission electron microscopy (TEM), high resolution
- hyperspectral imaging, 127, 176
- hyperspectral mapping, 176
- hyperspectral spectroscopy  
 data processing software, 187
- iDISCO, 231
- IgG. *See* immunoglobulin G (IgG)
- image plane, 24
- ImageJ, 202  
 Fiji, 202
- imaging, 189  
 file formats, 200  
 label free, 235  
 second harmonic generation (SHG),  
 235
- immunocytochemistry, 220
- immunoglobulin G (IgG), 221
- incandescent light bulb, 18, 33
- index of refraction, 8
- inelastic scattering, 18
- infinity correction. *See* lens, infinity corrected
- infrared (IR), 4
- infrared camera, 27
- infrared imaging, 107
- infrared spectroscopy, 6
- infrared tomography, 155
- InGaAs, 113, 126
- interference, 22, 287
- IR. *See* infrared
- iris, 79
- Janus. *See* vendors
- joule, 44
- JPEG, 200
- KBr pellet, 142
- KBr window, 144
- Keplerian telescope, 281
- kinematic mount, 61, 64–65
- Köhler illumination, 191, 198, 203, 206, 209, 213,  
 216  
 setup, 198
- Kr+. *See* laser, krypton (Kr+)
- k-space, 24
- labeling  
 fluorescent, 220
- LabView, 199
- Lakeshore. *See* cryostat, vendors
- laser, 32, 34  
 alignment, 132  
 argon, 129  
 argon (Ar+), 36  
 class, 29  
 continuous wave (CW), 35  
 diode, 38  
 diode-pumped solid state (DPSS), 38  
 dye, 38  
 erbium doped fiber, 42, 94  
 femtosecond, 40  
 fiber, 94  
 gas, 36, 129  
 gas laser safety, 30  
 helium cadmium (HeCd+), 36  
 helium neon (HeNe), 36  
 HeNe. *See* laser, helium neon (HeNe)  
 krypton (Kr+), 36  
 Nd:YAG, 41  
 Nd:YLF, 42  
 Nd:YVO, 42  
 optically pumped semiconductor (OPSL),  
 39  
 picosecond, 40

- power. *See* watt
- pulsed, 27, 35, 39, 44
- pumping, 35
- quantum cascade (QCL), 38
- quantum well, 38
- ruby, 42
- supercontinuum, 34
- Ti:sapphire, 41
- water-cooled, 31, 37
- white, 38
- laser curtain, 267
- laser induced breakdown spectroscopy (LIBS), 174
- laser safety goggles, 25, 27, 30–31, 33–34, 102, 267, 270, 272
- vertical beam, 275
- laser table, 48
- L-bracket, 61
- LED. *See* light emitting diode (LED)
- Leica. *See* vendors
- lens, 23, 80
  - aberration, 82
  - air objective, 197
  - alignment, 273
  - biconcave, 81
  - bi-convex, 81
  - concave, 281
  - condenser, 191
  - convex, 281
  - correction collar, 91, 196
  - dipping objective, 89
  - focal length, 82
  - immersion objective, 88
  - infinity corrected objective, 87, 197
  - inserting into the beam path, 273
  - long working distance objective (LWD), 90
  - magnification, 195
  - materials, 82
  - mounting, 81
  - objective, 85, 195
  - oil immersion objective, 197
  - plano-concave, 81
  - plano-convex, 81
  - water immersion objective, 197
  - working distance (WD), 89
- LIBS. *See* laser induced breakdown spectroscopy (LIBS)
- light bulb, 32
- light emitting diode (LED), 18–19, 32–33, 39
- light pipe. *See* fiber optic
- light sheet microscopy, 230
- light waves, 2
- linear polarization, 8, 71
- linewidth, 37
- liquid helium, 105
- liquid nitrogen, 97, 99, 105, 139
- LN<sub>2</sub>. *See* liquid nitrogen
- Lorentz force, 257
- low pass filter, 24
- luminescence, 18, 35
- LWD. *See* lens, long working distance objective
- M6. *See* screws, M6
- magnification, 86
- MatLab. *See* software processing
- McPherson. *See* vendors
- MCT. *See* mercury cadmium telluride (MCT)
- mercury cadmium telluride (MCT), 99, 126, 139
- mercury lamp, 33
- MetaMorph, 199
- Michelson interferometer, 139, 151
- micro-computed tomography ( $\mu$ CT), 156
- microlens. *See* cell phone optics, microlens
- micromanipulator, 62
- microscope. *See* microscopy
- microscope slide, 280
- microscopy, 189
  - bright field (BF), 193, 203
  - confocal. *See* confocal
  - dark field (DF), 193, 205
  - fluorescent, 222
  - inverted, 88, 189, 194, 223, 275
  - light sheet, 230
  - multiphoton, 233
  - transmitted light, 191
  - upright, 189
  - wide field. *See* microscopy, bright field
- microtome, 224
- microwave, 4
- mid-infrared (MIR), 4
- minimum deviation angle, 279
- MIR. *See* mid-infrared
- mirror, 65
  - aluminum, 66, 114
  - for beam steering, 269
  - concave, 68
  - convex, 68
  - cube, 278
  - deformable, 236, *See* adaptive optics
  - dichroic, 79
  - dielectric, 66
  - gold, 66
  - metal, 66
  - parabolic, 68
  - roughness, 68
  - silver, 66
  - spherical, 68

- MMF. *See* fiber optic, multi-mode fiber  
mode locking, 41  
Moiré fringe, 247  
molecular signature, 148  
monochromatic, 35  
monochromator. *See* spectrometer  
Montana Instruments. *See* vendors  
multiphoton microscopy, 233  
multivariate image analysis, 153
- n. *See* index of refraction  
NA. *See* numerical aperture (NA)  
nanoindentation, 253  
nanomechanics, 253  
ND. *See* filter, neutral density (ND)  
Nd:YAG, 38  
near field, 12  
near-infrared (NIR), 4  
Newport. *See* vendors  
night vision goggles, 5  
Nikon. *See* vendors  
NIR. *See* near-infrared  
Nomarski microscopy, 216  
Nomarski prism, 215, 218  
nonlinear crystal, 38, 42, 104  
nonlinear optical process. *See* nonlinear optics  
nonlinear optics, 40, 104, 156, 233, 235, 280  
nonlinear spectroscopy. *See* nonlinear optics  
non-radiative transition, 123, 220  
numerical aperture (NA), 87, 196
- Ocean Optics. *See* vendors  
OD. *See* optical density  
Olympus. *See* vendors  
OPA. *See* optical parametric amplifier (OPA)  
OPO. *See* optical parametric oscillator (OPO)  
OPSL. *See* laser, optically pumped semiconductor laser (OPSL)  
optic axis, 23, 191  
optical breadboard, 53  
optical bridge, 89, 197  
optical brightener, 103  
optical density (OD), 25, 75  
optical mount, 65  
optical parametric amplifier (OPA), 43  
optical parametric oscillator (OPO), 38, 43, 172  
optical table, 48  
optomechanics, 53  
ordinary beam, 20, 215  
Oxford Instruments. *See* vendors
- P polarization, 8, 15  
PALM. *See* photo activated localization microscopy (PALM)  
partial least squares (PLS), 186  
Pauli exclusion principle, 124, 284  
PCA. *See* principal component analysis (PCA)  
peak fitting, 165  
periscope, 8, 276  
petri dish, 21, 52, 194, 215, 220, 231, 233  
phase contrast imaging, 208  
phase ring, 193  
phasor analysis, 182, 240  
phosphorescence, 124  
photo activated localization microscopy (PALM), 241, 250  
photobleaching, 134, 229  
photocathode, 286  
photodetector, 97  
  silicon, 116  
photodiode, 44, 98  
  array, 100  
  avalanche (APS), 98, 238  
photoelectric effect, 2, 99, 284, 287  
photoelectron spectroscopy, 7, 284  
photolithography, 123, 264  
  extreme ultraviolet (EUV), 265  
  immersion, 265  
  stepper, 265  
photoluminescence (PL), 18, 123  
  imaging  
    time resolved (TRPL), 237  
    wide field, 127  
  spectroscopy, 18, 111, 123  
    bulk, 127  
    cryogenic, 126  
    micro-, 127  
    time-resolved (TRPL), 125  
photomask, 264  
photomultiplier tube (PMT), 98, 234, 286  
photon, 2–3  
photoresist, 264  
photothermal expansion spectroscopy, 155  
piezoelectric, 63  
pinhole, 79, 228–229, 282  
pixel, 200  
PL. *See* photoluminescence or photolithography  
Planck's constant, 4, 285, 287  
Planck's law, 291  
plane polarization, 8  
plasma line, 37  
plate reader, 122  
PLS. *See* partial least squares (PLS)  
PLS Toolbox. *See* software processing  
plumb line, 275–276  
PMT. *See* photomultiplier tube (PMT)  
p–n junction, 38  
point detector, 97  
point spread function (PSF), 242

- polarizability, 158  
 polarization, 6, 287  
   scrambler, 73  
 polarized FTIR. *See* Fourier transform infrared spectroscopy (FTIR), polarized  
 polarizer, 69, 193  
   calcite, 70  
   wire-grid, 69  
 post, 55  
 post clamp, 59  
 post holder, 54  
 power meter, 44  
 Princeton Instruments. *See* vendors  
 principal component analysis (PCA), 184  
 prism, 139, 216  
 prism pulse compressor, 278  
 PSF. *See* point spread function (PSF)  
 pulse compressor, 280  
 pulsed laser. *See* laser, pulse  
 pump-probe. *See* ultrafast spectroscopy  
 pyroelectric, 44  
 Python, 199
- QCL. *See* laser, quantum cascade (QCL)  
 QE. *See* quantum efficiency (QE)  
 Q-factor. *See* quality factor  
 Q-switching, 41  
 quality factor, 41  
 quantum dot, 119  
 quantum efficiency (QE), 97, 116  
 quantum yield (QY), 119, 125  
 quarter twenty. *See* screws, ¼-20  
 quarter-wave plate, 71  
 QY. *See* quantum yield (QY)
- radiative transition, 123  
 radio wave, 3–4  
 rail, 59  
 rainbow, 91, 279  
 Raman  
   imaging  
     confocal 3D, 169  
     mapping, 168  
   scattering, 18, 156–158  
     energy levels, 171  
     intensity, 160  
     stimulated (SRS), 233  
   spectroscopy, 111, 157  
     coherent anti-Stokes (CARS), 170, 233  
     Fourier transform (FT), 158  
     macro, 164  
     micro, 163  
     polarized, 166  
     resonance, 158, 169  
     stimulated (SRS), 172  
     surface enhanced (SERS), 173  
     tip enhanced (TERS), 173  
 Raspberry Pi, 108, 199  
 ray diagram. *See* ray tracing  
 ray optics, 22  
 ray tracing, 22  
 Rayleigh criterion, 10  
 Rayleigh scattering, 18  
 real space, 23  
 reciprocal space, 24  
 red hot, 19  
 red shift, 4  
 reflection, 12–13, 287  
 refraction, 287  
 refractive index, 12  
 removable mount, 61  
 rep rate. *See* repetition rate  
 repetition rate, 40, 44  
 resolution, 10  
 resonance Raman, 169  
 retaining ring, 65  
 retro-reflection, 79, 274  
 rotation mount, 70
- S-polarization, 8, 15  
 safety, 25  
   cryogen, 105  
 SCALE, 231  
 scanning electron microscopy (SEM), 241, 256–257  
   cryo, 263  
 scanning mirror, 127, 229  
 scanning near field optical microscopy (SNOM), 12, 155  
 scanning probe, 12, 148, 155, 241, 252  
 scanning transmission electron microscopy (STEM), 257  
 scattering, 12, 18, 79, 157, 206  
 scattering scanning near field optical microscopy (S-SNOM), 155  
 scientific complementary metal oxide semiconductor (SCMOS), 101  
 SCMOS. *See* scientific complementary metal oxide semiconductor (SCMOS)  
 scrambler. *See* polarization, scrambler  
 screws, 268  
   ¼-20, 50  
   8-32, 51  
   cap, 50  
   imperial, 50, 268  
   M6, 50  
   metric, 50, 268  
   set, 51  
   socket, 50  
   thumb, 54

- second harmonic generation (SHG), 27, 41, 43, 46, 180–181, 233, 280  
 time resolved, 181  
 secondary electron (SE), 257  
 secondary ion mass spectroscopy (SIMS), 244  
 sectioning, 224  
 selective plane illumination microscopy (SPIM). *See* light sheet microscopy  
 SEM. *See* scanning electron microscopy (SEM)  
 Semrock. *See* vendors  
 SERS. *See* Raman, spectroscopy, surface enhanced (SERS)  
 SFG. *See* sum frequency generation  
 shear, 217  
 SHG. *See* second harmonic generation (SHG)  
 shutter, 80, 190  
 silver mirror. *See* mirror, silver  
 SIM. *See* structured illumination microscopy (SIM)  
 SIMS. *See* secondary ion mass spectroscopy (SIMS)  
 slow axis, 71  
 SMF. *See* fiber optic, single-mode fiber  
 smoothing, 153  
 Snell's law, 12, 20, 23  
 SNOM. *See* scanning near field microscopy (SNOM)  
 spanner wrench, 65, 78, 81  
 spatial walk off, 181  
 spectrofluorometer, 118  
 spectrometer, 44, 94  
   binning, 94  
   Czerny–Turner, 94  
   dispersion, 94  
   entrance slit, 94  
   exit slit, 96  
   ray diagram, 96  
 spectroscopy, 110  
   electronic, 111  
   femtosecond. *See* ultrafast spectroscopy, femtosecond  
   linear, 112  
   macro, 112  
   micro, 112  
   nonlinear, 112  
   picosecond. *See* ultrafast spectroscopy, picosecond  
   time-resolved, 111, *See* ultrafast spectroscopy  
   vibrational, 111  
 specular reflection, 146  
 SPIM. *See* light sheet microscopy  
 SRS. *See* Raman, spectroscopy, stimulated  
 STED. *See* stimulated emission depletion microscopy (STED)  
 Stefan–Boltzmann law, 291  
 STEM. *See* scanning transmission electron microscopy (STEM)  
 stepper motor, 63  
 stimulated emission depletion microscopy (STED), 241, 243  
 stitching, 116, 134, 136  
 stochastic optical reconstruction microscopy (STORM), 241, 250  
 Stokes shift, 119  
 STORM. *See* stochastic optical reconstruction microscopy (STORM)  
 strain, 160  
 streak camera, 102  
 stress, 20, 160  
 structured illumination microscopy (SIM), 241, 243, 247  
 sum frequency generation (SFG), 47, 156  
   vibrational spectroscopy (SFG-VS), 156  
 super resolution microscopy, 11, 240  
   photoactivated localization microscopy (PALM), 250  
   stochastic optical reconstruction microscopy (STORM), 250  
 Synchrotron, 34  
 table clamp, 61  
 Tauc plot, 115  
 TCSPC. *See* fluorescence lifetime imaging microscopy (FLIM)  
 TEM. *See* transmission electron microscopy (TEM)  
 temperature controller, 105  
 terahertz, 5  
 TERS. *See* Raman, spectroscopy, tip enhanced (TERS)  
 thermal radiation, 18, 291  
 thermalize, 123  
 thermoelectric, 97, 99–100  
 thermopile, 44  
 THG. *See* third harmonic generation (THG)  
 third harmonic generation (THG), 43  
 Thorlabs. *See* vendors  
 THz. *See* terahertz  
 TIFF, 200  
 time correlated single photon counting (TCSPC), 179, 237  
 time resolved photo luminescence (TRPL). *See* photoluminescence, spectroscopy, time-resolved (TRPL)  
 TiO<sub>2</sub>. *See* titanium dioxide (TiO<sub>2</sub>)  
 tip enhanced Raman spectroscopy (TERS). *See* Raman, spectroscopy, tip enhanced (TERS)  
 TIR. *See* total internal reflection  
 TIRF. *See* total internal reflection fluorescence (TIRF)



- tissue clearing, 231, 236  
 tissue culture, 208  
 titanium dioxide (TiO<sub>2</sub>), 118, 162  
 total internal reflection (TIR), 16, 92  
 total internal reflection fluorescence (TIRF), 225, 251, 275  
 TPEF. *See* two photon fluorescence (TPF)  
 transient absorption spectroscopy, 181  
 transient reflection spectroscopy, 180  
 transmission, 12  
 transmission electron microscopy (TEM), 24, 241, 257  
   high resolution, 262  
 triboluminescence, 18  
 triglycerine sulfate (DTGS), 139  
 triplet state, 124  
 TRPL. *See* fluorescence lifetime imaging microscopy (FLIM)  
 tungsten lamp, 117  
 turret, 193  
 two photon fluorescence (TPF), 41, 233, 235  
  
 UHV. *See* ultra-high vacuum (UHV)  
 ultrafast spectroscopy, 179  
   attosecond, 36  
   femtosecond, 179  
   picosecond, 179  
 ultra-high vacuum (UHV), 156, 260, 285  
 ultraviolet (UV), 4  
 ultraviolet photoelectron spectroscopy (UPS), 285  
 UV. *See* ultraviolet (UV)  
 UV-VIS-NIR absorption spectroscopy, 18, 111, 113  
  
 vacuum ultraviolet (VUV), 4  
 vendors, 108, 268  
 viewing card, 27, 270–271, 274–275, 279  
 volume Bragg grating filter, 162  
 VUV. *See* vacuum ultraviolet (VUV)  
  
 walk off, 181  
 walking the beam, 271  
 watt, 35, 45  
 wave–particle duality, 287  
 waveguide. *See* fiber optic  
 wavelength, 2  
 wavenumber, 5, 140, 142, 150, 184  
 waveplate, 71  
   order, 72  
 WD. *See* working distance (WD)  
 Wien’s displacement law, 291  
 white hot, 19  
 wide field fluorescence imaging, 220  
 wide field excitation, 127  
 Wollaston prism, 215  
 work function, 284  
 working distance (WD), 89  
  
 xenon lamp, 33  
 XPS. *See* x-ray photoelectron spectroscopy (XPS)  
 x-ray, 4, 34  
 x-ray photoelectron spectroscopy (XPS), 161, 285  
  
 Zeiss. *See* vendors  
 zero correction, 114  
 z-stack, 228, 234, 242  
 $\mu$ wave. *See* microwave