

## Index

- a* attribute (FCC), 129, 554  
 Aagard, P, 167, 182, 619  
 above-ground litter, 240  
 absolute poverty, 42–43, 290, 546, 573  
 abundance, definition of, 237  
*Acacia auriculiformis*, 600  
*Acacia crassicaarpa*, 600  
*Acacia mangium*, 287, 474, 597, 600, 604, 613  
*Acacia mearnsii*, 600  
*Acacia nilotica*, 600, 621  
*Acacia salicina*, 600  
*Acacia* spp., 548–549  
*Acetobacter diazotrophicus*, 331–332, 336  
 acid rain, 211, 417  
 acid soils, 20, 24, 73, 217–218, 277  
   advantages, 231  
   aluminum toxicity, 216  
   calcium deficiency, 216  
   distribution, 215  
   excellent physical properties, 231  
   exchangeable aluminum, 213  
   exchangeable H<sup>+</sup>, 213  
   food crops, tolerance to, 218  
   genetic differences in aluminum tolerance, 218  
   magnesium deficiency, 217  
   manganese toxicity, 217  
   molybdenum deficiency, 217  
   soil biota effects, 218  
   soil infertility, 164, 215, 476  
   species differences, 218  
 acid sulfate soils, 128, 128, 418, 499, 501,  
   *See also* cat clays, Sulfaquepts  
 Acrisols, 92  
 active SOC pool, 268  
   dilute permanganate-oxidizable carbon (POXC), 268  
   dissolved organic carbon (DOC), 268  
   light fraction, 268  
   microbial biomass carbon, 268  
   particulate organic matter (POM), 268  
 adsorption, 75, 377, 380–382, 410  
 advective rains, 10  
 aerenchyma, 511  
*Aeschynomene americana* (American jointvetch), 558  
 Africa Fertilizer Summit, 339  
 African Great Lakes, 23  
 African Millennium Villages, 44, 361  
 aggregate destruction, 137, 495  
   alternate wetting and drying, 272  
   bioturbation, 272  
   determinants of, 272  
   soil temperature, 272  
   tillage, 272  
 aggregate formation, 136, 240, 248, 271  
   clay mineralogy, 271  
   soil texture, 271  
 agricultural land, 58, 62  
   arable (short-term crops), 61–63  
   pastures, 58  
   total, 61  
 agriculture, definition of, 36  
 agrobiodiversity, 26  
 agroecosystems, 53  
   database, 53  
   large-scale commercial, 53  
 agroforestry, 25, 609, 641–643  
   complex, 467–468  
   more people, more trees, 610  
   sequential systems, 613  
   simple, 473–474  
   simultaneous systems, 613  
   tree species used, 611  
 Ajayi, OC, 624–625  
 Akinnifesi, FK, 626  
*alang-alang*. *See Imperata cylindrica*  
 albida effect, 617, 619–620  
 Alegre, JC, 158, 245, 458, 470, 476  
 alfalfa (*Medicago sativa*), 389, 423, 557  
 Alfisol-dominated landscapes, 111  
 Alfisols, 18, 87, 98, 101–103  
   Aqualfs, 87, 98  
   structurally inert, 144  
   Udalfs, 87, 98  
   Ustalfs, 87, 98  
 Alisols, 92  
 Alkemade, R, 586  
 alley cropping, 158  
 allophane, 138, 141  
*Alnus acuminata*, 332  
 alpacas, 160, 544  
 Alternatives to Slash and Burn (ASB)  
   programme, 464–465  
 aluminosilicates, 2:1 layer, 197  
 aluminum ion, 72  
 Amaranthaceae family, 247  
 Amazon Basin, 13  
 aminization, 343  
 ammonia volatilization, 344, 502  
 ammonium fixation, 345  
 ammonium nitrate, 340  
 ammonium sulfate, 339, 416  
 ammonium-oxidating archaea, 240, 367  
*Anabaena azollae*, 330–331  
 andenes, 160  
 Andes, 23, 160  
 Andisols, 89, 92, 99, 105–107, 122, 599,  
   *See also* Andosols  
   Aqualds, 89  
   Torrands, 89  
   Udands, 89, 99  
 Ustands, 89, 99  
 Vitrandes, 89, 99, 122  
 Andosols, 92  
 Andrews, DF, 182  
 Andriese, JP, 107, 446, 449  
*Andropogon gayanus*, 19, 130, 218, 248,  
   389, 397, 475, 550–552, 554, 556,  
   580–581  
*Andropogon tectorum*, 549  
 Angelsen, A, 642  
 Angola, 44, 55, 403  
 anhydrous ammonia, 212, 230, 340, 390  
 animal excreta, 240, 557, 577  
 animal traction, 350  
 animal-drawn plow, 162  
 Anion Exchange Capacity, 197, 206  
   an asset of the tropics, 206  
 anisotropy, 140  
 Annan, Kofi, 43  
 Anthony, KRM, 459  
 Anthropocene, 24–25  
 aquaculture, 127  
 aquatic worms (turbificids), 498  
 aquifers, 176–177, 186  
 Ara, MA, 562  
*Arachis hypogea* (peanut), 334  
*Arachis pintoi*, 130, 276–277, 334, 558  
 Arah, JRM, 500, 527  
 Arévalo, LA, 620  
 argillic B horizon, 141  
 Aridisols, 98, 103–104  
   Argids, 88, 98  
   Calcids, 88, 92, 98  
   Cambids, 88, 98  
   Durids, 88, 93, 99  
   Gypsid, 88, 93, 98  
   Salids, 88, 93, 99, 123, 129  
*arroz de secano* (dryland rice), 506  
 arsenic, 310, 508, 526  
 Astatke, A, 168  
 Asteraceae, 246–247, 398, 613  
 atmospheric deposition, 211, 328–329  
 Australia, 8, 11, 16, 106, 177, 334, 393, 403,  
   426, 579, 650  
 Australian soil classification system, 83  
 available phosphorus, 370–371  
*Axonopus compressus*, 475, 579  
 Ayarza, MA, 569  
 Ayuk, ET, 621  
 Ayuke, FO, 252  
*Azadirachta indica* (neem), 247, 397  
*Azoarcus* spp., 331  
*Azolla anabaena*, 330  
*Azorhizobium caulinodans*, 331  
*Azospirillum* spp., 293, 331–332, 335  
*Azotobacter brasiliensis*, 331  
*Azotobacter* spp., 331–332

- b* attribute (FCC), 129, 260, 551  
bacteria and fungi, transformers, 242  
bacterial diversity, 240  
*Bactris gasipaes*, 52, 219, 251–252, 465, 469  
Bahia-Filho, AFC, 219  
banana, 52, 55, 191, 315  
Bandy, DE, 477  
Bangkok Plain, Thailand, 492  
Bangladesh, 37, 44, 401, 508  
baobab (*Adansonia digitata*), 21  
*barbecho*, 435. *See also* secondary fallow  
Barker, AV, 290  
Barrios, E, 237, 240  
Barron, J, 180, 184, 186  
Barrow, NJ, 382  
Bartholomew, WV, 319, 434, 448  
base saturation, 211  
  methods, 202  
basidiomycete fungus, 635  
Bastiaanssen, WGM, 179–180, 189  
Batjes, NH, 124  
Beachell, H, 510  
Beare, MH, 238, 240, 242  
beetles, 237, 239  
Beijerinck, M, 70  
*Beijerinckia* spp., 331–332  
Belize, 44  
Benin, 44  
*Bertholletia excelsa* (Brazil nut), 52, 219, 473  
Bignell, DE, 251  
biochar, 284–286  
  ash, 286  
  carbon sequestration, 269  
  crop yield, 287  
  definition of, 284  
  effects of, 287  
  increase in crop yields?, 288  
  nutrient availability, 288  
  phosphorus, 266  
  pyrolysis, 284  
  refugia for soil biota, 288  
  soil water retention, 288  
  structure of, 286  
biodiversity, 25–26, 586  
  below-ground, 254  
  definition of, 237  
  functional, 26  
  loss, 62, 75  
biofuels, 39  
biological crusts, 240  
biological nitrogen fixation, 330, 441–442  
biological terraces, 74, 158, 641  
biological tillage, 145  
biomass regrowth in fallows, 461  
biomass, nutrient accumulation in fallows, 461  
Birch effect, 76, 127, 346–347, 452, 502, 509  
  definition of, 182  
Birch, HF, 182, 346  
black carbon, 284, 451  
black cotton soils, 105. *See also* Vertisols  
Blanchart, E, 245  
blue water, 527  
  definition of, 177  
blue-green algae (cyanobacteria), 330, 502  
Boddey, RM, 332, 563  
Bolivia, 44, 401  
*bomas* (Maasai households), 280, 571, 573  
boreal regions, 4–5, 90, 97, 200, 242, 262, 597  
Borlaug, Norman, 47, 219, 338  
*borracha* (rubber product), 635  
*Bos taurus indicus* (zebu), 544  
*Bos taurus taurus* (other cattle), 544  
Bosch, Carl, 69, 328  
Boserup, E, 62, 436  
Botswana, 19, 44, 146, 168, 571  
Bouman, BAM, 508–509, 512, 515  
*Brachiaria brizantha*, 19, 475, 552  
*Brachiaria decumbens*, 130, 248, 252, 389, 475, 552, 555, 565–566, 579, 582, 584  
*Brachiaria dictyoneura*, 277  
*Brachiaria humidicola*, 276, 312, 316, 475, 552, 555, 561, 569, 579–580  
*Brachiaria mutica*, 130, 552  
*Brachiaria ruziziensis*, 275, 554, 556, 582–583  
*Brachystegia* spp., 19, 247, 549, 628  
Bradfield, R, 350, 599  
Brady, NC, 136, 240, 416  
*Bradyrhizobium* spp., 330, 333, 338  
Brams, EA, 450  
Brazil, 36, 44, 52, 111, 149, 178, 187, 190, 202, 223, 243, 334, 356, 392, 396, 401, 439, 467, 475  
Brazilian phosphorus strategies, 396  
Brazilian shield, 23  
Brazilian soil classification system, 71  
Bridges, EM, 83  
British Groundnut Scheme, 9  
Bruijnzeel, LA, 436, 453, 604, 608–609  
Brundtland Commission, 41, 53  
*Bubalus bubalis* (water buffalo), 544  
buffering capacity, definition of, 214  
bulk density, 142, 168  
bulldozer land clearing, 453, 456  
  can it be improved?, 458  
  costs, 458  
  no burning, no ash, 454  
  policy, 458  
  topsoil displacement, 454  
Buol, SW, 16, 70, 72, 83–84, 121, 127, 139, 143, 264, 452, 476, 522, 550  
Buresh, RJ, 74, 497–498, 501–502, 506, 509, 516, 521, 531  
*Burkholderia* spp., 331–332  
Burkina Faso, 44–45, 153, 179, 243  
burning, 18, 30, 285, 392, 416, 433, 435–436, 550–551  
Burundi, 44, 55, 215, 397, 611  
*c* attribute (FCC), 128  
C3 plants, 330, 512, 551, 557  
C4 grasses, 330, 547  
C4 pathway, 551  
CAFOS (confined animal feeding operations or feedlots), 546  
Caires, E, 226  
*Cajanus cajan* (pigeon pea), 50, 334, 628, 630  
*Calamus* spp., 471  
Calcisols, 92  
calcium ammonium nitrate, 230, 340  
calcium deficiency, 216  
*Calliandra calothyrsus*, 158, 250, 335, 348, 397, 628  
*Calopogonium mucunoides* (calopo), 334, 556–558  
Cambisols, 92  
Cambodia, 44  
*Camellia sinensis* (tea), 52, 467  
*Camelus bactrianus* (two-humped camel), 547  
*Camelus dromedarius* (dromedary camel), 544  
Cameroon, 44, 152, 250, 439  
Campo Cerrado, 16  
Campo Limpo, 15–16  
Cane, Mark, 8–9  
Cape Verde, 44  
*capoeira*, 435. *See also* bush fallow  
*Capra hircus* (goat), 544  
carbon, 259–266  
  and nutrient stocks in the soil, 438  
  and nutrient stocks in the vegetation, 437  
  cycle, 261  
  protective capacity, 274  
  release, 275  
  saturation, 126, 273  
  saturation deficit, 274  
  soil carbon pool, 260  
  source of CO<sub>2</sub>, 261  
  total carbon content, 260  
carbon emissions, fluxes, sources of, 262  
carbon sequestration, 528, 585  
  deep carbon sequestration, 275  
  definition of, 269  
  larger aggregates, 271  
  macroaggregates, 271  
  microaggregates, 270  
  process, 270  
  rates, 273  
Carboniferous period, 24  
carnivorous predators, 16  
cascade effects (nitrogen cycle), 327  
cassava, obligate mycorrhizal crop, 248  
Cassman, KG, 189, 354, 358, 501–502, 506  
*Casuarina esquitifolia*, 614  
cat clays, 86, 123, 419  
catastrophic school of thought, 478  
catena, 109  
Cate–Nelson method, 318  
cation exchange capacity, 196, 200  
  increasing, 206  
cattle extraction, 561  
cattle grazing, extensive, 16  
cattle hooves, 143

- cattle manure, 279–281, 283–284, 290  
   high-quality, 279  
   low-quality, 279  
 cattle trampling, 144  
 Cauca Valley of Colombia, 23  
*caucho* (rubber), 635  
*Cecropia* spp., 437  
*Cedrela odorata*, 467  
*Cedrelinga cataeniformis* (tornillo), 469  
*Ceiba pentandra*, 467  
 cellulose, 240  
*Cenchrus ciliaris* (buffelgrass), 19, 130,  
   551–552, 555–556  
 centipedes, 239  
 Central African Republic, 44  
 Central America, 8, 13, 15, 20, 183, 548, 574  
*Centrosema* hybrid, 557, 580, 581  
*Centrosema macrocarpum*, 469, 558, 620  
*Centrosema pascuorum*, 558  
*Centrosema pubescens*, 252, 334, 389, 557–558,  
   587  
 Century model, 266  
   for nitrogen, 329  
 Cerradão, 16  
 Cerrado, Brazil, 11, 16, 18, 73, 229, 248, 316,  
   394, 396–397  
   history of, 73  
 Cerri, CC, 561, 586  
 Cesalpinoideae family, 330  
 Chad, 44  
 Chandler, R, 47  
 chapadas, 110  
 charcoal production, 285  
 Charreau, C, 146, 150, 168, 617  
 check dam, 161  
*chena* (shifting cultivation), 435  
 Chenopodiaceae (spinach) family, 247  
 Chernozems, 83, 93  
 child undernourishment, 42  
 Chile, 8, 180, 350, 403  
 China, 38, 42, 47, 177, 186–187, 328, 330,  
   401, 403, 508  
 Chinese soil classification system, 83  
 Chipata, Zambia, 615  
*chitemene* system, 435–436  
 Chivenge, P, 349  
*Chloris gayana* (Rhodes grass), 20, 389,  
   551–552  
 chontaduro, 52, 469. *See* *Bactris gasipaes*  
 chromium, 310  
*Chromolaena odorata*, 398  
 chronic poverty, 43  
 chronically hungry, 42  
*cigarrinha* (spittlebug), 475  
 clay minerals, 94, 128, 138, 230, 270–272,  
   493  
   permanent-charge, definition, 197  
   variable-charge definition, 198  
 clay skins, 141  
 clay soils, high-activity, 148  
 clays, kaolinitic, 123, 146, 148  
 clays smectitic, 142, 146  
 clays, low-activity, 93, 148  
 clearing and burning 450, 452  
   changes in soil chemical properties upon,  
   449  
 climate change, 25–27. *See also* global  
   warming  
   adaptation, 27–28, 156, 180  
   an unwitting case, 29  
   impacts, 8, 27  
   mitigation, 29  
 climate regulation, 164  
 climates, 4, 11–14, 350  
   arid tropics, 14  
   humid tropics, 13  
   Mediterranean, 4, 347  
   semiarid tropics, 14  
   subhumid tropics, 11  
   tropical highlands, 4  
*Clostridium* spp., 331  
 cloud forests, 20  
*co tranh*, 631. *See* *Imperata cylindrica*  
 CO<sub>2</sub> hydrolysis, 211  
 cocoa, 315–316  
 coconut, 219, 315, 473, 632–633, 635, 639  
 coconut shell, 287  
*Cocos nucifera*, 219, 632  
 Coe, R, 74, 479, 615, 624  
*Coffea arabica*, 52, 219, 632, 636  
*Coffea canephora*, 52, 471, 636  
 coffee, 250  
*cogon*, 631. *See* *Imperata cylindrica*  
 Cohen, Joel, 37, 640  
 Coleman, NT, 213, 381  
 collembola (mesofauna), 237  
 Colombia, 13, 44, 107, 249, 334, 392, 395,  
   401, 584  
*Colonião* (Guinea grass), 475, 552  
 comminution, 238–239  
 Committee on Tropical Soils, 72  
 common beans (*Phaseolus vulgaris*), 26  
 community-based work, 161  
 community-managed forests, 466  
 complex agroforests, 473  
 complex food webs, 240  
 Compositae family, 398  
 composting, definition of, 284  
 cone penetrometers, 144  
 Congo, Democratic Republic of, 13, 23, 44,  
   55, 114, 187  
 conservation agriculture, 47, 136–162  
   five principles, 163  
   where it is difficult, 167  
   where it works, 164  
 conservation tillage, 74  
 contour cultivation, 157  
 contour hedges, 158  
*conuco* (shifting cultivation), 435  
 convective rains, 10  
 Cooper, PJM, 74, 182  
 copra, 315, 633, 635  
 coral reefs, 22, 28, 39  
*Cordia alliodora*, 600  
 core soil properties, 142  
 Coriolis force, 6  
 corrals, 280  
 Costa Rica, 44, 105, 356  
 Côte d'Ivoire, 150  
 cotton, 52, 76, 179, 187, 191, 315, 423  
 covalent bonds, 322  
 cover crop revolution, 47  
 cowpea, 312, 316, 330, 478  
 crop cultivation, continuous, 476  
 crop diversification, 44  
 crop insurance, 39  
 crop productivity losses, 128, 155  
 crop requirements, 422  
 crop residues, 240  
 crop yield decline and field abandonment,  
   458, 460  
 cropland, mismanagement of, 76  
 crop–livestock systems, 574  
   zero grazing, 577  
 crop–pasture integration, 582  
 crops, 21–22, 53  
   abacá (*Musa textilis*), 52  
   açai, huasaí (*Euterpe oleracea*) (heart of  
   palm), 51  
   acerola (*Malpighia emarginata*), 50  
   almond (*Amygdalus communitis*), 50  
   amaranth (*Amaranthus paniculatus* var.  
   *leucocarpus*), 50  
   anona, custard apple (*Annona reticulata*), 50  
   arazá, araçá-boi (*Eugenia stipitata*), 50  
   avocado, aguacate, palta (*Persea americana*),  
   51  
   Bambara nut (*Vigna subterranean*), 49  
   bamboo (*Bambusa tulda*), 52  
   banana (*Musa sapientum*) (bunches), 52  
   baobab (*Adansonia digitata*) (leaves, fruit),  
   51  
   barley (*Hordeum vulgare*), 49  
   beans, common (*Phaseolus vulgaris*), 49  
   Brazil nut (*Bertholletia excelsa*), 52  
   breadfruit, mshelisheli (*Artocarpus altilis*),  
   51  
   bush mango (*Irvingia gabonensis*), 51  
   cabbage (*Brassica oleracea* var. *capitata*), 50,  
   423  
   cacao (*Theobroma cacao*) (chocolate), 52  
   caimito, star apple (*Chrysophyllum* spp.), 51  
   camu-camu (*Myrciaria dubia*), 51  
   canola, rapeseed (*Brassica napas*), 52  
   carambola, starfruit (*Averrhoa carambola*),  
   51  
   cashew (*Anacardium occidentale*), 52  
   cassava, yuca, mandioca (*Manihot esculenta*),  
   49  
   chayote (*Sechium edule*), 51  
   chickpea, garbanzo (*Cicer arietinum*), 49  
   chili peppers (*Capsicum annum*,  
   *C. frutescens*), 50

## crops (cont.)

- chirimoya, cherimoya (*Anona cherimola*), 51  
 cinnamon (*Cinnamomum zeylanticum*), 52  
 coca (*Erythroxylum coca*), 52  
 cocoyam, malanga, yautía, tanier (*Xanthosoma mafaffa*), 49  
 coffee, arabica (*Coffea arabica*), 52  
 coffee, robusta (*Coffea canephora*), 52  
 cotton (*Gossypium hirsutum*), 52  
 cowpea, black-eyed pea (*Vigna unguiculata*), 49  
 cucumber (*Cucumis sativus*), 50  
 cupuaçú, copoazú (*Theobroma grandiflorum*), 51  
 duku, lanzon (*Lansium domesticum*), 51  
 durian (*Durio zibethinus*), 51  
 eggplant (*Solanum melongena*), 50  
 egusi melon (*Citrullus lanatus*), 51  
 ensett (*Ensete ventricosum*), 49  
 faba bean, broad bean (*Vicia faba*), 49  
 guanábana, graviola, soursoap (*Annona muricata*), 51  
 guaraná (*Paullinia cupana*), 51  
 guava (*Psidium guajava*), 51  
 hemp (*Cannabis indica*), 52  
 jackfruit (*Artocarpus heterophyllus*), 51  
 karité, shea, tama (*Vitellaria paradoxa*), 52  
 kenaf (*Hibiscus cannabinus*), 52  
 lentil (*Lens culinaris*), 49  
 lima bean (*Phaseolus lunatus*), 50  
 lychee (*Litchi chinensis*), 51  
 macadamia (*Macadamia ternifolia*), 51  
 maize, corn (*Zea mays*), 49  
 mamey (*Pouteria sapota*), 51  
 mamoncillo (*Melicoccus bijugatus*), 51  
 mango (*Mangifera indica*), 51  
 mangosteen (*Garcinia mangostana*), 51  
 matoke (*Musa acuminata* AAA Group) (banana), 52  
 mung bean (*Phaseolus aureus*), 50  
 oats (*Avena sativa*), 49  
 oil palm (*Elaeis guineensis*), 52  
 okra, quimbombo (*Hibiscus esculentus*), 50  
 onion (*Allium cepa*), 50  
 opium poppy (*Papaver somniferum*), 52  
 papaya, papaw (*Carica papaya*), 51  
 passion fruit, purple granadilla (*Passiflora edulis*), 51  
 pea (*Pisum sativum*), 50  
 peanut, groundnut (*Arachis hypogea*), 50  
 pejobaye, peach palm, pijuayo, pupunha, chontaduro (*Bactris gasipaes*), 52  
 pepper, black (*Piper nigrum*), 52  
 pigeon pea, gandul (*Cajanus cajan*), 50  
 pineapple (*Ananas comosus*), 51  
 plantain (*Musa paradisiaca*), 52  
 potato (*Solanum tuberosum*), 49  
 pumpkins, squashes (*Cucurbita* spp.), 50  
 quinoa (*Chenopodium quinoa*), 49  
 radish (*Raphanus caudatus*), 50  
 rambutan (*Nephelium lappaceum*), 51  
 rice (*Oryza sativa*), 49, 506  
 rubber (*Hevea brasiliensis*), 52  
 safflower, cártamo (*Carthamus tinctorius*), 50  
 sesame, simsim (*Sesamum indicum*), 50  
 sisal (*Agave sisalana*), 52  
 sorghum (*Sorghum vulgare*), 49  
 soybean (*Glycine max*), 50  
 string bean (*Phaseolus vulgaris* pods), 50  
 sugar cane (*Saccharum officinale*), 52  
 sweet potato (*Ipomoea batatas*), 49  
 tamarind (*Tamarindus indica*), 51  
 taro (*Colocasia esculenta*), 49  
 tarwi, Andean lupin (*Lupinus mutabilis*), 50  
 tea (*Camellia sinensis*), 52  
 teff (*Eragrostis tef*), 49  
 tobacco (*Nicotiana tabacum*), 52  
 tomatillo (*Physalis philadelphica*), 51  
 tomato (*Lycopersicon esculentus*), 50  
 tree tomato (*Cyphomandra betacea*), 51  
 wheat (*Triticum aestivum*), 49  
 yam (*Dioscorea* spp.), 49  
*Crotalaria grahamiana*, 335, 629–630  
*Crotalaria juncea*, 335  
 Cruciferae family, 247  
 crusts, 144  
   depositional, 144–145  
   erosional, 144–145  
   structural, 144  
 Cryosols, 93  
 Cuba, 11, 15, 44, 168, 188–190, 246, 249–250, 293–294, 301, 401, 509, 620, 635  
 cuirasse (laterite outcrops), 70  
 Cummings, Ralph, 47  
*Cupressus lusitanica* (cypress), 603  
 cupuaçú, 54, 473  
*Curatela americana*, 549  
 curvilinear models, 318  
*Cynodon dactylon* (Bermuda grass), 20, 551–552  
*Cyperus papyrus*, 129  
*d* attribute (FCC), 127  
*d*+ attribute (FCC), 127  
 da Silva, LF, 386, 451  
 Daher, E., 70, 146, 581  
 dairy, 279  
 damar agroforests, 470  
 dambos (wetlands), 18, 508  
 Dantas, Mario, 447, 473  
 Davidson, EA, 354–355  
 Dawe, D., 501, 526  
 de Foresta, H., 467, 470  
 De Wit, CT, 22  
 Deccan Plateau, India, 23  
 Deckers, JA, 70, 72, 83, 152  
 decomposers, 239–240  
 decomposition, 20  
   anaerobic, 240  
 DeDatta, SK, 350, 511, 515, 527  
 deforestation, 25, 29–30, 62, 77, 261, 285  
   definition of, 434  
   proximate causes, 434  
 DeFries, Ruth, 47, 464, 468, 481  
 degradation, environmental, 24  
 degraded lands, restoration of, 29  
 degraded pastures, 581  
 demographics, 37  
 denitrification, 354  
 Denning, Glenn, 186  
*Deois incompleta*, 475, 579  
*Derxia* spp., 331  
 desertification, 183  
*Desmodium heterophyllum*, 558  
*Desmodium intortum* (Greenleaf, pega-pega), 557  
*Desmodium ovalifolium*, 252, 276, 312, 316, 557–558, 561, 579–580  
*Desmodium uncinatum* (silverleaf), 557–558  
*Desulfovibrio* spp., 504  
 delta pH ( $\Delta\text{pH}$ ), 202  
 diammonium phosphate (DAP), 230, 340–341, 381, 393–394  
*Dicerorhinus sumatrensis*, 471  
*Dichanthium annulatum*, 552  
 digital soil mapping, 321  
*Digitaria abyssinica*, 550  
*Digitaria decumbens* (pangola grass), 314, 555–556  
 dimbas, dambos (valley bottoms), 18  
*Dioscorea* spp., 168  
 Dipterocarpaceae family, 247  
 direct seeding (*plantio direto*, no till), 74, 162  
 disk harrows, 146, 162  
 dissolved organic nitrogen, 327, 329  
 Dixon, JA, 53, 55, 60  
 Djibouti, 44  
 Döbereiner, J., 332, 335  
 Dobermann, A., 496, 504–505, 511, 515–516, 521, 525  
 Dominican Republic, 44, 157  
 double ring infiltrometers, 139  
 downward nitrate movement, 347  
 Drees, R., 140  
 drinking water, access to clean, 43–44  
 drip irrigation, 189, 191  
 drip tips, 20  
 Drosdoff, M., 149  
 droughts, definition of, 183  
 dry mass, 446  
 dry spells, 183–186  
 Dudal, Rudolf, 92  
 dung beetles, 239  
*Durio zibethinus*, 51  
 Durisols, 93, 127  
*e* attribute (FCC), 125  
 earthworms, 239, 244  
   activity, 138  
   *Amyntas corticis*, 244

- California red earthworm (*Eisenia fetida*), 246  
 cast building, 244  
*Eudrilus eugenia*, 245  
 inoculation, 245  
*Lumbricus terrestris*, 244  
*Millsonia anomala*, 245  
*Pontoscolex corethrurus*, 244–245, 251, 254  
 East African strategies, 397  
 Eastern Amazonia, 11  
*Echinolaena inflexa* (capim flechinha), 549  
 ecosystem functions, definition of, 237  
 ecosystem services, 78, 526  
   definition of, 237  
   provisioning, 76  
 ecosystem, functions and services, 238  
 edaphology, 83, 120  
 Edwards, DC, 550  
 effective cation exchange capacity (ECEC),  
   definition of, 213  
 El Niño, 8  
 El Salvador, 44, 154  
*Elaeis guineensis*, 632  
 electrical conductivity, 202  
 elephant grass (*Pennisetum purpureum*), 314,  
   423, 551, 574, *See also* Napier grass  
 elephants, 143  
 Ellis, EC, 24  
 Ellison, D, 605  
 Elsenbeer, Helmut, 453  
 Embrapa, 40, 73, 479  
 Embu, Kenya, 253, 349, 622  
 endophytic bacteria, 330, 332  
 endophytic nitrogen fixation, 336  
 engineering assessments, 178  
*Enterobacter* spp., 331  
 Entisols, 18, 86, 98, 101, 599  
   Aquents, 87, 98, 127  
   Fluvents, 86, 93, 98  
   Orthents, 86, 93, 98, 127  
   Psamments, 87, 92, 98  
 environmental degradation, 36  
 environmental stewardship, 37  
 environmental sustainability, 41  
 epigeic (litter-feeding), 239  
 epiphytes, 20, 440  
 equatorial forests, 20  
 Equatorial Guinea, 44–45  
 equatorial Pacific Ocean, 8  
 equinoxes, 8  
*Eragrostis pallens*, 549  
 erodibility, 152  
 erosion, civil engineering, 155  
*Erythrophleum africana*, 549  
*escoba de bruja* (witches' broom disease), 635  
 ester bonds, 312, 378  
 Eswaran, H, 70, 83, 140  
 Ethiopia, 19, 38, 40, 44, 55, 128, 156, 403,  
   618, 636  
*Eucalyptus camaldulensis*, 18, 599, 608  
*Eucalyptus deglupta*, 287, 599  
*Eucalyptus globulus*, 599  
*Eucalyptus grandis*, 608  
*Eucalyptus saligna*, 599–600, 604  
*Eucalyptus* spp., 614  
   controversy, 608  
*Eucalyptus urophylla*, 599  
*Eudrilus eugeniae*, 246, 284  
*Eugenia stipitata*, 50, 469  
 eukaryotes, 237  
 evaporation, 129, 177, 179, 183  
 evapotranspiration, 9, 13, 177, 179, 188,  
   511–512, 606  
 exchangeable Ca<sup>2+</sup>, 16, 233, 392, 395, 570  
 exoenzymes, 240  
 extensification, 29, 62–63  
 extensive beef production, 578  
   improved grass–legume pastures, 579  
   oversowing legumes, 578  
   role of the legume, 579  
 extractive forest reserves, 465  
 extreme poverty, 161, 282  
 extreme weather events, 28  
 exudation of organic acids, 220  
  
 f attribute (FCC), 126  
*fadamas* (valley bottoms), 18  
*Faidherbia albida*, 21, 243, 642  
 Fairhurst, TH, 505, 518  
 Falkenmark, M, 177, 180, 183, 186  
 fallen timber, 441  
 fallow enrichment stage, 463  
 fallows, soil nutrient dynamics in, 462  
*fanya juu* bunds, 156  
 FAO Agroecological Zones project, 9  
 Farina, MPW, 211, 229  
 FCC (Functional Capability Classification)  
   system, 120, 123  
   actual and potential use of, 130  
   interpreting classes, 130  
   substrata type, 123  
     clayey subsoil, 121  
     clayey topsoil, 121  
     loamy subsoil, 121  
     loamy topsoil, 121  
     organic soil, 121  
     rock, 121  
     sandy subsoil, 121  
     sandy topsoil, 121  
 FCC attributes and symbols, 124  
 aluminum-toxic *a*, 124, 229, 554  
 arid *d+*, 124  
 calcareous *b*, 124, 129, 551  
 cold *t*, 124  
 cracking clays *v*, 124  
 drought stress *d*, 124, 127  
 gravel *r+*, *r++*, 122, 128  
 high erosion risk *y*, 124  
 high leaching potential *e*, 124–125  
 high organic carbon content *O*, 124  
 high phosphorus fixation *i*, 124, 126  
 low active soil organic carbon *f*, 122  
 low nutrient capital reserves *k*, 125, 554,  
   569  
 permafrost *t+*, 124  
 poorly drained soils *g*, 127  
 saline *s*, 123–124, 129  
 sodic *n*, 124, 129  
 subsoil anion exchange capacity *q*, 126  
 sulfidic *c*, 124, 128  
 surface sealing *z*, 128  
 volcanic *x*, 124, 126  
 waterlogged *g*, 124, 523  
 Fearnside, Philip, 478, 561  
 fecal pellets, 240, 243  
 feces, 239  
 feedlots, 179, 279, 292, 379, 546, 583–584  
 feed use efficiency, 556  
 Fernández, KS, 247  
 Ferralsols, 93  
 Fertile Crescent, 47, 162, 178, 186  
 fertility rate, human, 37  
 fertilizer application, rates of, 341  
 fertilizer nitrogen recovery by subsequent  
   crop, 337  
 fertilizer needs, 313  
 fertilizer placement, 341  
 fertilizer recovery (RE<sub>N</sub>), 359  
 fertilizer regulation, 39  
 fertilizer, 4Rs, appropriate use of, 340  
 fertilizers, price volatility, 362  
 Feuer, R, 70, 110  
 field capacity, 147  
 Fierer, Noah, 241  
 Fiji, 44, 182  
 fire climax, 16  
 Fisher, MJ, 276–277, 561–562  
 fisheries, 39  
 fixed nitrogen, transfer to other plants, 336  
 FLAR (Fondo Latinoamericano de Arroz de  
   Riego), 533  
 flash flood, 14  
 flooding, 24, 102, 493, 511–512  
   aggregate stability, 493  
   biota, 498  
   chemical and biological consequences, 500  
   floodwater temperature, 498  
   iron transformations, 503  
   manganese transformations, 503  
   nitrogen transformations, 501  
   non-reducible cations, 505  
   oxidized and reduced zones, 500  
   permeability, 493  
   phosphorus availability, 503  
   physical consequences, 493  
   reduction process, 498  
   reversibility, 505  
   salinity, 505  
   silicon, 505  
   soil solution volume, 498  
   sulfur transformations, 504  
   swelling, 493  
   zinc, 505



- Fluvisols, 93  
 food access, 39, 42  
 food insecurity, 36  
 food production per capita, 45  
 food security, 39, 41  
   definition of, 39  
 food systems, 39  
 food-value chain, 39  
   transport, 40  
 forest fallows  
   secondary, 436  
 forest reserves, 465  
 forests and woodlands, 54  
 forests, deciduous and thorn, 15  
 forest–soil nutrient cycles, 437  
 fossil fuel and cement production, 262  
 Fox, RL, 382, 422  
 Foy, CD, 74, 220  
 fragility, definition of, 77  
 Fragoso, C, 244  
 Frankia–Casuarina symbiosis, 335  
 free-living nitrogen-fixers, 330  
 Friesen, DK, 561, 567  
 frontier forests, 25  
 fruit crops and trees, tolerance to aluminum  
   toxicity, 225  
 fuelwood (firewood), 39  
 functional groups, definition of, 237  
 functional redundancy, 238  
*fundikila*, 436  
 fungal and bacterial activity, 138  
 fungal hyphae, 240  
 fungi, 26, 238  
 fungus-eating species, 242  
 furrows, 156
- g and g+ attributes (FCC), 127  
 gabions, 161  
 Gabon, 37, 44  
 Gaiser, T, 148  
 Galford, GL, 476, 480–481, 579  
 Galloway, JN, 327, 329  
 Gambia, 44–45  
 García-Montiel, DC, 568–569  
*Garcinia mangostana*, 51  
 Garrity, Dennis, 74, 158–159, 610–611  
*Gazella thomsoni*, 574  
 Geiger, Rudolf, 12, 15  
 Gelisols, 99, 109  
 genetic manipulation, 28  
 genotype adaptation to low phosphorus, 388  
 geophagous organisms, 242  
 Ghana, 36, 44, 253, 438  
*Gigaspora margarita*, 250  
 Gigasporaceae, 247  
 gilgai, 88, 104  
 Giller, KE, 72, 74, 163, 168, 267, 353  
 Gillman, G, 72, 197, 200  
 glaciations, 71  
 GLASOD project, 76  
 Gleick, PH, 177–178, 188–189
- Gleysols, 93, 127  
*Gliricidia sepium*, 335, 397  
 global climate change, 527  
 global food security, 192  
 Global Soil Biodiversity Initiative, 253  
 Global Soil Partnership, 253  
 global warming, 27, 30, 39, 272, 311, 355,  
   371–372, 527, 531, 637, (*See also*  
   climate change)  
 Glomeraceae family, 247  
*Glycine max* (soybean), 334  
*Glycine wightii* (perennial soybean), 389,  
   557–558  
*Gmelina arborea* (melina), 219  
 Goedert, WJ, 72, 213, 227, 396  
 Golley, FB, 21, 462  
 Grace, Peter, 29  
 Gramineae family, 551  
 grasses, improved, 551  
 great soils groups, 107  
 “green bite” grass, 573  
 Green Revolutions, 46–47  
   African, 47  
   Asian, 29, 47, 49, 535  
   critics of, 48  
   European, 47  
   farmers who benefited most, 48  
   germplasm, 340  
   North American, 47  
   patchy impact, 48  
 green water, 177–178, *See also* soil moisture  
 Greenland and Nye equation, 264, 351  
 Greenland, DJ, 20, 37, 59, 347, 434, 437  
*Grevillea robusta*, 614, 622, 641  
 groundwater, leaching, 357  
 Guadalajara, Mexico, 341  
 Guanacaste Peninsula, Costa Rica, 16  
 guanacos, 544  
 Guatemala, 44, 636  
 Guatemalan Altiplano, 23  
 Guayaquil, Ecuador, 23  
 Guinea, 13, 44, 55, 57, 314, 389, 403, 423,  
   551–552  
 Guinea grass, 18, 314, 423, 475, 551  
 Guinea-Bissau, 44  
 gully bottoms, 161  
 Guyana, 23, 44  
 Gypsisols, 93
- Haber–Bosch process (ammonia synthesis),  
   338  
 Haiti, 36, 40, 44, 152, 401  
 hardsetting, 144–146  
 Hardy, F, 70, 215, 347, 437  
 Harmattan winds, 21  
 Hartemink, AE, 72, 74, 321, 627  
 Hassink, J, 273  
 Hawaii, 110, 113, 148, 153, 180  
 Haynes, RJ, 546, 561  
 health, human, 38–39, 42–43  
 healthy soils, definition of, 43, 76
- Hedley fractionation, 378  
*Helminthosporium* leaf spot, 521  
*Helminthosporium oryzae*, 460  
 hemicelluloses, 240  
*Herbaspirillum*, 331–332  
 herbivores, 238  
 Hergoualc’h, Kristell, 474  
 Hernández, Alberto, 83  
 Herrera, Rafael, 441  
 Herrero, M, 544, 556, 574  
*Heteropogon contortus*, 549, 556, 578, 587  
*Hevea brasiliensis* (rubber), 52, 219, 465, 467,  
   632, 635  
 Hillel, Daniel, 162, 190–191  
 Histosols, 90, 93, 95, 99, 107–108  
 Holmgren, P, 611  
*Homolepis aturensis*, 475  
 Honduras, 44, 245  
 Houghton, JT, 261  
 Houghton, RA, 261  
 Howeler, RH, 247–249  
*hule* (rubber), 635  
 human nutrition, 41  
 human nutrition and health, 291  
 hunger, 42, 59  
   acute, 42  
   hidden, 42  
 hunger, outcome of, 43  
 hydrological cycle, 76  
 hydrology of forestry plantations, 605  
*Hyparrhenia rufa* (puntero, yaraguá, jaraguá),  
   19, 549, 552, 554–556  
*Hyperiodrilus africanus*, 246
- i attribute (FCC), 126  
 IAEA (International Atomic Energy Agency),  
   350, 519  
 Ibadan, Nigeria, 104, 111, 252  
 ICRAF (World Agroforestry Center), 609, 615  
 ICRISAT (International Crops Research  
   Institute for the Semi-Arid Tropics),  
   183–184, 641  
 ICRISAT Sahelian Research Station, 183  
 IFA (International Fertilizer Industry  
   Association), 374  
 IFOAM (International Federation of Organic  
   Agricultural Movements), 290  
*igapós*, 438  
 IITA (International Institute for Tropical  
   Agriculture), 112  
 immobilization, definition of, 344  
 imogolite, 89, 105, 126, 140–141, 383  
*Imperata cylindrica*, 16, 436, 549, 631  
*Imperata* grasslands, 243  
 Inceptisols, 86, 98, 100–101  
   Aquepts, 86, 98, 101, 127  
   Udepts, 86, 92, 98  
   Ustepts, 86, 92, 98  
 India, 11, 23, 37, 42, 44–45, 177–179, 182,  
   188, 191–192, 334, 345, 352–353, 393,  
   401, 435, 508, 514, 584, 615, 650

- Indian Ocean, 8, 183, 372, 631  
Indo-Gangetic Plain, 178  
Indonesia, 5, 13, 20, 44, 152, 249, 439, 474  
infiltration rates, 139  
*Inga edulis*, 316, 348, 469  
inoculation, 245, 332  
    at nursery scale, 250  
inorganic nitrogen, fluctuations of, 345  
inorganic phosphorus, 374  
inositol phosphate (phytate), 378  
Instituto de Suelos (Cuba), 72, 83, 94  
integrated crop–livestock system (*integração  
lavoura-pecuária*), 165  
intensification, 30, 58–62  
intensive, traditional Brazilian, 54  
intermountain valleys, 23  
International Nitrogen Initiative, 328  
internet infrastructure, 41  
intertropical convergence zone, 6  
in vitro dry matter digestibility, 556–557  
iodine, 310  
IR8 rice variety, 509–510, 515  
iron, 112, 128, 503  
iron and aluminum oxides, 97, 504  
ironstone caps, 71  
IRRI (International Rice Research Institute),  
    135, 314, 350, 505, 508–510, 512–513,  
    516  
irrigation, 189  
    and carbon, 192  
    large-scale basin, 187  
    supplemental, 180, 186, 192  
irrigation efficiency, 178, 180  
irrigation systems, 186  
    Latin America, 187  
    tropical Africa, 187  
ISFM (Integrated Soil Fertility Management),  
    75  
isomorphic substitution, 198, 390  
IUSS (International Union of Soil Sciences),  
    321  
IUSS Working Group 2014, 83  
IWMI (International Water Management  
    Institute), 179
- jachère* (secondary forest fallow), 435,  
    491  
Jama, B, 627, 629  
Jamaica, 44  
Japanese farmers, 525  
*jebe* (rubber), 635  
Jennings, Peter, 189, 510  
Jenny, Hans, 70, 82  
Jethro Tull's moldboard plow, 47, 162  
Jez, J, 416  
*jhum*, 435  
Jobbágy, EG, 263  
Jones, A, 22, 288, 360, 558  
*Julbernardia* spp., 19, 247, 549  
jungle rubber, 57, 243, 465, 468  
Juo, Anthony, 72, 74, 214
- juquira*, 475  
Jurassic period, 23
- k* attribute (FCC), 125, 554  
Kade "forest oxysol", 443  
*kaingin* (shifting cultivation), 435  
Kalahari Desert, 11, 14  
Kamprath, Eugene, 73, 214, 222, 226, 382,  
    407, 416, 425  
Kandiustalf, 94, 183  
Kang, BT, 74  
Kang, He, 47  
karité, 18, 55, 617, 633  
Karoo system, 23  
Kastanozems, 93  
*kazkazi* winds, 8  
Kebede, Gigar, 161  
Kellman, M, 10, 16, 22  
Kellogg, Charles, 70  
Keng, JCW, 198  
Kenya, 40, 44, 105, 112, 182, 184, 192, 239,  
    253, 328, 330, 334–335, 396, 399–400,  
    403, 630, 637  
keystone species, 238, 242  
    definition of, 237  
Kho, RM, 613  
kikuyu grass, 574  
Kikuyu red loam, 139  
Kilombero Valley, Tanzania, 534  
Köppen, Wladimir, 11, 14  
Koraro Millennium Village, 38, 161  
Koraro, Ethiopia, 38, 191, 361  
*kraals* (corrals), 280, 576  
Kruger National Park, 551  
Krui tree farmers, 471  
kudzu, 249, 559  
*kusai* winds, 8  
Kuznets, S, 62
- Lablab purpureus*, 334  
*ladang* (shifting cultivation), 435  
Ladha, JK, 167, 526  
Lake Malawi, 19  
Lal, R, 74, 135–136, 141, 146, 155, 158, 163,  
    243, 436, 457–458  
*ladang*. *See Imperata cylindrica*  
Lambayeque Valley, Peru, 188  
land degradation, 154  
land use, 36, 54  
land-use change, 36, 58, 262  
land-use intensification, definition of, 58  
landscapes, erosion rehabilitation, 161  
*Lansium domesticum*, 51, 471  
*Lantana camara*, 398  
Laos, 36, 44  
large-scale farmers, 480  
late planting, 167  
laterite paradigm, 70, 72  
laterites, coverage, 70  
lateritic soils, 70–71  
laterization, 70
- latifundistas*, 54  
latitudinal transect, 240  
Latosols, 71  
    definition of, 70  
Latossolo Amarelo, textura muito pesada,  
    140  
Lavelle, Patrick, 74, 241, 244–245, 251–252,  
    478  
leaching, 20, 443  
leakiness, nitrogen cycle, 327  
Lehmann, J, 286, 446  
Leptosols, 93  
Lesotho, 44  
*Leucaena leucocephala*, 158, 246, 335, 620, 628  
Liberia, 44  
Libya, 190  
lichens, 331  
lightning production, 329  
lignins, 240, 280  
    decomposition, 537  
    lignin:nitrogen ratio, 280  
liming, 128–129, 210–212, 221  
    calclitic, 232  
    fineness of lime, 223  
    kitchen ash, liming with, 225  
    overliming, 226  
    placement method, 221  
    quality of, 223  
    rate formulas, 222  
    requirement, 221  
    residual effects, 226  
    with organic inputs?, 225  
Linear Response and Plateau (LRP) model,  
    319, 341  
litter comminuters, 238–239, 254, 629  
litter fall, 20, 440  
livestock, 544  
    in the tropics, 545  
    monogastric, 547  
    products, 546  
    revolution, 546  
    ruminants, 546  
    in temperate regions, 545  
    terminology and metrics, 545  
livestock and environment, 584  
livestock-based systems, 433  
Lixisols, 93  
llamas, 160, 544  
Llanos Orientales, Colombia, 245, 248, 276  
logged forest, 437, 643  
Lopes, Alfredo, 16, 70, 73, 146, 164, 185,  
    217, 229, 338, 384, 396–397, 412,  
    581–582  
Los Baños, Philippines, 5–6, 494, 497  
*Loudetia acuminata*, 550  
lowland evergreen forest, 20  
lowland rice systems in Asia, 533  
    irrigated, 533  
    rainfed, 533  
*lua* (shifting cultivation), 435  
Lugo, Ariel, 461

- Lundgren, Bjorn, 463, 603  
Luvisols, 93, 126
- m* attribute (FCC), 127
- Maasai Mara, Kenya, 15, 573  
MacDonald, GK, 373, 405  
Machakos District, Kenya, 159, 186  
Machu Picchu, Peru, 160  
macroaggregates, 136  
macrofauna, 237  
    and microorganisms, 254  
    size differences, 237  
macropores, 136  
*Macropodium atropurpureum* (siratro), 334, 587  
Madagascar, 13, 20, 44, 178, 189, 576  
Madre de Dios, Peruvian Amazon, 240  
Mafongoya, PL, 625, 628–629, 642  
magnesium, 310  
maize, 26  
major cereals, nutrients accumulated by, 313  
Makoka, Malawi, 626–627, 643  
Malawi, 41, 44, 158, 182, 185, 335, 361, 403,  
    625, 627  
Malaysia, 13, 20, 36, 44–45, 154, 215, 403,  
    474  
Maldives, 44  
Mali, 44–45, 145, 182, 187, 189, 394, 396, 509  
Malthus, Thomas, 37, 62  
managed forests, 465  
Manaus, Brazil, 109, 114, 245, 478  
manganese, 503  
Mantaro and Cajamarca valleys, Peru, 23  
manure, 278  
    applied to croplands, 282  
    bedding, 278–279  
    beneficial effects?, 283  
    C:N ratios, 280  
    carbon sequestration, 283  
    collection and handling, 281  
    efficiency, 282  
    feces, 278, 281–282, 405, 546, 548,  
        556–557, 564, 566, 569, 573  
    immobilization, 280  
    immobilization–mineralization threshold,  
        281  
    monogastrics, 278  
    nutrient composition, 278  
    quality, 280  
    ruminants, 56  
    storage, 282  
    straw, 278, 397, 424, 502  
    transformations, 281  
    urine, 278, 281–282, 355, 405, 556, 566,  
        569, 573, 583  
*manyattas* (households), 571  
*maresha* plow, 162  
Martinique, 245  
Masvingo, Zimbabwe, 29  
Matson, Pamela, 355, 443  
Mauna Loa, Hawaii, 26  
Mauritania, 44  
Mauritius, 44  
Mbola Millennium Village, Tanzania, 631  
McClung, AC, 416  
*Medicago sativa* (alfalfa), 557, 559  
Mediterranean climates, 127  
Mehlich soil test method, 72  
Mekong River, 24, 114, 128, 186  
Melillo, Jerry, 273, 276, 443  
*Melinis minutiflora* (gordura), 389, 552, 556  
*Meloidogyne javanica* (nematode), 630  
Mendel, Gregor, 47, 69  
Meseta Central of Costa Rica, 23  
*Mesorhizobium* spp., 331  
metabolic carbon pool, 267  
metabolic soil organic nitrogen, 343  
methane (CH<sub>4</sub>), 26  
methane emissions, 164  
Mexico, 11, 15, 37, 44, 47, 49, 52, 178, 342,  
    401, 403  
Mexico City, 23  
Michon, Genevieve, 467, 471  
microaggregates, 143, 147  
microbial biomass, 240  
microclimate, 618  
micronutrients, 448  
    deficiencies, 42, 295  
microorganisms, 237  
micropores, 136, 143, 147, 348, 381  
Millennium Development Goals (MDGs),  
    42–43  
Millennium Ecosystem Assessment, 75–76,  
    237  
Millennium Villages, 38, 44, 180, 189, 191,  
    394  
millipedes, 237, 239  
*milpa* (shifting cultivation), 435  
Mimosoideae subfamily, 330  
Minas Gerais, Brazil, 275  
mineral fertilizer rates, 249  
mineralization process, 240  
mineralization versus immobilization, 329  
mineralogy, 123, 196, 200, 384, 496  
    allitic, 94, 200  
    amorphous, 200  
    andic, 200  
    ferrihydritic, 200  
    ferritic, 94, 200  
    ferruginous, 200  
    hydrous mica, 145, 197  
    illitic, 200  
    kaolinitic, 91, 128, 200, 203  
    layer silicate, 148  
    mixed, 199  
    oxidic, 200, 203  
    sesquic, 200  
    siliceous, 121, 140, 200, 203  
minerals  
    amorphous, 197  
    gibbsite, 84–85, 198, 200  
    glassy, 200  
    goethite, 71, 198  
    halloysitic, 200, 203  
    hematite, 71, 198  
    kaolinite, 198  
    smectite, 197  
    vermiculite, 197–198  
minimum tillage, 162  
Minjingu phosphate rock, 397, 399  
Miombo savanna, 16, 548  
missing carbon sink, 261  
mites, 237  
mitigation, 27  
mixed crop–livestock systems, 574  
    more nutrients on the move, 576  
    smallholder mixed dairy, 576  
Mohr EC<sub>3</sub>, 5, 10  
moldboard plow, 47, 146  
Mollisols, 107, 528. *See also* Chernozems  
    Aquolls, 90, 93, 99  
    Rendolls, 90, 93, 99, 127  
    Udolls, 90, 93, 99  
    Ustolls, 90, 93, 99  
monsoon, 8  
Moran, Emilio, 71, 436  
Moreira, FMS, 218, 247  
Morelli, M, 227  
Morocco, 152, 350  
Mosier, A, 355  
mounds for root crops, 435  
Mount Kilimanjaro, 26  
Moura, W, 139, 143, 374, 452  
Mozambique, 44, 55  
*Mucuna pruriens* (velvetbean, frijol terciopelo),  
    165, 334  
Muguga, Kenya, 9  
Mukurumbira, LM, 280  
mulch, clear plastic, 136  
mulching, 135  
multistrata agroforests, 469  
Myanmar, 44, 403, 631  
mycorrhizae, 137, 246  
    arbuscular endomycorrhizae, 247  
    decrease with tillage, 255  
    ectomycorrhizae, 247  
    endomycorrhizae, 247  
    inoculation, 248  
    nodulation of rhizobia, 247  
    phosphate, faster inflow of, 247  
    positive and negative effects of, 247  
    reduced translocation, 248  
    soil water uptake, 248
- n* attribute (FCC), 129  
Nairobi National Park, 573  
Nakuru National Park, 573  
Namibia, 14, 19, 44–45, 393, 571  
NARS (National Agricultural Research  
    Systems), 40  
National Research Council (NRC), 289  
National Resource Conservation Service  
    (NRCS), 76  
Neill, C, 443, 479, 563



- Nepal, 44, 166, 334  
*Nephelium lappaceum* (rambutan), 51, 471  
 Nepstad, DC, 20, 26, 276, 475–476, 479  
 NERICA rice varieties, 539  
 net primary productivity (NPP), 21  
 Netherlands, 339  
 Neue, HU, 498, 505, 529  
 Ngorongoro, Tanzania, 573  
 Nicaragua, 44  
 Niger, 23, 44, 114, 145, 184, 187, 253, 394, 509, 611  
 Nigeria, 44, 135, 182–183, 253, 334, 346, 393, 611  
 night soil, 278  
 night temperatures, 27  
 Nitisols, 93  
 nitrate accumulation, 345  
 nitric oxide (NO<sub>2</sub>), 327, 355  
 nitrification, 343  
 nitrogen, 130, 240, 283, 310, 326, 358, 366–367, 446, 501, 628  
   nitrogen-fixers, 238–239  
   total nitrogen, 451  
 nitrogen cycle, 327, 563  
 nitrogen fertilizers, 339, 349  
 nitrogen mineralization, 452  
 nitrogen pools and fractions, 329  
 nitrogen use efficiency (NUE), 358  
 nitrogenase enzyme, 330  
*Nitrosomonas* chemoautotrophs, 343  
*Nitrosospora* chemoautotrophs, 343  
 nitrous oxide (N<sub>2</sub>O), 26, 356, 512, 531  
   emissions, 443  
 non-destructive image analysis, 139  
 non-exchangeable acidity, 214  
 Northeast Brazil, 14  
 Northern Guinea Savanna, 55, 533  
 no tillage (no-till), 74, 145, 162–163  
 nucleic acids, 378  
 nutrient additions by the ash, 446  
 nutrient composition, of manures, 350  
 nutrient cycling, 557  
 nutrient depletion, 74  
 nutrient fluxes from the atmosphere, 441  
 nutrient fluxes from vegetation, 439  
 nutrient hotspots, 238, 573, 589  
 nutrient losses from soils, 443  
 nutrient management, 515  
 nutrient uptake, 312  
 nutritional security, 37, 39  
 Nyando Basin, Kenya, 152  
 Nye, PH, 20, 240, 434, 451  
 Nziguheba, G, 378
- Oades, JM, 240  
 Oberson, A, 576  
 obesity and overweight, 39  
*Ochroma* spp., 463  
 Oenema, O, 571
- oil palm, 52, 57, 219, 250, 315, 338, 473, 632–633, 640  
   plantations in Histosols, 474  
 Oldeman, LR, 76  
 Oliveira, AJ, 72, 190, 384, 467  
 Olk, DC, 525  
 Ong, Chin, 610, 613, 615  
 orangutan (*Pongo pygmaeus*), 472, 642  
 organic farming, 289–291  
   average crop yields, 295  
   can it feed the world?, 296  
   Cuba, leader in, 293  
   definition of, 290  
   developed versus developing countries, 295  
   different from agroecology, 296  
   environment, 292  
   implications for the tropics, 292  
   nitrogen-limited and phosphorus-limited, 295  
   nutrients, 290  
   pests, 291  
   rainfed systems in, 295  
   the rhetoric, 296  
   the science, 290  
   transition from conventional, 292  
 organic fertilizers, classes of, 348  
 organic input quality decision tree, 267  
 organic inputs, 238, 250, 265  
   chemical fertilizers, combination of, 75  
   definition of, 237, 259  
   quality, 74  
   rate of decomposition, 240  
 organic nitrogen mineralization, 342  
 organic phosphorus, 312, 375–379, 390  
 organic phosphorus fractions, 380  
 organic resource quality, 267  
 organic systems in developing countries, performance, 295  
 organoponic urban gardens, 246  
 Orinoco Basin, 23  
*Oryza sativa*. *See* rice  
 Ouagadougou, Burkina Faso, 21  
 overnourishment, 39  
*Ovis aries* (sheep), 544  
 oxidation–reduction reactions, 416  
 Oxisol-dominated landscapes, 109  
 Oxisols, 16, 84, 93, 97–100, 121, 185, 213, 245, 248, 250, 285, 383, 392, 396, 398, 403, 599, 627, 643  
   Aquox, 84, 93, 98  
   Perox, 85, 98  
   Torrox, 85, 98  
   Udox, 84, 91, 98  
   Ustox, 84, 98, 127
- Pacific coast of Central America, 11  
 Pacific coast of Colombia, 20  
 Paddock brothers, 37  
 Pagiola, Stefano, 154  
 Pakistan, 167
- palatability, 556  
 Palm, CA, 74, 77, 121, 123, 127–128, 135, 163–164, 196, 240, 253–254, 260, 267, 273, 275, 349, 434, 439, 464, 471, 495, 525, 563, 643  
 palmito, 470  
 Pampaida, Nigeria, 573  
 Pan, Y, 262  
 Panama, 44  
 pandemic diseases, 36  
*Panicum maximum*, 18, 20, 245, 314, 389, 423, 457, 549, 551–552, 555–556, 566, 579, 582  
 Pantanal, Brazil, 18  
 Papilionoideae subfamily, 330  
 Papua New Guinea, 20, 44, 635  
 paradigm shifts, early twenty-first century, 319  
 Paraguay, 44, 187, 401  
 Paraná Basin, 23  
*Paraserianthes falcata* (albizia), 243  
*Parkia biglobosa* (neré), 549, 617  
 Parton, WJ, 74, 266, 373, 417  
 Pashanasi, B, 74, 245, 251–252  
*Paspalum conjugatum*, 475  
*Paspalum notatum* (Bahia grass), 553  
*Paspalum pectinatum*, 549  
*Paspalum virgatum*, 475  
 pastoralism, 571  
   complementarity, 573  
   Fulani, 281, 571–573  
   mobility, 572  
   social framework, 573  
 pasture degradation, 475, 581  
 pastures, improved after slash and burn, 474–475  
 pastures, overgrazing, 76, 130, 576, 579, 582, 586, 631  
 patchiness, 245, 573  
 pathogens, 26, 239, 284, 291  
 Patrick, WH, 493, 502, 504, 531  
 Paolinelli, Alysso, 165, 583  
 Paustian, Keith, 266, 269  
 Payne, WA, 184  
 peach palm, 52, 473, 620, 635  
 pedology, definition of, 83  
 pedology, quantitative, 71  
 pedotransfer function, 77, 131, 139, 148, 321  
 pejobaye, 54, 469–470, 473. *See* *Bactris gasipaes*  
*Pennisetum clandestinum* (kikuyu grass), 389, 553  
*Pennisetum purpureum* (Elephant, Napier grass), 158, 314, 423, 551, 553, 574  
 per-capita food production, 327  
 percolation pond, 161  
 permanent wilting point, 147  
 Peru, 6, 8, 14, 36, 44, 47, 49, 316, 395  
 pests and diseases, increasing incidence of, 460  
 pH, 197, 202, 230, 500–501  
 pH changes by management, 202

- pH-charge relationships, 202  
 Phaeozems, 93. *See also* Mollisols  
*Phaseolus vulgaris* (common bean), 248, 334  
 phenolics, 240, 291, 526, 556  
 phosphate rocks, 395  
 phospholipids, 378  
 phosphorus  
   availability, 521  
   balance, 401  
   balance studies, 401  
   cycle, 371  
   deficiency, 370, 380  
   fractions, 379  
   plant requirements, 380  
   precipitation, 380  
   release, 386  
 phosphorus fertilizers, 291, 394  
 phosphorus sorption, 371, 380  
   by iron, 125, 383  
   estimation in the field, 383  
   estimation in the lab, 382  
   geographical distribution, 384  
   ways to decrease, 385  
   will the world run out of phosphorus?, 373  
 phosphorus use efficiency, 405  
 photoperiod, 6  
 photosynthesis, 5  
 pijuayo, 52, 469. *See also* pejibaye  
 pineapple, 51, 219, 315, 423  
*Pinus caribaea*, 600, 604  
*Pinus elliotii*, 600  
*Pinus mercusii*, 600  
*Pinus oocarpa*, 600  
*Pinus patula*, 600, 603  
*Pinus taeda*, 600  
*Piper nigrum* (black pepper), 52, 219, 471  
*Pisum sativum* (pea), 50, 336  
 Pittelkow, CM, 162–163  
 Planaltina, Brazil, 370, 397  
 Planosols, 93  
 plantation forestry, 597  
   planting trees and rainfall, 605  
   second rotation, 604  
   species, 598  
 planters, zero tillage, 144  
 planting rains, 182  
 planting stick, 162, 165, 460, 601  
 planting time, 180  
 plinthite, 70–71, 84–87, 452  
 Plinthosols, 93  
 plot-level agroforestry, definition of, 610  
 plow pan formation, 144  
 Plucknett, DL, 635, 639–640  
 Podzols, 90, 93, 107. *See also* Spodosols  
 polyphenols, 280  
 Ponnampuruma, FN, 350, 498–504  
 pools, definition of, 266  
 Popenoe, Hugh, 452  
 population growth, 36–37  
 Postel, Sandra, 188  
 potassium, 130, 279, 291, 310, 521  
 poultry manure, 279  
 poverty, 25–26, 36, 41, 43, 45, 59, 75, 156,  
   273, 397, 508, 532, 631  
 poverty trap, 43, 75  
 POXC (permanganate-oxidizable carbon)  
   method, 269  
 primary minerals, 196, 374  
 prokaryotes, 237  
 promiscuous species, 330  
*Prosopis* spp., 548, 600  
 proteins, 37, 39, 240, 310, 327, 343  
 protozoa, 237, 239–240  
 puddling, 167, 494  
   aggregate destruction, 495  
   agronomic advantages, 496  
   bulk density, change, 495  
   chemical reduction, 496  
   porosity, change, 495  
   structure regeneration, 496  
   yields effects, 496  
*Pueraria javanica* (temperate-region kudzu),  
   557  
*Pueraria phaseoloides* (kudzu), 248, 251–252,  
   334, 556–557, 559, 579, 620  
 Puerto Rico, 139  
 push-pull system, western Kenya, 291  
  
*q* attribute (FCC), 126  
 Queensland, Australia, 18, 104, 190, 578  
  
 R substrata type (FCC), 135  
*r+* and *r++* attributes (FCC), 128  
 rain and dust, 441  
 rainfall distribution, 6  
 rainfall intensity, 10, 151, 452  
 rainfall variability, 28, 180  
 rainfed agriculture, 177  
 rainwash, 440  
 Ranomafana National Park, Madagascar,  
   631  
 ratchets and pivots, 47  
 reactive nitrogen, 327  
 redox window, 512, 531  
 reduced tillage, 168, 270  
 Reeve, NG, 72, 222, 228  
 Regosols, 93  
 Reid, Robin, 572  
 replacement fertility, 38  
 residual effects, 401  
 residual water, 147  
 reverse phenology, 617  
*Rhea americana* (rhea), 550  
 rhizobial strains, 72, 332  
*Rhizobium* spp., 331  
 rhizosphere, 269, 330, 335, 345, 398, 497,  
   500–501  
   exudation, 389  
   free-living bacteria, 335  
 rice (*Oryza sativa*), 26  
   aerobic, two types, 513  
   hybrid, 510  
   lowland, 506–509, 530  
   modern varieties, 509  
   upland, 56, 457, 509  
   yield stagnation–nitrogen sequestration,  
     525  
 rice cultivation systems, 506  
   agronomic taxonomy of wetland soils, 522  
   arsenic poisoning, 531  
   direct seeded rice, 509  
   environmental dimensions, 526  
   favored upland, 509  
   flood-prone rice, 509  
   irrigated rice, 506  
   methane emissions, 529  
   rainfed rice, 508  
   rice and water, 511  
   timing of nitrogen applications in rice,  
     519  
   transplanting, 496  
     direct seeding, 513  
   water requirements, 511  
   water-saving options, 512  
 rice farmers, 495  
 rice yields, high night temperatures, 527  
 rice–wheat system, 53, 508  
*Rinchosporium oryzae*, 460  
 Riskin, Shelby, 443  
 Ritchey, Dale, 72, 229  
 river basins in Asia  
   Brahmaputra, 24, 114, 186  
   Chao Phraya, 24, 114, 186, 509  
   Ganges, 24, 114, 186  
   Indus, 186  
   Irrawaddy, 24, 114, 186, 509  
   Mekong, 24, 114, 186, 509, 527  
 Rivera, Ramón, 247, 249  
 rivers, 176–177, 261, 609  
   black-water, 113  
   clear-water, 113  
   white-water, 113–114, 438  
 rivers in Africa, 187  
   Congo, 23, 187  
   Limpopo, 187  
   Nile, 23, 178, 186–187  
   Zambezi, 19, 23, 178, 187  
 rivers in South America  
   Amazon, 23  
   Rio Negro, 114  
   Tocantins, 114  
 Rockström, J, 176–180, 183, 187–188  
 Roger, PA, 497–498, 501  
 Roose, E, 152, 158  
 root area extenders, 239  
 root exudates, 137, 241  
 root length, 389  
 Roth-C model, 266  
*Rottboellia cochinchinensis*, 165  
*roza y quema* (shifting cultivation), 435  
 rubber, 57, 247, 338, 473, 632–633  
 rubber plantation, 639  
 Rufino, Mariana, 575

- ruminants, 405  
 monogastrics, 278  
 wild, 16, 56, 546
- runoff and erosion, 442  
 control of, 161, 164  
 increased, 456
- rural poor, 43, 46
- Russia, 69, 403
- Rwanda, 44, 55, 159
- s* attribute (FCC), 129
- Sabana of Bogotá, 23
- Sachs, Jeffrey, 43
- Sadoré, Niger, 184, 253
- Sahara Desert, 14, 190
- Sahel, 11, 16, 168, 183
- Salati, E, 605–606
- Salinas, José, 74, 217, 389, 393
- salivazo (spittlebug), 475
- Samoa, 44, 334
- Sanchez, PA, 16, 18, 28, 42–45, 48, 53, 70, 72, 74, 76, 121, 124, 127, 139, 146, 155, 158, 167, 217, 264, 267, 319, 321, 389, 392, 405, 412, 436, 445, 459, 476, 495–496, 509, 515, 521–522, 525, 550, 562, 566, 601, 609, 624, 629
- sand textures, 138  
 coarse, 136  
 fine, 131, 135–136, 141  
 medium, 136
- Sanford, RL, 437
- Sanginga, N, 284, 330, 350
- sanitation, 44
- São Paulo, Brazil, 37, 190
- Sarawak, Malaysia, 447
- Sattari, SZ, 372
- saturated hydraulic conductivity, 139
- saturated soil, 146
- savannas, 15–20  
 African, 18  
 anthropogenic, 16  
 Australian, 18  
 derived, 16  
 dystrophic (nutrient-poor), 19, 548  
 eutrophic (nutrient-rich), 19, 548  
 Latin American, African and Australian, 16
- Schelhaas, RM, 449
- Schimmel, JP, 343
- Schlesinger, WH, 273
- Schmidt, MW, 269, 278
- Scholes, RC, 551
- school meals, 44
- schools, secondary, 44, 573
- Schroth, G, 641
- sea level rise, 26
- secano favorecido* (upland rice), 509
- secondary acidity, 230
- secondary minerals, 196, 374
- seed production systems, 39
- seed subsidy, 41
- selenium, 310
- Senegal, 44, 150, 154, 334, 393, 396
- sequential agroforestry systems, 622  
 adoption of improved fallows, 630  
 economics of improved fallows, 626  
 fuelwood production in improved fallows, 627  
 improved fallows non-coppicing, 623  
 improved fallows, coppicing, 625  
 macrofauna and improved fallows, 629  
 nitrogen contribution of improved fallows, 628  
 nutrient cycling in improved fallows, 629  
 pest management in improved fallows, 629  
 physical properties of improved fallows, 629  
 year-round cover by improved fallows, 627
- seringueira* (rubber), 635
- Serrão, EAS, 16, 436, 475, 561, 568, 581
- Serratia* spp., 331–332
- Sertão, northeast Brazil, 21
- Sesbania rostrata*, 331, 333
- Sesbania sesban*, 161, 250, 397, 629–630
- Setaria sphacelata* (setaria), 130, 551, 553
- Seubert, CE, 446
- Seventh Approximation. *See* Soil Taxonomy
- Shannon index, 241
- Sheehy, JE, 514–515
- Shorea javanica* (damar), 467, 471
- shortened fallows, 460
- Sidle, RC, 154
- Sierra Leone, 44, 182, 206, 633
- Sileshi, G, 622, 625–626, 629
- silicon, 310
- Silver, WL, 441
- Simons, Tony, 617
- simultaneous agroforestry systems  
 alley cropping, 614  
 live fences, 620  
 silvopastoral systems, 620
- Sinclair, FL, 610
- Singapore, 37
- single-grained soils, 138
- sinks (carbon uptake, sequestration), 262
- Siqueira, JO, 72, 218, 247
- sisipan* (continuous jungle rubber system), 468–469
- Sitiung, Indonesia, 575
- Sivarajasingham, S, 70
- Six, J, 136, 138, 163, 275, 302
- Skjemstad, JO, 271
- slash-and-burn agriculture, 16, 433–437  
 alternatives, 251–252  
 crop yield decline and field abandonment, 458, 460  
 forest–soil nutrient cycles, 437  
 land clearing, 436–437  
 hydrological consequences, 452  
 secondary forest fallows, 435, 444, 447, 459, 461–464  
 slash and mulch, 435
- slickensides, 104
- slope, 122, 128
- slow and passive SOC pools, 269
- slow and passive SON pools, 312, 343
- small farms definition of, 38
- smallholder farmers, 38, 48, 54, 180, 189, 191, 225, 332, 359, 574, 576–577, 611, 635
- Smil, Vaclav, 339, 372–373
- Smith, CW, 121, 129
- Smyth, TJ, 450, 477
- Snedaker, SC, 435
- soil acidity, 210–211  
 aluminum toxicity, 210  
 causes, 211  
 exchangeable H<sup>+</sup>, 213  
 hydrogen toxicity, 210  
 pH determination, 211  
 pH<sub>(H<sub>2</sub>O)</sub>, the most commonly used method, 211
- soil atlases, Africa, 22
- soil bacteria, diversity and abundance, 240
- soil biodiversity, 237
- soil biodiversity and land-use change, 250
- soil classification systems, 82  
 Cuban, 83  
 FCC. *See* FCC (Functional Capability Classification) system  
 Soil Taxonomy, 115
- soil compaction, 143, 164, 454
- Soil Conservation Service, United States  
 Department of Agriculture, 70
- soil degradation, definition of, 76
- soil depth, equivalent method, 164
- soil diversity, importance of, 115
- soil engineering functions, 242
- soil engineers, 238–239  
 definition of, 242
- soil erosion, 75, 151, 154–155, 158, 599, 613  
 erodibility, 128  
 rainfall, 151–152  
 risk, 128  
 slope gradient and length, 151  
 soil cover, 21, 150–151, 352, 629
- soil fertility, 131, 309–313  
 boron, 310  
 chlorine, 310  
 copper, 310  
 decline, 435, 459  
 definition of, 310  
 hydrogen, 310  
 iron, 310  
 manganese, 310  
 molybdenum, 310  
 nickel, 310  
 oxygen, 310  
 phosphorus, 310  
 requirements, 551  
 three principles of, 311  
 zinc, 310

- soil formation, factors of, 82
- soil health indicators, 76
- soil management paradigms, 73  
first, 73  
second, 74  
third, 75
- soil maps, 39
- soil mass equivalent method, 164
- soil mineralogy, 196  
attributes, 121
- soil moisture, 144, 146, 177, 182–185. *See also*  
green water  
characteristic curve, 147
- soil moisture regimes, 10  
aquic, 11  
aridic, 11  
aridic tropustic, 20  
moisture availability index, 9  
perudic, 85  
typic tropustic, 20  
udic, 11, 84–87, 89–91, 109, 127, 182
- soil moisture tension, 10, 136, 146, 190, 344, 378, 494–496, 511
- soil nutrient depletion, 245, 275, 516
- soil nutrient supplies, indigenous, 517
- soil organic carbon (SOC), 163, 260, 264, 618,  
*See also* soil organic matter (SOM)  
topsoil, 263
- soil organic matter (SOM), 135, 385  
attributes, 126  
decomposition, 239  
definition of, 260  
models, 266  
synthesis, 239
- soil physical properties, 134  
attributes, 122  
deterioration, 460
- soil properties  
the three core properties, 357  
balance between NO, N<sub>2</sub>O and N<sub>2</sub>  
emissions, 357
- soil reaction (pH), attributes related to,  
128
- soil sampling, 313
- soil sterilization, 248
- soil strength, 144  
cohesive forces, 144  
frictional forces, 144
- soil structure, 139, 242  
runoff and erosion, 452
- Soil Survey Staff, 5, 10, 83–84, 197
- soil temperature regimes, 83  
isofrigid, 5  
isohyperthermic, 5  
isomesic, 5  
isothermic, 5
- soil test correlation, 318
- soil test methods, 387
- soil tests, 387
- soil variability, 315
- soil water, 146
- SoilDoc, 322  
bringing the lab to field, 322
- soil–poverty cycle, 43
- soils with permanent charge, 138
- soils with variable charge, 136–137, 198,  
226, 271, 496
- soils, in a global context, 75
- soils, not fragile, 77
- soils, thin sections, 140
- solar energy, 5
- solar radiation, 515
- Solomon Islands, 44
- Solonchaks, 93, 123, 129
- Solonetz, 93, 95, 123
- Somalia, 44, 55, 187, 393
- sour veldt* (nutrient-poor savannas), 19
- southeastern China, 125
- southeastern United States, 125–126
- southern hemisphere summer  
(November–January), 6
- soybeans, Brazilian Amazon, 479
- Spain, JM, 74, 217, 549
- species richness, 20
- specific anion adsorption, 205
- spectroscopy, 320
- spittlebug, 475, 579
- Spodosols, 107–109  
Aquods, 90, 99  
Humods, 90, 99  
Orthods, 90, 99
- Sposito, Garrison, 77, 197
- sprinklers, 189
- SRI (System of Rice Intensification), 514
- Sri Lanka, 44–45, 160, 178, 350, 393, 398,  
435
- St Vincent, 44
- starches, 240
- Steinfeld, H, 545, 547, 584
- Stern, N, 28, 41
- Stewart, WM, 372, 378
- stoichiometry, 237, 279, 312
- stone bench terraces, 160
- stone bunds, 160
- stone lines, 135
- stone mulches, 160
- storm, kinetic energy, 151
- straw mulch, 136
- Striga hermonthica*, 629
- structural carbon pool, 267–269
- structurally inert soils, 141
- stunting, 42–43
- Stylosanthes capitata*, 334, 557, 559–560
- Stylosanthes guianensis* (stylo), 130, 334, 557,  
559, 580
- Stylosanthes hamata* (verano), 579, 587
- Stylosanthes humilis* (Townsville stylo),  
578
- Stylosanthes macrocephala*, 334
- Stylosanthes scabra* (seca), 334, 557
- Suárez de Castro, F, 150
- Subramanian, S, 47
- subsoil, 243, 314, 425, 496, 642  
acidity, 227  
bulldozer-cleared Oxisol, 249  
compaction, 146  
gypsum, 185, 200, 228, 418
- Sudan, 14, 44, 187, 403
- sugar cane, 423  
plantations, 574
- sugar cane bagasse, 287
- sugars, 240, 278
- Sulfaquepts (acid sulfate soils or cat clays), 102
- sulfur, 279, 310, 339–340, 415, 428, 504, 561  
anion exchange, 416, 419  
cycle, 416  
fertilization, 424–426  
inorganic, 418  
mineralization, 418  
nutrition, 422  
organic, 417–418  
soil testing, 422  
sorption, 419  
sources of, 416, 424  
total, 417
- Summer, ME, 72, 211, 222, 228
- surface sealing and crusting, 144, 160
- Surinam, 44
- sustainability, 41  
definition of, 41  
economic, 41  
in space and time, 41  
sustainable agriculture, 53  
three dimensions, 41
- Sustainable Development Goals (SDGs), 44
- sustainable livelihoods, 41
- Swaminathan, MS, 43
- Swaziland, 44
- sweet potato, 26
- swidden* (shifting cultivation), 434–435
- Swietenia macrophylla* (mahogany), 467
- Swift, MJ, 74, 237–238, 240, 253–254, 275,  
311
- Syers, JK, 168, 385
- Szott, LT, 463–464
- t attribute (FCC), 127
- Taal Volcano, Philippines, 107
- Tackaberry, R, 16, 22
- Tanaka, Akira, 350, 503, 510, 515
- Tanzania, 44, 182, 186, 395, 403, 603
- taungya* agroforestry system, 473
- tavy* (shifting cultivation), 435
- Tectona grandis* (teak), 600
- temperature and solar radiation, 4, 444
- temperatures, excessively high, 135
- temperatures, low, 135
- Tephrosia vogelii*, 335, 629–630
- termites, 237, 239, 242–243, 498  
building process, 242, 254  
mounds, 242  
source of methane?, 244
- Terra Preta de Indio* (Indian Black Earth), 285

- Terra Roxa Estruturada, 139  
 terracing, 150  
 terrestrial forest regrowth, 262  
 Terry, RA, 347, 556  
 Thailand, 36, 44, 334, 393, 401, 631  
*Themeda triandra* (Red oak grass), 549–551, 556  
*Theobroma cacao*, 52, 632, 635  
*Theobroma grandiflorum*, 51, 473  
 thermal diffusivity, 135–136  
 thermophilic composting, 284  
 thixotropy, 142  
 Thomas, MF, 214, 579–580  
 tied ridges, 156  
 Tiffen, M, 159, 611  
 Timor-Leste, 44–45  
*Tithonia diversifolia*, 247, 348–349, 386, 392, 397, 399  
 Togo, 44, 393, 396  
 Toledo, José, 16, 551, 581  
 torourco pasture, 475  
 Tothill, JC, 549  
*Trachypogon* spp., 19  
*Trachypogon vestitus*, 549  
 traditional shifting cultivation, 435  
 treadle pumps, 192  
 tree crops, 632  
   cacao, 635  
   coconut, 635  
   coffee, 636  
   fertilization, 640  
   nutrient removals, 640  
   oil palm, 633  
   rubber, 635  
   shade, 640  
   soil acidity and alkalinity, 638  
   soil erosion control, 640  
   understoreys, 639  
 tree plantations, growth stages, 599  
   early growth stage, 601  
   clearing stage, 599  
   enrichment stage, 602  
   harvest and logging, 603  
   maximum production stage, 602  
 tree-based systems, 53, 273, 433, 597, 641  
 trees, environmental consequences of, 641  
   are tree soil improvers?, 605  
   biodiversity conservation, 641  
   carbon sequestration, 642  
   cleaning the air, 642  
   cycling nutrients, 642  
   regulating stream flows, 642  
 trench bunds, 157  
*Trifolium rapens* (white clover), 559  
 Trindade, AV, 248, 250  
 Trinidad and Tobago, 44  
 tropical Africa, physiography, 16, 20–21, 23–24, 38, 48, 250, 252, 547, 575  
 tropical agronomy, 3  
 tropical America, 15, 23, 598, 617  
   physiography, 23, 23  
   tropical Asia, 24, 215, 373, 599, 617  
     physiography, 24  
   tropical deserts, 113  
   tropical ecology, 3  
   tropical farmers, 48, 75, 156, 180, 446  
   tropical glaciers, 28, 91, 109  
   tropical legumes, 556  
     growth habits, 551, 557  
     nutritional quality, 557  
     soil fertility requirements, 557  
   tropical soils research 1970s–1990s, 72–73  
   tropical vegetation, 14  
   tropics rule the world's climate, 9  
 Trujillo, W, 277  
 Trumbore, SE, 276  
 TSBF (Tropical Soil Biology and Fertility Program), 74  
 Tuong, TP, 512–513  
 Turenne, JF, 460  
 Turnbull, JW, 129, 597  
  
 Uehara, G, 72, 147, 197–198, 200, 231  
 Uganda, 44, 55  
 Ultisol-dominated landscapes, 109  
 Ultisols, 16, 85, 87, 93, 98, 100, 209, 250, 280, 403, 643  
   Aquults, 85, 98, 100  
   Humults, 86, 98  
   Udults, 85–86, 98  
   Ustults, 85, 98  
 understoreys, 639  
 United Nations Convention on Biodiversity, 253  
 United Nations Paris Agreement, 26, 32  
 United States, 152  
 USLE (Universal Soil Loss Equation), 151  
 unstable aggregate, 138  
 Uphoff, Norman, 514  
 urban employment, 37  
 urban slums, 37  
 urbanization, 38  
 urbanization and income growth, 38  
 urea, 212, 290, 300, 340, 353, 362, 400  
 urea hydrolysis, 344  
 urea–ammonium nitrate solutions, 340  
 Urquiaga, Segundo, 332, 563  
 U-shaped curve, 59  
 Usman, H, 144  
 utilization of food, 42  
  
*v* attribute (FCC), 126  
 V method, Brazil, 223  
 V value, definition of, 223  
 Valentin, C, 144, 146  
 “valley of death,” 60  
 value addition, 40  
 van Noordwijk, Meine, 127, 152, 247, 607  
 van Raij, B, 72, 222, 227  
 van Reuler, H, 447  
 van Roode, M, 158–159  
 van Wambeke, A, 10, 97  
  
 Van Wey, LK, 479  
 vanadium, 310  
 Vanlauwe, Bernard, 75, 163, 322, 345, 353, 360, 460  
 Vanuatu, 44  
*várzeas*, 438  
*vassoura de bruxa* (witches' broom disease), 635  
 Venezuela, 11, 15, 44, 374, 401, 548  
 Venter, FJ, 551  
 Veracion, JG, 141  
*veranicos* (little summers), 185, 228, *See also* dry spells  
 Verchot, LV, 474  
 vermicomposting, 244, 246, 284  
 Vertisols, 88–89, 93, 95, 99, 104–105, 122, 345  
   Aquerts, 89, 99  
   Torrerts, 89, 99  
   Uderts, 89, 99  
   Usterts, 88, 99  
*Vetiveria zizanioides* (Vetiver grass), 158  
 Victoria, R, 126, 332, 563  
 vicuñas, 544  
 Vietnam, 44, 350, 393, 398, 401, 597  
*Vigna unguiculata* (cowpea), 334  
 viruses, 26, 237, 239  
 Vista Florida Rice Experiment Station, Peru, 188  
*Vitellaria paradoxa* (karité), 18, 52, 617  
 Vitousek, PM, 74, 238, 328, 371, 403, 437  
 volcanic highlands, 112  
 volcanoes, 23  
 von Liebig, Justus, 47, 69, 311  
 Vose, PB, 605–606  
  
 wadis, 21  
 Walker, Brian, 15, 478, 548  
 Wall, DH, 238, 253  
 Walsh, Markus, 134  
 Wang, GH, 386, 499, 529  
 Wani, SF, 177–178, 180, 183–185, 192  
 Wassmann, R, 529  
 water, 176  
   available, 148  
   crop productivity, 178–179, 512  
   cycle, 176  
   gravitational, 147  
   harvesting, 186  
   productivity, 179  
   required to feed the world, 193  
   required to produce food, 178–179  
   scarcity of, 177  
   use efficiency, 178–180, 183–184, 192–193, 511, 513, 539, 629  
   volumetric available, 148  
 water and rice, 511  
 water conservation, 156  
 water-dispersible clays, 146  
 water-stable aggregate, 138  
 Watson, RT, 58, 273



- Watters, RF, 460  
 WCED (World Commission on Environment and Development), 41  
 weather prediction, 39  
 weatherable minerals, 123  
 Weil, RR, 136, 269, 416  
 Weischert, Wolfgang, 478  
 wells, shallow, 161, 192, 508  
 WEPP (Water Erosion Prediction Project), 154  
 Western Cape Province, 23  
 wet chemistry laboratory, 317  
 wheeled tractors, 144, 507  
 Wickham, TH, 513  
 wild antelopes, 143  
 Wild, A, 346–347  
 Wischmeier erosion plots, 155  
 Wischmeier, WH, 151  
 Witt, C, 516, 521
- Wolf, JM, 149  
 Wollum, AG, 126, 501  
 Wood, S, 25–26, 46, 53, 129, 131  
 Woomer, PL, 74, 241, 284, 350, 615  
 World Bank, 37, 43, 163, 177–179, 186–190, 192  
 world's greatest fix, 338  
 WRB (World Reference Base for Soil Resources), 83, 92, 94, 120, 126–127, 129, 263  
 units, 131
- x attribute (FCC), 126, 141
- y attribute (FCC), 128  
 yam, 135  
 Yaqui Valley, Mexico, 189, 355  
 Yoder, RE, 493
- Yost, Russell, 72  
 Yu, K, 441, 531  
 Yurimaguas, Peru, 476
- z attribute (FCC), 128  
 z soils, 141  
 zai holes, 157  
 Zambia, 44, 110, 146, 148, 242, 339, 630  
 Zamora, C, 113  
 zero point of charge, 198, 202  
 Zhejiang Province, China, 47  
 Zimbabwe, 28, 44, 157, 243, 280, 337, 349, 393, 403, 576
- zinc, 505  
 Zinke, PJ, 446  
*Ziziphus mauritania*, 145, 621  
*Zulia* spp., 475  
 Zwart, SJ, 179