

## Index

- accessible information, 298, 318
  - of a channel, 544
- adjoint, 139
- Alicki–Fannes–Winter inequality, 341
- amplitude damping channel, 158, 595, 664
- anticommutator, 64
- antidegradable channel, 395, 397, 663, 665
- Araki–Lieb triangle inequality, 321
- asymptotic equipartition theorem, 34, 406
  
- Bell inequality, 10, 84
- Bell measurement, 192
- Bell states, 91, 97, 189, 192
- Bell’s theorem, 85
- binary entropy, 12
- binary symmetric channel, 36
- Bloch sphere, 56, 107
- Born rule, 55, 67, 81, 102
- bosonic channel, 710
  
- Cauchy–Riemann equations, 350
- channel distinguishability, 240
- Choi operator, 133
- Choi rank, 133
- Choi–Kraus theorem, 133
- CHSH game, 85, 120
- classical capacity theorem, 548
- classical–quantum state, 128, 160
- classical-to-classical channel, 146
- classical-to-quantum channel, 147
- coherent bit channel, 208
- coherent communication, 600
- coherent communication identity, 215, 605, 721
- coherent dense coding, 600
- coherent information, 300, 313, 642
  - conditional, 315
  - convexity, 320
  - of a channel, 393
    - additivity for a degradable channel, 394
    - positivity, 394
    - superadditivity, 666
- coherent state transfer, 610
- commutator, 64
  
- complementary channel, 170, 175
- completely positive map, 132
- completely positive trace-preserving map, 133
- composite quantum systems, 73
- conditional quantum channel, 160
- conditional typicality, 45
- constant-composition coding, 553
- controlled gate, 77
- covering lemma, 486
  
- data compression, 26, 412
  - theorem, 29
- data processing inequality, 281
  - coherent information, 333
  - conditional quantum mutual information, 334
  - mutual information, 282
  - quantum mutual information, 333
  - relative entropy, 284
- decoupling approach, 676
- degradable channel, 177, 395–397, 399–401, 404, 405, 558, 628, 638, 643, 646, 654, 656, 663, 666, 700
- density operator, 102, 104
  - local, 125
- dephasing channel, 155, 597, 701
  - generalized, 175
- depolarizing channel, 157, 561, 597, 666
- diamond-norm distance, 240
- displacement operator, 711
  
- ebit, 189
- elementary coding, 191
- entangled state, 120
- entanglement concentration, 517, 519, 520, 531, 719
- entanglement dilution, 518, 533, 719
- entanglement distillation, 673
- entanglement distribution, 185, 188, 201
- entanglement manipulation, 517
- entanglement swapping, 197
- entanglement-assisted
  - classical communication, 17, 199, 571, 720

- with feedback, 588
  - coherent communication, 602
  - quantum communication, 604, 685, 720
- entanglement-assisted capacity theorem, 577
  - converse, 586
  - direct part, 578
- entanglement-breaking channel, 149–151, 163, 176–178, 365, 366, 384–387, 397, 404, 543, 556, 569, 570
- erasure channel, 159, 593, 645, 663
- expurgation, 45, 479, 635
- extension, 168
- Fannes–Audenaert Inequality, 339, 340
- Fano’s inequality, 285
- fidelity, 15, 243
  - achieving measurement, 251
  - concavity, 249
  - entanglement fidelity, 262
  - expected, 244
  - joint concavity, 248
  - monotonicity, 248
  - multiplicativity, 248
  - Uhlmann, 245
- Fourier transform, 94
- gentle measurement, 257
  - coherent, 260
  - for ensembles, 259
- Hölder inequality, 349
- Hadamard channel, 176, 557, 680, 699
- Hadamard gate, 65
- Hadamard three-lines theorem, 351
- hashing bound, 660
- Hayashi–Nagaoka operator inequality, 474
- Heisenberg–Weyl operators, 94, 579
- Hilbert–Schmidt distance, 265
- Hilbert–Schmidt inner product, 139
- Hirschman’s theorem, 351
- Holevo bound, 19, 298, 334, 366, 468, 571
- Holevo information, 318
  - dimension bound, 318
  - of a channel, 383
    - concavity, 388
    - superadditivity, 565
- holomorphic function, 350
  - operator-valued, 351
- HSW theorem, 16, 467, 548, 684, 720
  - converse, 554
  - direct part, 549
- indeterminism, 8
- indicator function, 112
- information content, 28, 268
- information locking, 641
- isometric channel, 144
- isometric extension, 169, 171
- isometry, 144
- kernel, 321
- Kraus representation, 102
- law of large numbers, 32, 406
- local operations and classical communication, 522
- LOCC, 517, 522
- LOCC monotone, 522
- locking capacity, 641
- LSD theorem, 17, 720
- Markov’s inequality, 42, 480
- matrix representation, 62
- maximally mixed state, 107
- maximum modulus principle, 350
- measurement channel, 148
- minimum output entropy, 562
- mutual information, 47, 275
  - conditional, 278
  - of a classical channel, 372
    - additivity, 374
- network quantum Shannon theory, 723
- no-cloning theorem, 20, 79, 624, 642, 645
- no-deletion theorem, 80
- noisy channel coding theorem, 39
- noisy super-dense coding, 600
- non-commutative union bound, 482
- observable, 67
- Operator Chernoff Bound, 491
- packing lemma, 467, 550, 581, 608
- partial trace, 123
- Pauli channel, 156
- Pauli matrices, 64
- Petz recovery map, 353
  - rotated, 354
- phase-flip operator, 63
- Pinsker inequality, 291
  - quantum, 329
- polar decomposition, 727
- positive map, 131
- positive operator-valued measure, 116
- positive semi-definite, 105
- private classical capacity
  - superadditivity, 639
- private classical capacity theorem, 627
  - converse, 636
  - direct part, 628
- private classical communication, 624, 720
  - secret-key assisted, 639
- private information
  - of a quantum channel, 398

- additivity for a degradable channel, 401
  - of a wiretap channel, 379
    - additivity for degraded channels, 380
    - positivity, 380
    - suparadditivity, 638
  - probability amplitudes, 55, 76
  - product state, 118
  - purification, 165
    - equivalence, 166
    - interpretation, 166
  - purity, 107
- quantum capacity theorem, 4, 17, 199, 642, 646, 685
  - converse, 654
  - direct part, 647
- quantum data processing inequality, 332
- quantum discord, 365
- quantum dynamic capacity formula, 693
- quantum dynamic capacity theorem, 679, 682
  - converse, 688
  - direct part, 687
- quantum erasure channel, 560
- quantum hypothesis testing, 235
- quantum information source, 444, 505
- quantum instrument, 153
  - coherent, 179
- quantum interference, 8, 9
- quantum key distribution, 21, 624
- quantum mutual information, 315
  - chain rule, 319
  - conditional
    - dimension bound, 321
    - duality, 320
    - non-negativity, 319
  - dimension bound, 316
  - non-negativity, 316
  - of a channel, 389
    - additivity, 390
- quantum relative entropy, 321
  - additivity, 326
  - for classical–quantum states, 326
  - isometric invariance, 326
  - joint convexity, 327, 364
  - monotonicity, 323
  - non-negativity, 324
- quantum reverse Shannon theorem, 598, 722
- quantum teleportation, 10, 16, 21, 185, 193, 202, 218
  - coherent, 213
  - noisy, 200, 721
- quantum typicality, 443
  - conditional, 454
    - strong, 457
    - weak, 456
- quantum-to-classical channel, 148
- qudit, 93, 200
- Rényi generalization of a relative entropy
  - difference, 355
- randomness concentration, 527
- relative entropy, 276
  - non-negativity, 279
  - positivity, 279
- relative entropy of entanglement, 522
- remote state preparation, 196, 723
- repetition code, 36
  - quantum, 657
- rotation operators, 66
- sample entropy, 32, 409
  - conditional, 417
  - joint, 415
- Schatten norm, 348
- Schmidt decomposition, 98, 578
- Schumacher compression, 15, 302, 505, 719
- separable states, 102, 120
- sequential decoding, 480, 552
- Shannon compression, 29, 412
- Shannon entropy, 29, 268
  - binary, 270
  - concavity, 271
  - conditional, 273
  - continuity, 287
  - joint, 274
  - positivity, 271
- square-root measurement, 473, 552
- stabilizer codes, 656
- state merging, 24, 313
- state redistribution, 722
- state transfer
  - classical-assisted, 612, 721
  - coherent, 610
  - quantum-assisted, 611, 721
- Stein–Hirschman interpolation theorem, 352
- Stinespring dilation, 171
- strong subadditivity, 278, 319, 320, 327, 362
- super-dense coding, 185, 192, 202
  - coherent, 212
  - noisy, 607, 721
- superactivation, 24, 643, 670
- superposition, 8, 10, 55, 68
- support
  - of a function, 276
  - of an operator, 321
- surprisal, 28
- tensor product, 74
- thermal state, 711
- time-sharing, 614
- trace, 103
  - cyclicity, 103
- trace distance, 15, 230, 233

- monotonicity, 238
- operational interpretation, 235
- triangle inequality, 237
- trace norm, 230
- trace preserving map, 133
- trade-off coding, 614, 721
- Tsirelson's bound, 90
- twirling, 157
- two-mode squeezed state, 711
- type, 422
  - bound on number of types, 423
- type class, 422
  - projector, 464
  - subspace, 464, 578
  - typical, 427
- typical projector, 446
  - conditionally strong, 459
- typical sequence, 33, 406, 409
  - jointly, 415
- typical set, 410
  - conditionally, 417
  - jointly, 415
  - strongly, 422
- typical subspace, 15, 446
  - conditionally strong, 459
  - weak, 456
  - measurement, 447
- typicality
  - strong, 420
    - conditional, 431
    - joint, 429
  - weak, 409
    - conditional, 417
    - joint, 414
- uncertainty principle, 72, 335
- unit resource capacity region, 217, 679
- unital map, 139
- von Neumann entropy, 300, 301
  - additivity, 307
  - concavity, 303, 318
  - conditional, 311
    - concavity, 320, 363
    - duality, 314
  - continuity, 339
  - joint, 306
  - operational interpretation, 506, 518
  - positivity, 303
  - subadditivity, 325
- von Neumann measurement, 70