

# Index

- $\Leftarrow$ , 385  
 $\Leftrightarrow$ , 385  
 $\Rightarrow$ , 385  
 $\cap$ , 378  
 $\cup$ , 378  
 $\exists$ , 386  
 $\forall$ , 386  
 $\in$ , 5, 378  
 $\subseteq$ , 378  
 $\subsetneq$ , 378  
 $V$ , 51  
 $\mathbb{C}$ , 40, 46  
 $\mathbb{F}$ , 39  
 $\mathbb{F}^\infty$ , 56  
 $\mathbb{F}^n$ , 52, 59  
 $\mathbb{F}_2$ , 41, 46  
 $\mathbb{Q}$ , 41, 46  
 $\mathbb{R}$ , 5, 46  
 $\mathbb{R}^n$ , 25, 35  
 $\mathbb{Z}$ , 41  
 $C[a, b]$ , 50  
 $D[a, b]$ , 57  
 $\mathcal{L}(V, W)$ , 64  
 $\mathcal{L}(V)$ , 64  
 $M_{m,n}(\mathbb{F})$ , 44  
 $M_{m,n}(\mathbb{R})$ , 10  
 $\mathcal{P}_n(\mathbb{F})$ , 57  
 $\text{co}$ , 56  
 $\text{Im } z$ , 382  
 $\text{Re } z$ , 382  
 $|z|$ , 226, 382  
 $\bar{z}$ , 226, 382  
 $f(A)$ , 380  
 $f : X \rightarrow Y$ , 379  
 $f \circ g$ , 381  
 $f^{-1}$ , 381  
 $x \mapsto f(x)$ , 380  
 $\langle v, w \rangle$ , 226  
 $\|v\|$ , 267  
   in an inner product space, 229  
 $\langle v_1, v_2, \dots, v_k \rangle$ , 53  
 $\text{diag}(d_1, \dots, d_n)$ , 68  
 $A^*$ , 97  
 $A^T$ , 96  
 $A^{-1}$ , 97  
 $\|A\|_F$ , 234  
 $\|A\|_{op}$ , 272  
 $T^*$ , 311  
 $\text{tr } A$ , 208  
 $\text{tr } T$ , 209  
 $a_{ij}$ , 10  
 $p(T), p(A)$ , 217  
 $C(A)$ , 116  
 $\dim V$ , 164  
 $\text{Eig}_\lambda(T), \text{Eig}_\lambda(A)$ , 120  
 $\ker T, \ker A$ , 118  
 $\text{null } T, \text{null } A$ , 175  
 $\text{rank } T, \text{rank } A$ , 173  
 $n$ -dimensional, 164  
 $P_{c,i,j}$ , 102  
 $Q_{c,i}$ , 102  
 $R_{i,j}$ , 102  
 $[T]_{\mathcal{B}_V, \mathcal{B}_W}$ , 187  
 $[T]_{\mathcal{B}_V, \mathcal{B}_W}$ , 195  
 $[v]_{\mathcal{B}}$ , 185, 195  
 $L^1$  norm, 268  
 $\ell^1$  norm, 267  
 $\ell^\infty$  norm, 267  
 $S_n$ , 351  
 $\iota$ , 351  
 $\text{sgn}(\sigma)$ , 352  
 $\det(A)$ , 336  
 $A_{ij}$ , 339  
 $p_A(x)$ , 358

## 424 Index

- absolute value (of a complex number), 226, 382
- addition mod  $p$ , 49
- adjoint operator, 311, 311–318
- adjugate, 372, 373
- affine subspace, 123, 181
- algebraically closed, 217, 221
- alternating, 335, 344
- argument (of a complex number), 383
- augmented matrix, 11, 9–11, 45
  
- back-substitution, 14
- base field, 51
- basis, 150, 150–162
- bijective, 78, 380
- binary code, 129
  - linear, 130, 136
  
- Cauchy–Schwarz inequality, 232, 235
- Cayley–Hamilton Theorem, 362, 364, 365
- change of basis matrix, 199, 209
- characteristic polynomial, 358, 358–364
- Cholesky decomposition, 330
- circulant matrix, 330
- closed under addition, 55
- closed under scalar multiplication, 55
- codomain, 64, 115, 379
- coefficient matrix, 10, 116, 120
- cofactor matrix, 372
- collinear, 38, 148
- column space, 116, 125
- column vector, 25
- companion matrix, 366
- complex conjugate, 226, 382
- composition, 380
- condition number, 274, 287, 310
- conjugate transpose, 97, 227, 234
- consistent linear system, 7, 7, 18, 21
- contrapositive, 386
- coordinate representation
  - of a linear map, 187
  - of a vector, 185
- coordinates, 185, 185–199
  - in orthonormal bases, 241–244, 247
- counterexample, 386
- Courant–Fischer min–max principle, 332
- Cramer’s rule, 370, 373
  
- determinant, 336, 333–377
  - and inverse matrix, 372
  - and solution of linear systems, 370–373
  - and volume, 366, 373
  - computation by row operations, 349, 354
  - existence and uniqueness, 339–344
  - expansion along a column, 349, 354
  - expansion along a row, 346, 354
  - product of eigenvalues, 345
  - sum over permutations, 353, 354
- determinant function, 339
- diagonal matrix, 68, 191
- diagonalizable, 192, 195, 209
  - map, 192
  - matrix, 204
  - unitarily, 320
- differentiation operator, 86, 88
- dimension, 164, 162–172
- direct sum, *see* orthogonal direct sum
- discrete Fourier transform, 285
- division, 40
- domain, 64, 379
  
- eigenspace, 120, 120–122, 125
- eigenvalue, 69, 69–73, 75, 122
  - and determinant, 362
  - and trace, 362
  - geometric multiplicity, 214, 365
  - multiplicity, 361, 360–362, 364
  - of a diagonal matrix, 71, 122
  - of a self-adjoint map linear map, 314
  - of a unitary matrix, 286
  - of an upper triangular matrix, 215, 220, 361
  - of similar matrices, 207
  - of transpose matrix, 179
  - root of characteristic polynomial, 358
- eigenvector, 69, 69–73, 75
  - linear independence of eigenvectors, 146
  - of commuting linear maps, 325
  - orthogonality of, for self-adjoint linear maps, 314
  - orthogonality of, for normal matrices, 331
- element (of a set), 378
- elementary matrices, 103
- encoding function, 129
  - linear, 130
- encoding matrix, 130
- entry (of a matrix), 10, 44
- error propagation, 273, 273
- error-correcting code, 133, 136

- error-detecting code, 131, 136  
 extending by linearity, 156, 159
- feasible production plan, 74  
 field, 39, 39–49  
 finite-dimensional, 150  
 four fundamental subspaces, 315  
 free variable, 16, 21  
 Frobenius inner product, 234, 235  
 Frobenius norm, 234  
 function, 379  
 function space, 57  
 functional calculus, 324
- Gaussian elimination, 12, 21  
 Gram–Schmidt process, 244, 244–247
- Hadamard’s inequality, 355  
 Hamming code, 134, 134–136  
 Hermitian matrix, 314, 318  
 homogeneous linear system, 6, 54  
 Householder matrix, 285
- identity matrix, 68  
 identity operator, 64  
 image, 115, 380  
 imaginary part, 382  
 inclusion map, 319  
 inconsistent linear system, 7  
 infinite-dimensional, 150  
 injective, 380  
   linear map, 120, 125  
 inner product, 226, 225–238  
 inner product space, 227, 225–238  
 integral kernel, 87  
 integral operator, 87, 88  
 intersection, 378  
 invariant of a matrix, 207, 206–209  
 invariant subspace, 69  
 inverse matrix, 97, 97–107  
   computing via determinants, 372  
   computing via row operations, 105, 110  
 invertible, 98  
 isometry, 276, 276–288  
 isomorphism, 78, 78–80, 88  
 isoscopic, 333
- Jordan measurable, 367
- kernel, 118, 118–120, 125
- Laplace expansion, 354  
   along a column, 349  
   along a row, 346
- LDU decomposition, 114  
 least squares, 259, 259–260, 262  
 length  
   in a normed space, 273  
   in an inner product space, 235  
 linear combination, 26, 35, 53  
 linear constraints, 181, 181–182  
 Linear Dependence Lemma, 145, 145–150  
 linear map, 64, 63–90  
   diagonalizable, 192  
 linear operator, *see* linear map  
 linear regression, *see* least squares  
 linear system of equations, 44, 44–49  
   matrix–vector form, 73, 73–75  
   over  $\mathbb{R}$ , 5, 2–7  
   vector form, 27–28  
 linear transformation, *see* linear map  
 linearly dependent, 141, 140–150  
 linearly independent, 142, 140–150  
 logical connectives, 384  
 low-rank approximation, 303, 303–308  
 lower triangular matrix, 101, 107, 221  
 LU decomposition, 107, 107–110  
 LUP decomposition, 110
- magnitude, 29  
 matrix, 21, 44  
   as a linear map, 67–69  
   diagonalizable, 204  
   over  $\mathbb{R}$ , 10  
 matrix exponential, 324  
 matrix decompositions  
   Cholesky, 330  
   LDU, 114  
   LU, 107, 107–110  
   LUP, 110  
   QR, 283, 283–284  
   Schur, 327, 327–329  
   singular value, *see also* singular value  
     decomposition, 297  
   spectral, *see also* Spectral Theorem, 322  
 matrix invariant, *see* invariant of a matrix  
 matrix multiplication, 91, 90–100, 139  
   in coordinates, 193

## 426 Index

- matrix of a linear map  
 in  $\mathcal{L}(\mathbb{R}^n, \mathbb{F}^m)$ , 83, 83–86, 88  
 with respect to a basis, 187, 195
- matrix–vector multiplication, 67
- modulus, 226, 382
- multilinear, 334, 344
- multiplication mod  $p$ , 49
- multiplication operator, 86, 88
- negation, 387
- norm, 29, 101, 267  
 $L^1$ , 268  
 $\ell^1$ , 267  
 $\ell^\infty$ , 267  
 Frobenius, 234  
 in an inner product space, 229  
 operator, 271, 272, 269–273  
 spectral, 271  
 strictly convex, 276  
 supremum, 268
- normal matrix, 325, 329
- normal operator, 325, 329
- normed space, 267, 266–274
- null space, *see* kernel
- nullity, 175, 175, 182
- one-to-one, 380
- one-to-one correspondence, 380
- onto, 380
- operator, *see* linear map
- operator norm, 271, 269–273  
 of a matrix, 272
- orthogonal, 229, 235
- orthogonal complement, 252, 261
- orthogonal direct sum, 254
- orthogonal matrix, 281, 284
- orthogonal projection, 75, 255, 255–262  
 algebraic properties, 255  
 geometric properties, 258
- orthonormal, 239
- orthonormal basis, 239, 239–252
- overdetermined linear system, 20
- parallelogram identity, 268, 273
- parity bit code, 131
- parity-check matrix, 131, 136
- permanent, 356
- permutation, 280, 351, 354
- permutation matrix, 109, 351
- perpendicular, 226, 229, 235
- Perspectives  
 bases, 223  
 determinants, 376  
 eigenvalues, 223, 376  
 isometries, 288  
 isomorphisms, 223, 377  
 matrix multiplication, 139
- pivot, 15, 18–20
- pivot variable, 16, 21
- polarization identities, 238, 277
- positive definite matrix, 323
- positive homogeneity, 229
- positive semidefinite matrix, 330
- proof by induction, 388
- pseudoinverse, 310
- QR decomposition, 283, 283
- quantifier, 386
- range, 115, 115–118, 125, 379
- rank, 173, 172–175, 182
- Rank–Nullity Theorem, 175, 175–182
- Rat Poison Principle, 6, 7
- real part, 382
- recipe, 390
- reduced row-echelon form (RREF), 15, 21
- row operations, 12, 11–14, 21
- row rank, 174, 182
- row space, 174
- row vector, 94
- row-echelon form (REF), 15, 21
- scalar, 25, 51
- scalar multiplication, 51  
 in  $\mathbb{R}^n$ , 25
- Schur decomposition, 327, 327–329
- self-adjoint, 314
- set, 378
- sign of a permutation, 352
- similar matrices, 203, 209
- singular matrix, 98
- singular value decomposition  
 computing, 316, 318  
 geometric interpretation, 301–303  
 of a map, 289, 289–295  
 of a matrix, 297, 297–309
- singular values  
 computing, 299

- of a map, 289, 295
- of a matrix, 299, 308
- uniqueness, 293–295
- singular vectors
  - of a map, 289
  - of a matrix, 299
- solution (of a linear system), 44
  - over  $\mathbb{R}$ , 3, 5
  - via determinants, 370–373
- solution space, 123–125
- span, 26, 35, 53, 150
- spectral decomposition, 322
- spectral norm, *see* operator norm
- Spectral Theorem, 320–329
  - for Hermitian matrices, 321
  - for normal maps and matrices, 326
  - for self-adjoint maps, 321
- spectrum, 321
- stable rank, 310
- standard basis, 68, 150
- standard basis vectors
  - of  $\mathbb{R}^n$ , 26
- strictly upper triangular matrix, 222
- subfield, 60
- subset, 378
  - proper, 378
- subspace, 55, 59
- subtraction, 40
- supremum norm, 268
- surjective, 380
- SVD, *see* singular value decomposition
- symmetric group, 351
- symmetric matrix, 234, 314, 318
- trace, 60, 208, 209
- transpose, 96, 100
- triangle inequality, 267
  - in an inner product space, 232, 235
- triangularization, 219, 219–221
- underdetermined linear system, 20
- union, 378
- unique solution, 7, 7, 21
- unit vector, 229
- unitarily invariant norm, 287
- unitary matrix, 281, 284
- upper triangular linear system, 19, 48
- upper triangular matrix, 101, 107, 215, 215–216
- Vandermonde determinant, 357
- vector, 51
  - over  $\mathbb{R}$ , 25
- vector addition, 51
- vector space, 51, 49–62
  - complex, 51
  - real, 51
- vector sum
  - in  $\mathbb{R}^n$ , 26
- volume, 366