

## Index

- absorption band model, 164–166  
 adjoint operator, 199  
 Airy phase, 219  
 Aki, Keiiti, 13  
 ambient noise, 16, 333–338  
 analytic time series, 391  
 Andersonian faulting theory, 291  
 anisotropy, 31, 341–363  
   aligned crack, 359  
   azimuthal, 348  
   crustal, 361  
   eigenvalue equation, 342–344  
   hexagonal, 347–360  
   inner core, 363  
   lower mantle, 362  
   mechanisms for, 358–360  
   mineral aligned, 359  
   observations in Earth, 361–363  
   periodic-thin layer, 359  
   phase vs. group velocity, 341  
    $P_n$ , 347  
   shear-wave splitting, 349–358  
   slowness surfaces, 344  
   upper mantle, 347, 361–362  
   wavefronts, 341  
   weak, 346–347  
 antipodal phase advance, 234  
 antipode, 220  
 apparent stress, 272  
 Armenian earthquake, 314  
 arrival time, 86  
 attenuation, 160–172  
   absorption band model, 164–166  
   global politics, 172  
   in Earth, 168–170  
   non-linear, 171–172  
   nuclear test sites, 172  
   observing, 170–171  
   velocity dispersion, 162  
 autocorrelation, 185, 205  
 auxiliary fault plane, 243, 385–386  
*b*-value, 282–285  
 back-projection, 197–200  
 Backus equations, weak anisotropy, 346  
 banana-doughnut kernels, 121  
 baseline correction, 170  
 beach balls, 246–255  
 Bessonova method, 107  
 block-slider model, 301, 313, 315–317  
 body forces, 21  
 broadband seismographs, 327  
 Brune fault model, 265  
 Brune, James, 262, 265, 292, 313–314  
 Brune-type stress drop, 267  
 bubble pulse, 182  
 bulk modulus, 32  
 Bullen, K.E., 3, 4, 86  
 Byerlee's law, 290, 291  
 catalog completeness, 284  
 Cauchy tetrahedron, 20  
 caustics, 69, 141  
 Cecchi, Filippo, 2  
 centroid moment tensor (CMT), 241, 294  
 chaotic behavior, 302, 304  
 characteristic earthquake hypothesis, 300, 304  
 checkerboard test, tomography, 118  
 chi-squared statistics, 125–126  
 Chilean earthquake, 8  
 Coalinga earthquake, 301  
 coda  $Q$ , 171  
 common-midpoint stacking, 5, 178–182  
 compensated linear vector dipole (CLVD), 245, 246  
 complex numbers, review, 373–375  
 complex plane, 373  
 compressional quadrant, 248  
 computers, importance in seismology, 9  
 constitutive relationships, 30–33  
 continental drift, 6  
 convolution, 182, 185, 387–389, 400  
 core, 3  
   seismic phases, 83  
 core–mantle boundary, 3  
 corner frequencies, 261  
 coseismic strain field, 299  
 Coulomb failure function, 37, 307  
 covariance matrix  
   polarization analysis, 350  
   tomography, 117  
 critical angle, 150  
 critical damping, seismometer, 321  
 critical slip, 274  
 cross-correlation, 184–185  
   of noise, 332–338  
 cross-product, vector, 369  
 crossover point, 83  
 crust, 3  
   seismic phases, 82  
 curl, vector field, 28, 372  
 damped least squares, 114  
 damping, seismometer, 319–320  
 deaths from earthquakes, 13  
 Debye peak, 167  
 deconvolution, 177, 182–185, 201  
 deep earthquakes, 7, 293  
 delay time, 70–73, 210, 212, 247  
 delta functions, 50, 151, 182, 235, 328, 388, 390  
 density structure, Earth's, 4  
 depth phases, 83  
 Did You Feel It website, 287  
 diffraction, 186

- diffraction hyperbolas, 186–187
- digital seismographs, 10, 326–328
- dilatancy, as earthquake predictor, 311
- dilatation, 28
- dilatational quadrant, 248
- dinner party, Los Angeles, 297
- dip, fault plane, 241
- dip-slip faults, 242
- dipping reflector, 189
- directivity, 257–260
  - Gorkha (Nepal) earthquake, 295
  - Sumatra earthquake, 259
- discrete modeling methods, 53–56
- dispersion, 162, 210, 213, 218–219, 232–233
- displacement field, 26
- divergence, 372
- Dix formula, 195
- dot product, vector, 369
- double-couple source, 7, 239–255
  - major and minor decomposition, 246
- double-difference location method, 129
- dynamic friction, 300
- dynamic range, seismograph, 326
- dynamic rupture models, 289
- Earth
  - internal structure, 3, 168–170, 365
  - pressure of interior, 25
  - seismic velocities, 3, 365
- Earth-flattening transformation, 77–80
- earthquake early warning (EEW), 16, 134
- earthquakes
  - deep, 293
  - distribution of, 5–8
  - energy partitioning, 273–276
  - how to locate, 122–131, 135
  - magnitude, 276–282
  - precursors, 311–313
  - prediction of, 299–314
  - table of large, 282
  - triggering, 306–310
  - unpredictability of, 313–314
- East Pacific Rise, 12
- eikonal equation, 63, 377–380
- elastic moduli, 31–33
  - units, 33
- elastic rebound theory, 12, 299
- elastic tensor, 30, 342
  - density normalized, 343
  - symmetries, 342, 348
- Empirical Green's functions (EGF), 263–264
- energy
  - in seismic waves, 137–139
  - partitioning in earthquakes, 273–276
  - radiated from source, 270–273
- envelope time function, 391
- epicenter, 122
- equation of motion, 41
- equivalent body forces, 238
- error ellipse, earthquake location, 125–126
- Eshelby circular fault stress drop, 264
- ETAS model, 308, 309
- Eulerian description of motion, 26
- evanescent waves, 151, 216, 345
- Ewing, James, 2
- exploding reflector model, 186
- far-field term, 247
- faults
  - as seismic sources, 241–255
  - fractal distribution of, 303
  - stress level on, 311
  - weak, 292–293
- Fermat's principle, 65, 112
- finite-difference methods, 42, 52, 54–61
- finite-difference ray tracing, 82, 112
- finite-element methods, 52, 55
- finite-frequency tomography, 121–122
- finite-slip modeling, 287–290
- focal mechanisms, 242–255, 294
  - plotting, 253–255, 259
- focal sphere, 250–252
- fold, reflection seismology, 181
- foot wall, fault, 241
- force couple, 239
- force-feedback seismometers, 326, 327
- foreshocks, 309, 310, 312–313
- Fourier transforms, 152, 161, 183, 232, 260, 388–389
- fractal scaling, 303
- fracture energy, 273
- Fréchet derivatives, 121
- free oscillations, 8, 226–232
  - Sun, 9
- frequency response function, 328, 329
- frequency response, seismograph, 321–328
- frictional energy, 273
- Full Waveform Inversion (FWI), 122
- gain, instrument, 328
- Galitzen, B.B., 3
- Garmany method, 104
- gather, reflection seismology, 181
- Gauss's theorem, 373
- geometrical spreading, 139–141, 380
- GETAUX function, 385–386
- Global CMT catalog, 241, 252–254, 282, 294
- Global Digital Seismograph Network (GDSN), 328
- Global Positioning System (GPS), 306
- Gorkha earthquake directivity, 295
- gradient operator, 371
- graph theory, 82, 112
- gravimeters, 324
- Green's functions, 51, 238–241, 332, 387
  - empirical, 263–264
- Green's theorem, 393
- ground roll, 181

- group velocity, 210, 211, 341, 344
- Gutenberg, B., 3
- Gutenberg, Beno, 13
- Gutenberg-Richter  
 energy relation, 282  
 magnitude-frequency relation, 283
- Haicheng earthquake, 312
- hanging wall, fault, 241
- harmonic waves, 46, 374–375  
 table of parameters, 46
- Haskell fault model, 260
- Haskell source, 257
- Haskell stress-displacement vector, 156
- heat-flow paradox, 290–293
- Hector Mine earthquake, 305
- helioseismology, 9
- Helmholtz decomposition theorem, 45
- Herglotz-Wiechert formula, 101
- hexagonal anisotropy, 347–360
- Hilbert transform, 151, 153–155, 389–391
- history of seismology, 2–16
- Holy Grail, 85
- homogeneous equation of motion, 41
- horizontal slowness, 64
- Huygens's principle, 186
- hydrostatic strain, 28
- hydrostatic stress, 23–25, 30
- hyperbolic equation, 39
- hypocenter, 122
- hypocentroidal decomposition, 129
- identity matrix, 370, 373
- impedance, 139, 147
- Imperial Valley earthquake  
 locations, 130
- impulse response function, 328
- impulse response test,  
 tomography, 118
- incremental stress, 30
- index notation, 29, 370
- induced seismicity, 16
- inertial seismometers, 320
- infinitesimal strain theory, 27
- inhomogeneous waves, 151
- inner-core anisotropy, 363
- inner-core boundary, 4
- intensity scale, 285–287
- International Deployment of Accelerometers (IDA), 327
- International Seismological Centre (ISC) picks, 86–88
- inverse theory, 8, 105, 115
- isotropy, 31
- iterative inversions, 118
- iterative location methods, 128
- Japan mantle cross section, 204
- JB tables, 3, 86
- Jeffreys, Harold, 3, 86
- joint hypocenter velocity (JHV)  
 inversions, 119
- kinematic rupture models, 289
- Kirchhoff applications, 398
- Kirchhoff migration, 400
- Kirchhoff theory, 393–401
- Kronecker delta, 31
- $L1$  norm, 124
- $L2$  norm, 124
- LaCoste, Lucien, 326
- Lagrangian description of motion, 26
- Lamé parameters, 31–33
- Landers earthquake, 36, 305
- Laplacian operator, 115, 372
- lattice-preferred orientation (LPO), 358
- layer cake model, 102, 106
- layer matrix, 156
- LAYERXT function, 96, 381–382
- left-lateral motion, 242
- Lehmann, Inge, 3
- Leighton, Robert, 9
- $Lg$ , 83
- linear programming, 109
- linear superposition, 257
- linear velocity gradients, 68, 95
- linearly elastic material, 30
- lithostatic stress, 290
- locating earthquakes, 122–131, 135
- Loma Prieta earthquake, 33, 305
- Love waves, 83, 209–213
- low-velocity zones, 73–74, 100
- lunar seismology, 8
- Madariaga fault model, 265, 271
- magnitude, 13, 276–282  
 body wave ( $m_b$ ), 278  
 local ( $M_L$ ), 276  
 moment ( $M_W$ ), 279  
 saturation of, 279, 280  
 surface wave ( $M_S$ ), 278
- Mallet, Robert, 2
- mantle, 3  
 seismic phases, 83
- MARMOD model, 96
- Martian seismology, 8
- master event location methods, 129
- math review, 369–375
- MATLAB examples, 62, 234
- matrix identities, 371
- matrix methods, layered models, 155–159
- Mercalli scale, 285
- microseism peak, 331
- microseisms, 324, 331
- mid-ocean ridges, 6
- migration, 185–192  
 poststack, 190  
 prestack, 190  
 synthetic examples, 191
- Mode III cracks, 275
- Moho, 3, 82–83  
 reflections off, 147, 149
- Mohorovičić, Andrija, 3
- moment magnitude, 279
- moment tensor, 239–255  
 decomposition of, 244–245, 293–294  
 isotropic and deviatoric, 244
- moment, scalar ( $M_0$ ), 242  
 from spectra, 256
- momentum equation, 40–41
- Moon  
 pressure of interior, 25

- quakes, 8
- seismometers, 8
- moveout, 179
- Nakano, H., 7
- Naples earthquake, 2
- near-field term, 247
- Nepal earthquake directivity, 295
- New Madrid earthquakes, 287
- Newton's law, 40
- nodal lines, 248
- nodal points, 249
- noise
  - ambient, 333–338
  - cross-correlation of, 332–338
  - Earth, 226, 331–338
- non-double-couple sources, 244–246
- non-linear material behavior, 30
- non-volcanic tremor, 15
- normal faults, 242
- normal modes, 8, 52, 226–232, 235
  - Sun, 9
- normal moveout, 179
- Northridge earthquake, 85, 305, 307, 314
- nuclear explosion seismology, 8
- oceanic crust, 102
- Oldham, Richard, 3
- olivine
  - crystal alignment, 360
  - elastic constants, 344
- Omori's law, 306
- operational earthquake forecasting, 310
- origin time, earthquake, 122
- Orowan fault model, 273
- Orowan stress drop, 274
- outliers, in data, 124
- overthrust faults, 242
- P*-waves
  - polarization, 47
  - radiation pattern, 248
  - velocity, 32, 44
- paleoseismology, 304
- Parkfield earthquake, 288, 312
- Parkfield earthquake sequence, 301
- particle motion, 48
- pascals, 33
- PcP*, 93
- PcS*, 83
- Pdiff*, 84, 93
- periodic-thin layer (PTL)
  - anisotropy, 359
- Pg*, 82
- phase advance, 152
- phase velocity, 210, 341
- Piñon Flat Observatory, 35
- PKIKP*, 83
- PKJKP*, 85
- PKKP*, 93
- PKP*, 83
- plane waves, 45–49, 60, 63, 138, 142, 148, 153–160, 186, 209, 214, 345
  - anisotropic media, 343
- plate tectonics, 5
- PmP*, 82
- Pn*, 83
- point sources, 238
- Poisson's ratio, 32
- polarization analysis, 350–351
- polarizations, seismic waves, 47–49
- potentials, 45, 214–215
- PP*, 83
- pP*, 83
- PPP*, 83
- precritical reflections, 150
- precursors, earthquake, 311–313
- Preliminary Determination of Epicenters (PDE), 123
- PREM model, 4, 348, 361, 365
- pressure, 23–25
- pressure axis, 244, 252
- primary fault plane, 243
- principal axes
  - computing, 23–24
  - strain, 28
  - stress, 22
- prograde branch, 69
- propagator matrix, 158
- propagator matrix methods, 155–159
- Ps*, 200
- pseudotachylytes, 292
- pulse shapes, far-field, 255–260
- Python examples, 61, 234, 316, 381–386
- Q*, 160–172
- quality factor, 160
- quasi-*P*-waves, 344
- quasi-*S*-waves, 344
- radial component, 85
- radiated seismic energy, 270–273
  - ratio to moment, 272
- radiation efficiency, 275
- radiation patterns, 246–255
- Radon transform, 107
- rake, fault plane, 241
- rate-and-state friction, 309
- ray names, 82–85
- ray parameter
  - definition, 64
  - spherical, 78
- ray tracing
  - finite difference, 82
  - flat Earth, 65–69
  - spherical Earth, 77–80
  - summary of equations, 75
  - three-dimensional, 80–82
  - two-point, 112
- ray-theoretical methods, 52
- Rayleigh function, 217, 232
- Rayleigh waves, 213–218
  - image of, 223
- receiver functions, 200–205
- recurrence intervals,
  - earthquake, 300, 303
- reduction velocity, 70
- reflection and transmission
  - coefficients, 142–152, 157
  - energy normalized, 147–149
  - inhomogeneous waves, 150–152
  - P-SV*, 146, 382–384
  - SH*, 143–146, 384–385
  - vertical incidence, 146–147
- reflection seismology, 5, 175–207

- language of, 205
- table of terms, 205
- reflectivity method, 158
- regularization, 109
- Reid, H.F., 12, 299
- relative event location
  - methods, 128–131
- relaxed modulus, 167
- repeating earthquakes, 130
- representation theorem, 237
- residuals, travel time, 111
- resonant frequency, 322
- retrograde branch, 69
- reverse faults, 242
- R<sub>g</sub>*, 83
- Richter, Charles, 13, 276
- right-lateral motion, 242
- rise time, 257
- rotation tensor, 27
- row action methods, 118
- RSON shear-wave splitting
  - example, 353, 356
- RTCOEF function, 173, 382–384
- RTCOEF<sub>SH</sub> function, 384–385
- 
- S* discrepancy, 170
- S-P* time, 127
- S*-waves
  - polarization, 48
  - radiation pattern, 248
  - velocity, 32, 44
- sagittal plane, 345
- San Andreas Fault, 6, 35, 242, 253, 291, 303
- San Francisco earthquake, 12, 299
- San Simeon earthquake, 287, 305
- scalar seismic moment, 242
  - from spectra, 256
- scaled energy, 272
- ScS*, 93
- S<sub>diff</sub>*, 84, 93
- secular strain rate, 299
- seismic efficiency, 275, 291
- seismic gap hypothesis, 305–306
- seismic moment
  - from spectra, 256, 296
  - scalar, 242
- seismographs, 319–328
  - broadband, 327
  - electromagnetic, 2
  - history, 2–3
  - modern, 326–328
  - response functions, 320–328
  - strong-motion, 327
- seismometers, 319
- self-organized criticality, 313
- self-similar faults, 303
- self-similarity of earthquakes, 268–269, 272
- SH* and *SV* polarizations, 142
- SH* reflection and transmission coefficients, 145
- shadow zones, 74
- shape-preferred orientation (SPO), 358
- shear modulus, 31
- shear-wave splitting, 349–358
  - computer exercise, 364
  - null observation, 353
  - observations, 356–358
  - RSON example, 353, 356
  - SKS, 354–356, 363
  - USArray observations, 358
  - western United States, 358
- sinc function, 261
- singular value decomposition, 114
- SKKS, 84, 94
- SKS, 83, 94
  - splitting from anisotropy, 354–356, 361
- slant stack, 107
- Slichter, L.B., 102
- slip predictable model, 300
- slip vector, 241
- slip-weakening model, 274
- slow-slip events, 15
- slowness
  - definition, 64
  - surface, 344
  - vector, 66
- SmS*, 83
- Snell's law, 63–65, 94, 345–346
- solar seismology, 8
- solution matrix, 156
- sound channel, 74
- source spectra, 260–269, 296
- source-specific station terms, 129
- SP*, 83
- sP*, 83
- spectral-element method, 55
- spherical harmonics, 228–229
- spherical waves, 50
- spheroidal modes, 227
- splitting, normal modes, 231
- SS, 83
- sS*, 83
- stacks, global seismograms, 88–89
- staggered-grid finite differences, 59
- standard linear solid, 166–168
- standing waves, 227
- static equilibrium equation, 42
- static friction, 300
- statics corrections, 196–197
- station corrections, 120
- station terms, 129
- stick-slip behavior, 300
- straight-line fitting, 101–103
- strain, 26–29
  - computing, 29–30
  - energy, 137
  - extensional, 26
  - hydrostatic, 28
  - tensor, 26–29
  - units, 29
- stress, 19–25
  - deviatoric, 24
  - hydrostatic, 23–25, 30
  - incremental, 30
  - orientation from focal mechanisms, 252
  - tensor, 19–23
  - units, 25
- stress drop, 264–267, 296
  - total, 276
- stress shadow hypothesis, 306
- stress-displacement vector, 156
- strike, fault plane, 241
- strike-slip faults, 242
- strong-motion instruments, 327
- subduction zones, 6
- Sumatra earthquake, 13, 231
  - directivity, 259
- summary rays, 116

424 Index

- summation convention, 30, 370
- superposition principle, 238, 257
- supershear rupture, 259
- surface waves, 209–226
  - global, 219–221
  - observing, 222–226
- swarms, earthquake, 310
- synthetic aperture radar (SAR), 306
- synthetic seismograms, 41, 50–53, 158
- $t^*$ , 161
- takeoff angle, 65
- Tangshan earthquake, 313
- tau- $p$  transform, 107
- teleseism, 2
- Temblovia, Republic of, 297
- tension axis, 244, 248, 252
- tensor, second-order, 370
- Thomson–Haskell method, 158
- thrust faults, 242
- tides, solid Earth, 333
- time predictable model, 300
- time series analysis, 387–391
- tomography, 10, 111–122
  - ambient noise, 337
  - computer exercise, 132
  - example problem, 116
- Tonga subduction zone, 7
- toroidal modes, 227
- toy tomography problem, 116–117
- traction, 19
  - continuity across interface, 143, 144
- traction vector, computing, 21
- transformation tensor, 370
- transition zone, 3
- transverse component, 85
- transverse isotropy, 347–348, 361, 365
- travel time curves, 66, 69–70
  - crustal, 82
  - global, 89
- travel time tables, 3
- tremor, non-volcanic, 15
- triplications, 69
- Turner, H.H., 7
- turning point, 65
- uniqueness theorem, 237
- unrelaxed modulus, 167
- USArray shear-wave splitting, 358
- variance reduction, 124
- vector calculus, review, 369–373
- vector dipole, 239
- vector identities, 372
- vector spherical harmonics, 228
- velocity analysis, 192–195
- velocity inversion, 99–122
  - one-dimensional, 99–111, 131
  - three-dimensional, 111–122
- vertical slowness, 66
- vibroseis, 5, 183–184, 205
- Wadati, Kiyoo, 7
- Wadati–Benioff zones, 7
- Wallace Creek, 304
- wave equation
  - one-dimensional, 39
  - seismic, 39–60
- wave guides, 74
- waveform cross-correlation, 130–131
- wavenumber, 46, 142
- weak faults, 292–293
- Wegener, Alfred, 6
- Wiechert, E., 2
- Wood–Anderson seismograph, 276
- Worldwide Standardized Seismograph Network (WWSSN), 8, 253
- Young’s modulus, 32
- zero-length spring, 326
- zero-offset sections, 176–177