

Index

- Abraham–Lorentz form, 75–77
- action
- coordinate time, 84
 - equations of motion, 81
 - for fields, 85–89
 - and length, 83
 - minimization, 80
 - Noether’s theorem (particles), 85
 - particles, 80, 105
 - scalar, 89, 91
 - scalar-vector, 104
 - special relativity, 84
 - total divergence, 88
 - vector, 96–99
- advanced solution, 45
- advanced time, 54
- analytic function, 138
- Cauchy integral formula, 141–144
 - closed path, 139, 141
 - integral, 138–140
 - path-independence, 139
- angular momentum conservation, 115
- anti-Helmholtz Green’s function, 151, 165–166
- aphelion, 117
- basis vectors, 33
- bending of light, 124–126
- Bertrand’s theorem, 127
- Bessel function, 163–164
- arbitrary parameter, 164
 - integral form, 157
- Bessel’s equation, 163
- bisection, 167–169
- black hole, 124
- boosts, 2–5
- Born–Infeld E&M, 111
- canonical momentum, 82
- Cauchy integral formula, 141–144
- and Ampere’s law, 143
 - contour deformation, 147
 - evaluating real integrals, 144–145
 - Green’s function, 150–160
 - pole on boundary, 145–146
 - pole excursion, 145–146
 - pole pushing, 147–148
- Cauchy Principle Value, 146
- Cauchy–Riemann equations, 138
- causality, 8–9
- charge conservation, 71, 101
- and gauge invariance, 101
- Chern–Simons E&M, 110
- closed path integral, 139, 141
- complex function, *see also* complex functions
- Cauchy integral formula, 141–144
 - Laurent series, 148
 - pole, 143
 - power series, 147, 148
 - residue theorem, 148–149
- complex functions
- derivatives, 137–138
 - integral, 138–140
- complex multiplication, 137
- complex numbers
- definition, 136–137
 - polar representation, 137
- components, 33
- electric field, 36
- conservation of energy, 64
- combined particle and field, 106
- conservation law
- for coordinate invariance, 91
 - phase symmetry, 103
- conservative force, 20
- contravariant, 32–33
- coordinate differential, 33
- coordinate time, 17, 18, 25, 84
- cosine series, 161
- cosmological constant, 122
- cosmology, 119–123
- Coulomb gauge, 99
- coupling term, 102
- covariant, 32–33
- covariant derivative, 104
- current density, 95
- cylindrical coordinate, 79
- D’Alembertian, 42
- Green’s function, 153–155
 - Lorentz covariance, 159
- deflection angle, 125

- delta function, 154, 159
 - argument, 46
 - identity, 60–61
- dimension, 110
- dimensionless equations (procedure), 173–174
- dipole moment, 67, 71
- dipole potential, 63
- dipole radiation, 67, 120
- discrete grid, 171
- discretized Laplacian, 183
- divergence theorem, 87
- Doppler shift
 - light, 15–17, 121
 - sound, 13–15
- dot product
 - four-vector, 30
 - space-time, 86
- dynamical trajectory, 80
- dynamics of universe, 121

- E&M
 - action, 96–100
 - Born-Infeld, 111
 - Chern-Simons, 110
 - energy conservation, 64
 - four-vector potential, 52–53
 - gauge freedom, 98
 - Maxwell stress tensor, 99
 - particle source, 105–108
 - radiation reaction, 75–78
 - requires relativity, 25–28, 54–55
 - scalar field source, 102–105
 - source, 101, 106
 - stress tensor, 99–100
 - and vector form of gravity, 131
- eccentricity, 117
- effective mass, 124, 126
- effective potential, 116
- Einstein summation notation, 29–31
- Einstein velocity addition, 12–13
- Einstein's equation, 30
- electric and magnetic fields
 - constant velocity, 59–61
 - particle, 55–62
 - particles moving at c , 60–61
 - plane waves, 67
 - radiation, 64, 66–67, 72–75
- elliptic integral, 18
- elliptical orbit, 115–117, 127
 - geometric description, 116–117
 - major axis, 118
 - minor axis, 118
 - period, 118
 - semi-major axis, 118
- energy, 19–20
 - energy conservation
 - E&M, 99
 - energy density, 64
 - T^{00} , 95
 - E&M, 99
 - energy–momentum, 31–32
 - length, 31
 - transformation, 23–24
 - equal area in equal time, 117
 - error order, 180
 - escape speed, 123
 - of c , 123
 - essential singularity, 148
 - Euler–Lagrange equations of motion, 81
 - relativistic, 84
 - Euler's method, 171
 - stability, 171
 - event, 8
 - event horizon, 123–124
- field
 - momentum, 95
 - momentum conservation, 99
 - source, 100–105
- field equation, 85–89
 - general scalar, 108
 - general vector, 108
 - from Lagrangian (vector), 97
 - from Lagrangian, 87, 88
 - scalar and vector, 103
 - symmetric tensor, 100
 - vacuum, 100
- field location, 39
- field strength tensor, 98
 - derivative identity, 100
- finding roots, 167–169
- finite difference, 180, 182–186
 - 2D matrix vector form, 182
 - matrix vector form, 181
- first-order form for ODE, 170
- force
 - Minkowski, 108
 - ordinary, 108
 - at rest, 25
- force density, 107
- force transformation, 24–25
- four-vector, 28–29
 - components, 33
 - contravariant, 32–33
 - coordinate differential, 33
 - covariant, 32–33
 - dot product, 30
 - E&M potential, 29, 52–53
 - energy–momentum, 29, 31–32
 - gradient, 33
 - space-time, 29
 - velocity, 54

- Fourier transform
 - definition, 43–44
 - Green's function, 44, 150, 151, 154, 156
 - Lorenz gauge, 45
 - spatial, 43
 - wave vector, 43
- free particle, 20, 22
- frequency shift, 13
- Friedmann's equation, 122–123
- Frobenius method, 160–164
- functional, 80
- functions of complex numbers, 136
- galaxy motion, 121
- galaxy redshift, 121
- gauge freedom, 98
 - second rank symmetric, 109
- gauge invariance, 101
- general relativity, 112
 - effective potential, 128
- generalized coordinates, 81
- geometric interpretation for gravity, 135
- gradient, 33
- gradient vector, 35, 36
- gravitational field, 28
 - energy stored, 127
 - as source for gravity, 132–133
- gravitomagnetic field, 131
- gravitomagnetic force, 28, 131
- gravity
 - active mass, 114
 - angular momentum, 115
 - bending of light, 124–126
 - black hole, 124
 - cosmology, 119–123
 - with electric field source, 126
 - elliptical orbits, 115–117
 - energy as source, 126–127
 - energy stored in field, 127
 - event horizon, 123–124
 - field, 28
 - with gravitational field source, 132–133
 - gravitomagnetic field, 131
 - gravitomagnetic force, 28, 131
 - inertial mass, 114
 - interpretation, 135
 - mass, 114–115
 - negative mass, 114–115
 - Newtonian, 112–113
 - passive mass, 114
 - scalar form, 134
 - Schwarzschild radius, 124
 - self-consistent, 133
 - and special relativity, 28, 129–132
 - stress tensor, 134
 - tensor form, 135
 - tidal forces, 119
 - universal coupling, 134–135
 - vector version, 131, 134
- Green's function
 - advanced solution, 45
 - anti-Helmholtz, 151, 165–166
 - Cauchy integral formula, 154
 - complex evaluation, 150–160
 - D'Alembertian, 153–155
 - definition and examples, 38–42
 - dimension, 110
 - Fourier transform, 150, 151, 154, 156
 - Helmholtz, 151–153
 - Klein–Gordon, 155–160
 - light-like separation, 158
 - Lorentz covariance, 159–160
 - Poisson problem, 150
 - retarded solution, 45
 - space-like separation, 158
 - step-by-step solution, 39–40
- grid, 171, 175, 180
 - two-dimensional, 182
- Hamiltonian, 19, 84
- Hankel function, 157
- harmonic function, 164
- harmonic oscillator, 20
- Helmholtz equation, 44
- Helmholtz Green's function, 151–153
- Helmholtz problem
 - static $D = 3$, 41
- higher dimensional integration (numerical), 178–180
 - Simpson's, 178
- Hubble's constant, 122
- hyperbolic cosine, 4
- hyperbolic motion, 62, 84
- hyperbolic sine, 4
- ignorable coordinates, 85
- inertial frames, 6
- infinitesimal transformation, 89–91
- inner product
 - complex numbers, 137
- integral solution, 42, 48, 164
 - Poisson problem, 39
 - radiation, 71
- integration (numerical)
 - higher dimensional, 178–180
 - one-dimensional, 175–177
 - Simpson's, 177, 178
 - trapezoidal, 176
- intensity, 68
- inverse Fourier transform
 - definition, 43–44
 - spatial, 43
- inverse Taylor series, 172
- isometry, 85, 91–92
- iterated integral solution, 164–166

- Jacobian, 90, 93
 jerk, 78
- Kalb–Ramond, 110
 Kepler’s laws, 117–118
 kinetic energy, 81
 Klein–Gordon, 96, 108
 Green’s function, 155–160
 Lagrangian, 96
 stress tensor, 96
 Kronecker delta, 30
- lab frame, 4
 Lagrange density, 93, 105
 Lagrangian
 coordinate time, 84
 definition, 80
 density, 93, 105
 equations of motion, 81
 for fields, 85–89, 96–100
 general scalar, 108
 and length, 83
 Noether’s theorem (fields), 89–92
 Noether’s theorem (particles), 85
 particle source, 105–108
 scalar piece of density, 93
 for Schrödinger’s equation, 89, 92
 source, 100–105
 Lagrangian mechanics, 79–82, 105–108
 Landau–Lifschitz form, 76–77
 Laplace, black hole, 123
 Laplacian
 discretized, 183
 generalized, 94
 Larmor formula, 68, 74, 75
 Laurent series, 148
 Legendre polynomials, 162–163
 Legendre transform, 82, 84
 Legendre’s equation, 162
 length, 83–84
 complex numbers, 137
 relativistic, 83
 spatial trajectory, 83
 length contraction, 5–6
 Liénard–Wiechert potential, 45–55
 constant velocity, 51–53
 magnetic vector piece, 50
 manifest Lorentz covariance,
 54–55
 radiation approximations, 63, 65
 light, circular orbit, 126
 light-like, 10, 54
 line of charge
 moving, 25
 at rest, 25
 line of mass, 129–132
 local gauge transformation, 105
- Lorentz boost, 2–8, 10, 17
 matrix form, 28–29
 Lorenz gauge, 36, 98, 101
 boost, 53
 Fourier transform, 45
- magnetic monopole, 127
 magnetic vector potential
 Liénard–Wiechert, 50
 major axis, 118
 mass
 active, 114
 inertial, 114
 negative, 114–115
 passive, 114
 massless particle, 20, 60
 fields, 60
 matrix inversion, 181, 184
 matrix vector form, 181
 two-dimensional, 182
 Maxwell stress tensor, 99
 metric, 30, 32, 35
 contravariant form, 35
 determinant, 93
 raising and lowering, 35
 response to transformation, 90–91
 upper form, 30
 midpoint method, 172
 Minkowski diagram, 9–10
 Minkowski length, 9, 83
 Minkowski metric, 30, 83
 in D dimensions, 96
 determinant, 93
 minor axis, 118
 modified derivative, 104
 momentum conservation, combined
 particle and field, 107
 momentum density, 106
 monopole potential, 63
 moving observer, 14
 muon, 6
- Newton’s second law, 18–19, 22, 25, 76, 79, 106
 for fields, 86
 Newtonian gravity, 112–113
 cosmology, 119–123
 with electric field source, 126
 energy as source, 126–127
 equal area in equal time, 117
 Kepler’s laws, 117–118
 no infall for orbits, 116
 tidal forces, 119
 updated, 129
 updated to vector theory, 131
 Noether’s theorem, 101, 103
 for fields, 89–92
 particle motion, 85

- ODE solving (numerical), 170–174
 finite difference, 180–181
 midpoint method, 172
 Runge–Kutta 4, 173
 vector form, 170
- Olbers's paradox, 119–121
- one-dimensional integration (numerical), 175–177
 Simpson's, 177
 trapezoidal, 176
- open index, 29
- path-independence, 139
- PDE solving (numerical), 180–186
 boundary terms, 183
 finite difference, 182–186
- perihelion, 117
- perihelion precession, 127–129
- perturbation procedure, 127–128
- perturbing potential, 127
- phase symmetry, 103
- plane wave, 67, 109
 particle interpretation, 109
- point particle, radiation, 63–70, 72–78
- point potential, 45
- point source solution, 38; *see also* Green's function
- Poisson problem, 38, 42
 $D = 3 + 1$ solution, 42–45
 static $D = 3$, 39–40
- polar representation, 137
- polarization vector, 109
- pole, 143, 148
 contour deformation, 147
 excursion, 145–146, 152
 pushing, 147–148, 152–153, 156
- positronium, 62
- potential
 constant velocity, 51–53
 dipole, 63
 monopole, 63
 radiation, 64–67
 relation to fields, 55
- potential energy, 81
- power, 68
- power radiated, 67–70
- Poynting vector, 64, 67, 99
- precession, 127–129
- proper time, 17–19, 25, 84
- pure gauge, 108
- radiated power, 67–70
- radiation, 63–78
 continuous source, 70–72
 point particle, 63–70, 72–78
 potential, 64–67
 reaction, 75–78
- radiation damping, 69
- radiation fields, 64, 66–67, 72–75
 at rest, 73–75
- radiation reaction, 75–78
 Abraham–Lorentz form, 75–77
 Landau–Lifschitz form, 76–77
 self force, 77–78
- rank, 32, 35
- rapidity, 3, 13
- recursion relation, 161–163
- redshift, 123
- relativistic energy, 19–20, 22–24
- relativistic momentum, 18–20, 22–24
- removable singularity, 148
- reparametrization invariant, 83, 84
- repeated index, 29
- residue, 148
- residue theorem, 148–149
- rest frame, 10, 17, 23
- retarded solution, 45
- retarded time, 47–48, 54, 78, 167
 approximation, 64
 calculation, 62
 constant velocity, 51
 derivatives, 55–56
- root finding, 167–169
 retarded time, 167
- rotations, 1–2
- Runge–Kutta
 fourth-order, 173
 midpoint method, 172
- scalar field
 complex pair, 88, 92
 conservation, 91
 field equation, 86
 general field equation, 108
 general Lagrangian, 108
 as source, 102–105
 stress tensor, 94–96
 in tensor theory, 109
 in vector theory, 96–97, 108
- scalar transformation, 33, 89
- Schrödinger's equation, 89
 conservation law, 92
- Schwarzschild radius, 124
- second-rank antisymmetric field, 110
- second-rank symmetric field, 109
- second-rank symmetric tensor, 135
- self-consistent self-coupling, 133
- self force, 77–78
 special relativity, 78
- semi-latus rectum, 117
- semi-major axis, 118
- separation vector, 159
 $D = 3 + 1$, 54
- series solution, 160–164

- simple pole, 148
- Simpson's rule, 177
- simultaneity, 8–9
- singularity, 148
- solving ODEs (numerical), 170–174
 - midpoint method, 172
 - Runge–Kutta 4, 173
- solving PDEs (numerical), 180–186
- source, 38, 100–105
 - coupling term, 102
 - particles, 105–108
- space-like, 10
- special relativity
 - coordinate time, 17, 18, 25
 - Doppler shift, 15–17
 - effective force, 22
 - energy, 19–20, 22–24
 - first postulate, 6
 - and gravity, 28, 129–132
 - harmonic oscillator, 20
 - Lorentz covariance, 110
 - momentum, 18–20, 22–24
 - Newton's second law, 18–19, 25
 - proper time, 17–19, 25
 - second postulate, 2
 - self force, 78
 - twin paradox, 18
 - velocity addition, 12–13
 - work–energy, 24
- speed of light, 2, 15, 20, 60–61
- spherical coordinates, 33
- stability, 171
- static limit, 55
- stationary observer, 14
- stationary source, 14
- step function, 49
 - Fourier transform, 43
 - Lorentz covariance, 159
- Stokes's theorem, 138
- stress tensor, 92–96
 - conservation, 94
 - contravariant, 94
 - density, 94, 105, 106
 - E&M, 99–100
 - as gravitational source, 134
 - Maxwell, 99
 - scalar field, 94–96
 - trace, 96, 100
- stress tensor density, 94, 105
- stretching and squeezing, 119
- summation notation, Einstein, 29–31
- superluminal motion, 9
- superposition, 38, 111
- symmetric tensor, field equation, 100
- Taylor series, 17, 148, 171
 - for complex function, 147, 148
 - inverse, 172
- tensor rank, 32, 35
- tidal forces, 119
- time average, 68, 69
- time dilation, 5–6
- time-like, 10
- trace, 96, 100
- transformation
 - boosts, 2–5, 7–8, 10, 28
 - coordinate, 32
 - to cylindrical coordinates, 79
 - E&M potential, 52–53
 - energy–momentum, 23–24
 - force, 24–25
 - four-vectors, 28–29
 - infinitesimal, 89–91
 - Jacobian, 93
 - rotations, 1–2
 - scalar, 33, 89
 - to spherical coordinates, 33
- trapezoidal approximation, 176
- twin paradox, 18
- universal coupling, 134–135
- variance, 29
- vector field, 96–99
 - field equation, 97
 - general field equation, 108
 - scalar independence, 96
 - scalar source, 102–105
 - stress tensor, 99–100
 - in tensor theory, 109
- velocity addition
 - non-relativistic, 12–13
 - relativistic, 12–13
- volume element, 89, 93
 - $D = 3 + 1$, 42
 - transformation, 92
- volume integral, 105
- wave equation, 86
 - source, 101
- wave vector, 43, 109
- work–energy, 24