

Index

21-centimeter line 313

A

absorption 411–422, 436
 active transformation 236–237
 addition of angular momenta
 176–180
 adiabatic approximation
 426–433
 adiabatic process 426–428
 adiabatic theorem 408, 428–433
 adjoint 45, 95, 471
 agnostic 5, 446
 Aharonov–Bohm effect
 182–186
 Airy function 364–365
 Airy’s equation 364
 allowed energy 28
 bands 220–224
 bouncing ball 369
 delta-function well 66
 finite square well 72–73
 harmonic oscillator 44, 51,
 187, 370
 helium atom 210–212
 hydrogen atom 147,
 303–304, 372
 infinite cubical well 132,
 216–217
 infinite spherical well
 139–142
 infinite square well 32
 periodic potential 220–224
 potential well 356–357,
 367–369
 power-law potential 371
 allowed transitions 246, 421,
 438
 alpha decay 360–361
 alpha particle 360
 angular equation 134–138, 164
 angular momentum 157–165
 addition 176–180
 canonical 197
 commutation relations 157,
 162, 166, 303, 421

conservation 162, 250–251
 eigenfunctions 162–164
 eigenvalues 157–162
 generator of translations
 248–249
 intrinsic 166
 mechanical 197
 operator 157, 163
 orbital 165
 spin 165
 anharmonic oscillator 324
 anomalous magnetic moment
 301
 antibonding 340
 anticommutator 246
 antiferromagnetism 193, 345
 anti-hermitian matrix 471
 anti-hermitian operator 124
 antisymmetric matrix 471
 antisymmetric state 201, 206
 anti-unitary operator 274
 Aspect, A. 451
 associated Laguerre polynomial
 150
 associated Legendre function
 135, 137, 192, 439
 atomic nomenclature 213–215
 atoms 209–216
 average 9–10
 azimuthal angle 133, 135
 azimuthal quantum number 147

B

Baker–Campbell–Hausdorff
 formula 121, 272
 Balmer series 155–156, 304
 band structure 220–225
 baryon 180
 basis 113–115, 465, 473
 bead on a ring 79, 97,
 183–184, 293–294,
 317–318, 325
 Bell, J. 5–6, 449
 Bell’s inequality 451
 Bell’s theorem 449–454
 Berry, M. 430

Berry’s phase 185, 430–433
 Bessel function 140–141,
 381–382
 spherical 140–141
 binding energy 148
 Biot–Savart law 300
 blackbody spectrum 416
 Bloch, F. 3, 216
 function 240, 326
 sphere 458
 theorem 220–221, 238–240
 vector 458
 Bohm, D. 6, 447
 Bohr, N. 5, 107, 462
 energies 147, 194, 295–296
 formula 147
 Hamiltonian 143, 295
 magneton 226, 306
 radius 147, 298
 Boltzmann constant 23, 88
 Boltzmann factor 88, 416
 bonding 340, 344
 Born, M. 4
 approximation 380, 388–397
 –Oppenheimer approximation
 428
 series 395–397
 statistical interpretation 3–8
 boson 201, 202
 bouncing ball 332, 369
 boundary conditions 32, 64–65
 delta-function 64–65
 finite square well 71–72
 impenetrable wall 216, 230
 periodic 230–231, 424
 bound states 61–63, 143, 352
 degenerate 78
 delta-function 64–66
 finite cylindrical well 70–72,
 188–189
 finite spherical well 143
 finite square well 72
 variational principle 352
 box normalization 424
 bra 117–118
 Brillouin zone 241
 bulk modulus 220

C

- canonical commutation relation 41, 132
 canonical momentum 183
 cat paradox 461–462
 Cauchy’s integral formula 389
 causal influence 452–453
 Cayley’s approximation 443
 central potential 132, 199
 centrifugal term 139
 Chandrasekhar, S. 349
 Chandrasekhar limit 228
 change of basis 121–123
 characteristic equation 476, 481
 classical electron radius 167
 classical region 354–358, 362–363
 classical scattering theory 376–379, 395
 classical velocity 55–56, 58–59
 classical wave equation 417
 Clebsch–Gordan coefficients 178–180, 190, 259–262
 coefficient
 A and B 416–417
 Clebsch–Gordan 178–180, 190, 259–262
 reflection 67, 75, 375
 transmission 67, 359, 370
 cofactor 472
 coherent radiation 414
 coherent state 126–127
 cohesive energy 84–85, 225
 coincident spectral lines 190
 “cold” solid 218, 220
 collapse 6, 102, 170, 443, 446–447, 453
 column matrix 470
 commutator 41, 108
 angular momentum 157, 162, 303, 421
 canonical 41, 132
 matrix 471
 uncertainty principle and 106–107
 commuting operators 40–41
 compatible observables 107–108, 251
 complementarity principle 446
 complete inner product space 92
 completeness
 eigenfunctions 34–36, 99
 set of functions 34–36, 93
 Hilbert space 92
 quantum mechanics 5, 446, 449
 complete set of vectors 465
 component 465
 conductor 223
 conjugate
 complex 471
 hermitian 471
 connection formulas 362–371
 conservation laws 242–243
 angular momentum 162, 250–251
 energy 37, 112–113, 266–267
 momentum 240–241
 parity 244–246
 probability 22, 187–188
 conservative system 3
 continuity equation 187
 continuous spectrum 99–102
 continuous symmetry 232
 continuous variable 11–14
 continuum state 143
 contour integral 390
 Copenhagen interpretation 5
 correspondence principle 420
 Coulomb barrier 360, 349–350
 Coulomb potential 143, 209, 213, 381, 394
 Coulomb repulsion 360
 covalent bond 340, 344
 Crandall’s puzzle 324–325
 cross product 466
 cross-section 377–378, 426
 crystal 229–230, 320–321, 398
 momentum 239–240, 275
 cubic symmetry 321
 cyclotron motion 182
- D**
- d* (diffuse) 213
 D_4 232
 de Broglie formula 19, 55
 de Broglie wavelength 19, 23
 decay modes 418
 decoherence 462
 degeneracy 252–253, 269–271
 free particle 254
 higher-order 294–295
 hydrogen 149, 253, 270–272
 infinite spherical well 253
 Kramers’ 275
 lifting 287–288
 pressure 219, 227–228
 rotational 253
 three-dimensional oscillator 253
 two-fold 286–294
 degenerate perturbation theory 283, 286–295, 314–315
 first-order 290
 second-order 317–318
 degenerate spectra 96, 476
 degenerate states 78
 delta-function potential 61–70
 barrier 68–69, 440
 bound state 64–66, 329, 331
 bump 283, 285, 294, 323, 325, 440
 Dirac comb 221
 interaction 284
 moving 80
 scattering states 66–69
 shell 385, 387
 source 388
 time-dependent 433
 well 64–70, 329, 331
 density
 matrix 455–459
 of states 228–229, 423
 operator 455
 plot 151–152
 d’Espagnat, B. 5
 destructive measurement 459
 determinant 206, 472
 determinate state 96–97
 deuterium 320
 deuteron 320, 351
 diagonal form 478
 diagonalization 294, 478–480
 diamagnetism 196, 322
 Dieks, D. 459
 differential scattering
 cross-section 377, 424–425
 dihedral group 232
 dimension 465
 dipole moment
 electric 246–248, 302, 319
 magnetic 172, 299–301, 305
 Dirac, P. 301
 comb 220–223
 delta function 61–70, 74, 78, 80, 82–83, 99–102, 330
 equation 304
 notation 117–123
 orthonormality 99–102
 direct integral 339
 Dirichlet’s theorem 34, 60
 discrete spectrum 98–99
 discrete symmetry 232
 discrete variable 8–11
 dispersion relation 59
 distinguishable particles 203
 distribution 63
 domain 130
 doping 223–224
 dot product 466
 double-slit experiment 7–8
 double well 70, 79, 372–374

- dual space 118
dynamic phase 429–430
Dyson's formula 434
- E**
- effective nuclear charge 335–336
effective mass 326
effective potential 138
Ehrenfest's theorem 18, 48, 80, 132, 162, 174
eigenfunction 96
 angular momentum 162–164
 continuous spectra 99–102
 determinate states 96
 Dirac notation 117–123
 discrete spectra 98–99
 hermitian operators 97–102
 incompatible observables 107
 momentum 99–100
 position 101
eigenspinor 169
eigenvalue 96, 475–482
 angular momentum 157–160
 determinate states 96
 generalized statistical interpretation 102–105
 hermitian transformations 483
eigenvector 475–484
Einstein, A. 5
 A and B coefficients 416–417
 boxes 448
 EPR paradox 447–448, 452
 mass-energy formula 362
 temperature 89
electric dipole moment 246–248, 302, 319, 411
electric dipole radiation 411
electric dipole transition 438
electric quadrupole transition 438
electromagnetic
 field 181–182, 411
 Hamiltonian 181
 interaction 181–186
 wave 411
electron
 configuration 213–215
 gas 216–220
 g-factor 301, 311
 in magnetic field 172–176, 430–432
 interference 7–8
 magnetic dipole moment 300–301
 volt 148
electron–electron repulsion 209–211, 325, 333–335, 343
elements 213–216
energy
 binding 148
 cohesive 84–85
 conservation 37, 112–113, 266–267
 ionization 148, 333, 336
 photon 155
 relativistic 296
 second-order 284–286
energy-time uncertainty principle 109–113
ensemble 16
entangled state 199, 448
EPR paradox 447–448, 451
ethereal influence 453
Euler's formula 26
even function 30, 33, 71–72
event rate 378
exchange force 203–205
exchange integral 339
exchange operator 207
exchange splitting 344
excited state 33
 helium 211–212
 infinite square well 33
 lifetime 418
exclusion principle 202, 213, 218, 223
exotic atom 313
expectation value 10, 16–18
 effect of perturbation 323–324
 generalized Ehrenfest theorem 110
 generalized statistical interpretation 103–104
 Hamiltonian 30
 harmonic oscillator 47–48
 stationary state 27
 time derivative 110
extended uncertainty principle 127–128
- F**
- f (fundamental) 213
Fermi, E. 423
 energy 218, 225
 Golden Rule 422–426
 surface 218
 temperature 219
fermion 201–208, 218
ferromagnetism 345
Feynman diagram 396
Feynman–Hellmann theorem 316, 318–319, 321
fine structure 295–304
 constant 295
 exact 304
 hydrogen 295–304
 relativistic correction 295–299
 spin-orbit coupling 295–296, 299–304
finite spherical well 143
finite square well 70–76
 shallow, narrow 72
 deep, wide 72
first Born approximation 391–395
flux quantization 184
forbidden energies 223–224
forbidden transition 246, 421, 438
Foucault pendulum 426–428
Fourier series 34
Fourier transform 56, 69–70, 104
 inverse 56
Fourier's trick 34, 100–102
fractional quantum Hall effect 209
free electron density 221
free electron gas 216–220
free particle 55–61, 111–112, 267–268
frustration 193
fundamental theorem of algebra 476
fusion 349–350
- G**
- Galilean transformation 272
Gamow, G. 360
 theory of alpha decay 360–361
gap 223–224
gauge invariance 182
gauge transformation 182–183
gaussian 108–109
 function 14, 328–329, 331–332, 347
 integral 61
 wave packet 61, 77, 108–109, 130
generalized Ehrenfest theorem 110
generalized function 63
generalized statistical interpretation 102–105
generalized symmetrization principle 207
generalized uncertainty principle 105–108

- generating function 54
 generator
 rotations 248–249
 translations in space 235
 translations in time 263
 geometric phase 429–430
 g-factor 301
 deuteron 320
 electron 301, 311
 Landé 306
 muon 313
 positron 313
 proton 311
 Golden Rule 422–426
 “good” quantum number 298, 305–308
 “good” state 287–295
 Gram–Schmidt orthogonalization 98, 468
 graphical solution 72
 Green’s function 388–391, 397
 ground state 33, 327
 delta function well 329
 elements 214–215
 harmonic oscillator 328
 helium 332–336
 hydrogen atom 148
 hydrogen ion (H^-) 336, 349
 hydrogen molecule 341–346
 hydrogen molecule ion 337–341
 infinite spherical well 139
 infinite square well 33, 329–331, 346
 lithium atom 212
 upper bound 327, 332
 variational principle 327–332
 group theory 180
 group velocity 58–59
 gyromagnetic ratio 172, 300, 305
- H**
- half harmonic oscillator 77, 368, 371
 half-integer angular momentum 160, 164, 201
 half-life 361, 420
 Hamiltonian 27–28
 atom 209
 discrete and continuous spectra 102
 electromagnetic 181
 helium 210, 333
 hydrogen atom 143
 hydrogen molecule 341
 hydrogen molecule ion 337
 hydrogen atom 143–156
 allowed energies 147, 149, 194
 binding energy 148
 degeneracy 149, 253, 270–272
 fine structure 295–304
 ground state 148, 312, 347
 hyperfine structure 295–296, 311–313
 in infinite spherical well 194
 muonic 200, 313
 potential 143
 radial wave function 144, 152–154
 radius 147
 spectrum 155–156
 Stark effect 319–320, 322, 374
 variational principle 347
 wave functions 151
 Zeeman effect 304–310
 hydrogenic atom 155–156
 hydrogen ion (H^-) 336, 349
 hydrogen molecule 341–346
 hydrogen molecule ion 337–341
 hyperfine splitting 295–296, 311–313, 320, 439
- discrete spectra 98–99
 eigenfunctions 97–102
 eigenvalues 97–102, 483
 hermitian transformation 482–485
 hidden variable 5–6, 449, 454
 Hilbert space 91–94, 100–101, 113–114
 hole 223–224
 Hooke’s law 39
 Hund’s rules 214–215, 346
 hydrogen atom 143–156
 allowed energies 147, 149, 194
 binding energy 148
 degeneracy 149, 253, 270–272
 fine structure 295–304
 ground state 148, 312, 347
 hyperfine structure 295–296, 311–313
 in infinite spherical well 194
 muonic 200, 313
 potential 143
 radial wave function 144, 152–154
 radius 147
 spectrum 155–156
 Stark effect 319–320, 322, 374
 variational principle 347
 wave functions 151
 Zeeman effect 304–310
 hydrogenic atom 155–156
 hydrogen ion (H^-) 336, 349
 hydrogen molecule 341–346
 hydrogen molecule ion 337–341
 hyperfine splitting 295–296, 311–313, 320, 439
- hydrogen molecule ion 337
 magnetic dipole in magnetic field 172–176, 195–196, 299
 relativistic correction 296–297
 Hankel function 381–382
 hard-sphere scattering 376–378, 384
 harmonic chain 229–230
 harmonic crystal 229–230
 harmonic oscillator 39–54, 267–268, 315
 algebraic solution 48–54
 allowed energies 44
 analytic solution 39–48
 changing spring constant 432
 coherent states 44, 126–127
 driven 441–442, 444
 ground state 328, 332, 346–347
 half 368, 371
 perturbed 283–284, 286–289, 324
 relativistic correction 298
 radiation from 419–420
 stationary states 46, 52
 three-dimensional 187, 315
 two-dimensional 287–288, 322–323
 WKB approximation 370
 heat capacity 89
 Heisenberg, W. 462
 picture 264–267, 434
 uncertainty principle 19–20, 107, 132
 Heitler–London approximation 341–342, 344
 helium 210–212
 electron-electron repulsion 210, 325
 excited states 211, 325, 336
 ground state 325, 332–336
 ion (H_2^+) 211, 336
 ionization energy 336
 ortho- 211–212
 para- 211–212
 “rubber band” model 348–349
 helium-3 220
 Helmholtz equation 388, 391
 Hermite polynomial 52–54
 hermitian conjugate 45, 95, 161, 471
 hermitian matrix 471
 hermitian operator 94–95, 297, 299
 continuous spectra 99–102

- indeterminacy 4, 452
 indistinguishable particles 201
 infinite cubical well 132,
 216–217, 294
 infinite spherical well 139–142,
 194
 infinite square well 31–39
 moving wall 428–429, 432,
 440
 perturbed 279–286, 323
 rising barrier 440
 rising floor 436
 two particles 202–203, 205
 variational principle
 329–331, 346
 WKB approximation
 356–357
 infinitesimal transformation 240
 inner product 92–93, 466–468
 inner product space 467
 interaction picture 434
 intrinsic angular momentum
 166
 insulator 223
 integration by parts 17
 interference 7–8
 inverse beta decay 228
 inverse Fourier transform 56
 inverse matrix 472
 inversion symmetry 243–244
 ionization 148, 336, 422, 425
- J**
- Jordan, P. 5
- K**
- ket 117–118
 kinetic energy 18, 296–297
 Kramers' degeneracy, 275
 Kramers' relation 319
 Kronecker delta 33–34
 Kronig–Penney model 221–222
- L**
- ladder operators 41–47,
 158–159, 163, 229–230
 Laguerre polynomial 150
 Lamb shift 295–296
 Landau levels 182
 Landé g-factor 306
 Laplacian 131, 133
 Larmor formula 419
 Larmor frequency 173
 Larmor precession 172
 laser 412–413
 Laughlin wave function 208
- LCAO representation 337
 Legendre function 135, 137
 Legendre polynomial 90,
 135–136, 138
 Levi-Civita symbol 171
 Lie group 235
 lifetime 23, 112, 361–362, 418
 excited state 418–420
 lifting degeneracy 287
 linear algebra 464–485
 changing bases 473–475
 eigenvectors and eigenvalues
 475–484
 inner product 466–468
 matrices 468–473
 vectors 464–466
 linear combination 28, 465
 linear independence 465
 linear operator 94
 linear transformation 91, 94468
 lithium atom 212
 lithium ion 336
 locality 447
 Lorentz force law 181
 lowering operator 41–47, 159,
 161–162
 luminosity 378
 Lyman series 155–156
- M**
- magnetic dipole 172
 anomalous moment 301
 electron 301, 311
 energy 172, 299, 304
 force on 174
 moment 172, 299, 300–301,
 305
 proton 311
 transition 438
 magnetic
 field 172–176, 300, 430
 flux 183–184
 frustration 193
 quantum number 149
 resonance 436–437
 susceptibility 226
 magnetization 226
 Mandelstam–Tamm uncertainty
 principle 111
 many worlds interpretation 6,
 462
 matrix 91, 468–473
 adjoint 471
 antisymmetric 471
 characteristic equation 476
 column 476
 complex conjugate 471
- density 455–459
 determinant 472
 diagonal 478
 eigenvectors and eigenvalues
 475–482
 element 115, 120, 126, 469
 function of 485
 hermitian 471, 483–484
 hermitian conjugate 471
 identity 472
 imaginary 471
 inverse 472
 normal 479
 orthogonal 472
 Pauli 168, 171
 real 471
 row 470
 similar 474
 simultaneous diagonalization
 479
 singular 472
 skew hermitian 471
 spectrum 476
 spin 168, 171–172, 191
 symmetric 471
 transpose 470–471
 tri-diagonal 444
 unitary 472, 474
 zero 476
 mean 9–11
 measurement 3–8, 30, 170, 462
 cat paradox 461–462
 destructive 459
 generalized statistical
 interpretation 102–105
 indeterminacy 96, 452
 repeated 6, 170
 sequential 124, 194–195
 simultaneous
 uncertainty principle
 107–108
 median 9–10
 Mermin, N. 5, 453
 meson 180, 447
 metal 84, 223
 metastable state 421
 minimal coupling 181–182
 minimum-uncertainty 108–109,
 193
 mixed state 456–458
 momentum 16–18
 angular 157–165
 canonical 183
 conservation 240–241
 de Broglie formula 19, 23
 eigenfunctions/eigenvalues
 99–100
 generator of translations 235

- mechanical 197
 - operator 17, 41, 95, 99–100, 131
 - relativistic 296–297
 - transfer 392
 - momentum space 104–105, 121–123, 188
 - most probable configuration 9
 - Mott insulator 223
 - muon 313, 349
 - muon catalysis 349–350
 - muonic hydrogen 200, 313
 - muonium 313
- N**
- nearly-free electron
 - approximation 314
 - Neumann function 140–141
 - neutrino oscillation 117
 - neutron diffraction 397–398
 - neutron star 228
 - no-clone theorem 459–460
 - node 33, 140–142, 146
 - nomenclature (atomic) 213–215
 - nondegenerate perturbation theory 279–286
 - noninteracting particles 198–199
 - nonlocality 447, 451–452
 - non-normalizable function 14, 56, 66
 - norm 467
 - normal matrix 479
 - normalization 14–16, 30, 93
 - box 424
 - free particle 56, 424
 - harmonic oscillator 45–46
 - hydrogen 150
 - spherical coordinates 136
 - spherical harmonics 191–192
 - spinor 169
 - three dimensions 131
 - two-particle systems 198, 203
 - variational principle 327
 - vector 467
 - wave function 14–16
 - nuclear fusion 349–350
 - nuclear lifetime 360–362
 - nuclear magnetic resonance 437
 - nuclear motion 200–201, 209
 - nuclear scattering length 398
 - null vector 96, 464
- O**
- observable 94–97, 99
 - determinate state 96–97
 - hermitian operator 94–95
 - incompatible 107–108
 - observer 461–462
 - odd function 33
 - operator 17
 - anti-unitary 274
 - angular momentum 157, 163
 - anti-hermitian 124
 - commuting 40–41
 - differentiating 121
 - Dirac notation 120
 - exchange 207
 - Hamiltonian 27–28
 - hermitian 94–95
 - identity 118, 121–122
 - incompatible 252–253
 - ladder 41–47, 158–159, 161–163
 - linear 94
 - lowering 41–47, 159, 161–163
 - momentum 17, 41
 - noncommuting 252–253
 - parity 233–234, 243–248
 - position 17, 101
 - product rule 121
 - projection 118, 121–122, 314
 - raising 41–47, 159, 161–163
 - rotation 233–234, 248–251
 - scalar 250
 - vector 249–250
 - optical theorem 397
 - orbital 213, 337
 - orbital angular momentum 165
 - orthodox position 5, 446
 - orthogonality 33
 - eigenfunctions 98–99
 - functions 93
 - Gram–Schmidt procedure 98, 468
 - hydrogen wave functions 151
 - spherical harmonics 137
 - vectors 467
 - orthogonal matrix 472
 - orthohelium 211–212
 - orthonormality 33, 46, 467
 - Dirac 99–102, 118
 - eigenfunctions 100
 - functions 93
 - vectors 467
 - orthorhombic symmetry 321
 - overlap integral 339
- P**
- p* (principal) 213
 - parahelium 211–212
 - paramagnetism 196, 226
 - parity 233–234, 243–248
 - hydrogen states 234
 - polar coordinates 234
 - spherical harmonics 234
 - partial wave 380–387
 - Paschen–Back effect 307
 - Paschen series 155–156
 - passive transformation 236–237
 - Pasternack relation 319
 - Pauli, W. 5
 - exclusion principle 202, 213, 218, 223
 - paramagnetism 226
 - spin matrices 168, 171
 - periodic boundary conditions 230–231
 - Periodic Table 213–216
 - permanent 206
 - perturbation theory 279–326
 - constant 281–282
 - degenerate 283, 286–295, 314–315, 317
 - expectation value 323–324
 - first order 279–284, 332
 - higher order 285, 317
 - nondegenerate 279–286
 - second order 279, 284–286
 - time-independent 279–326
 - time-dependent 402, 405–411
 - phase
 - Berry’s 185, 430–433
 - dynamic 429–430
 - gauge transformation 183, 185
 - geometric 429–430
 - wave function 18, 32, 38, 185
 - phase shift 385–387
 - phase velocity 58–59
 - phonon 230
 - photoelectric effect 422, 425–426
 - photon 7, 155, 412, 417
 - Plancherel’s theorem 56, 60, 69–70
 - Planck formula 155, 312
 - Planck’s blackbody spectrum 416–417
 - Planck’s constant 3
 - polar angle 133
 - polarization 411, 414
 - polarizability 324
 - population inversion 413
 - position
 - eigenfunctions/eigenvalues 101
 - generalized statistical interpretation 104–105
 - operator 17, 265–265
 - space

- position-momentum uncertainty
 principle 19–20, 107
 position space wave function
 104, 121–123
 positronium 200, 313
 potential 25
 Coulomb 143
 delta-function 61–70
 Dirac comb 221
 effective 138
 finite square well 70–76
 hydrogen 143
 infinite square well 31–39
 Kronig–Penney 221–222
 power law 371
 reflectionless 81
 scalar 181
 sech-squared 81, 371, 375
 spherically symmetrical 132,
 371, 393–394
 step 75–76
 super- 129
 vector 181
 Yukawa 347, 351–352
 potential well 352, 355–358,
 367–369
 power law potential 371
 power series method 40, 49–50,
 145
 principal quantum number 140,
 147
 probability 8–14
 Born statistical interpretation
 3–8
 conservation 22, 188
 continuous variables 11–14
 current 22, 60, 187–188
 density quad 12–13
 discrete variables 8–11
 generalized statistical
 interpretation 102–105
 reflection 67, 375
 transition 409
 transmission 67, 359
 projection operator 118,
 121–122, 314
 propagator 267–268, 396
 proton
 g-factor 311
 magnetic moment 311
 magnetic field 300
 pseudovector 245–247, 250
 pure state 455–456
- Q**
 quantum
 computation 460
- cryptography 460
 dot 350–351
 dynamics 402–445
 electrodynamics 181, 301,
 412, 417
 Hall effect 209
 information 460
 jump 155, 402
 Xerox machine 459–460
 Zeno effect 442–443
 quantum number
 angular momentum 160,
 166
 azimuthal 147
 “good” 298, 305–308
 magnetic 147
 principal 140, 147
 quark 180
- R**
 Rabi flopping 410, 414
 radial equation 138–143
 radial wave function 138, 144,
 152
 radiation 411–418
 radiation zone 381
 radius
 Bohr 147, 298
 classical electron 167
 raising operator 41–47, 159,
 161–162
 Ramsauer–Townsend effect 74
 Rayleigh’s formula 383
 realist position 5, 170, 446
 reciprocal lattice 399
 recursion formula 50–52, 148
 reduced mass 200
 reduced matrix element 256
 reflected wave 66–68
 reflection coefficient 67, 375
 reflectionless potential 81
 relativistic correction 296–299
 harmonic oscillator 298
 hydrogen 295–299
 relativistic energy 296
 relativistic momentum 296
 resonance curve 437
 revival time 76
 Riemann zeta function 36–37
 rigged Hilbert space 100–101
 rigid rotor 165
 Rodrigues formula 54, 135
 “roof lines” 351
 rotating wave approximation
 410
 rotations 233–234, 248–262
 generator 248–249
- infinitesimal 248–251
 spinor 269
 row matrix 470
 Runge–Lenz vector 270–272
 Rutherford scattering 379, 394
 Rydberg constant 155
 Rydberg formula 155
- S**
 s (sharp) 213
 scalar 464
 pseudo- 246, 250
 “true” 246, 250
 scalar multiplication 465
 scalar operator 250
 scalar potential 181
 scattering 376–401, 424–425
 amplitude 380
 angle 376
 Born approximation 380,
 388–397
 classical 376–379
 cross-section 377–378
 hard-sphere 376–378, 384,
 387
 identical particles 400–401
 length 398
 low energy 393
 matrix 81–82
 one dimensional
 partial wave analysis
 380–387
 phase shift 385–387
 Rutherford 379, 394
 soft-sphere 393, 395, 397
 two dimensional 399–400
 Yukawa 394–395
 scattering states 61–63, 66–70,
 81–82
 delta function 66–70
 finite square well 73–76
 tunneling 68–69, 358–362,
 370, 375
 Schrödinger, E. 188
 Schrödinger equation 3,
 131–132
 electromagnetic 181
 helium 348
 hydrogen 143
 integral form 388–391
 momentum space 130
 normalization 14–16
 radial 138
 spherical coordinates 133
 three-dimensional 131–132
 time dependent 3, 15, 24–31,
 131, 402–403

- time independent 25–26, 132
 two-particle systems 198–200
 WKB approximation 354–375
- Schrödinger picture 265, 434
 Schrödinger's cat 461–462
 Schwarz inequality 92, 106, 467–468
 screening 213, 335–336
 sech-squared potential 81, 371, 375
 selection rules 246, 420–422
 parity 246–248
 scalar operator 255–258
 vector operator 258–262
 self-adjoint matrix 471
 self-adjoint operator 130
 semiclassical regime 358
 semiconductor 223
 separable solution 25–31
 separation of variables 25–26, 133–134
 sequential measurements 194–195
 shell 213
 shielding 335–336
 shooting method 194
 similar matrices 474
 simple harmonic oscillator equation 31
 simultaneous diagonalization 479
 singlet configuration 177, 206, 312
 singular matrix 472
 sinusoidal perturbation 408–411
 sinusoidal wave 56
 skew-hermitian matrix 124, 471
 skew-hermitian operator 124
 Slater determinant 206
 S-matrix 81–82
 solenoid 183–184
 solids 23–24, 84, 216–225
 band structure 220–224
 free electron model 216–220
 Kronig–Penney model 221–222
 Sommerfeld, A. 216
 span 465
 spectral decomposition 120
 spectrum 96, 476
 blackbody 416–417
 coincident lines 190
 degenerate 96, 476
 hydrogen 155–156
 matrix 476
 spherical Bessel function 140–141, 381–382
 spherical coordinates 132–134
 angular equation 134–138
 radial equation 138–154
 separation of variables 133
 spherical Hankel function 381–382
 spherical harmonic 137–138, 191–192, 234
 spherical Neumann function 140–141
 spherically symmetric potential 132–134, 371, 393–394
 spherical tensor 258
 spin 165–180, 191
 commutation relations 166
 down 167
 entangled states 177, 199, 447
 matrix 168, 191
 one 172
 one-half 167–171
 singlet 177
 statistics 201
 three-halves 191
 triplet 177
 up 167
 spinor 167, 247
 spin-orbit coupling 295, 299–304
 spin-spin coupling 312, 344
 spontaneous emission 412–413, 416–422
 hydrogen 439
 lifetime of excited state 418–420
 selection rules 420–422
 square-integrable function 14, 92–93
 square well
 double 79
 finite 70–76
 infinite 31–39
 standard deviation 11
 Stark effect 286, 319–320, 322, 374
 state
 mixed 456–458
 pure 455–456
 stationary states 25–31, 324–325
 delta-function well 66
 free particle 55–56
 harmonic oscillator 44
 infinite square well 31–32
 virial theorem 125
 statistical interpretation 3–8, 102–105
 statistics (spin and) 201
- step function 69, 330
 Stern–Gerlach experiment 174–175, 196
 stimulated emission 412–413
 Stoner criterion 227
 subsystem 459
 superconductor 184
 superluminal influence 452
 superpotential 129
 supersymmetry 40, 129
 symmetric matrix 471
 symmetric state 201, 206
 symmetrization principle 201, 207
 symmetry 232–275
 continuous 232
 cubic 321
 discrete 232
 inversion 243
 orthorhombic 321
 rotational 250–251, 269–270
 spherical 132–134, 371, 393
 tetragonal 321
 translational 238–242
- T**
- Taylor series 39
 Taylor's theorem 49
 tensor operator 250
 tetragonal symmetry 321
 thermal energy 219
 theta function 330
 Thomas precession 302
 three-particle state 225
 time-dependent perturbation theory 402, 405–411, 434–435
 Golden Rule 422–426
 two-level systems 403–411
 time-dependent Schrödinger equation 3, 15, 24–31, 131, 197–198, 402–403, 433–434
 numerical solution 443–445
 time evolution operator 262–268
 time-independent perturbation theory 279–326
 degenerate 283, 286–295, 314–315, 317
 nondegenerate 279–286
 time-independent Schrödinger equation 25–26
 bouncing ball 332, 369
 delta-function barrier 440
 delta-function well 63–70
 finite square well 70–74
 free particle 55–61

- harmonic oscillator 39–54
 - helium atom 210
 - hydrogen atom 143
 - hydrogen molecule 341
 - hydrogen molecule ion 337
 - infinite square well 31–39
 - stationary states 25–31
 - three dimensions 132
 - two-particle 198–200
 - time-ordered product 434
 - time reversal 272–275
 - time translation 266–267
 - total cross-section 378, 383–384
 - trace 474
 - transfer matrix 82–83
 - transformation
 - active 236–237
 - hermitian 482–484
 - infinitesimal 240
 - linear 91, 468
 - of operators 235–237
 - unitary 484
 - transition 155, 402
 - allowed 438
 - electric dipole 438
 - electric quadrupole 438
 - forbidden 421, 438
 - magnetic dipole 438
 - passive 236–237
 - transition probability 409
 - transition rate 414–415
 - translation 232–233
 - generator 235
 - infinitesimal 240–241
 - operator 232–233, 235–242, 268
 - symmetry 238–242
 - time 262–268
 - transmission coefficient 67, 75, 359, 370
 - transmitted wave 66–68
 - transpose 470–471
 - triangle inequality 468
 - tri-diagonal matrix 444
 - triplet configuration 177, 312
 - “true” vector 245–247, 250
 - tunneling 63, 68–69, 358–362, 370
 - in Stark effect 374
 - turning point 61–62, 354–355, 363–364, 366
 - two-fold degeneracy 286–294
 - two-level system 403–411
 - two-particle systems 198–200
- U**
- uncertainty principle 19–20, 105–113
 - angular momentum 132, 158
 - energy-time 109–113
 - extended 127–128
 - generalized 105–108
 - Heisenberg 132
 - position-momentum 19–20, 132
 - minimum-uncertainty wave packet 108–109
 - unitary matrix 472, 474, 484
 - unitary transformation 484
 - unit vector 467
 - unstable particle 23
- V**
- valence electron 216
 - van der Waals interaction 315–316
 - van Hove singularity 229
 - variables
 - continuous 11–14
 - discrete 8–11
 - hidden 5–6, 449, 454
 - separation of 25–26, 133
 - variance 11
 - variational principle 327–353
 - bouncing ball 332
 - delta function well 331
 - excited states 331–332
 - harmonic oscillator 328, 331–332
 - helium 332–336
 - hydrogen 347
 - hydrogen ion (H^-) 336
 - hydrogen molecule 341–346
 - hydrogen molecule ion 337–341
 - infinite square well 327–332
 - quantum dot 350–351
 - Yukawa potential 347
 - vector 91, 464–466
 - addition 464
 - changing bases 473–475
 - column 470
 - Dirac notation
 - inverse 464
 - null 464
 - operator 249–250
 - pseudo- 245–247, 250
 - row 470
 - “true” 245–247, 250
 - unit 467
 - zero 464–465
 - vector potential 181
 - vector space 464
 - velocity 17
 - classical 56, 58–59
 - group 58–59
 - phase 58–59
 - vertex factor 396
 - virial theorem 125, 187, 298
- W**
- wag the dog method 51, 83–84, 194
 - watched pot phenomenon 442–443
 - wave function 3–8, 14–16
 - collapse 6, 102, 170, 443, 446–447, 453
 - free particle 55–61
 - hydrogen 151
 - infinite square well 32
 - Laughlin 208–209
 - momentum space 104–105, 121–123, 188
 - normalization 14–16
 - position space 104, 121–123
 - radial 138, 144, 152
 - statistical interpretation 3–8
 - three dimensions 131–132
 - two-particle 198–200
 - unstable particle 23
 - wavelength 19, 155
 - de Broglie 19, 23
 - wave number 379
 - wave packet 56–61
 - gaussian 61, 77, 108–109, 130
 - minimum-uncertainty 108–109
 - wave-particle duality 446
 - wave vector 217
 - white dwarf 227
 - wiggle factor 26, 29
 - Wigner, E. 462
 - Wigner–Eckart theorem 255–262, 307
 - WKB approximation 354–375
 - “classical” region 355, 363
 - connection formulas 362–371
 - double well 372–374
 - hydrogen 372
 - non-vertical walls 368–369
 - one vertical wall 367–368
 - radial wave function 371
 - tunneling 358–362, 374–375
 - two vertical walls 356–357
 - Wootters, W. 459

Y

- Young's double-slit experiment
7–8
- Yukawa potential 347,
351–352, 394
- Yukawa scattering 394

Z

- Zeeman effect 304–310
 - intermediate-field 309–310
 - strong-field 307–308
 - weak-field 305–307
- Zener diode 362
- Zener tunneling
362–363
- Zeno effect 442–443
- zero matrix 476
- zero vector 464–465
- Zurek, W. 459