

Index

- anticracks. *See* structural discontinuity, main types, anticracks
- brittleness
 - and yield strength 444, 456
 - as a system property 310
 - of mudrocks 308
- bulk modulus. *See* rheology, Hooke’s Law, incompressibility
- Charles Law 409
- CHILE material 10
- closing mode. *See* structural discontinuity, main types, anticracks
- Complete Stress–Strain Curve for Rock 48
 - defined 49
 - post-peak region
 - peak stress 52
 - residual strength 52
 - stability relative to surroundings and loading system 54
 - strain softening and growth of macrocracks 52
 - pre-peak region 49
 - closure of pore volume 50
 - elastic compression 50
 - strain hardening and microcrack growth 50
 - yield stress 51
 - relationship between Young’s modulus and peak strength 50
 - rock mass vs. intact rock material 49
- Coulomb criterion. *See* strength, peak-strength criteria
- crack extension force. *See* rheology, Hooke’s Law, strain energy release rate
- crystalline rock. *See* rheology, compact rock
- deformability
 - of intact rock material. *See* rheology, Hooke’s Law, Young’s modulus
 - of rock mass. *See* rock mass, deformability of
- deformation
 - elements of 34
 - internal 34
 - distortion 34
 - strain 35
 - volume change 34
 - rigid-body 34
 - of mudrocks 306
 - brittleness 308
 - over-consolidation ratio 308
 - of porous granular rock 290
 - compaction 291
 - dense granular rock 291
 - hardening vs. softening 303
 - implications for deformation bands 305
 - loose granular rock 291
 - overconsolidated soil 291
 - role of confining pressure or depth 292
 - role of grain size 292
 - stress paths 303
 - yield envelopes 296
 - q–p* diagram 296
 - Cam clay 298
 - cap 297, 302
 - critical pressure 297
 - critical state line 298
 - elliptical shape 301
 - shear yield 301
 - yielding vs. failure 295
 - terminology 31
 - process vs. mechanism 31
- deformation bands
 - as Riedel shears 315
 - classification 266
 - by kinematics 269
 - compaction bands 273
 - pure compaction bands 166, 275
 - shear-enhanced compaction bands 274
 - compactional shear bands 270
 - cataclastic 272
 - non-cataclastic 272
 - dilation bands 269
 - dilational shear bands 269
 - shear bands 270

- deformation bands (cont.)
 - by mechanism 266
 - cataclastic bands 268
 - disaggregation bands 266
 - phyllosilicate bands 267
 - solution and cementation bands 268
- displacements accommodated by 281
- fracture mechanics of 276
- growth into faults 310, 323
 - Aydin–Johnson model 310
 - bands with slip surfaces 314
 - damage models 318
 - precursory damage 319
 - resultant damage 319
 - role of stress state 326
- orientations of 277
- spatial organization of 283
- why important 265
- deformation modulus
 - relationship to tangent Young's modulus 49
- degenerate ellipse 63
- deviatoric stress. *See* stress, Mohr circle, differential stress
- diagenesis
 - and brittleness 310
 - and deformation bands 266, 268, 306
 - and displacement–length scaling 443
 - and fault healing 241
 - and yield envelopes 296
 - effect on discontinuity patterns 199
- DIANE material 10
- dilation angle
 - and deformation orientation 279
 - and shear-enhanced compaction bands 280
 - and shearing with volumetric changes 278
 - and types of deformation bands 305
- displacement–length scaling
 - and stratigraphic or vertical restriction 461
 - applications in the Earth and planetary sciences 441
 - for major classes of geologic structural discontinuities 450
 - linear
 - disaggregation deformation bands 450
 - faults 450
 - stylolites 455
 - none
 - pure compaction bands 456
 - sublinear 446, 447
 - cataclastic (compactional shear) deformation bands 455
 - dilatant cracks 455
 - shear-enhanced compaction bands 455
 - superlinear
 - shear zones 455
- in relation to fracture mechanics 439
- main controlling factors for individual structural
 - discontinuities 440
- of LEFM discontinuities 389
- relation for three-dimensional (elliptical) discontinuities 456
 - dependence on discontinuity aspect ratio 460
 - maximum displacement 458
 - proportional vs. non-proportional discontinuity growth 459, 461
 - stair-step trajectory on D – L diagram 462
 - tall vs. long discontinuities 458
 - relation for two-dimensional (plane) discontinuities 443
 - under brittle, LEFM conditions 447
 - under semi-brittle conditions 444, 448
- D – L diagram
 - and discontinuity aspect ratio 485
 - and linkage of echelon discontinuities 480
 - and rheologically stratified sequences 462, 483
 - for major classes of geologic structural discontinuities 450
 - for three-dimensional (elliptical) discontinuities 460
 - relation of scaling intercept to near-tip yield strength (brittle vs. semi-brittle conditions) 456
 - relation to other measures of population statistics 478
- dynamic fracture toughness
 - defined 406
- elastic limit. *See* Complete Stress–Strain Curve for Rock, pre-peak region, yield stress
- en echelon. *See* fractures, cracks, geometries, echelon
- end zone 414, 415, *See also* plastic zone, process zone
 - and discontinuity aspect ratio 419
 - and displacement–length scaling 440, 456
 - and growth of secondary discontinuities 423, 426
 - and J -integral 432
 - brittle (LEFM) vs. semi-brittle 419, 429, 444
 - cohesive 414, 422
 - defined 421
 - length of 416
 - semi-brittle 190, 422
 - toughening and apparent dynamic fracture toughness 430
- Europa
 - strike-slip faults 224
- fault. *See* fractures, faults
- fractography. *See* fractures, cracks, surface textures and their meaning
- fracture mechanics
 - applicability to geologic structural discontinuities 332, 349, 385, 400
 - comparison of LEFM and post-yield fracture mechanics 429
 - defined 332
 - displacement modes 19
 - engineering 332
 - LEFM. *See* Linear Elastic Fracture Mechanics
- fracture toughness. *See* Linear Elastic Fracture Mechanics, stress state, near-tip, stress intensity factor, dynamic fracture toughness
- fractures
 - cracks
 - geometries 158
 - clustered 198
 - echelon 159

- systematic vs. non-systematic (cross) joints 199, 200
 - wing cracks 160
- main types 144
 - anticrack 164
 - dike 144, 163
 - hydrofracture 145
 - joints 27, 144
 - sheeting joints 145, 160
 - sill 145
 - vein 144
- propagation velocity 153
 - displacement-controlled loading 154
 - role of diagenesis 155
 - stress-controlled loading 154
- stress states for cracking 161
- surface textures and their meaning 147
 - hackle 149
 - mirror zone 152
 - mist zone 153
 - origins 149
 - plumose structure 148
 - ribs 151
 - Wallner lines 153
- why study 145
- faults 209
 - Anderson's classification 229
 - kinematic classification 211
 - normal 212
 - grabens 214
 - relay-ramps 214, 251
 - role of stratigraphy in 216
 - reverse/thrust 216
 - blind 219
 - duplex 222, 247, 258, 474
 - fault-bend folds 221
 - fault-propagation folds 221
 - lobate scarps 219
 - role of stratigraphy in 216
 - segmentation 218
 - wrinkle ridges 219
 - sequential formation of 244
 - precursory substrates 245, 248
 - pre-existing substrates 245, 246
 - stepovers 250. *See also* patterns, discovery, echelon
 - extinction 260
 - related to volume change 251
 - strain
 - and thickness of deforming region 257
 - orthorhombic 242
 - plane 242
 - stress states for 230
 - critically stressed 239
 - fault gradient vs. fracture gradient 233
 - on Mohr diagram 234
 - strength envelope 95, 237
 - stress polygon 235
 - strike-slip 223
 - block rotations 226
 - dilational vs. contractional stepovers 254
 - pull-apart basins and push-up ranges 176, 206, 251, 255, 259, 260, 435
 - segmentation 224
 - transform 227
 - and fracture zones 228
 - and spreading centers 228
 - comparison with continental strike-slip faults 228
 - frictional strength
 - and shear driving stress for faults 343
 - Coulomb criterion for 89
 - maximum (static) vs. residual (dynamic) 342
 - of critically stressed faults 240
 - of lithosphere 95
 - of rock surfaces 125
 - on Mohr diagram 234
 - on q - p diagram 327
 - rate-and-state 128
 - steady-state 449
 - written as fault gradient 233
- Griffith flaws 57
- Hall–Petch relation 293
- hydraulic fracture. *See* fractures, cracks. main types, hydrofracture
- Inglis/Kolosov relation 61, 348
- instability
 - and precursory structures 245, 319
 - and propagation 406
 - defined 55
 - in the post-peak region 54
- joint. *See* fractures, cracks
- Kirsch solution 63
- LEFM. *See* Linear Elastic Fracture Mechanics
- ligament 59, 174
- Linear Elastic Fracture Mechanics
 - basic assumptions 349, 380
 - displacements
 - away from the discontinuity 358
 - on the discontinuity 351
 - elliptical geometry
 - distribution 356
 - maximum value 358
 - plane geometry
 - distribution 352
 - maximum value 353, 443
 - driving stress 334, 346
 - cumulative slip on faults 345
 - incremental slip on faults 341
 - oblique opening 338
 - partial vs. total stress drop 343
 - pure opening 335
 - stress state
 - away from the discontinuity 362

Linear Elastic Fracture Mechanics (cont.)

- K -dominant region 379
- near-tip 366
 - in Cartesian coordinates 366
 - in polar coordinates 366
 - plastic zone 380, 426
 - small-scale yielding 380
 - stress intensity factor 371
 - dynamic fracture toughness 386, 387
 - for the three displacement modes 372
 - from discontinuity displacements 376
 - strain energy release rate 176, 374
 - units and configuration parameter for 372

Mars

- and displacement–length scaling 495
- and length–frequency statistics 474
- deformation bands 265
- lobate scarps 219
- overlap/separation ratios of echelon fault stepovers 179
- reverse/thrust faults 217, 219
- strike-slip faults 224, 255

mechanical stratigraphy 200, 216, 219

Mercury

- and displacement–length scaling 495
- lobate scarps 219
- reverse/thrust faults 217, 219

Mohr diagram

- and Coulomb criterion 89
- and Griffith criterion 105
- and Hoek–Brown criterion 122
- and Modified Griffith criterion 107
- compared to q – p diagram 296
- for deformation bands 281
- for effective stress 88
- for laboratory compression tests 28
- for total stresses 234
- fracture gradient vs. fault gradient 235
- initial failure modes 133
- plotting the Mohr circle for stress 84

Moon

- echelon grabens 213
- lobate scarps 219
- reverse/thrust faults 219

natural fracture. *See* fractures

normally consolidated soil 291

opening mode. *See* structural discontinuity, displacement modes, mode-I

over-consolidated soil 291

patterns

- cross joints 199
 - intersection angles and causative stress states 201
 - role of vertical restriction 202
 - systematic vs. non-systematic 199
- discovery 171
- echelon 171

formation of 176

- growth by segment linkage 182, 484
 - on D – L diagram 483, 485, 487

growth into faults 183

overlap 174

radial (tip) propagation 182

sense of step 173

separation 173

- growth of parallel discontinuities 181, 197, 199, 212, 285, 315, 316

stepover 174

- forward-breaking vs. backward-breaking 227

geometry 179

hard-linked vs. soft-linked 174

overlap/separation ratios 179

sense of strain 186, 224, 253, 255, 285, 317

end cracks 190

- as kinematic indicators 192

- related to near-tip stress states 191

take-off angle

- at fault tips 426

- for post-yield discontinuities 423, 425

LEFM 376

Riedel shears 203

- contractional or dilational stepovers 206

echelon fault segments 206

interpretation as faults, joints, and folds 205

oriented relative to remote principal stresses 203

P-shears (contractional structures) 205

R'-shears (antithetic Coulomb shears) 204

R-shears (synthetic Coulomb shears) 204

T-shears (dilational structures) 205

Y-shears (principal displacement shear) 205

structural discontinuity, described 170

plastic zone

- LEFM xiv, 321, 380, 415

- requirements for small-scale yielding 380, 381

semi-brittle 375, 384

plasticity

- associated vs. non-associated 278, 279

plumose structure. *See* fractures, cracks, surface textures and their meaning

population statistics

- as snapshots of an evolving discontinuity population 465

Bishop Tuff example 466, 467, 470, 474, 483

brittle strain 487. *See also* strain, brittle

common terms 464

dimensionality matrix 489

discontinuity lengths 466, 469

- exponential distributions 198, 471, 473

- power-law distributions 198, 471, 487

- relation to brittle strain 479

- power-law vs. exponential 479

- related to vertical restriction 198

 R -plot 475, 480

post-yield fracture mechanics

- comparison of LEFM and post-yield fracture mechanics 429

- conditions for stable propagation 407
- geologic and environmental controls on 405
- magnitude of stress concentration 428
- propagation criteria 430
 - apparent dynamic fracture toughness 430
 - J -integral 432
 - strain energy density 435
 - subcritical fracture growth 88, 155, 198, 387, 407, 409
 - stress corrosion 198, 408
 - Charles Law 409
- process zone 321
- q - p diagram
 - defined 296
 - equations and parameters for 297
 - strain-hardening and the expanding yield cap 327
- relay-ramps. *See* patterns, discovery, echelon
- rheology
 - compact rock 46
 - compact vs. porous rock 46
 - defined 27
 - elastic. *See* rheology, Hooke's law
 - Hooke's Law
 - dilatancy 45
 - in one dimension 36
 - in three dimensions 37
 - normal and shear strains 40
 - in two dimensions 41
 - plane strain 41
 - plane stress 41
 - incompressibility 39
 - linearly elastic material 35
 - normal and shear stiffness 44
 - Poisson's ratio 38
 - porosity and void ratio 45
 - rock stiffness and deformability 43
 - shear modulus 39
 - stiffness vs. compliance matrix 43
 - strain energy 46
 - strain energy density 46
 - volumetric vs. distortional 47
 - strain energy release rate 48, 374
 - and the formation of echelon stepovers 176
 - J -integral 48
 - strength of 36
 - Young's modulus 35
- laboratory testing
 - brittle–ductile transition 53
- porous rock 46
 - strongly cohesive 46
 - weakly cohesive 46
- Riedel shears. *See* patterns, Riedel shears
- rock mass
 - classification systems 112
 - Geological Strength Index (GSI) 110
 - Q -system 114
 - Rock Mass Rating (RMR) 114
 - deformation modulus 120
 - main categories 115
 - related to Hoek–Brown strength criterion 109, 119
- rockburst 66
- secondary structures. *See* patterns, discovery, end cracks
 - and discontinuity linkage 174, 227
 - and faulted joints 247
 - and segment linkage 182
 - angles of 426
 - as kinematic indicators 191, 250
 - of strike-slip faults 244, 438
 - flower structures 226
- shearing mode. *See* structural discontinuity, displacement
 - modes, mode-II
- strain. *See* deformation, elements of, internal
 - brittle
 - Bishop Tuff example 494
 - equations using discontinuity population 493
 - geometric discontinuity moment 489
 - Kostrov's equation for 491
 - quasi-static discontinuity moment 490
 - using displacement–length scaling 495
 - work done by discontinuity-related deformation 491
 - ellipse
 - and Riedel shears 203
 - oriented relative to remote principal stresses 203
- strength
 - inverse relation with size 56
- laboratory tests
 - compressive 28
 - polyaxial 30
 - triaxial 30
 - uniaxial 30
 - axial splitting 30
 - unconfined compressive strength 30, 68
 - tensile
 - from dynamic fracture toughness 390
- of intact plate 58
- of plate with a circular hole 59
- peak-strength criteria
 - Coulomb 89
 - cohesion 89
 - Coulomb failure function 98
 - friction angle vs. friction coefficient 91
 - using local resolved stresses 89
 - on the Mohr diagram 92
 - validity under resolved tensile stress 98
 - using remote principal stresses 93
 - brittle strength envelope for lithosphere 95
 - bulk friction parameter 93
 - orientation of optimum slip plane 93
 - unconfined compressive strength 93
 - described 75
 - Griffith 102
 - depth of jointing 106

- strength (cont.)
 - for resolved tensile stress 103
 - tensile and cohesive strengths 105
 - Hoek–Brown 108
 - equations for 109
 - for intact rock material 116, 124
 - on Mohr diagram 122
 - instantaneous cohesion 122
 - instantaneous friction 122
 - strength and deformability of rock mass compared to intact rock material 119
 - tensile strength of rock mass 121
 - unconfined compressive strength of rock mass 121
 - values for parameter m 116
 - values for parameter s 118
 - Modified Griffith 106
 - time-dependent friction 128
 - tensile 56, 58, 62, 68
 - intact rock material vs. rock mass 66
 - theoretical 56
 - stress 77
 - equations for three dimensions 81
 - equations for two dimensions 79
 - far-field vs. local 79
 - Mohr circle 84
 - differential stress 84
 - effective stress 88
 - mean stress 84
 - on-in criterion 78
 - principal 79
 - resolved onto a plane 80
 - summary of sign conventions for 83
 - tension positive vs. compression positive sign conventions 77
- stress concentration
 - flaws 27, 57, 348
 - near a circular hole 59, 64
 - near a wellbore 67
 - near an elliptical hole 61
 - stress shadowing. *See* structural discontinuities, spacing between
 - structural discontinuities
 - spacing between 195
 - role of vertical restriction 197
 - structural discontinuity
 - defined 10
 - dimensionality
 - aspect ratio and length ratio 195
 - horizontal length vs. vertical height 194
 - influence of the shorter dimension 194
 - displacement continuity
 - sharp 12
 - tabular 12
 - displacement modes 19
 - mode-I 21
 - mode-II 21
 - mode-III 21
 - main types
 - anticracks 3
 - deformation bands 2
 - fractures 1, 14
 - patterns. *See* patterns, discovery
 - role of lithology 16
 - spacing between
 - joint clustering 198
 - role of slip rate of faults 199
- stylolite 7, 163, 224, 249, 455
 - subcritical crack growth. *See* post-yield fracture mechanics, propagation criteria, subcritical fracture growth
 - take-off angle 425. *See also* patterns, discovery, end cracks
 - tearing mode. *See* structural discontinuity, displacement modes, mode-III
 - UCS. *See* strength, laboratory tests, compressive, uniaxial, unconfined compressive strength
 - Venus
 - and length–frequency statistics 474
 - lobate scarps 219
 - reverse/thrust faults 217, 219
 - volumetric strain. *See* rheology, Hooke’s Law, dilatancy
 - work. *See* rheology, Hooke’s Law, strain energy
 - yielding
 - defined 295
 - vs. failure 295